

No. NH-15017/44/2026-P&M
Government of India
Ministry of Road Transport & Highways
Transport Bhawan, 1, Parliament Street, New Delhi-110001

Dated, 08th September, 2026

OFFICE MEMORANDUM

Sub: Approved Sanction Ceiling for List of Work Proposals on National Highways entrusted with State/UT Governments to be taken up during FY 2026-27 under Short Term Maintenance Contract (STMC), Special Repair (SR) & Road Safety - reg.

In continuation of Ministry's letter of even number dt 13.08.2026, Competent Authority in the Ministry has approved revised / additional Sanction Ceiling for List of Work Proposals on National Highways entrusted with State/UT Governments to be taken up during FY 2026-27 under Special Repair (SR) & Road Safety.

2. State / UT -wise summary of revised / additional sanction ceiling along with finalised list of additional work proposals are at **Annexure**.

3.1. The powers to grant approval of the individual works shall be governed by Table 1A of Delegation of Powers (DoP) Circular dt 08.07.2026, on the basis of Estimated Civil Construction Cost of each work of the approved list.

3.2. Centages as per extant guidelines shall be ensured while according approval of individual works based on scrutiny of detailed estimates, including scrutiny of road safety works vis-à-vis the e-Dar data / identified blackspots, Road safety audit report etc.

4.1. The expenditure for the STMC and SR works shall be debitable to OR (Contract Maintenance) sub-head and Special Repair sub-head respectively under M&R head.

4.2. The expenditure for the Road Safety works shall be debitable to NH(O) head: -

- i. For project stretches which are confined within the NE States or over 50% of the project length passes through NE States, sanction / approval of the individual works shall be under NH(O)-NE head.
- ii. For project stretches which are confined within the Tribal Districts or over 50% of the project length passes through Tribal Districts, sanction / approval of the individual works shall be under NH(O)-TSP head.

5. This issues with the concurrence of the Finance Division vide Note #31 dt 01.09.2026.

Encl: As above


(A. Maulik) 08/09/26

Executive Engineer (Planning)
Email: planningmorth@gmail.com

To:-

- i. All Project Zone CEs
- ii. CE (RSE)
- iii. All ROs of the Ministry

Copy for information to:-

- i. Sr. PPS to Secretary (RT&H)
- ii. Sr. PPS to DG (RD) & SS
- iii. Sr. PPS to AS&FA
- iv. PPS to All ADGs

Total Approved Sanction Ceiling for SR and Road Safety Works to be taken up in FY 2026-27 on NHs entrusted to State / UT Governments

A. SR Works - State / UT - wise Summary of Revised / Additional Sanction Ceiling

S. No.	State	Existing Ceiling		Additional Ceiling		Total Approved Ceiling	
		No.	Cost (Rs. Cr.)	No.	Cost (Rs. Cr.)	No.	Cost (Rs. Cr.)
1	Andhra Pradesh	20	126.31	2	13.62	22	139.93
2	Arunachal Pradesh	88	232.42			88	232.42
3	Assam	6	31.15			6	31.15
4	Bihar	4	21.86	23	103.24	27	125.10
5	Goa	10	66.77	4	37.57	14	104.35
6	Gujarat	3	6.05			3	6.05
7	Haryana	2	7.28			2	7.28
8	Himachal Pradesh	11	113.24			11	113.24
9	Jharkhand	24	97.90			24	97.90
10	Karnataka	1	1.51	6	42.89	7	44.40
11	Kerala	3	8.04			3	8.04
12	Madhya Pradesh	4	15.43			4	15.43
13	Maharashtra	49	196.32	74	222.39	123	418.70
14	Manipur	2	10.00			2	10.00
15	Meghalaya	7	17.26			7	17.26
16	Mizoram	7	4.23			7	4.23
17	Nagaland	13	27.54			13	27.54
18	Odisha	12	128.08	12	135.01	24	263.09
19	Punjab	6	16.94			6	16.94
20	Rajasthan	30	187.03			30	187.03
21	Sikkim	84	105.52			84	105.52
22	Tamil Nadu	7	10.62			7	10.62
23	Uttar Pradesh	7	42.17	1	3.14	8	45.31
24	Uttarakhand	21	56.34			21	56.34
25	West Bengal	7	10.73			7	10.73
26	Chhattisgarh	0	0.00	7	14.31	7	14.31
27	Telangana	0	0.00	15	216.80	15	216.80
	Total	428	1,540.71	144	788.97	572	2,329.69

B. Road Safety Works - State / UT - wise Summary of Revised / Additional Sanction Ceiling

S. No.	State	Existing Ceiling		Additional Ceiling		Total Approved Ceiling	
		No.	Cost (Rs. Cr.)	No.	Cost (Rs. Cr.)	No.	Cost (Rs. Cr.)
1	Andhra Pradesh	27	235.33	1	9.80	28	245.13
2	Arunachal Pradesh	1	20.69			1	20.69
3	Assam	8	27.86			8	27.86
4	Bihar	11	38.93	2	1.70	13	40.63
5	Goa	2	13.18	10	103.75	12	116.93
6	Gujarat	0	0.00			0	0.00
7	Haryana	1	3.74			1	3.74
8	Himachal Pradesh	6	3.59			6	3.59
9	Jharkhand	9	32.11			9	32.11
10	Karnataka	0	0.00			0	0.00
11	Kerala	0	0.00			0	0.00
12	Madhya Pradesh	0	0.00			0	0.00
13	Maharashtra	24	70.43	64	147.00	88	217.43
14	Manipur	0	0.00			0	0.00
15	Meghalaya	4	13.24			4	13.24
16	Mizoram	1	0.02			1	0.02
17	Nagaland	1	7.68			1	7.68
18	Odisha	11	55.27	10	46.21	21	101.48
19	Punjab	0	0.00			0	0.00
20	Rajasthan	13	73.25			13	73.25
21	Sikkim	0	0.00			0	0.00
22	Tamil Nadu	12	1.60			12	1.60
23	Uttar Pradesh	0	0.00			0	0.00
24	Uttarakhand	0	0.00			0	0.00
25	West Bengal	4	6.22	3	5.53	7	11.75
26	Chhattisgarh	0	0.00	15	45.11	15	45.11
27	Telangana	0	0.00	17	120.00	17	120.00
	Total	135	603.14	122	479.10	257	1,082.24



C. State / UT - wise Additional List of Works for which Sanction Ceiling Approved

1. Andhra Pradesh

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	216	Construction of Box Culvert in Km 188/906 of NH-216 in Krishna District	Construction of Box Culvert	0.05	3.72
2	67	Construction of Retaining wall along sarveypalli canal and widening with paver blocks, construction of drains, providing illumination in the stretch from Km.739.760 to 742.150 of NH67 in Nellore City in SPSR Nellore District i	Construction of retaining wall Widening with paver blocs, Construction of drains,Providing illumination	2.39	9.90
Total				2.44	13.62

Road Safety Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
3	26	Providing Truck lay by and ilumination on saluru bypass of Raipur - Vishakhapatnam road 486.000 to 491.800 on NH 26	Construction Truck laybay and illumination	2.00	9.80
Total				2.00	9.80

2. Bihar

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	22	MG Setu from Km 212.72 to 218.695 of NH-22 on River ganga	25mm Thick Mastic Asphalt , Steel paintings, bearing maintenances and centreline marking	5.75	3.09
2	80	Ch. 0.000 to Ch. 1.430 at Bata More (Mokama) Junction	Construction of PQC road- DLC-100mm, PQC-320mm, BC-40mm and Road Furniture	1.43	5.00

Baulik

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
3	31	Km 131.500 (Majhanpura) to Km 134.500 and Km 135.500 to Km 143.018 (Brahmpur)	Shoulder improvement, Overlay 40 mm BC, Installation of Road Furniture and Road Marking	11.00	10.00
4	333	Road safety work for RCC Box (1x2x2) Culvert in km 07 of NH-333	Construction of RCC Box (1x2x2) Culvert		0.45
5	322	Detailed estimate under road safety for PQC work in km 32 & 33(jandaha bazar) length 490m of NH-322 road	Construction of PQC road GSB-150mm, DLC-100mm & PQC-300mm	0.49	1.50
6	139	Detailed estimate for construction of RCC Drain (1x 1.25) from ch 96+600 to 99+100 both side (Total length 5 KM) in daudnagar market of NH-139	construction of RCC Drain , grill between road crust and drain and chequer tiles over drain cover.	5.00	7.00
7	139	Detailed estimate for construction of RCC Drain (1 x 0.9) from ch 146+400 to 147+600 (Total length 1.2 KM) in Amba market of NH-139	construction of RCC Drain , grill between road crust and drain and chequer tiles over drain cover.	1.20	3.00
8	139,219,319A	Replacement of rubber seal and drainage spouts of Major Bridge and minor bridge in different road under NH Division Auranabad	Replacement of rubber seal and drainage spouts		0.30
9	219	Detailed estimate for construction of RCC Drain ch 11+800 to 12+700 & 18+500 to 19+400 (Total length 2.70 KM)(in Babura & Betri) of NH-219	construction of RCC Drain , grill between road crust and drain and chequer tiles over drain cover.	2.70	6.00
10	139	Repair and Rehabilitation of Obra bridge at Km 113 of NH-139 over Pupun River for the year 2026-27	Replacement of Expansion joint and bearing .		1.00
11	133E	Rehabilitation of Bhaljhor bridge at ch 64 of NH-133E	Replacement of superstructure, girder damaged and cracked developed in all span, bearing and expansion joint to be replaced		3.50
12	120	Emergent Repair work From Km 103.865 to 142.050 (Gaya to Goh) of NH-120	potholes repair, road marking and road safety	20.00	1.50
13	120	Detailed Estimate Emergent Repair work for Handed over portion by BRPNNL From Ch-0.00 to CH-10.551 (HL Bridge on Sone River connecting to Daudnagar and Nasriganj including approach roads in District-Aurangabad and Rohtas) of NH-120	potholes, rain cutting, road marking, road safety	10.00	0.10
14	33	Detailed Estimate of Repair work of low land portion (water logging) at Kinger Bazar in KM of 19th (P) & 20th (P) of NH-33	Low land portion, PQC raising	0.50	0.50
15	33	Emergent Repair work of old Damage Culvert of KM- 23 of NH-33	Holes in middle of the road on old culvert repairing required		0.10
16	227	Construction of RCC drain and cement concrete pavement considering road safety concern in 3rd Km (Birta Bazar),7th (Jitaura) 21st Km (Malang Chowk Madhuban) of NH-227	Construction of PQC road including RCC drain in market portion.	1.60	9.00



S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
17	727	PQC work in Bettiah Town Portion of NH 727 due to waterlogging	Construction of PQC road in market portion.	2.00	10.00
18	322	Construction of RCC drain in 7 stretches for road safety concern from Km 76 to Km 102 of NH-322 of NH-322	Construction of RCC Drain in Populated area .	11.00	8.40
19	527E	Construction of RCC drain in 16 stretches and Metal Crash Barrier in 8 stretches for road safety concern from Km 08 to Km 27 of NH-527E	Construction of RCC Drain in Populated area and Metal crash barrier for pond protection.	12.00	9.00
20	227	Construction of RCC drain in 4 different stretches as per the direction of world bank officials and local public demand based on site condition, in Km 178(P) BHS, Km 186(P) RHS, km 199(P) RHS & km 209(P) BHS of NH-227	Construction of RCC drain	10.00	8.00
21	122A	Construction of RCC drain in 7 different stretches as per local public demand based on site condition, in Km 29 (P) Km 1(P) BHS, Km 5(P) BHS, km 9(P) BHS, km 14(P) BHS, km 17(P) BHS, Km 18(P) BHS & km 27(P) BHS of NH-122A and one additional box culvert in km 19th	Construction of RCC drain and one additional box culvert	12.00	10.00
22	120	Emergent Repair of km 240.200 to 245.4000 in Dumraon Bjar of NH 120	GSB, WMM, Bc for urgent repair		0.20
23	527A	Construction of RCC cover Drain in NH- 527A at km:- 5+135 to km:- 6+665 i.e. from Koshi canal to Kings Canal in Madhubani town	Construction of RCC drain	1.30	5.60
Total				107.97	103.24

Road Safety Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	333A	Detailed estimate for road safety work in Km 0+00 to Km 34+00 PQC Work at Tothiya pahad at Km 11 th and truck laybye at km 19 th of NH-333A	Road safety work such as rumble strips, road markings, signage, delineators, crash barrier, tree reflective sheet, parapet repair , PQC work at Tothiya pahad, truck lay bye.	0.30	1.30
2	333A	Detailed estimate for parapet repair under Road Safety work in Km 35 to Km 64(p) of NH-333A	crash barrier, reflective sheet, parapet repair		0.40
Total				0.30	1.70

Baulik

3. Goa

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	66	Rehabilitation and Anti Carbonation paint of Bridges between Patradevi to Bambolim, Km 475 to 522	Rehabilitation of bridges, repairs etc.	-	11.25
2	66	Margao bypass, km 544.200 to km 549.900	Routine maintenance, patch repairs, cleaning of drain & CD works, clearing of bushes, painting of structures, road markings, signages, crash barrier etc.	5.70	5.70
3	748	Re-construction of Minor Bridge on Chimbhel creek on NH-748	Re-construction of Minor Bridge	-	10.00
4	66	Anti Carbonation paint for various bridges and structures between Zuari to Polem, Km 531 to 611	Anti Carbonation paint to increase life of old bridges	-	10.63
Total				5.70	37.57

Road Safety Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	66	Improvement of Accidents spots from Patradevi to Bambolim, km 475+000 to km 522+855	Road marking, Improvemt of junctions, signages, crash barrier etc.	-	11.25
2	66	Construction of FOB at Thivim, Km 500+730	FOB, Footpath etc	-	9.38
3	748	Construction of FOB near Gera School on NH-748	FOB, Footpath etc	-	9.38
4	66	Improvement of KTC Bus stand Junction, Panaji on NH-66	Junction improvement, footpath, road furniture etc	-	11.25
5	748	Construction of Service roads near Chimbhel flyover on NH-748	Service roads and road furniture	1.00	10.00
6	66	Improvement of Merces Junction, Panaji on NH-66	Road marking, Improvemt of junctions, signages, crash barrier etc.	-	6.25
7	66	Improvement of pedestrian facilities, pavers, crash barrier and fencing between Km. 586/150 to Km.593/050 (Canacona bypass)	Parking area, public utility space, landscaping, pedestrian facilities, road furniture etc	-	11.25
8	66	Construction of Service roads from Patradevi to Bambolim, km 475+000 to km 522+855	Service roads and drains	3.00	11.25
9	366	Junction improvement, footpath, road furniture etc. on Cortalim - Chicalim section from Km 0 to Km 10.00	Junction improvement, footpath, road furniture etc	-	11.25
10	748	Construction of Vehicular Overpass at Km. 120.500 near Keriyeem on NH-748	Overpass, cross road developement, Road furniture	-	12.50
Total				4.00	103.75

Bautik

4. Chhattisgarh

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	43	Km. 433.850 to 437.670 Sitapur Town Portion	Restoration work with GSB, WMM & Other Road Safety works	3.82	0.36
2	43	Km. 363.000 to 373.500 Shilfili to Sanjay Nagar	Restoration work with GSB, WMM & Other Road Safety works	10.50	0.39
3	43	Km. 375.600 to Km. 380.00 Ambikapur town Town Portion	Restoration work with GSB, WMM & Other Road Safety works	4.40	1.45
4	49	Special repair of Damaged Pipe Ralling & Restoration for Submurssible Bridge at Km. 10/8-10 on NH-49	Restoration work with GSB, WMM & Other Road Safety works	0.00	1.44
5	49	Special repair of Damaged Pipe Railling & Restoration of Submurssible Bridge at Km. 1422 (Ex.) BHS on NH-200 New NH-49	Restoration work with GSB, WMM & Other Road Safety works	0.00	0.84
6	43	Pathalgaon Town portion (from Km. 465.00 to 468.60)	Dressing of side shoulder, Construction of Shoulders, Clearing and Grubbing Road land, Maintenance of Road Marking/Signages, MBCB, Repairs of pot holes/ruts of any depth with WMM & Bituminous material, Removal of rank vegetation and Removal of dead animals & stray animals.	3.60	1.63
7	45/130A	Kenda Ghat Section (from Km. 273.200 to 278.750) of NH-45 and Mungeli town from Ex. Ch. 44.186 to 52.710 on NH-130A	Dressing of side shoulder, Maintenance of Road Marking/Signages, Providing KM Stone, Repairs of pot holes/ruts of any depth with WMM & Bituminous material, Maintenance of cuts, Removal of rank vegetation and Removal of dead animals & stray animals	14.07	8.20
Total				36.39	14.31

Road Safety Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	49 & 153	Installation of Solar Street Light on Black Spot of NH-49 and NH-153	Providing Solar Light		1.82
2	130A	Installation of Solar Street Light on Black Spot of NH-130A	Providing Solar Light		0.50
3	49	Temporary rectificaion Accident Spots under e-DAR on NH-49	Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier.		0.46
4	153	Temporary rectificaion of 2 no. Black Spots eBC1-(23-25)-CG-034 and eBC1-(23-25)-CG-057 on NH-153	Road Marking with Hot Applied Thermoplastic Compound with Reflectorising Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement	1.10	1.13



S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
			Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.		
5	130A	Temporary rectificaion of Black Spots eBC1-(23-25)-CG-084 on NH-130A	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	0.70	0.72
6	343	Temporary rectificaion of 2 no. Black Spots eBC1-(23-25)-CG-082 and eBC1-(23-25)-CG-093 on NH-343	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	1.30	1.34
7	43	Temporary rectificaion of 12 no. Black Spots eBC1-(23-25)-CG-012, eBC1-(23-25)-CG-052, eBC1-(23-25)-CG-053, eBC1-(23-25)-CG-058, eBC1-(23-25)-CG-064, eBC1-(23-25)-CG-073, eBC1-(23-25)-CG-086, eBC1-(23-25)-CG-087, eBC1-(23-25)-CG-094, eBC1-(23-25)-CG-096, eBC1-(23-25)-CG-097 and eBC1-(23-25)-CG-098 on NH-43	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	7.30	7.52
8	130B	Temporary rectificaion of 5 no. Black Spots eBC1-(23-25)-CG-041, eBC1-(23-25)-CG-050, eBC1-(23-25)-CG-085, eBC1-(23-25)-CG-090 and eBC1-(23-25)-CG-095 on NH-130B	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	2.80	2.88
9	130C	Temporary rectificaion of 2 no. Black Spots eBC1-(23-25)-CG-022 and eBC1-(23-25)-CG-081 on NH-130C	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	1.70	1.75
10	353	Temporary rectificaion of 3 no. Black Spots eBC1-(23-25)-CG-025, eBC1-(23-25)-CG-048 and eBC1-(23-25)-CG-088 on NH-353	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	2.00	2.06
11	53	Temporary rectificaion of 7 no. Black Spots eBC1-(23-25)-CG-001, eBC1-(23-25)-CG-005, eBC1-(23-25)-CG-009, eBC1-(23-25)-CG-020, eBC1-(23-25)-CG-023, eBC1-(23-25)-CG-060 and eBC1-(23-25)-CG-079 on NH-53	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	7.30	7.52
12	930	Temporary rectificaion of 3 no. Black Spots eBC1-(23-25)-CG-076, eBC1-(23-25)-CG-080 and eBC1-(23-25)-CG-089 on NH-930	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	1.60	1.65

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
13	30	Temporary rectificaion of 9 no. Black Spots eBC1-(23-25)-CG-029, eBC1-(23-25)-CG-038, eBC1-(23-25)-CG-043, eBC1-(23-25)-CG-045, eBC1-(23-25)-CG-049, eBC1-(23-25)-CG-055, eBC1-(23-25)-CG-069, eBC1-(23-25)-CG-071 and eBC1-(23-25)-CG-074 on NH-30	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	5.50	5.67
14	30	Temporary rectificaion of 9 no. Black Spots eBC1-(23-25)-CG-002, eBC1-(23-25)-CG-008, eBC1-(23-25)-CG-014, eBC1-(23-25)-CG-024, eBC1-(23-25)-CG-026, eBC1-(23-25)-CG-051, eBC1-(23-25)-CG-054, eBC1-(23-25)-CG-066 and eBC1-(23-25)-CG-092 on NH-30	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	8.60	8.86
15	63	Temporary rectificaion of Black Spots eBC1-(23-25)-CG-013 on NH-63	Road Marking with Hot Applied Thermoplastic Compound with Reflectorisng Glass Beads on Bituminous Surface, Tack coat, Bituminous Concrete, Providing and fixing Raised Pavement Markers, Delineator made of M.S. Hollow Rectangular Pipe, Retro- reflectorised Traffic signs, Solar Blinker, Metal Beam Crash Barrier and Street Lighting.	1.20	1.24
Total				41.10	45.11

5. Maharashtra

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	752E	Detailed Estimate of Special Repair of road for section NH752E Shirur-Kharda Special chainage km 55/937 to 60/235 in Rakshasbhuvan Village Tal.Shirur kasar Dist Beed	Special Repair	0.10	6.15
2	61	Detailed Estimate of Special Repair for providing solar street light/Highmast on NH-61 from working Ch.390/365 to 392/365 along Gadi- Manvat road at Chh.Sambhaji Maharaj chowk to Fulepimpalgaon fata, Majalgaon Tq. Majalgaon Dis.Beed	Special Repair	0.10	1.35
3	752I	Detailed Estimate for road Safety Measures on minor junctions improvement and Protection works for existing Open Wells section of A.S.Club to Kopargaon from Km 0/00 to Km 80/00 of NH-752I	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	2.21
4	752H	Detailed Estimate for road Safety Measures and Protection works for existing Open Wells section of Shivoor to Yeola from Design Ch. 44+900 to 74+000 Km of NH-752H	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.98

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
5	752H	Detailed estimate for road safety works along NH 752 H Palphata - Phulambri - Khultabad from Km. 137/758 to Km.105/700 (Design Chainage from Km. 46/440 to Km.78/358 (Length 31.918 km)	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.92
6	752E	Road safety work and Well Protection along the NH 752E from ch km 0/000 to 114/486 Paithan-Shirur-Kharda	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	1.11
7	361F	Road safety work and Well Protection along the NH361F from ch km 0/000 to 36/900 Kharwandi-Navgan rajuri	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.74
8	752H	Road safety work and Well Protection along the NH752H of section Palphata-Chikhli from km.179/430 to km 141/800	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.98
9	752H	Road safety work and Well Protection along the NH752H of section Rajur-Chikhli section ch km 0/000 to 8/850	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.49
10	753F	Road Safety work at Chouka ghat location on Chhatrapati Sambhajinagar to Jalgaon road NH 753F at Km 9.800 to Km 10.800	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.49
11	753F	Well protection work on Chhatrapati Sambhajinagar to Jalgaon road NH 753F from Km 0/00 to 47/500	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.25
12	61	Reconstruction of canal bridge @ Sawargaon Km 387/700 under road safety provision on NH 61 in the state of Maharashtra	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	3.15
13	752H	Detailed estimate for providing solar street lights on NH 752H at design CH. 0+000 Daultabad T Point, Tq. Chh. Sambhajinagar, District. Chh. Sambhajinagar in the state of Maharashtra.	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.25
14	584B	Detailed Estimate for Safety Measures and Protection Works for Existing Open Wells Along NH-548B in Lokhandi Sawargaon to Renapur Phata at Village Waghala District Beed (Design Km 35+000 to 35+100 RHS)	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.53
15	584B	Detailed Estimate for Safety Measures and Protection Works for Existing Open Wells Along NH-548B in Lokhandi Sawargaon to Renapur Phata at Village Saigaon District Beed (Design Km 42+200 to 42+300 RHS)	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.53
16	584B	Detailed Estimate for Safety Measures and Protection Works for Existing Open Wells Along NH-548B in Lokhandi Sawargaon to Renapur Phata at Village Bardapur District Beed (Design Km 47+000 to 47+200 BHS)	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	1.22
17	548B	Detailed Estimate for Interconnection of Main Highway with Service Road Comprising DBM & BC Overlay, Built-up Drain, and Road Safety Works in the Tapering Portion of Waghala Grade Separator (Km 35+300 to 35+500, LHS) on NH-548B	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.72
18	361F	Detailed Estimate for the Provision of Safety Measures and Protection Work for Existing Open Wells Along NH-361F at Pangari Village District Beed Design Km 126+400 to Km 126+500 (BHS)	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	1.22
19	752K	Detailed Estimate for the Provision of Safety Measures and Protection Work for Existing Open Wells Along NH-752K on Kopra to Gharola road District Latur at Km 80+900 to Km 81+000. (LHS)	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.54
20	63	Detailed Estimate for the Provision of Safety Measures and Major junction improvement Along NH-63 Udgir city 180+300 to 180+450.	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	2.46

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
21	548B	Detailed Estimate for the Provision of Safety Measures and Major junction improvement on NH-548B at Matola village from Km 232+100 to 232+370.	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	5.49
22	548B	Detailed Estimate for Safety Measures and Protection Works for Existing Open Wells Along NH-548B in Lokhandi Sawargaon to Renapur Phata at Village Palshi District Latur (Design Km 53+860)	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	1.23
23	753M	Road safety measures and Protection Work for Existing Open Wells Along Chikhali(Hatni)-Dhad-Bhokardan NH-753M from km 0/000 to km 67/600	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	2.45
24	548B	Road safety measures and Protection Work for Existing Open Wells Along Deogaon Phata- Selu- Pathri NH-548B from km 0/000 to km 42/700	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	1.18
24	752I	Road safety measures and Protection Work for Existing Open Wells Along Charthana-Jintur NH-752I from km 25/100 to km 47/100	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	0.75
25	753H	Road safety measures and Protection Work for Existing Open Wells Along Sillod-Bhokardan-Jalna (Design km 0+000 to 62/420) & Wadigodri-Jalna (Design km.0+000 to 50+734) section of NH-753H	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	2.07
26	753H	Construction of Foot Over Bridge on NH 753 H at Matsyodari Devi Temple (D.Ch Km 20/515) & at MSRTC Bus Stop Ambad (D.Ch.21/490) in Ambad Dist.Jalna in the state of Maharashtra on EPC Mode.	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	3.17
27	753H	Road Safety Work of Accident Spots on Wadigodri to Dhangripimpri Km.0/00 to Km.30/390 Section of NH-753H in the state of Maharashtra	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	6.08
28	753H	Road Safety Work of Accident Spots on Dhangripimpri to jalna and Ambad Chowfuli to Mantha chowfuli Km. 30/390 to Km. 50/734 & Km.0/00 to Km.5/243 Section of NH-753H in the state of Maharashtra	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	6.05
29	753F	Safety work to Ajantha Ghat Portion of NH 753F (89+800 to 94+100) Chhatrapati Sambhajinagar to Jalgaon Road in the State of Maharashtra on EPC Mode	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	10.22
30	753H	Road Safety Work of Accident Spots on Bhokardan to Kumbhari Fata Design Ch.(Km.13+500 to 17+000) and Rajur to Jalna Design Ch.(Km.39+850 to 62+420) to 2L+PS/4L Configuration Section of NH 753-H in the State of Maharashtra	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	0.10	6.15
31	548 D	Rehabilitation and Up-gradation of Talegaon Dabhade - Chakan -Shikrapur - Nhavare- Srigonda - Jalgaon - Jamkhed - Patoda - Manjarsumba - Kaij - Ambajogai - Kingaon and terminating at its junction with NH-361 near Chakur Road NH 548 D in Km. 195/375 to 208/775 (Section Jamkhed to Sautada) to 2L+PS on EPC Basis.	Ghat safety work, slope protection, parapet wall, Crash barrier work etc	1.20	1.65
32	NH -166E	Section of National highway NH166E Balance length of Vita -Nagaj NH 166E Km 47/500to 94/155	Retaining wall , open C.C gutter in Ghat section ,Road Safty Measures	4.20	6.15
33	NH 166H	Up-gradation to 4 lane configuration for the work of Peth Naka to Sangli Road NH-166H , from Km. 0.000 to Km. 41.250 in the State of Maharashtra on EPC Mode	Construction of Rcc Drain in KM 6+000to KM 6+250	0.25	0.70
34	160H	Panzara Bridge, Ch. 45/00	Repairs to deteriorated concrete surfaces, epoxy painting	0.50	0.95
35	160H	Sarangkheda Bridge, Ch. 111/300	Construction of new parapet for bridge since in damage condition at some places, Crash barrier towards approaches.	0.75	0.39

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
36	753J	Jalgaon to Chalisgaon at km 45+200 near village Goradkheda District Jalgaon	Well protection works	0.10	0.65
37	753 B	Hatoda Bridge on Tapi River	1..Cement mortar/Polymer modified gunting. 2.Epoxy protective painting. 3.Cleaning and removal of silt, debris, vegetation from bridge drainage systems. 4.Approaches railing, crash barrier painting works.	0.50	0.39
38	753 J	Jalgaon To chalisgaon	RCC Drains at various location in Pachora and Bhadgaon Tehsil in Dist Jalgaon	3.50	5.14
39	753 F	Near village Chinchkheda, Tehsil Sillod Dist Chh. Sambhajinagar	Additional RCC drain construction for waterlogging prevention	0.90	1.30
40	753 F	Ajanta Chaufully to Raymond Showroom in Jalgaon tehsil	Paved Shoulder to 4L CC Pavement, WMM,DBM,BC	5.26	6.50
41	754 F	Near Bhavan village Tehsil Sillod Dist. Chh. Sambhajinagar	Paved Shoulder to 4L CC Pavement, WMM,DBM,BC	2.00	2.54
42	753F	Pune Raigad border to Mangaon	LuminoKrom Paint fo Road Marking 100 mm width	0.15	0.04
43	753F	Pune to Male village - Km. 1+275 to 31+400	Rehabilitation and Up-gradation of Existing lane	30.13	0.25
44	753F	Male vilalge to PR Border Road - Km. 31+400 to Km. 69+000	Rehabilitation and Up-gradation of Existing lane	37.60	5.77
45	63	Mahile Polytechnic to PVR Chowk	1. Repair of existing road 2. Allied road safety works	1.20	1.31
46	548C	Bal Work Anjangaon Betul	1. Repair of existing road 2. Allied road safety works	3.06	4.15
47	247	Kuhi to Umred	1. Repair of existing road 2. Allied road safety works	19.82	6.88
48	752H	Yeola Andarsul	1. Repair of existing road 2. Allied road safety works	5.00	0.94
49	543	Deori-Korchi (residual, 10 of 21 km already sanctioned)	1. Repair of existing road 2. Allied road safety works	11.00	3.13
50	652	Naldurg-Akkalkot (residual, 10 of 14 km already sanctioned)	1. Repair of existing road 2. Allied road safety works	4.00	1.19
51	752K	Gharola to Gharni	1. Repair of existing road 2. Allied road safety works	2.00	1.06
52	NH 61	Rehabilitation and upgradation of end of Ahmednagar Bypass to Kharwandi Kasar (Pathardi) NH-61 from Km. 232.00 to 284.00 in the State of Maharashtra EPC mode under NHDP-IV	Highway Lighting work	10.00	2.45
53	NH 548D	Short Term Maintenance to Nhavara to Jamkhed section of NH 548D in Km 95+140 to 95+930, km 102+110 to 102+950, km 137.700 to 138.350, Km 137.930 to 138.000,km 141.700 to 142.800, km 152.900 to 153.500 & 160.300 to 160.850 (section- Nhavara to Jamkhed - Desclope length) - for year 2026-27	Pot hole filling,Bad patches,road safety measures	4.60	2.10
54	266	Section of National Highway NH266 Tasgaon - Shirdhon at Junction of NH 166 at Shirdhon KM 81+800 the State of Maharashtra	Subgrde -500 mm GSB-150mm DLC-150mm PQC-290mm	0.07	0.74

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
55	752G	Kopargaon Savli Vihir	PQC Pavement Repairs Crack Repair / Stapling Joint Maintenance PQC Edge and Shoulder Repair Drainage Maintenance Road Furniture Road marking	9.67	3.13
56	NH-66	SR to NH-66 at Kashedi Ghat depressed portion	1.Slope mitigation measures 2. Construction of Retaining wall , Gabion Wall 3.Articulating Grouted Concrete mattress 4.Settlement measures	1.00	9.98
57	NH-66	SR to NH-66 at Kemburli & Dasgaon	1.Slope mitigation measures 2. Retaining wall , Gabion Wall 3.Articulating Grouted Concrete mattress 4.Shotcrete	0.50	9.99
58	NH-66	SR to Varandha Ghat on NH-965 DD in Km 91.00 to 94.00 on	1.Slope mitigation measures 2. Retaining wall , Gabion Wall 3.Articulating Grouted Concrete mattress 4.Settlement measures	3.00	9.95
59	NH965DD	SR to Shenale Ghat on NH-965DD in Ch km 40.100 to Ch km 40.600, km 40.600 to 40.855 & 41.130 to 52.570 on Hill and Valley side	1. ANCHORED CC CLADDING, 2. ANCHORED CC GRAVITY WALL 3. CC CATCHPIT 4. Slope mitigation measures 5. Construction of Retaining wall , Gabion Wall 6.Articulating Grouted Concrete mattress 7.Settlement measures	0.50	12.50
60	NH965DD	SR to Tulashi Ghat on NH-965DD in Ch 29.800 Km to Ch 30.245 Km, CH. km 28.550 to CH km. 28.827 and CH. km 29.115 to CH km. 29.410	1. ANCHORED CC CLADDING, 2. ANCHORED CC GRAVITY WALL 3. CC CATCHPIT 4. Construction of Retaining wall , Gabion Wall 5.Articulating Grouted Concrete mattress 6.Settlement measures	0.45	12.50
61	NH-548H	SR of old bridges and protection works on NH-548H in Km 0.000 to 47/800 (khambdev Naka to Ajara Phata).	1. Retaining wall 2. parapet wall 3. Major & minor bridges repair 4. Restoration of pipe culverts.	-	7.50
62	NH-548-A	SR to Bhatsa Bridge on Shahapur- Murbad section of NH-548A.	Repair of existing old bridge	-	5.00
63	NH-61	Road Safety Measures at Kalyan Murbad Malsej ghat Road NH-61 between km 85 to km 90	Removing overburden from hill slope, slope protection by geo synthetic mat and slope stabilization , Loose scale , RE/Breast wall ghat section.	1.50	3.75
64	166G	Construction of damaged Retaining & Parapet Walls in Talere-Gaganbawda Road from Km 0.000 to 35/300	1. Construction of damaged retaining wall. 2. Construction of Parapet walls. 3. Installation of sign Boards	-	2.50
65	66	Construction of RCC Retaining Walls, Breast wall, Slope protection work in Arawali - Kante - Waked Section	Construction of RCC Retaining Walls, Breast wall, Slope protection work, in Arawali - Kante - Arawali Section	23.00	12.50
66	266	Well Protection on Tasgaon to Shirdhon section NH266, Ch. Km 58/830 to Km 81/829 and Landagewadi to Jath Ch Km 85/875 to Km 131/400	Well Protection work is required	80.00	0.22

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
67	166E	Well Protection on Vita to Nagaj section NH166E, Ch. Km 47/500 to Km 94/155 and Nagaj to Muchandi Ch Km 0/00 to Km 49/381	Well Protection work is required	49.38	0.33
68	548H	Well Protection on Amboli-Ajra-Gadhinglaj-Sankeshwar NH 548 H Km 71/530 to Km 132/958	Well Protection work is required	61.00	0.48
69	266	Well Protection on Karad to Tasgaon NH266 Km 0/000 to Km 58/830	Well Protection work is required	58.83	0.41
70	160	Well Protection on Vita-Mhaisal section & Bridge Approaches on NH160 Km 392/950 to Km 458/769	Well Protection work is required	65.80	0.77
71	166E	Well Protection on Karad-Vita section & Surli Ghat on NH166E Km 0/000 to Km 47/500	Well Protection work is required	47.50	0.30
72	548E	Road safety measures on Mhaswad to Piliv to Pandharpur Road km 0+00 to Km. 53+080	Well protection works (14 Nos.) MCB 150m at each location	2.10	1.43
73	752H	Detailed Estimate of Special Repair work of dismantling existing kerbs, providing median, Shifting of street lights and junction improvement for road section NH752H Palphata-Phulambri-Khultabad chainage km 51/700 to 53/700 in Phulambri Village Tal. Phulambri Dist: Chhatrapati Sambhajinagar	Road safety and special repair work is required	-	1.65
74	752E	Detailed Estimate of Special Repair of road for section NH752E Shirur-Kharda Special chainage km 55/937 to 60/235 in Rakshasbhuvan Village Tal. Shirur kasar Dist Beed	Special Repair	0.10	6.15
Total				555.11	222.39

Road Safety Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	61	Rehabilitation and upgradation of end of Ahmednagar Bypass to Kharwandi Kasar (Pathardi) NH-61 from Km. 232.00 to 284.00 in the State of Maharashtra EPC mode under NHDP-IV	Well protection work, improvements to accident/black spots (Road markings, rumble strips, cat eyes, delineators etc)	52.00	0.49
2	548 D	Rehabilitation and Up-gradation of Talegaon Dabhade - Chakan - Shikrapur - Nhavare - Srigonda - Jalgaon - Jamkhed - Patoda - Manjarsumba - Kaij - Ambajogai - Kingaon and terminating at its junction with NH-361 near Chakur Road NH 548 D in Km. 195/375 to 208/775 (Section Jamkhed to Sautada) to 2L+PS on EPC Basis.	Well protection work, accident spot improvements	13.34	0.08
3	160A	Road safety work for Ghoti Trimbakeshwar NH-160A Km 94+100 to 94+300 (Ganpat bari)	Landslide protection work like retaining wall	0.20	0.63

4	953	Protective Measures to Road side wells for Saputara Chausale Pimpalgaon B NH-953 Ch.104/000 TO 161/281 (Length 57.281 Km)	Well protection work including Road markings, rumble strips, cat eyes, delineators etc	57.28	0.38
5	752G	Protective Measures to Road side wells for Satana Mangrul NH-752G Ch.64/000 TO 101/140 (Length 37.140 Km)	Well protection work including Road markings, rumble strips, cat eyes, delineators etc	37.14	0.63
6	848	Protective Measures to Road side wells for Nashik Peth NH-848 Ch.11/600 TO 65/060 (Length 53.46 Km)	Well protection work including Road markings, rumble strips, cat eyes, delineators etc	53.46	0.25
7	848	Protective Measures to Kotambi & Sawal Ghat section on Nashik Peth NH-848 Ch.38/970 to 41/816 & 49/730 to 51/413 (Length 4.529 Km)	Landslide protection work like retaining wall	0.80	1.50
8	60	Dwarka Nashik road section Km.208.649 to 201.350	Road markings, rumble strips, cat eyes, delineators etc	6.30	0.25
9	160A	Protective Measures to Road side wells for Ghoti Trimbakeshwar NH-160A Ch.53/500 TO 101/100 (Length 47.600 Km)	Well protection work including Road markings, rumble strips, cat eyes, delineators etc	47.60	1.19
10	753J	Protective Measures to Road side wells for Chalisgaon Nandgaon Manmad NH-753J Ch.103/000 TO 168/800 (Length 68.800 Km)	Well protection work including Road markings, rumble strips, cat eyes, delineators etc	68.80	0.38
11	548 D	Providing safety measures to prevent accidents at well located near the road carriageway of Nhavara Inamgaon Kashti Shrigonda Aadhalgaon of SH 55 (new NH 548D) section Nhavara to Aadhalgaon in the State of Maharashtra.	Well protection work, accident spot improvements	0.13	0.1016
12	548 D	Providing safety measures to prevent accidents at well located near the road carriageway State Bank Chaulk to Chandbibi mahal (Bhingar Town) of NH61 in the State of Maharashtra.	Well protection work	0.07	0.0635
13	150E	Road safety work for Akkalkot Dudhani NH-150E Km 70+682 to 99+580	Sign Boards, Rumble strips, MBCB for bridge approaches & Hazardous locations	28.90	2.00
14	63	Road Safety work for Kuslamb Yedshi NH-63 Km 0+00 to 21+500	Sign Boards, Rumble strips, MBCB for bridge approaches & Hazardous locations	21.50	1.50
15	548B	Road safety work for Murum Mode Murum alur wagdari Akkalkot Nagansur Tolnur NH548B Km 289+700 to 347+700	Sign Boards, Rumble strips, MBCB for bridge approaches & Hazardous locations	58.00	2.00
16	561A	Road safety work for Tembhurni Pandharpur Mangalwedha Umadi Vijaypur Km 95+136 to 131+636	Sign Boards, Rumble strips, MBCB for bridge approaches & Hazardous locations	36.50	5.00
17	652	Road safety work for Naldurg Akkalkot NH652 Km 30+884 to 70+709	Sign Boards, Rumble strips, MBCB for bridge approaches & Hazardous locations	39.83	2.50

18	465	Road safety work for Mohol Kurul kamti Basavnagar Valsang Dhotri Musti Tandulwadi NH465 Km 0+00 to 56+400, Km 76+00 to 86+790, Km 98+400 to 107+400	Sign Boards, Rumble strips, MBCB for bridge approaches & Hazardous locations	76.19	2.25
19	160H	Section Kusumba to Chinchwar at Ch. 43/400 to 64/100	Providing safety measure at Ch. 43/400 to 63/500 section Kusumba to Chinchwar on NH 160H	6.00	1.90
20	160H	At Ghat Section, Ch. 64/100 to 67/900	Providing safety measures at Ghat Section, Ch. 64/500 to 67/900 on NH 160H	3.80	4.80
21	160H	At Ch. 79/100, 112/200, 120/00 and 124/500	Providing safety measures for rectifying black spots at Ch. 79/100, 112/200, 120/00 and 124/500 on NH 160H	2.00	0.80
22	160H	Section lamkani to Dondaicha at Ch. 68/900 to 98/00	Providing safety measure at Ch. 68/900 to 98/00 section lamkani to Dondaicha NH 160H	5.50	1.30
23	160H	Dondaicha-Shahada Section at Ch. 98/00 to 125/00	Providing safety measure and repairs to minor bridges at Ch. 98/00 to 125/00 on NH 160H Dondaicha-Shahada Section	4.00	0.75
24	753 B	Taloda to Akkalkuwa	Road safety Measure for identified Black Spots	5.00	1.10
25	753 B	Nandurbar to Taloda	Road safety Measure for identified Black Spots	2.00	0.58
26	754 F	Nillod Phata to Sillod	Road safety Measure for identified Black Spots	7.00	1.63
27	753 F	Jalgaon City portion on Jalgaon Chh Sambhajinagar	Road safety Measure for identified Black Spots	1.50	0.10
28	753 J	Jalgaon to Chalisgaon	Road safety Measure for identified Black Spots	4.50	0.37
29	60 Spur	Road Safety works on Bhimashankar to Rajgurunagar, Part A -Km 2+928 to Km. 14.000, Part B Km. 20.000 to Km. 63.378	1. Provision of Thermoplastic Paint Marking 2. Cat eyes studs, Cautionary/ warning sign 3.Provision of MBCB (In stretches)	54.45	2.46
30	61 Spur	Road Safety Works on NH 61 Spur Junnar to Taleghar road from Km. 13/880 to Km.70.500 (In stretches)	1. Provision of Thermoplastic Paint Marking 2. Cat eyes studs, Cautionary/ warning sign 3.Provision of MBCB (In stretches)	56.62	2.74
31	761	Road Safety works on NH 761 Belhe to Shirur road Section Ralegaon Therpal to Gavhane Wadi Km. 38.000 to Km. 48.000	1. Provision OF Rumble Strips and Thermoplastic 2. Cat eyes studs, Cautionary/ warning sign 3.Provision of MBCB (In stretches)	10.00	1.23
32	548DD	Road Safety Measures on Navle Bridge to Katraj Section Km.0.000 to 3.880	1.Safety measures proposed by traffic police Department Pune City, 2.Thermoplastic paint, Cold pressed plastic paint, rumble strip, Blinkers, Boards, Speed Gantry etc 3. Miscellaneous Works	3.40	3.29
33	548E	Road safety measures on Mhaswad to Piliv to Pandharpur Road km 0+00 to Km. 53+080	Well protection works (14 Nos.) MBCB 150m at each location	2.10	1.43
34	965C	Road safety measures on Kurduwadi to Pandharpur Road Km. 0+00 to Km. 48+375	1. Well protection works (9 Nos.) MBCB 150m at each location . 2. Road safety measures like thermoplastic paint,rumble strips,sign boards at Ashti village	1.35	1.77
35	548C	Road safety measures on satara Mhaswad Road Km. 0+00 to Km. 85+686	Road safety measures like thermoplastic paint,rumble strips,sign boards, Cat's eyes, Blinker & MBCB at Black Spot 7+880 Triputi Khind and Additional demanding by Locals and Police Department at Mhaswad Village, Gondvale Village, Koregaon,Pusegaon and satara city,etc.	0.50	0.43

36	548C	Road safety measures on Mhaswad to Tembhurni Road Km.85+686 to Km. 156+164	1) at Black Spot 103+700 Goradwadi (MBCB 500m) & Road safety measures like thermoplastic paint,rumble strips,sign boards, Cat's eyes, Blinker 2) Additional Road safety measures like thermoplastic paint,rumble strips,sign boards, Cat's eyes, Blinker demanding by Locals and Police Department at Tembhurni, Patilwasti, Mhaskewasti,etc. 3) MBCB at Patilwasti 400m BHS	0.90	0.75
37	753 L	PAHUR-JAMNER-BODWAD (0+000 to 44+760)	4 Nos. Black Spot & 4 Nos.Accident Spot 1) Zebra crossing painting 2) Solar blinker 3) Raised studs cat eyes 4) Rumbling strips 5) Information board & cautionary board 6) Highmast lamp repair & Electric bill	44.76	0.12
38	753 L	BODWAD-MUKTAINAGAR (44+760 to 60+250)	2 Nos. Black Spot & 2 Nos.Accident Spot 1) Zebra crossing painting 2) Solar blinker 3) Raised studs cat eyes 4) Rumbling strips 5) Information board & cautionary board 6) Highmast lamp repair & Electric bill	15.49	0.10
39	752G	Kolde to Khetia road NH-752G km.50+200 to 98+800	4 Nos. Black Spot & 8 Nos.Accident Spot 1) Zebra crossing painting 2) Solar blinker 3) Raised studs cat eyes 4) Rumbling strips 5) Information board & cautionary board 6) Highmast lamp repair & Electric bill	48.60	0.25
40	548-D	Ahmedpur to Pimpla (0+000 to 55+615)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	55.62	0.61
41	548-D	Pimpla to Manjarsumbha (55+615 to 127+855)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	81.69	0.71
42	548-D	Manjarsumbha to Chumbhaliphata (137+300 to 169+000)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	32.17	0.66
43	752-K	Jahirabad to Latur (0+000 to 64+936)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	64.94	0.59
44	63	Ashtamode to Tivatyal (24+030 to 62+000)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median	37.97	0.51

			markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.		
45	548-C	Mantha Taluka Border - Partur (0+000 to 50+634)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	50.63	0.71
46	548-C	Partur - Majalgaon (51+262 to 101+740)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	46.37	0.76
47	548-C	Majalgaon-Kaij (101+740 to 159+258)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	57.52	0.61
48	548-C	Kaij - Kusulumb (159+258 to 219+986)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	57.44	0.69
49	752-I	Shirod Shahpur - Basmat (48+000 to 70+430)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	21.79	0.51
50	752-K	Jintur-Parbhani (47+000 to 85+420)	Well protection, Advance warning signs, Chevron alignment signs (CAS), Mandatory/regulatory, No Overtaking, Delineators / roadside object markers, Road studs / raised pavement markers, Crash barriers / W-beam metal beam crash barrier, Median markers and hazard markers, Traffic islands / channelisation signs, High-mast/street lighting, Thermoplastic road markings, edge line, arrows, zebra crossing, stop line, Blinkers/solar, Pedestrian guardrails near settlements, schools and bus stops. Speed calming measures where technically justified, Flashing warning signs at high-risk locations.	38.48	0.61
51	753F	Pune Raigad border to Mangaon	Anti Crash Barriers THRIE : Metal Beam Crash Barrier (Providing and erecting a Thrie metal beam crash barrier comprising of 3 mm thick corrugated sheet metal	0.58	0.38

			beam rail, 85 cm above road/ground level, fixed on ISMC series channel vertical post, 150 x 75 x 5 mm spaced 2 m centre to centre, 2 m high with 1.15 m below ground level, all steel parts and fittings to be galvanised by hot dip process, all fittings to conform to IS:1367 and IS:1364, metal beam rail to be fixed on the vertical post with a space of channel section 150 x 75 x 5 mm, 546 mm long complete as per clause 810)""		
52	753F	Pune Raigad border to Mangaon	Providing Reinforced cement concrete crash barrier at the edges of the road, approaches to bridge structures and medians, constructed with R.C.C. M 30 Grade concrete with HYSD reinforcement conforming to IRC:21 and dowel bars 25 mm dia, 450 mm long at expansion joints filled with pre-moulded asphalt filler board, keyed to the structure on which it is built and installed as per design given in the enclosure to MOST circular No. RW/NH - 33022/1/94-DO III dated 24 June 1994 as per dimensions in the approved drawing and at locations directed by the Engineer, all as specified etc. complete. Spec: MORT and H 2013 Cl 811 Page No 360	0.05	0.02
53	66	Road safety measures to Ambet Phata (Toal Phata) on NH-66	1. Junction Improvement 2. Service Road Construction 3. Widening of Culvert.	2.00	9.94
54	66	Road safety measures at km 94.400 to NH-66	1. Construction of Retaining wall & widening of Road	2.00	2.50
55	61	Road Safety Measures at Kalyan Murbad Malsej ghat Road NH-61 in km 15.200 to km 38.00	Pedestrian facilities for Schools, junction crossings, Foot over bridges	22.80	9.50
56	160 A	Road Safety Measures at Torangan Ghat km 112/000 to 113/000 & km 114/000 to 115/000	Construction of Retaining wall & widening of Road	2.00	9.61
57	166E	Road Safety Measures and Construction of damaged Retaining & Parapet Walls in Guhagar-Chiplun-Karad NH 166E	1. Construction of retaining wall. 2. Construction of Parapet walls. 3. Junction Improvement 4. Road furniture	-	5.00
58	66	Road Safety Measures with Breast wall, Retaining Walls, Service Road from km 205 to km 332	1. Breast / retaining wall. 2. Crash Barriers 3. Junction Improvement 4. Service Road	-	12.50
59	66	Road Safety Measures by providing FOBs with Service Road from km 205 to km 475	1. 3 Nos. of FOB on NH-66 (Parshuram Ghat, Savarde & Lanja), (Ch. 463/300) 2. Service Road at Watul (BHS)	-	12.50
60	Multiple NH	Temporary rectifications on Blackspots on NH-6, NH-48, NH-50, NH-52, NH-52(211), NH-61, NH-63, NH-65, NH-66, NH-161, NH-161A, NH-353(B), NH-361, NH-548, NH-753B, NH-753F, NH-772H, NH-848, NH-930, NH-930(B), NH-752G, NH-752H, NH-752 under BS Series 2018-20	Removing overburden from hill slope, slope protection by geo synthetic mat and slope stabilization, Loose scale, RE/Breast wall ghat section.	-	3.00
61	166H	Peth Naka Sangli	Providing anti glare screen on median on NJCB	40.35	5.63
62	930, 66	Temporary rectifications on Blackspots on NH-930 and NH-66 under BS Series 2019-21	Temporary rectifications on Blackspots based on Audit Report	-	0.60

63	Multiple NH	Temporary rectifications on Blackspots on NH-4, NH-6, NH-7, NH-50, NH-52, NH-60, NH-61, NH-63, NH-66, NH-160, NH-160H, NH-161, NH-161A, NH-222, NH-347A, NH-353C, NH-353D, NH-361, NH-361F, NH-516A, NH-548B, NH-548C, NH-548D, NH-561, NH-561A, NH-647, NH-752A, NH-752H, NH-752I, NH-752S, NH-753, NH-753A, NH-753B, NH-753C, NH-753F, NH-753H, NH-753M, NH-848, NH-930, NH-953 under BS Series 2020-22	Temporary rectifications on Blackspots based on Audit Report	-	10.00
64	Multiple NH	Temporary rectifications on Blackspots Series 2021-23 recently identified	Temporary rectifications on Blackspots based on Audit Report	-	10.00
Total				1,491.90	147.00

6. Odisha

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	326	FROM CH-311/700 TO CH-327/700	Providing and Laying Dense Bituminous Macadam and Bituminous Concrete; Providing and Applying Prime Coat and Tack Coat; Road Marking with Hot applied thermoplastic compound; Providing bidirectional retro reflective Raised Pavement Marker; Construction of earthen shoulder of 2.5m width	16.00	12.66
2	157	Soil nailing work in selected stretches from 80/00 to 86/300 and from 86/700 to 90/00, Canal lining work for bridge at 86/700 on NH-157	Soil nailing work in selected stretches to prevent land slide. Canal lining work for bridge is required for protection from soil erosion.	2.48	67.49
3	59	S/R such as providing and laying of Paver block from Km 267/700 to Km 267/900 on left side, construction of road side concrete drain with cover slab from km 260/200 to km 261/100 on L.H.S. & R.H.S. side of NH-59	Provision for construction of paver block and RCC drain with cover slab	0.50	1.36
4	59	From km 338/450 to km 351/110	Clearing and stripping excess soil including removal rank vegetation, embankment slope cleaning, Road signages, Instalation of solar blinker , fixing and painting of road madian and railing, Restoration of rain cuts, Repair of pot holes, 30mm BC & 50mm DBM over carriageway, Prime/Tack Coat, Providing thermoplastic compound including reflectorising glass beads,RPM,repair of drain cover slabs.	11.50	8.06
5	59	Construction of RCC Retaining wall for protection of NH due high embankment at Chainage from km 161/400 to km 161/450 (BHS) of NH-59 and construction of Breast wall from Km 151/250 to	Provision for construction of RCC Retaining wall and Breast wall and construction of M 30 CC shoulder at ghat portion.	-	2.85

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
		151/370, from Km 153/650 to 153/780 and from km 171/200 to km 171/245 and Construction of M 30 CC Shoulder from KM 234.000 to KM 245.000 at daringbadi Ghat portion of NH-59 at hill side to protect road due to landslide.			
6	153(B)	S/R to NH-153(B) such as Construction of RCC Drain from KM 87/100 to 87/300, RCC Retaining wall from KM 72.700 to 72.800 KM LHS, 88/000 to 88/050 BHS, Rigid pavement from KM 87/100 to 87/200, 90/000 to 90/200	Construction of RCC Drain, RCC Retaining wall, Rigid pavement	0.60	8.06
7	157	S/R to NH-157 such as Construction of RCC retaining wall from KM 89.200 to 89.300 KM LHS, RCC Drain from KM 32/000 to 32/800, 41/200 to 41/400, 51/350 to 51/750, 63/400 to 63/800, 73/200 to 73/400, 90/800 to 91.800 BHS	Construction of RCC Drain, RCC Retaining wall	1.70	12.40
8	220	S/R FROM KM- 0/310 to 0/520, KM 1/680 to 1/980, KM 10/050 to 10/410, KM 16/480 to 16/860, KM 26/200 to 26/640 OF NH-220	Clearing and stripping excess soil including removal rank vegetation, embankment slope cleaning, Road signages, Restoration of rain cuts, Repair of pot holes, 250mm WMM, 50mm DBM, 40mm BC over carriageway, Prime/Tack Coat, Providing thermoplastic paint signages and construction of CC drain.	1.69	3.53
9	55	From Km. 278/800 to 284/326 and Km 299/300 to 306/520	30 mm thick Bituminous concrete, 50 mm thick DBM, Spreading & compacting gravel on berms, center line marking with thermoplastic paints, fixing of road signages, road studs, PQC for concrete repair, Toe wall, Drain	12.75	10.42
10	326	S/R to NH-326 such as construction of RCC retaining wall at chainage 75+300 to 75+420 and chainage 99+750 to 99+810 and construction of PQC paved shoulder at ch. 70+800 to 71+100, and Clearing of Hard Rock by Blasting for visibility at Sharp turn and providing PQC Paved shoulder at Ch. 52+600 and 66+800	RCC Retaining wall, PQC for Paved Shoulder, Hard Rock Clearance, PQC for Paved Shoulder	0.88	2.31
11	326A	S/R to NH-326A such as Costruction of Cement concrete Toe wall at Ch. 23.900 to 24.100 (BHS) and Costruction of RCC drain with cover slab from Ch. 35.900 to 36.050, Km 38.870 to Km 39.100, Km 99.400 to Km 99.500 & Km 100.00 to Km 100.150	Cement concrete Toe wall, RCC drain with cover slab	1.03	1.53
12	NH-57	S/R to NH-57 such as Construction of RCC Drain from KM 132.500 to 133.800 KM BHS	Construction of RCC Drain	1.60	4.34
Total				50.73	135.01

Road Safety Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	59	Installation of Solar Street light, divider railing and other Road furnitures (Roadway indicator, Signboards, Rumbler strips and Raised pavement marker) from km 327.7 to km 328.7 and Poviding and Installation of Solar LED Street Lights from km 285.00 to km 310.00 of NH-59 for proper illumination of road and road safety at Samarjol Chowk, Ganjam	Instalation of Solar Street light, divider, solar blinker and other Road furnitures (Roadway indicator, Signboards, Rumbler strips and Raised pavement marker)	8.60	5.43
2	26	Installation of solar street light and other road safety measures between 34/00 to 37/00 of NH-26 (FCI chowk to Sishu Mandir Dunguripali) and Installation of solar street light and other road safety measures between 56/700 to 58/900	Installation of Solar Street Light for proper illumination during night to avoid accidents.	5.20	4.34
3	57	Installation of solar street light and other road safety measures between 1/00 to 5/00 and between 19/00 to 20/00 of NH-57 (Bolangir to Malmunda)	Installation of Solar Street Light for proper illumination during night to avoid accidents.	5.00	4.34
4	59	Providing and Installation of Solar LED Street Lights from km 118/370 to km 173/370 and from km 173/370 to km 229/400 on NH-59 under Road Safety Program for the Year 2026-27	Instalation of Solar Street light	111.43	5.58
5	153(B)	Providing and Installation of Solar LED Street Lights from km 58/000 to km 116/100 on NH-153(B) under Road Safety Program for the Year 2026-27	Instalation of Solar Street light	58.10	1.86
6	157(A)	Providing and Installation of Solar LED Street Lights from km 0/00 to 1/000, 15/000 to 51/900, 17/300 to 17/800, 18/000 to 18/500 on NH-157(A) under Road Safety Program for the Year 2026-27	Instalation of Solar Street light at 3 nos of black spot, Gadiapada ghat, Khajuripada & Phulbani town Built up area	3.00	5.58
7	57	Providing and Installation of Solar LED Street Lights from 66/500 to 66/950 , 73/600 to 73/900, 77/600 to 78/050, 87/600 to 87/900, 100/600 to 101/100, 109/000 to 109/500, 132.500 to 133.300km of NH-57 in the state of odisha under Road Safety Program for the Year 2026-27	Fixing of Solar street light at six nos black spot, Chari chowk	3.30	3.10
8	157	Providing and Installation of Solar LED Street Lights from 8/460 to 14/460 , 28.300 to 31.300, 44/200 to 44/650 KM of NH-157 in the state of odisha under Road Safety Program for the Year 2026-27	Instalation of Solar Street light at ghat area & Built up area	10.00	8.68
9	220	Installation of solar street light from km 0/000 to 35/840 km in stretches on NH-220 in the state of Odisha for the year 2026-27.	Installation of Solar Street Light for proper illumination during night to avoid accidents.	35.84	2.29
10	326A	Poviding and Installation of Solar LED Street Lights from Km. 00/00 to 31/00 & from Km. 62/00 to 102/900 (in habitation areas, Market areas & Junction locations) on NH-326A under Road Safety Program for the Year 2026-27."	Installation of Solar Street Light for proper illumination during night to avoid accidents.	71.90	5.00
Total				312.37	46.21

7. Uttar Pradesh

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	135C	km 84+600 to km 85+290, km 85+750 to km 86+950, km 87+210 to km 87+360 & km 105+000 to km 105+170	Earth work in ordinary soil for maintenance of 1.5m wide shoulders in 300mm thickness in 2210m length; Providing, laying, spreading and compacting 150mm GSB in 2210m length; Providing, laying, spreading and compacting 150mm WMM in 2210m length; Providing, laying, spreading of 100mm thick Cut Stones in 2060m length; Work of Concrete Pavement of 250mm thickness in 150m length for flush causeway.	2.21	3.14
Total				2.21	3.14

8. Karnataka

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	766C	Aduqodi to Nagar 55.60 to 69.900 & 88.200 to 90.700	Profile correction; Laying of DBM in selected patche and BC; Road marking and other road safety items.	16.80	9.67
2	173	Hosadurga Holalkere/ 148.150 to 149.450	Profile correction; Pot-hole filling, patch repairs and repair of MNB joint grooves with epoxy mortar; Laying of DBM and BC; Maintenance of earthen shoulders, footpaths and medians; Road marking and other Road safety items.	1.30	7.43
3	167	Hagari Jadcherla/ 0.00 to 6.00	Pot-hole filling, patching and repair; Repair of joint grooves with epoxy mortar and construction/maintenance of CC drains and culverts; Removal and replacement of damaged concrete pavement in 200m; Laying with WMM, DBM and BC in 4200 m; Construction and maintenance of earthen shoulders and drainage works; Road Safety Works.	6.00	8.12
4	207	Major Bridge at Km 25.080 across South Pinakini River	Concrete surface restoration (removal, guniting, epoxy/polymer repairs); Replacement of railing and crash barrier; Relaying of wearing coat with 12 mm mastic asphalt; Painting, and erosion control (gabion) works; Road Safety Works.	0.11	2.00
5	150E	Humnabad base to High Court Cross Km 0.00 to Km 9.00 (Both Side Service Road)	Cleaning of Jungle and Drain; Laying DBM in selected stretch of the Carrige way & BC in full length; Road safety works.	9.00	9.30
6	69	Lion Safari to Pesit College from Km 150.50 & Km 153.280	Cleaning of Jungle and Drain; Maintenance of Earthen Shoulder; Laying DBM in selected stretch & BC in full length; Road safety works.	2.78	6.37
Total				35.99	42.89

9. Telangana

SR Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	63	Nizamabad -Jagadapur section of NH-63 from Km 223/0-226/0	1. Repair/ Rehabilitation of road surface using BC and DBM at damaged reaches/ location. 2. Road safety provisions such as road signages, markings, road studs/ delineators etc.	3.10	5.55
2	365B	Duddeda to Siddipet section of NH-365B from km 148/570 to 166/370 in Siddipet District	1. Strengthening road surface using BC on existing DBM surfaces and DBM+ BC at damaged reaches. 2. Road safety provisions such as road signages, markings, road studs/ delineators etc.	17.80	10.00
3	163	Km 0/000 to Km 2/000 (excluding 1/000 Narrow Culvert) & Km 3/600 to Km 7/200 on Hyderabad - Bhoopalapatnam road	1. Strengthening road surface using BC on existing DBM surfaces and DBM+ BC at damaged reaches. 2. Road safety provisions such as road signages, markings, road studs/ delineators etc.	5.00	22.55
4	765	Km 9/9 to Km 18/800 Hyderabad - Srisailam road	Strengthening road surface using BC and DBM at damaged reaches and providing footpaths and road safety	8.90	22.30
5	167K	Km 79/300 to 87/360 & 88/437 to Km 93/819 of Kollapur to Kapileshwaram section of NH-167K in the state of Telangana & Andhra Pradesh	1. Strengthening road surface using BC on existing DBM surfaces and DBM+ BC at damaged reaches. 2. Road safety provisions such as road signages, markings, road studs/ delineators etc.	13.50	8.05
6	163	Hyderabad - Bhoopalapatnam section of NH-163 from Km 231/0 to Km 236/0, Km 247/0 to 265/4 & from Km 290/500 to Km 294/600	Strengthening road surface using BC and DBM at damaged reaches.	27.50	57.00
7	365B	Siddipet to Siricilla section of NH-365B from km 175/0 to 183/570 in Siricilla district	1. Strengthening road surface using BC on existing DBM surfaces and DBM+ BC at damaged reaches. 2. Road safety provisions such as road signages, markings, road studs/ delineators etc.	8.57	9.93
8	365B	Jangaon - Suryapet Section of NH-365B at km. 1/900 to 3/600 in Jangaon District	To upgrade the 100 m 2L approach to a suitably designed 4-lane transition/approach section, with adequate taper, channelisation, signage, pavement markings, lighting and safety measures, thereby providing a smooth and gradual transition from the VUP to the existing 4-lane divided carriageway.	1.70	9.90
9	765	Special Repair of 2 Nos. of Major Bridges at Km 191+300 (HLB over River Krishna) and Km 191+900 on the Hyderabad-Srisailam Section of NH-765 in the State of Andhra Pradesh	Special Repair of 2 Nos. of Major Bridges at Km 191+300 (HLB over River Krishna) having length of 530 m (1×23.60+1×46.10+2×49.00+4×48.80+1×48.60+2×48.90+1×21.50) and at Km 191+900 (3 x 20.0) inclndng replacement of damaged joint, repair of damaged parapets wall, pavement rectification, road safety in approach section etc.	0.59	9.95
10	61	Construction of 1 major Bridge at 733/24 on Nimal -Jagtial section of NH 61	There are 4 Nos. of existing low-level/submersible vented causeways on NH-61, having carriageway widths ranging from 5.2 m to 7.0 m. During the monsoon season, these causeways are frequently submerged, resulting in disruption of traffic movement along the NH. Further, the DPR for development of NH-61 as a 2L+PS corridor is under preparation,	0.08	6.60

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
			wherein these locations are proposed to be bypassed as per the proposed alignment. Considering the above, it is proposed to develop the existing vented causeways as Major & Minor Bridges to ensure all-weather connectivity, uninterrupted traffic movement, and improved road safety during the rainy season.		
11	61	Construction of 3 Nos. Minor bridge at Km 752/2-4, Km 748/2-4 and Km 723/800 on Nimal -Jagtial section of NH 61	There are 4 Nos. of existing low-level/submersible vented causeways on NH-61, having carriageway widths ranging from 5.2 m to 7.0 m. During the monsoon season, these causeways are frequently submerged, resulting in disruption of traffic movement along the NH. Further, the DPR for development of NH-61 as a 2L+PS corridor is under preparation, wherein these locations are proposed to be bypassed as per the proposed alignment. Considering the above, it is proposed to develop the existing vented causeways as Major & Minor Bridges to ensure all-weather connectivity, uninterrupted traffic movement, and improved road safety during the rainy season.	0.09	5.40
12	353C	Special repairs to existing 2Lane/IL from Km 8/0 to 25/0 of Sironcha to Mahadevpur Section of NH-353C	1. Strengthening road surface using BC on existing DBM surfaces and DBM+ BC at damaged reaches. 2. Road safety provisions such as road signages, markings, road studs/ delineators etc.	17.50	9.93
13	353C	Km 25/000 to 59/200 (Design Ch. Km.25.467 to 59.200) of Mahadevpur to Bhupalpally section NH-353C	1. Strengthening road surface using BC on existing DBM surfaces and DBM+ BC at damaged reaches. 2. Road safety provisions such as road signages, markings, road studs/ delineators etc.	34.20	27.00
14	765D	Construction of Minor Bridge at Km 134+480 Including its Approaches in Banswada Town Limits on the Yellareddy-Rudrur Section of NH-765D to Alleviate Traffic Congestion and Enhance Road Safety.	Providing and Construction of Minor Bridge of span 3*12m at Km 134+480 Including its Approaches on the Yellareddy-Rudrur Section of NH-765D.	0.10	3.04
15	365B	Road Safety Improvement to Nellutla VUP (Black Spot ID: TG-(05) - 172) on Jangaon - Suryapet Section of NH-365B at km. 0/970 to 2/100 in Jangaon District of Telangana state.,	1. Improvement and channelisation of road junctions to enhance traffic movement and reduce conflict points. 2. Provision of a dedicated U-turn facility including extension of service road immediately beyond the VUP termination to eliminate unsafe turning movements and reduce traffic conflicts. 3. Widening of two existing box culverts to accommodate the proposed carriageway/service road configuration and improve traffic capacity. 4. Provision of necessary road safety measures, including signs, road markings, lighting, delineators, crash barriers, solar blinkers and other appropriate safety interventions at identified locations.	1.13	9.60
Total				139.76	216.80

Road Safety Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	765D	ORR to Medak road Section of NH-765D from Km 0.000 to Km 62.920	Provision of solar blinkers and adequate lighting at junctions to improve night-time visibility. Installation of retro-reflective bollards/delineators along centreline and at sharp curves. Provision of solar road studs/raised pavement markers along centreline and edge lines, particularly at curves and junctions.	62.92	3.15
2	163	Providing Temporary Road Safety Measures on Manneguda to Ravulapally from km 59/500 to 132/033 of NH-163 section of NH-163 in Vikarabad district under NH Division Mahabubnagar in state of Telangana	Provision of road safety and speed-calming measures, including delineators, rumble strips, solar studs, solar/power blinkers, curve widening, and traffic signage.	72.53	6.90
3	765	Construction of VUP at km 13/6 to 14/400 on Hyderabad-Srisailam Road of NH 765	Proposed for construction of Veihcle Under Pass (VUP) at Air port main entrence from 765 of Hyderabad-Srisailam road (Black spot)	0.85	29.70
4	167	Providing Temperorary Road safety measures on black spot locations on Jadcherla-Kalwakurthy road from km 15/525 to 62/880 of NH 167 under NH Division Mahabubnanagar.	Provision of road safety and speed-calming measures, including delineators, rumble strips, solar studs, solar/power blinkers, curve widening, and traffic signage.	47.36	4.65
5	365A	Construction of Protection wall for openwell at Km 73/3 (R/s) on NH365A of Khammam-Kuravi section in the state of Telanagana	construction of protection wall and providing road safety inteventions like Hazard markers,cuationary boards and rumble strips	0.10	0.27
6	30	Providing Road safety interventions at accident prone areas from Km 121/0 to 171/6 on Rudrampur to Bhadrachalam section of NH30 in Bhadradri Kothagudem district (Total Blockspots 18 NO.s)	Provision of road safety and speed-calming measures, including delineators, rumble strips, solar studs, solar/power blinkers, curve widening, and traffic signage.	-	1.58
7	930P	Providing Road safety interventions at accident prone areas on Nehrunagar to Kothagudem section of NH930P in Bhadradri Kothagudem district (Total Blockspots 03 NO.s)	Provision of road safety and speed-calming measures, including delineators, rumble strips, solar studs, solar/power blinkers, curve widening, and traffic signage.	-	0.24
8	61	Providing Road safety interventions at accident prone areas on Nirmal to Khanapur section of NH61in Nirmal district (Total Blockspots 11 NO.s)	Provision of road safety and speed-calming measures, including delineators, rumble strips, solar studs, solar/power blinkers, curve widening, and traffic signage.	-	1.50
9	765D	Construction of Two Light Vehicular Underpasses (LVUP) at Km 150+880 & Km 151+715 on the Yellareddy-Rudrur Section of NH-765D at Varni Bypass to facilitate the safe movement of village traffic across NH-765D.	Providing and Construction of 02 Light Vehicular Underpasses (LVUP) Including its Approaches at Varni Bypass on the Yellareddy-Rudrur Section of NH-765D.	0.15	5.86

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
10	167	Providing Road Safety Measures at Black corridors (1. eBC1-(23-25)-TG-007, 2. eBC1-(23-25)-TG-158, 3. eBC1-(23-25)-TG-247 & 4. eBC1-(23-25)-TG-248) on Kalwakurthy - Mallepally Section of NH 167 from Km 66/900 to Km 113/905 in the state of the Telangana.	Providing Road safety measures which includes Transverse Bar Markings, Solar Raised Pavement markers, pavement marking, solar & Power blinkers, cautionary boards, Median markers and Double faced Metal Beam Crash Barrier	47.01	4.80
11	167	Construction of Foot over Bridge in Devarakonda Town limits under black corridor id- eBC1-(23-25)-TG-007 on Kalwakurthy - Mallepally Section of NH 167 from Km 105/225 to 109/000 in the state of Telangana.	Construction of Foot over Bridge with necessary provisions in Devarakonda town limits	3.78	8.00
12	167	Construction of Uni-directional Vehicular Underpass (VUP) at eDAR identified Black corridor with Id (eBC1-(23-25)-TG-336) on Mallepally - Haliya Section of NH-167 in the state of the Telangana.	Construction of a Uni-directional Vehicular Underpass (VUP) of 1x30m span with overall width of 12m and vertical clearance of 5.5m and construction of 7m carriageway on one side and 5.5m slip road on other side of the VUP from Km 125/000 to Km 126/000	1.00	30.00
13	167	Providing Temporary Road safety measures at black spot locations on Mallepally-Haliya section of NH-167 from km 113/900 to 154/479 in the state of Telangana.	Provision of road safety and speed-calming measures, including delineators, rumble strips, solar studs, solar/power blinkers, curve widening, and traffic signage.	40.58	4.80
14	30	Construction of Foot over Bridges (FOB's) at New Collectorate Km.134/0-2 on Rudrampur - Bhadrachalam section of NH-30 in the state of Telangana.	Construction of Foot over Bridge with necessary provisions in Kothagudem Collectrate/ town limits		4.70
15	167N	Construction of 2 No's of FOB at Km 0/400 - 600 & 1/300-500 in Amistapur Village on Mahabubnagar Chincholi of NH-167N in the State of Telangana under Road safety on EPC Mode	Construction of 2 No's of FOB at Km 0/400 - 600 & 1/300-500 in Amistapur Village		9.60
16	61	Short Term Measures estimate to identified accident Spots reported on EDAR Portal till 31-05-2026 on NH61 road from Km 736/400-600 to 747/000-200 in Jagtial District of Telangana State	Provision of road safety and speed-calming measures, including delineators, rumble strips, solar studs, solar/power blinkers, curve widening, and traffic signage.		1.13
17	161BB	Installation of safety barriers on Godavari Major Bridge at Basar on NH 161BB	Anti climbing wedmesh fence system (HDG + Thermoplastic powder coated fence structures)		3.12
Total				276.27	120.00

10. West Bengal

Road Safety Works

S. No.	NH No.	Strech Name / Chainage	Broad Scope of Works	Length (in Km)	TPC (in Rs. Cr.)
1	14	Solar Street Light Post and Solar High Mast System at Accident Prone Areas along the stretches of NH-14 in the district of Bankura	Solar Light	0.90	0.69
2	114	Solar light Post and solar High Mast system at Accident prone Areas along the stretches of NH-114 in the District of Purba Bardhaman	solar light Post and solar High Mast system	40.00	1.04
3	14	Solar PVC Street Light and High mast Street Light at accident prone areas along the stretches of NH-14 in Paschim Bardhaman district	Solar light & High Mast Light	24.00	3.80
Total				64.90	5.53