



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - गांधीनगर (गुजरात)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Gandhinagar (Gujarat)

दूरभाष / Phone : 079-29650607, 29650608 ई-मेल / e-mail : rogujarat@nhai.org

पहली मंजील, बी.एस.एन.एल. टेलीफोन एक्सचेंज बिल्डिंग, "च" रोड, सेक्टर-11, गांधीनगर-382011 (गुजरात)

1st Floor, BSNL Telephone Exchange Building, "CH" Road, Sector-11, Gandhinagar-382011(Gujarat)

NHAI/RO-GNR/2023/Utility Services/eoffice-202070/D-1344



15th May 2023

Invitation of Public Comments

- SUB:** Two Lane with paved shoulder of Padhi-Dahod section of NH-113 (New NH-56) from Km. 180+000 to Km. 267+000 (Design Ch. 180+000 to Ch. 265+588) [Design Length 85.588 Km] under NHDP Phase-IV in the state of Rajasthan and Gujarat on EPC Mode:
- Proposal seeking ROW permission for crossing NH-113 at Km 238+086 between Jhalod to Dahod section near Village-Limdi for laying Drinking Water Supply Pipeline, Taluka Jhalod, District Dahod in the state of Gujarat.
- REF:** 1. PD, PIU-Godhra's eoffice note no. 202070 dated 28.04.2023.
2. Ex. Engineer, GWSSB-Dahod compliance letter no. 152 dated 17.01.2023.
3. PD, PIU-Godhra's observations online returned on 13.01.2023.


The PD, NHAI, PIU-Godhra vide letter u/ref.(1) has recommended the instant proposal submitted by Executive Engineer M/s. GWSSB-Dahod vide their office letter u/ref.(2), in compliance to the PD, PIU-Godhra office letter u/ref.(3), seeking permission for crossing NH-113 at Km 238+086 between Jhalod to Dahod section near Village-Limdi for laying Drinking Water Supply Pipeline, Taluka Jhalod, District Dahod in the state of Gujarat.

2. Now, as per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will make available the proposal seeking permission for utility laying for public comments for **30 days** on the ground of general public interest for seeking claims and objections.

3. उपरोक्त विषय को ध्यान में रखते हुए, उपरोक्त प्रस्ताव पर जनता की टिप्पणियां आमंत्रित की जाती हैं और यह निचे दिए गए पते पर दिनांक **14.06.2023** तक पहुँच जानि चाहिए, जिसके बाद किसी भी टिप्पणी पर विचार नहीं किया जायेगा।

The Regional Office - Gandhinagar (Gujarat).
National Highways Authority of India,
1st Floor, BSNL Telephone Exchange Building,
Ch Road, Sector-11, Gandhinagar,
Gujarat - 382011. (Email: rogujarat@nhai.org).

4. इसे राजमार्ग प्रशासन-सह-क्षेत्रीय-अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात के अनुमोदन से जारी किया जाता है



(अजय कुमार स्वामी)

उप-महाप्रबंधक (तक.)

कृते, मुख्या महाप्रबंधक (तक.)

क्षेत्रीय अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात

Copy to: 1. वरिष्ठ तकनीकी निर्देशक, राष्ट्रीय सूचना केंद्र, परिवहन भवन, न्यू दिल्ली-११०००१: कृपया इसे मंत्रालय के दिनांक २२.११.२०१६ के दिशा-निर्देशों के अनुसार मंत्रालय की वेबसाइट पर अपलोड करने का अनुरोध है।

2. PD-NHAI, PIU-Godhra: For information and with request to work out the amount of License Fees and Performance Bank Guarantee amount as per site conditions and Para-5 of the MoRT&H guidelines No. RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016 and convey the same to the applicant with intimation to this office.
3. The Executive Engineer M/s. Gujarat Water Supply & Sewerage Board, Public Health Works Division, Opp. LIC Office, Dahod-389151 (Gujarat): For information and with request to deposit the requisite license fees and Performance Bank Guarantee as worked out by the PD, PIU-Godhra. The License Fees shall be deposited on online through Bharatkosh Portal only with intimation to PD, NHAI-PIU, Godhra and the Performance BG for restoration charges along with detailed calculation of license fee, restoration charges etc. The Bank Guarantee should be in favour of Project Director, NHAI, PIU-Godhra and to be submitted to PD-PIU, Godhra custodian of BGs.

अजय कुमार स्वामी
15/05/23

(अजय कुमार स्वामी)

उप-महाप्रबंधक (तक.)

कृते, मुख्या महाप्रबंधक (तक.)

क्षेत्रीय अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात