



सत्यमेव जयते

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - गांधीनगर (गुजरात)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Gandhinagar (Gujarat)

दूरभाष / Phone : 079-29650607, 29650608 ई-मेल / e-mail : rogujarat@nhai.org

पहली मंजील, बी.एस.एन.एल. टेलीफोन एक्सचेंज बिल्डिंग, "च" रोड, सेक्टर-11, गांधीनगर-382011 (गुजरात)

1<sup>st</sup> Floor, BSNL Telephone Exchange Building, "CH" Road, Sector-11, Gandhinagar-382011(Gujarat)



NHAI/RO-GNR/2023/Utility Services/eoffice-215877/D-2357

10<sup>th</sup> August 2023

### Invitation of Public Comments

**SUB:** Four/Six Laning of Gujarat/ Maharashtra Border - Surat - Hazira Port Section of NH-6 (approx. Length 131.500 Km) in the State of Gujarat under NHDP Phase III through PPP on DBFOT Basis in the state of Gujarat.

- Reg. Proposal seeking ROW permission for laying and crossing of Drinking Water Pipeline parallel from Km 70+880 to Km75+700 & across at Km 72+000 and at Km 74+950 for Headworks to Sub-Headworks under Mandvi Group Water Supply Scheme parallel to NH-53 road from Village-Sejwad, Taluka-Bardoli to Village-Manekpore in the state of Gujarat.

**REF:** 1. PD, PIU-Bharuch's letter no. 2157 dated 28.07.2023 (eoffice-215877 dt. 02.08.2023).  
2. Dy. Executive Engineer M/s. GWSSB-Surat revised proposal no. 747 dated 03.07.2023.  
3. PD, PIU-Bharuch letter no. 1625 dated 13.06.2023.

The PD, NHAI, PIU-Bharuch vide letter u/ref.(1) has recommended the instant proposal submitted by Dy. Executive Engineer M/s. GWSSB-Songadh vide their office letter u/ref.(2), seeking ROW permission for laying and crossing of Drinking Water Pipeline parallel from Km 70+880 to Km75+700 & across at Km 72+000 and at Km 74+950 for Headworks to Sub-Headworks under Mandvi Group Water Supply Scheme parallel to NH-53 road from Village-Sejwad, Taluka-Bardoli to Village-Manekpore in the state of Gujarat.

2. Now, as per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will make available the proposal seeking permission for utility laying for public comments for **30 days** on the ground of general public interest for seeking claims and objections.

3. उपरोक्त विषय को ध्यान में रखते हुए, उपरोक्त प्रस्ताव पर जनता की टिप्पणियां आमंत्रित की जाती हैं और यह निचे दिए गए पते पर दिनांक **08.09.2023** तक पहुँच जनि चाहिए, जिसके बाद किसी भी टिप्पणी पर विचार नहीं किया जायेगा।

National Highways Authority of India,  
Regional Office - Gandhinagar (Gujarat).  
1st Floor, BSNL Telephone Exchange Building,  
CH-Road, Sector-11, Gandhinagar,  
Gujarat - 382011. (Email: rogujarat@nhai.org).

4. इसे राजमार्ग प्रशासन-सह-क्षेत्रीय-अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात के अनुमोदन से जारी किया जाता है !

*(Signature)*  
10/08/23


(अजय कुमार स्वामी)

उप-महाप्रबंधक (तक.)

कृते, मुख्या महाप्रबंधक (तक.)

क्षेत्रीय अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात

- Copy to: 1. वरिष्ठ तकनीकी निर्देशक, राष्ट्रीय सूचना केंद्र, परिवहन भवन, न्यू दिल्ली-११०००१: कृपया इसे मंत्रालय के दिनांक २२.११.२०१६ के दिशा-निर्देशों के अनुसार मंत्रालय की वेबसाइट पर अपलोड करने का अनुरोध है।
2. PD-NHAI, PIU-Bharuch: For information and with request to work out the amount of License Fees and Performance Bank Guarantee amount as per site conditions and Para-5 of the MoRT&H guidelines No. RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016 and convey the same to the applicant with intimation to this office.
3. Dy. Executive Engineer M/s. Gujarat Water Supply & Sewerage Board, Public Health Sanitary Sub-Division, Jal Bhavan, 1<sup>st</sup> Floor, Adajan, Near Water Tank, Adajan Road, Surat (Gujarat)-email:deephssdsurat@gmail.com: For information and with request to deposit the requisite license fees and Performance Bank Guarantee as worked out by the PD, PIU-Bharuch. The License Fees shall be deposited on online through Bharatkosh Portal only with intimation to PD, NHAI-PIU, Bharuch and the Performance BG for restoration charges along with detailed calculation of license fee, restoration charges etc. The Bank Guarantee should be in favour of Project Director, NHAI, PIU-Bharuch and to be submitted to PD-PIU, Bharuch custodian of BGs.

  
(अजय कुमार स्वामी)

उप-महाप्रबंधक (तक.)

कृते, मुख्या महाप्रबंधक (तक.)

क्षेत्रीय अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात