



**भारतीय राष्ट्रीय राजमार्ग प्राधिकरण**  
( सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार )  
**National Highways Authority of India**  
(Ministry of Road Transport & Highways, Govt. of India)  
क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019  
Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019  
Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049  
E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



क्रमांक: NHAI/18013/1/2020-ROJ/Permission-Crossing Gas Pipeline/Torrent/239/NH-148C km 45+457/493 दिनांक: 25.05.2023

**INVITATION OF PUBLIC COMMENTS**

- विषय: Proposal for grant of permission for laying of 4" dia Carbon Steel Gas Pipeline through 8" dia Carbon Steel Casing Pipeline of M/s. Torrent Gas Jaipur Pvt. Ltd. crossing at Ch. 45+457 on NH-148C of Jaipur Ring Road in Jaipur in the state of Rajasthan - reg
- सन्दर्भ: 1. M/s. Torrent Gas Jaipur Pvt. Ltd. letter no. TGJPL/CGD/22-23/MDPE-59 dated 29.03.2023.  
2. PD, PIU-Jaipur letter no. NHAI/JPR/OFC/Torrent Gas/2023/J-K/231 dated 06.05.2023 (received on 18.05.2023).

Sir,

It is to inform all concern that /s. Torrent Gas Jaipur Pvt. Ltd. vide letter under reference (1) above has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (2) for approval of the Competent Authority, Highway Administration.


2. The proposal is regarding grant of permission for laying of 4" dia Carbon Steel Gas Pipeline through 8" dia Carbon Steel Casing Pipeline of M/s. Torrent Gas Jaipur Pvt. Ltd. crossing at Ch. 45+457 on NH-148C of Jaipur Ring Road in Jaipur in the state of Rajasthan.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying & Crossing of Gas Pipeline on the subjected stretch. The objections/comments may be addressed to the below mentioned address **upto 24.06.2023**, beyond due date, no comments/objections will be accepted.

**The Regional Officer, Regional Office - Jaipur**  
National Highways Authority of India,  
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,  
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This issues with the approval of Highway Administration-cum Regional Officer, NHAI, Jaipur

  
(मन्मोज खोड़ा)  
प्रबन्धक (तकनीकी)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]  
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]  
(iii) PD, PIU-Jaipur: for information.  
(iv) M/s. Torrent Gas Jaipur Pvt. Ltd.: for information.



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Satation, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल / E-mail : jai@nhai.org



3

No. NHA/JPR/OFC/Torrent Gas/2023/JRR/23

Date 06.05.2023

### GM (T) cum Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath,

Shyam Nagar, Jaipur-302019



MCD-MK  
3415

Sub.: **Permission for laying of 4" dia carbon steel pipe line through 8" dia carbon steel casing pipe line crossing at Ch. 45+457 on National Highway No. 148C of (Jaipur Ring Road) in Jaipur (Rajasthan).**

Ref.:i) Authorized Signatory, M/s. Torrent Gas Jaipur Pvt. Ltd. letter no. TGJPL/CGD/22-23/MDPE-59 dated nil received in this office on dated 29.03.2023.

ii) This office letter no. 29 dated 03.04.2023.

iii) Authorized Signatory, M/s. Torrent Gas Jaipur Pvt. Ltd. letter no. TGJPL/JDA/250423 dated 25.04.2023.

Sir,

Reference is invited to Authorized Signatory, M/s. Torrent Gas Jaipur Pvt. Ltd. letter dated nil received in this office on dated 29.03.2023 vide which said proposal has submitted to this office for laying of 4" dia carbon steel pipe line through 8" dia carbon steel casing pipe line crossing at Ch. 45+457 on National Highway No. 148C of (Jaipur Ring Road) in Jaipur (Rajasthan).

The said proposal has been examined in this office and seems to be found in order.

This office vide letter dated 03.04.2023 has requested to submit license fee and performance Bank Guarantee to this office, in this regard, Authorized Signatory, M/s. Torrent Gas Jaipur Pvt. Ltd. vide letter dated 25.04.2023 has submitted BG No. 006GT02231100010 dated 20.04.2023 of Rs. 6,000/- and proof of deposition of Licence fee of Rs. 46,709/- in Bharat Kosh Transaction Ref. No. 1304230027229 dated 13.04.2023.

In view of the above, the said proposal has been examined in this office and seems to be found in order. Duly signed checklist & drawings by undersigned is enclosed with the proposal and recommended to grant permission for laying of 4" dia carbon steel pipe line through 8" dia carbon steel casing pipe line crossing at Ch. 45+457 on National Highway No. 148C of (Jaipur Ring Road) in Jaipur (Rajasthan).

Yours faithfully,

Encl. : As above.

Project Director



## CHECK-LIST

Guidelines for processing the proposal for laying of utility line in the land across National Highways vested with NHAI/PWD BRO.

Ministry circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

Sr.No.	Item	Information/ Status	Remarks
	<b>General Information</b>	(Rajasthan)	
1	Name and Address of the Applicant / Agency	Torrent Gas Jaipur Private Limited Samanvay ,600 Tapovan ,Ambawadi,Ahmedabad ,Gujarat-380015)	
2	National Highway Number	New NH-148C (Ring Road)	
3	State	Rajasthan	
4	Location	Jaipur Ring Road	
5	(Chainage in km)	CH. 45+457	
6	Length in Meters	60m	
7	Width of available ROW in both side	30m	
8	Side of NH (left or right side of NH towards increasing chainage /KM/ direction)	Only crossing	
9	Name of Highways Authority of NHAI/PWD/BRO	NHAI-PIU-JAIPUR	
10	Highway Administration Address	National Highway Authority of India, Regional Office, Jaipur F-120, Jan Path, Shyam Nagar, Jaipur, Rajasthan 302019	

Sr

3/  
प्रबन्धक (तक.)  
Manager (Tech.)  
आयोजना, प्लानिंग, जायपुर  
NHAI PIU JAIPUR

02m  
Project Director  
NHAI PIU  
JAIPUR  
परियोजना निदेशक / Project Director  
आयोजना, प्लानिंग / NHAI PIU, Jaipur

Sr.	Item	Measurement observation as per site condition	MORT&H Norms	Whether complying with MORT&H Norms
1	Details of already laid utility service in any	No	Enclosed	N/A
2	Whether up gradation of the stretch in near future is proposed or not	Yes		N/A
	If yes provision of utility adversely affect the plan of up gradation	No	No affect plan of up gradation	N/A
3	Laying of the utility service along the National Highways	No		
3.1	Location of proposed utility service along the stretch	Crossing at NH from CH. 45+457	Utility duct / beyond the toe line of the embankment and drains, enclose to the extreme edge of the ROW	
3.2	Depth of the utility service from Ground level	1.65m	At least 1.2m below the top	Complying
3.3	Mechanism for crossing for water channel	N/A	Through utility duct (if provision exist) or beneath the bed of water channel	N/A
3.4	Whether is ROW restricted in the stretch?	No		N/A
3.4.1	If yes whether provision of land acquisition is required to lay utility	N/A		N/A
	a. If yes whether undertaking for land acquisition along with relevant L.A detail has been furnished	N/A		N/A
3.4.2	With if concrete duct, in utility service are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility Service across the NH			
4.1	Whether existing drainage structures is allow to carry the utility lines.	No	Not to be allowed	N/A
4.2	Proposed crossing of utility service	NA	Perpendicular to NH	NA
4.3	Type of casing pipe/conduit carrying the utility line	8" dia carbon steel casing pipe line	Steel, cast iron, or RCC and have adequate strength	N/A

Sg-

02m  
परियोजना निदेशक / Project Director  
भारत सरकार, प.का.ई. / NHAI PIU, Jaipur

4.4	Whether ends of the casing /conduit pipe are sealed from the outside	N/A	Sealed	N/A
4.5	Length of Casing /conduit pipe crossing NH	NA	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing /conduit pipe	1.65m	At least 1.2m below the <del>top of</del> <u>subgrade</u> <i>RE Pacl.</i>	Complying
4.7	<b>Crossing method in case of CC pavement</b>	HDD	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	N/A (Underground only)	In accordance with IRC codes.	N/A
5	Document/drawing enclosed with the proposal	Yes Enclosed		YES
5.1	Cross section showing in the site of trench for open trenching method	N/A (HDD)	Enclosed, if applicable	N/A
5.	a. Trench width	N/A	More than 30cm and less than 60 cm wider than the outer diameters of the utility pipe	N/A
	b. Filling of trench	N/A	As per Ministry circular No-RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	N/A
	c. Location of trench	N/A	Extreme edge of the ROW	N/A
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes enclosed	Enclosed , if applicable	Complying
5.3	Strip plan / Route plan showing utility line , chainage, width of ROW , distance of proposed utility from the edge of ROW , important mile stone , intersection , cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes enclosed	Enclosed	Complying
6	Methodology for laying of utility line	HDD, Yes enclosed	Enclosed	Complying
7	Draft license agreement is as per Ministry circular No-RW/NH30044/29/2015/S&R(R) Dated 22/11/2016.and	Yes enclosed	Enclosed	Complying

58

प्रबंधक (तक.)  
Manager (Tech.)

02m  
भा.स.प्र.प. पु.का.प. जयपुर योजना निदेशक / Project Director  
भा.स.प्र.प. पु.का.प. जयपुर / NHAI PIU, Jaipur



	signed by two witness			
8	License fee in favour of MORT&H RPAO Jaipur	Yes	As per Ministry circular No-RW/NH330044/29/2015/S&R(R) Dated 22/11/2016.	Complying
9	Whether bank guarantee has been obtained	Yes	As per Ministry circular No-RW/NH 30044/29/2015/S&R(R) Dated 22/11/2016.	Yes
	a. If yes, whether confirmation of BG has been obtained as per MORT&H / NHAI guidelines	Shall be obtained		
10.	<b>Affidavit /Undertaking from the applicant for</b>			
10.1	Undertaking for not to damage other existing utility , if damaged then to pay the losses to either to MORT&H / NHAI to the cornered agency	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of bank guarantee and when asked by NHAI/MORT&H	Enclosed	Enclosed	Complying
10.3	Undertaking for conforming all standard condition of MORT&H/ NHAI guidelines	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MORT&H /NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claim	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic moment during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that if any claim is raised by the concessionaire/ contractor than the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative	Enclosed	Enclosed	Complying

Sgr

प्रबन्धकी (तक.)  
Manager (Tech.)  
भारतसमा, पकाई, जयपुर  
302001, JAIPUR

परियोजना निदेशक / Project Director  
भारतसमा, पकाई, /NHAI PIU, Jaipur

	authorities such as directorate of electricity, chief controller of explosive safety of directorate , state / central pollution control board and any other statutory clearances applicable before applying to Highway Administration			
--	---	--	--	--

The ROW of the National Highway available at the proposed location from the central line of divided carriageway is 30m from central of ROW edge of ROW towards proposed utility in rural section 30m from central of ROW edge of ROW towards proposed utility in urban section.

The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.



Name designations & Signature of the  
Authorized representative of applicant

02m

Name designations & Signature of the  
concerned field authority of NHAI /PIU

02m / Project Director  
NHAI PIU, Jaipur

58

72

CPK SN (Tech)

प्रबंधक (तक.)  
Manager (Tech.)  
NHAI PIU JAIPUR