



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - गांधीनगर (गुजरात)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Gandhinagar (Gujarat)

दूरभाष / Phone : 079-29650607, 29650608 ई-मेल / e-mail : rogujarat@nhai.org

पहली मंजील, बी.एस.एन.एल. टेलीफोन एक्सचेंज बिल्डिंग, "च" रोड, सेक्टर-11, गांधीनगर-382011 (गुजरात)

1<sup>st</sup> Floor, BSNL Telephone Exchange Building, "CH" Road, Sector-11, Gandhinagar-382011(Gujarat)



NHAI/RO-GNR/2024/Utility Services/eoffice-242955/D-810

13<sup>th</sup> March 2024

### Invitation of Public Comments

**SUB:** Four laning of Gujarat/Maharashtra Border-Surat-Hazira Port Section of NH-6 (approx. length 131.500 km) in the State of Gujarat under NHDP Phase III.

- Proposal seeking ROW permission for Drinking water supply Details of laying parallel Pipeline laying from Km 0+000 to Km 15+780 & 3 nos. crossing (i) Km 0+100 (ii) Km 9+890 & (iii) Km 15+780 of NH-53, Village-Hazira to Ichhachhpor, Taluka Choryasi, District-Surat under Aug. of Variav Packge-1 RWSS in the state of Gujarat.

- REF:** 1. PD, PIU-Surat note-sheet no.307 dt.11.03.2024 (eoffice-242955 dt.12.03.2024).  
2. M/s. GWSSB-Surat revised proposal letter no. 120 dated 08.02.2024.  
3. PD, PIU-Surat letter no. D-3254 dated 06.11.2023.

The Project Director, NHAI, PIU-Surat vide letter u/ref.(1) has recommended the instant proposal submitted by the Executive Engineer (Construction), M/s. Gujarat Water Supply & Sewerage Board, Bharuch Division vide their letter u/ref.(2), seeking ROW permission for Drinking water supply Details of laying parallel Pipeline laying from Km 0+000 to Km 15+780 & 3 nos. crossing (i) Km 0+100 (ii) Km 9+890 & (iii) Km 15+780 of NH-53, Village-Hazira to Ichhachhpor, Taluka Choryasi, District-Surat under Aug. of Variav Packge-1 RWSS in the state of Gujarat.

2. Now, as per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will make available the proposal seeking permission for utility laying for public comments for 30 days on the ground of general public interest for seeking claims and objections.

3. उपरोक्त विषय को ध्यान में रखते हुए, उपरोक्त प्रस्ताव पर जनता की टिप्पणियां आमंत्रित की जाती हैं और यह निचे दिए गए पते पर दिनांक **12.04.2024** तक पहुँच जनि चाहिए, जिसके बाद किसी भी टिप्पणी पर विचार नहीं किया जायेगा।


National Highways Authority of India,  
Regional Office - Gandhinagar (Gujarat).  
1st Floor, BSNL Telephone Exchange Building,  
CH-Road, Sector-11, Gandhinagar,  
Gujarat - 382011. (Email: rogujarat@nhai.org).

4. इसे राजमार्ग प्रशासन-सह-क्षेत्रीय-अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात के अनुमोदन से जारी किया जाता है !

(अजय कुमार स्वामी)  
उप-महाप्रबंधक(तक.)  
कृते, मुख्या महाप्रबंधक(तक.)  
क्षेत्रीय अधिकारी, भा.रा.रा.प्रा.(गांधीनगर) गुजरात



- Copy to: 1. वरिष्ठ तकनीकी निर्देशक, राष्ट्रीय सूचना केंद्र, परिवहन भवन, न्यू दिल्ली-११०००१: कृपया इसे मंत्रालय के दिनांक २२.११.२०१६ के दिशा-निर्देशों के अनुसार मंत्रालय की वेबसाइट पर अपलोड करने का अनुरोध है।
2. PD-NHAI, PIU-Surat: For information and with request to work out the amount of License Fees and Performance Bank Guarantee amount as per site conditions and MoRT&H guidelines No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016. The calculation of License Fees submitted with the instant proposal is as per the MoRT&H guidelines dated 22.11.2016. The same may be revised as per the MoRT&H latest Circular dated 24.04.2023 and convey the same to the applicant with intimation to this office.
3. Dy. Executive Engineer, M/s. Gujarat Water Supply & Sewerage Board, Public Health Sanitation Sub-Division, "Jal Bhavan", 1<sup>st</sup> Floor, Adajan, Near Water Tank, Adajan Road, Surat (Gujarat): For information and with request to deposit the requisite license fees and Performance Bank Guarantee as worked out by the PD, PIU-Surat. The License Fees shall be deposited on online through Bharatkosh Portal only with intimation to PD, NHAI-PIU, Surat and the Performance BG for restoration charges along with detailed calculation of license fee, restoration charges etc. The Bank Guarantee should be in favour of Project Director, NHAI, PIU-Surat and to be submitted to PD-PIU, Surat custodian of BGs.

  
(अजय कुमार स्वामी)  
उप-महाप्रबंधक(तक.)  
कृते, मुख्या महाप्रबंधक(तक.)  
क्षेत्रीय अधिकारी, भा.रा.रा.प्रा.(गांधीनगर) गुजरात