



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO-NAG/Ut.-242/NH-353B/Water Suppl./2023-24/ 1641

Date: 25.09.2023

Invitation of Public Comments

Sub: Four laning of existing 2 lane stretch from Govindpur MH/TG Border (Design km 32.910 to Rajura (Design km 89.090 {Design-56.180km} section of NH-353B on the State of Maharashtra pm HAM under NH(O)- - Submission of proposal for obtaining the permission for laying of water pipelines along / crossing the NH-353b from km 67.900 to km 68.100 at village Gandchandur, Dist. Chandrapur- Reg.

Ref.:

1. PD, PIU Chandrapur letter no. 525 dated 12.09.2023
2. M/s Ultratech Cement Ltd. letter no. 978 dated 01.03.2023

It is to inform all concern that M/s Ultratech Cement Ltd. vide letter under reference (ii) has submitted a proposal for the subjected work and PD, has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s Ultratech Cement Ltd. along on Govindpur/MH/TG Border to Rajura section of NH-353B in the State of Maharashtra is as follows:

- Laying of pipeline along Highway from km 67.900 to km 68.100 using HDD method.
- Crossing at km 68.100 through HDD method.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,

Regional Office - Nagpur,

National Highways Authority of India,

"Narang Towers", 3rd Floor, Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091 Email : ronagpur@nhai.org

(Signature)
25.09.23

(Naresh Y. Wadetwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website [mansoor@nic.in]