



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road, Transport and Highways, Government of India)

परियोजना कार्यान्वयन, इकाई. सोलापूर (महाराष्ट्र)

Project Implementation Unit, Solapur (Maharashtra)

कार्यालय : प्लॉट नं. ई-२, जय जलाराम नगर, शिवदारे कॉलेजच्या मागे, जुळे सोलापूर, सोलापूर-४१३००४ (महाराष्ट्र)

Office : Plot No. E-2, Jai Jalaram Nagar, Behind Shivdare College, Jule Solapur, Solapur - 413 004. Tel/Fax - 0217 2303379

ई-मेल /Email : solapur@nhai.org; piusolapur@gmail.com * वेब /Web : https://nhai.gov.in



No.: NHAI/PIU/SLP/NH-9/Electric line/2023/2857

Date: 20.09.2023

INVITATION OF PUBLIC COMMENTS

Sub.: Four laning of Akkalkot Solapur section of NH-150E with paved shoulders from Ch. 99/400 to Ch. 138/352 including Akkalkot Bypass (length Km. 7+350) - in the state of Maharashtra - **Submission of overhead crossing proposals in the under construction 400 KV HTLS S/C (On DC Towers) Transmission line between RGSL PSS 4 - PSS1 with NH-150E near Konhali at Ch. 110.418 - Reg.**

Sir

1. Authorized Signatory, Deputy General Manager, ReNew Green Energy Solutions Private Limited has submitted the proposal for Submission of overhead crossing proposals in the under construction 400 KV HTLS S/C (On DC Towers) Transmission line between RGSL PSS 4 - PSS1 with NH-150E near Konhali at Ch. 110.418 in the state of Maharashtra.
2. As per the guidelines, issued by the Ministry vide OM No. RW /NH-33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

DGM (Tech.) & Project Director
National Highways Authority of India
Project Implementation Unit, Solapur
Plot No. E-2, Jalaram Nagar,
Solapur, Maharashtra,
Pin - 413004

Thanking you,

Ay 20/09
अमित पाण्डेय)
उपप्रबंधक (तकनीकी),
भा.रा.रा.प्रा., इकाई. सोलापूर

Copy to:-

- i. CGM (Tech) RO Mumbai for information please.
- ii. Master file.



SA INFRASTRUCTURE
CONSULTANTS PVT LTD

2492
Project Office :
Nishigand, Road No. 32, Raghvendra Nagar, Murarji Path,
Solapur, District- Solapur (Maharashtra) - 413 001
Email: ti.akkalkotsolapur@gmail.com

Ref.: SAICPL/IE/Akk-Sol/NH-150E/TL/2023/1723

Date:01.09.2023

To,
GM(T) & Project Director
National Highway Authority of India
Project Implementation Unit,
Plot No. E-2, Jalaram Nagar,
Solapur, Maharashtra,
Pin - 413004
PH. no.- 0217- 2303379

Subject: Independent Engineer Services 4- Four laning of Akkalkot-Solapur Section of NH-150E with paved shoulders from Design Chainage Km 99+400 to Km 138+352 (Existing Ch. From Km. 102+819 to Km. 141+400) Design length 38+952 including Akkalkot Bypass (Design length km. 7+350) in the state of Maharashtra on Hybrid Annuity mode: **No Objection certificate for overhead crossing proposal under construction 400 KV S/C (On DC Towers) Transmission line between RGSL PSS 4 - PSS1 near Konhali Village Ch. 110 & 111 on Akkalkot Solapur section of NH-150E.**


Ref: 1. Our W.O No. NHAI/PIU/SLP/Akkalkot-Solapur/IE/20002/2018-19/5778 Dated 30-09-2019
2. NHAI/PIU/SLP/Akk-Sola/NH-150E/2022-23/1705 Dated 13.07.2023.
3. SAICPL/IE/Akk-Sol/NH-150E/TL/2023/1694 Dated 16.06.2023.

Dear Sir,

With reference to above subject, we are in receipt of NHAI Letter No. 1705 Dated 13.07.2023 requested to verify No Objection certificate for overhead crossing proposal under construction 400 KV HTLS SC (On DC Towers) Transmission line between RGSL PSS 4 - PSS1 near Konhali Ch. 110 & 111. Akkalkot-Solapur NH150E in the state of Maharashtra.

Accordingly, we visited the site and observations are as follows,

- The 400 KV line crossing under NH 150E is between Ch.110+418 from LHS to RHS and connect with power grid.
- The Gap between existing line conductor to proposed line conductor found more than 15m.
- As per IRC 32:1969 in RHS side & LHS side it is approximately more than 50m for 400KV line.
- As per IRC 32:1969 minimum vertical clearance for different categories of overhead conductor insulations shall be 6.5m for electric power lines carrying voltage exceeding 650volts.
- As per Indian Electrical Act 2003 the 400 KV line should be passed above median will not be less than 14.00mm as per actual on site it is 18.24m.
- The vertical gap between existing 33 KV line & 400 KV line is approximately 13.19m as per clause it should be 5.49 m.



- It exists above ROW in LHS it is 89m and In RHS it is 83m.
- The above observation done at site and further recommendation is as per decided by authority.

Thanking You,
Yours truly,



(Anuj Kumar Singh)

Resident Engineer


For, SA Infrastructure Consultants Pvt. Ltd.

Encl: Photographs

Copy to: 1. CGM (Tech.) & RO Mumbai – For information please.
2. Authorized signatory, G R Akkalkot-Solapur Highway Pvt. Ltd.



2023/7/21 11:16





2023/7/21 11:37





भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road, Transport and Highways, Government of India)

परियोजना कार्यान्वयन, इकाई. सोलापूर (महाराष्ट्र)

Project Implementation Unit. Solapur (Maharashtra)

कार्यालय : प्लॉट नं. ई-२, जय जलाराम नगर, शिवदारे कॉलेजच्या मागे, जुळे सोलापूर, सोलापूर-४१३००४ (महाराष्ट्र)

Office : Plot No. E- 2, Jai Jalaram Nagar, Behind Shivdare College, Jule Solapur, Solapur - 413 004. Tel/Fax - 0217 2303379

ई-मेल /Email : solapur@nhai.org; piusolapur@gmail.com * वेब /Web : https://nhai.gov.in



No.: NHAI/PIU/SLP/Akk-Sola/NH-150E/2022-23/ 1705

Date: 13.07.2023

प्रति,

मे. जी.आर. अक्कलकोट — सोलापूर हायवेज प्रा.लि. जी.आर. हाउस, हिरण मगरी, सेक्टर-११, उदयपूर, राजस्थान — ३१३ ००२.	टीम लीडर, एस. ए. इन्फ्रास्ट्रक्चर कन्सल्टंट प्रा. ली. निशिगंध रोड नंबर ३२, राघवेंद्र नगर, मुराजी पेठ, सुर्या होटल के पीछे, सोलापूर- ४१३ ००१ ;महाराष्ट्र
--	---

Sub.: Four laning of Akkalkot - Solapur section of NH-150 (E) from Km. 99/400 to Km. 138/352 in the state of Maharashtra - No objection certificate for overhead crossing proposal under construction 400 KV Twin HTLS S/C (on DC Towers) transmission line between RGSL PSS 4 - PSS1 with NH-150 near village - Konhalli between CH. 110 & 111 - Reg.

Ref.:

- ReNew Green Energy Solution Pvt. Ltd. Letter no. 12 dated 10.07.2023.

Sir,

- This has reference to the subject cited above, this office is in receipt of letter/proposal from ReNew Green Energy Solutions Pvt. Ltd. regarding No objection certificate for overhead crossing proposal under construction 400 KV Twin HTLS S/C (on DC Towers) transmission line between RGSL PSS 4 - PSS1 with NH-150 near village - Konhalli between CH. 110 & 111 vide letter at reference (i) above. (Copy enclosed).
- In this regard, it is requested to go through the letter and verify at site and submit the report to this office at the earliest.
- This is for your information and necessary action please.

धन्यवाद,

भवदिय

ASy 13.07.23

(एस. एस. कदम)

उपमहाप्रबंधक (त) तथा परियोजना निदेशक,
भा.रा.रा.प्रा., इकाई. सोलापूर.

सलंगन: उपरोक्त

प्रतिलिपी:

- CGM (T) & RO Mumbai for information please.
- ReNew Green Energy Solution Pvt. Ltd. - for information
- Master file.

Ref: ReNew/RGESL/Solapur/Transmission/NH Crossing/NHAI/012

Date: 10/07/2023

To,
The Project Director
National Highway Authority of India,
Project Implementation Unit
Plot No- E2, Jalaram Nagar
Solapur- 413004
Maharashtra, India

(Sub: Submission of overhead crossing proposals in the under construction **400 kV Twin HTLS S/C (on D/C Towers) transmission line between RGSL PSS 4 – PSS1 with NH-150 E** Near Village-Konhali between chainage 110 & 111.

Project Reference:

“Installation of the dedicated Overhead Transmission Line(s) included in the transmission system for providing Connectivity System for its 208 MW (132 MW Solar & 76 MW Wind) power projects in Districts of Solapur, Osmanabad & Latur, Maharashtra connected at PGCIL 765/400/220 KV Solapur Sub-station”.

Dear Sir,

Reference made to the aforesaid subject and referred project, it is to intimate you that, M/s Renew Green Energy Solutions Private Limited (RGESPL) has been entrusted to develop the above referred transmission system. The Prior approval by Ministry of Power, Government of India under Sec-68 (I) of the Electricity Act 2003 conveyed on 06.04.2023 bearing File No. CEA-PS-11-23(20)/12018-PSPA-I Division/178-179.

This is to mentioned that the detailed survey for the above referred transmission lines has already been carried out by M/s RGESL and the construction activities are to be commenced very soon. As per the approved route, it is to submit that the subject line is crossing the National Highway - 150E (Solapur – Gulbarga) near Konhali village in Solapur District, between Loc. No. AP2/0 (DD+9) and Loc. No. AP3/0 (DD+0) with a clearance of 18.24 mtr from the top of the NH-150E between chainage 110 & 111.

In this connection, we are herewith submitting the following crossing proposal covering the Plan, Profile drawing and other salient features in the prescribed checklist pertaining to the crossing for your review.



ReNew Green Energy Solutions Private Limited
CIN: U40300DL2013PTC251232

Corporate Office ReNew.Hub, Commercial Block-1, Zone-6, Golf Course Road, DLF City Phase-V, Gurugram-122009
Registered Office 138, Ansal Chambers-II, Bhikaji Cama Place, Delhi - 110066

W www.renew.com **T** +91 124 489 6670, **F** +91 124 489 6699

Project: - RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS 1 400 kV S/c Line (on D/C tower) (With Twin HTLS conductor with minimum capacity of 2100 MW at nominal voltage) Transmission Line

Sr. No	Name of the Existing NH to be crossed	Crossing between Chainage	(Crossing Tower Nos of the U/C Line of RGESL)		Crossing Span 'mtr'	Angle of Crossing	Clearance of bottom wire to top of NH in 'mtr'
1	NH- 150E (Solapur – Gulbarga)	KM 110-KM 111 (Crossing exactly at chainage KM 110+418)	AP2	AP3	219	89°00'00"	18.24

We hereby request you to examine our submission and grant us permission for proceeding with works at the particular NH crossing span in order to facilitate the smooth execution of the project of national importance.

Thanking You

Yours faithfully,

For ReNew Green Energy Solutions Private Limited


(Laxminarayan Dash)
Dy. General manager

Email: laxminarayan.dash@renew.com

Mob: +91 7586986705

Authorized Signatory



Encl. –

- 1- Crossing Profile of the section.
- 2- Plan/SLD of the crossing section
- 3- Checklist with salient features of crossing.
- 4- Undertaking in stamp paper
- 5- Draft Agreement in Stamp paper



ReNew Green Energy Solutions Private Limited

CIN: U40300DL2013PTC251232

Corporate Office ReNew.Hub, Commercial Block-1, Zone-6, Golf Course Road, DLF City Phase-V, Gurugram-122009
Registered Office 138, Ansal Chambers-II, Bhikaji Cama Place, Delhi - 110066

W www.renew.com T +91 124 489 6670, F +91 124 489 6699

CHECK LIST

Guidelines for Project Directors for processing the proposal of laying over Head Electrical Line Crossing National Highway Vested with NHAI

Relevant Circulars/Codes: -


- 1) Ministry of Road & Transport & Highway Letter No. 33044/29/2015/S&R(R) Dated 22.11.2016
- 2) Ministry Circular No. NH-III/P/20/77 Dated 08.04.1982
- 3) Indian Electricity Act – 1910
- 4) Indian Electricity Rules-1956
- 5) IRC:32-1969
- 6) IS:5613-1976 Part-I to IV

Check list for laying U/C 400 kV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS1 TRANSMISSION LINE for Over Head Crossing in SOLAPUR– GULBARGA National Highway –150E

Sl. No.	Item	Information/Status	Remarks
1	General Information		
1.1	Name and address of the applicant with Full Address	Laxminarayan dash, Project Manager Address – Flat No-102, 1 st floor Bhagwati Tower Apartment, Jule Solapur, Solapur-413004, Maharashtra.	
1.2	National Highway Number	NH-150E Between chainage KM110 – KM111 (The Centre Line is crossing exactly at chainage KM 110+418)	
1.3	State	Maharashtra	
1.4	Location	Near Chincholi Village, Dist- Solapur	
1.5	Name of the Line	U/C 400 kV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 - Solapur (PG) TRANSMISSION LINE	
1.6	Chain-age in Km	Between chainage KM110 – KM111 (The Centre Line is crossing exactly at chainage KM 110+418)	
1.7	Length in Meter (NH Crossing Span of Tower Line)	219.0Mtrs	As per guideline NH X-ing span should be < 250M
1.8	Width of available ROW (400 KV)	46.0Mtrs	As per Electricity Act-2003
	a) Left side from center line towards increasing chain-age/ km direction.	23.0Mtrs	
	b) Right side from center line towards increasing chain-age/km direction	23.0Mtrs	
1.9	Proposal to lay overhead		
	a) Left side from center line towards increasing chain-age/Km direction	NA	
	b) Right side from center line towards increasing chain-age/ Km direction	NA	
	c) Crossing of NH number	NH-150E (The Centre Line is crossing exactly at chainage KM 110+418)	


**Check list for laying U/C 400 kV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS1 TRANSMISSION LINE
for Over Head Crossing in SOLAPUR– GULBARGA National Highway –150E**

Sl. No.	Item	Information/Status	Remarks
1.10	Proposal to acquire land		
	a) Left side from the center line	Not Applicable	
	b) Right side from the center line	Not Applicable	
1.11	Whether proposal is		
	a) In the same side where land is not to be acquired	Land acquisition is not involved.	
	b) Crossing the National Highway	Yes, the overhead electrical towers are to be laid both side in the agricultural field away from the NH boundary	
	If not then where to lay the overhead Electrical Line		
1.12	Details of already laid services (overhead) Telecommunication line, overhead Electrical line etc.) if any, along proposed route / proposed crossing	No Overhead of any Telecommunication/Electrical Line at Crossing Point	
3	Number of lanes (2/4/6/8 lanes) existing	4 Lanes	
1.14	Proposed number of lanes (2 lane with saved shoulders /4/6/8)	NA	
1.15	Service road existing or not	NA	
	If yes then which side	NA	
	a) Left side from the center line	NA	
	b) Right side from the center line	NA	
1.16	Proposed Service Road	NA	
	a) Left side from the center line	NA	
	b) Right side from the center line	NA	
1.17	Whether proposal to lay overhead Electrical line is after the service road or between the service road and main carriage way, or crossing the National Highway.	Over Head crossing of the National Highway 150 E.	
1.18	The Permission of laying Over Head Electrical Line shall be considered for approval / rejection based on the Ministry Circulars and relevant codes.	Yes. PI Consider for approval.	
1.19	If crossing of the road involved		
	A) Is it on a line normal to NH and provide length of crossing span.	Angle of Crossing – 89° 00' 00" Length of Crossing Span – 219 Mtr	
	B) Structure (Towers, tension towers, pole for HT line only) for crossing shall not be to near to the existing structures on the National Highway, the minimum distance being 15 meters.	Distance is more than 15 mtrs as mentioned below	
	i) Type of Existing / Proposed structure for National Highway.	Tension towers, Tower type DD+9 on one side and DD+0 on the other side of NH.	
	ii) What is the distance of tower, pole and tension towers from the existing/proposed	Tower No. AP2/0 (DD+9) is 89M from outer boundary of the existing National	




**Check list for laying U/C 400 kV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS1 TRANSMISSION LINE
for Over Head Crossing in SOLAPUR– GULBARGA National Highway –150E**

Sl. No.	Item	Information/Status	Remarks
	structure of National Highway.	Highway and Tower No: AP3/0(DD+0) is 83M from other side outer boundary of the National Highway. And the total width of the NH is 49M .	
	C)The overhead lines and their supporting poles/ towers should ordinarily be placed at the extreme edge of the road land boundary. In any case, these shall be at 10 meters away from the edge of the existing traffic lane. Where the existing roadway is narrow than the minimum required according to standard or where the widening is proposed for any reason, the lateral clearance shall be reckoned with respect to ultimate road way. What is the horizontal clearance from the extreme edge of the road boundary?	YES The horizontal clearance from Tower No: AP2/0 (DD+9) is 89M and AP3/0(DD+0) is 83M from Extreme Road Boundary of NH-150E	
	d) The overhead lines and their supporting poles/towers should be ordinarily being placed at a minimum distance of 5.0m from the nearest line of avenue trees.	Overhead line supporting is far away from the nearest line of avenue trees.	
	e) In Mountainous / hilly terrain the overhead lines should be erected preferably on the valley side as far as away as practicable. In hilly region, level of ground at a suitable distance below the outer conductor on either side from the center line is also to be noted and marked in profile so as to ensure required ground clearance underneath conductor and side clearance in swing conditions. Is the proposal in hilly area?	No, Proposal is in plain terrain.	
	f) The horizontal clearances in respect of poles erected for the purpose of street lighting in urban situation shall be as under.	Not Applicable	
	i) For road with raised kerbs – Minimum 300 mm from the edge of the nearest kerb 600 mm being preferable.	Not Applicable	
	ii) For road without raised kerbs – At least 1.5m from the edge of carriageway, subject to minimum of 5.0 meter from the center line of the carriage way.	Not Applicable	
	g) The pylons of HT lines along the crossing the road shall be located outside the National Highway land	YES	




**Check list for laying U/C 400 KV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS1 TRANSMISSION LINE
for Over Head Crossing in SOLAPUR– GULBARGA National Highway –150E**

Sl. No.	Item	Information/Status	Remarks
	h) For crossing the line of same voltage or lower voltage, suspension/tension tower with suitable extension shall be used.	YES	
	i) The vertical clearance of the overhead lines crossing the road shall be reckoned from the top of the crown of the road considering the anticipated final top level due to future raising of road level, strengthening of pavement, etc. The actual ground clearance of high-tension lines for voltage above 650 volts varies depending upon the voltage transmitted and these are stipulated in Indian Standard Codes is 5613-1976 part I to IV and Indian Electricity Rules 1956 as under.	18.24 M from highest point in center of the NH road divider.	As per the Indian Electricity Act – 2003 and Latest Guidelines from CEA the minimum clearance of 400 KV Double Circuit Line from NH center shall be 14.0 Mtrs.
	For ordinary wire and line carrying low voltage up to and including 110 volts – 5500 mm	N/A	
	For electric power lines carrying low voltage up to and including 650 Volts – 6000 mm	N/A	
	For electric power lines carrying voltage exceeding 650 Volts – 6500 mm	N/A	
	220 KV – 7015 mm	N/A	
	400 KV – 8840 mm	The vertical clearance between top surface of existing National Highway and lowest point of the conductor at maximum possible sag is 18.24 Mtrs	
	800 KV – 15000 mm	N/A	
	Note: These are minimum requirement where ever local authority requirement is higher, the same shall be provided. In case of HT line, Road crossing, the ground clearance at the road under maximum temperature and in still air shall be such that even with conductor bundle broken in adjacent span, the ground clearance of the conductor from the road surface shall not be less than 15.00	YES	
	What is the voltage of proposed line and clearance under maximum sag condition between lowest conductor of the proposed line and existing National Highway / future developed National Highway?	The voltage of proposed line is 400KV, Clearance under maximum sag condition between lowest conductor of the proposed line and existing National Highway is 18.24 M	
2	Documents/drawings enclosed with the proposal		
2.1	Cross section showing the size of trench for open trenching method	NA, as the crossing is overhead and across NH	



Check list for laying U/C 400 kV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS1 TRANSMISSION LINE for Over Head Crossing in SOLAPUR– GULBARGA National Highway –150E

Sl. No.	Item	Information/Status	Remarks
2.2	Cross section showing the size of pit and location of cable for HDD method	NA, as the crossing is overhead	
2.3	Strip/Route plan showing overhead Power Transmission line Chainage, width of ROW, distance of proposed cable from the edge of ROW. Important mile stone, intersections, cross drainage works etc	YES	
2.4	Methodology of laying Overhead Power Transmission Line	Yes, Enclosed	
2.4.1	Open trenching method, if yes methodology of refilling of trench	NA	
2.4.2	Horizontal Direction Drilling method	NA	
2.4.3	Laying of Overhead Electrical line through CD works and method of Laying	NA	
3	Draft License agreement signed by two witnesses	YES	
4	Performance Bank guarantee in favor of NHAI has to be obtained @Rs.100 per running meter (Parallel to NH) and Rs.100000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactorily completion of work) as a security for ensuring / making good the area, clearing the debris / loose earth etc. produced.	Will be submitted after according approval	
4.1	Performance bank guarantee as per above is to be obtained	Will be submitted as per demand of NHAI	
4.2	Confirmation of BG has been obtained as per NHAI Guidelines	YES	
5	Affidavit / Under taking to be obtaining from (to the furnished by) the applicant.	YES	
r	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concern agency.	YES	
5.2	Undertaking for renewal of Bank Guarantee if required.	N/A	
5.3	Confirming all standard conditions as laid down in Ministry Circular No: NH-III/P/20 dated 08.04.1982, Indian Electricity Act – 1910, Indian Electricity Rule – 1956, IRC – 32 - 1969 IS: 5613 – 1976 Part I to IV and NHAI's guideline.	YES	
5.4	Shifting of overhead electrical line at their own cost as and when required by NHAI	YES	
5.5	Shifting of overhead electrical line at their own cost if require due to 4/6 lining/widening of National Highway.	YES	



**Check list for laying U/C 400 kV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS1 TRANSMISSION LINE
for Over Head Crossing in SOLAPUR– GULBARGA National Highway –150E**

Sl. No.	Item	Information/Status	Remarks
5.6	Indemnity against all damages and claims what so ever kind that may be to NHAI or any third party in the ROW during installation, operation and maintenance.	YES	
5.7	Traffic movement during laying of overhead electrical line to be managed by the applicant.	YES	There will be minimal traffic halt of 5-5 Mins. Local Police & Traffic inspector will be intimated before the stringing work.
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant	YES	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the overhead electrical line located in the National Highway Right of way.	YES	
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance of the overhead electrical line will be borne by the agency owing the line.	YES	
5.11	If NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	YES	
5	Certificate from the applicant in the following format	YES	
	i)Laying of Overhead electrical line will not have any deleterious effect on any of the bridge components and roadway safety for traffic.	YES	
	ii)For 6/8 lanning "We do undertake that I will relocate service road / approach road / utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six-lanning or any other development.	YES	
6	Certificate from the Project Directors:		
6.1	Certificate confirming that the proposal has been examined with respect to the structures	To be provided NHAI	




**Check list for laying U/C 400 kV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS1 TRANSMISSION LINE
for Over Head Crossing in SOLAPUR– GULBARGA National Highway –150E**

Sl. No.	Item	Information/Status	Remarks
	and developmental work considered at this location and compliance of all standard condition issued vide ministry Circular No: NH – III/P/20/77 dated 08-04-1982, Indian Electricity Act – 1910, Indian Electricity Rules 1956, IRC: 32-1969, IS: 5613 – 1976 Part-I to IV and NHA's guideline.		
6.2	Certificate from PD in the following format		
	i) "It is certified that any other location of the Electric line would be extremely difficult and unreasonable costly and the installation of Electric line within ROW will not adversely affect the design, stability and traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc"	To be provided NHA	
	ii) For 6 lanning a) Where feasibility is available <i>"I do certify that there will be no hindrance to proposed six lanning based on the feasibility report considering proposed structures at the said location"</i> .	To be provided NHA	
	b) In case feasibility report is not available <i>"I do certify that sufficient ROW is available at site for accommodating proposed six lanning"</i> .	To be provided NHA	
7.	If NH section proposed to be taken up by NHA on BOT basis – a clause is to be inserted in the agreement, "The Permitted Highway on which License has been granted the right to lay Overhead Electrical line has also been granted as a right of way to concessionaire under the concession agreement for up- gradation of. (Km 110 to km 111, Crossing exactly at chainage KM 110+418, NH No: (New NH: 150 E) on build, operate and transfer basis) and therefore, the license shall honor the same.	To be provided NHA	
8.	Who will supervise the work of laying of overhead electrical Line	Competent person from M/s RGESL	
9.	Who will sign the agreement on behalf of overhead electrical line agency.	Project Manager (Authorized Signatory) from RGESL	
10.	Who will ensure that the defects in road portion after laying of overhead electrical line are corrected and if not corrected then what action will be taken.	Project Manager (Authorized Signatory) from RGESL	
11.	Who will pay the claims for damages done/disruption in working of concessionaire if asked by the concessionaire.	Project Manager (Authorized Signatory) from RGESL	



Check list for laying U/C 400 kV SC RGESL (ReNew Green Energy Solutions Private Limited) PSS 4 – PSS1 TRANSMISSION LINE for Over Head Crossing in SOLAPUR– GULBARGA National Highway –150E	
---	--

Sl. No.	Item	Information/Status	Remarks
12.	A Certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed)	Not Applicable	
13.	If any previous approval is accorded for laying of overhead electrical line then photocopy of register of records of permissions accorded as maintained by PD may be enclosed.	Not Applicable	
For ReNew Green Energy Solutions Private Limited 		For National Highway Authority of India-Solapur (Maharashtra)	
 			



ReNew

CERTIFIED TRUE COPY OF THE RESOLUTION PASSED BY WAY OF CIRCULATION BY THE BOARD OF DIRECTORS OF RENEW GREEN ENERGY SOLUTIONS PRIVATE LIMITED (FORMERLY KNOWN AS RENEW WIND ENERGY (JATH THREE) PRIVATE LIMITED) ON TUESDAY, 11TH APRIL 2023

TO AUTHORIZE THE OFFICIALS OF THE COMPANY


“RESOLVED THAT all the Directors of the Company and Mr. Amit Kumar, Mr. Abhinav Singh, Mr. Siddhartha Mishra, Mr. Rohit Singh, Mr. Anuj Jain, Mr. Alok Baliar Singh, Mr. Pawan Kumar, Mr. Mohit Jain, Mr. Laxminarayan Dash and Mr. Ranjan Santra (**“Authorized Signatories”**) be and are hereby severally authorized to file application for Grant of stage I connectivity, Grant of state II connectivity, Grant of Long Term Access (LTA) and Grant of MTOA to ISTS, and to represent, negotiate, finalize, sign and execute Connection agreement, Bulk power transmission agreement, Transmission service agreement, Long term access agreement (LTAA) and/or any other agreement, including any amendments thereto as may be required (**“Agreement(s)”**), with Central Transmission Utility of India Limited (**“CTUIL”**) and Power Grid Corporation of India Limited (**“POWERGRID”**) or such other authority as may be required in this regard, to avail long term access and connectivity to CTUIL/POWERGRID/ISTS substation, for transmission of power generated from proposed Renewable Energy Generation Project of the Company to be located in Maharashtra and seek approval from Central Electricity Authority under Section 68 and 164 of Electricity Act, 2003, National Highways Authority of India, Forest and wild life department, Aviation authorities and any other desired government approvals and do all such acts, deeds, matters and things and to finalize and execute all necessary documents and writings to be executed by the Company pursuant or otherwise in connection with the Agreement(s) and, generally to do all such other act(s), deed(s), thing(s) and matter(s), as may be required in this respect and/or incidental hereto,.

RESOLVED FURTHER THAT the Authorized Signatories of the Company be and are hereby severally authorized to sign all Agreements and other related documents. The acts done and documents executed shall be binding on the company, until the same is withdrawn by giving written notice thereof.

RESOLVED FURTHER THAT copies of the foregoing resolutions certified to be true copies by any of the Director of the Company or Company Secretary be furnished to the required authority and it be requested to act thereon.”

Certified True Copy

**For ReNew Green Energy Solutions Private Limited
(Formerly Known as “ReNew Wind Energy (Jath Three) Private Limited”)**



**RAHULA KUMAR KASHYAPA
DIRECTOR
DIN:07637489**



ReNew Green Energy Solutions Private Limited

CIN: U40300DL2013PTC251232

Corporate Office: ReNew.Hub, Commercial Block-1, Zone 6, Golf Course Road, DLF City Phase-V, Gurugram - 122009

Registered Office: 138, Ansal Chambers-II, Bhikaji Cama Place, Delhi - 110066

W www.renew.com **T** +91 124 489 6670 **F** +91 124 489 6699



महाराष्ट्र MAHARASHTRA

2023

60AA 360078

31 AUG 2023

सोलापूर अ.क्र. 39492 दिनांक-

श्री. ReNew Green Energy Solutions Pvt. Ltd.---


यांनी रुपये १००/- ची जनरल स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला

मुद्रांक विक्रीसाठी, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०



Annexure 5.1

UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

We shall not damage to the other Utility and if damaged then to pay the losses either to NHAI or to the concern agency.

A handwritten signature in blue ink is written over a circular blue ink stamp. The stamp contains the text "ReNew Green Energy Solutions Pvt. Ltd." around the perimeter, with a small star symbol on the right side. The signature is written in a cursive style, starting with a large 'R' and ending with a long horizontal stroke.



महाराष्ट्र MAHARASHTRA

● 2023 ●

60AA 360079

सोलापूर अ.क्र. 39420 दिनांक-

31 AUG 2023


श्री ReNew Green Energy Solutions Pvt. Ltd. (RGESPL)

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला

मुद्रांक विवेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं:- २५०१०३०



Annexure 5.2

UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



Signature

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

We shall furnish Bank Guarantee as per NHAI Norms before execution of work and renew timely if required.

A handwritten signature in blue ink is written over a circular blue stamp. The stamp contains the text "ReNew Green Energy Solutions Pvt. Ltd." around its perimeter.



महाराष्ट्र MAHARASHTRA

● 2023 ●

60AA 360080

सोलापूर अ.क्र. ३९५२ दिनांक-
श्री ReNew Green Energy Solutions Pvt. Ltd. 21. AUG 2023


(RGESPL)

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून
हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०




Annexure 5.3

UNDERTAKING

To,
The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From
M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



Laxman Dabhi

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

We shall follow and abide by all standard conditions of MoRT&H and NHAI Guidelines regarding laying of the said Transmission Line Project.

A handwritten signature in blue ink is written over a circular blue ink stamp. The stamp contains the text "ReNew Green Energy Solutions Private Limited" around its perimeter. The signature is a stylized, cursive script.



महाराष्ट्र MAHARASHTRA

2023

60AA 360081


सोलापूर अ.क्र. 39422 दिनांक- 31 AUG 2023

श्री. ReNew Green Energy Solutions Pvt. Ltd. (RGESPL)

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला
मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०



Annexure 5.4

UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



Harmanjan Dab.

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

The Expenditure, if any incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of said transmission line will be done by **M/s. ReNew Green Energy Solutions Private Limited**.

A handwritten signature in blue ink is written over a circular blue stamp. The stamp contains the text "ReNew Green Energy Solutions Private Limited" around the perimeter and a small star symbol at the bottom.



महाराष्ट्र MAHARASHTRA

2023

60AA 360082

31 AUG 2023

सोलापूर अ.क्र. 39423 दिनांक-

श्री. ReNew Green Energy Solutions Pvt. Ltd.


(RGESPL) यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०



Annexure 5.5

UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur - 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur - 413004



Laxmangar Doshi

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

M/s. ReNew Green Energy Solutions Private Limited has to shift the above line (if required), in future due to 6 laning/widening is in process of NH.





महाराष्ट्र MAHARASHTRA

● 2023 ●

60AA 360083

सोलापूर अ.क्र. २५२४ दिनांक-

श्री. ReNew-Green-Energy-Solutions Pvt. Ltd.-----

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

31 AUG 2023

by

810011
21/8/23

[Signature]

श्री. एम. एन. बलसा

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

कोषागार कार्यालय सोलापूर

28 AUG 2023

मुद्रांक प्रमुख लिपिक / लपलेखापाल

Annexure 5.6

UNDERTAKING

To,
The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra


From
M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



[Signature] Desh.

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

Indemnity against all damages and claims during work is of **M/s. ReNew Green Energy Solutions Private Limited**

A handwritten signature in blue ink is written over a circular purple stamp. The stamp contains the text "ReNew Green Energy Solutions Pvt. Ltd." around its perimeter.



महाराष्ट्र MAHARASHTRA

2023

60AA 360084

सोलापूर अ.क्र. ३५५२५ दिनांक-

31 AUG 2023

श्री ReNew Green Energy Solutions Pvt. Ltd.

यांनी रुपये १००/- (RENEW) चा स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एम. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

कोषागार कार्यालय सोलापूर

28 AUG 2023

28

मुद्रांक प्रमुख लिपिक / ताळेदखत

Annexure 5.7


UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



Laxminagar Deth

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

Traffic movement during laying of said overhead electrical line to be managed by **M/s. ReNew Green Energy Solutions Private Limited**.

A handwritten signature in blue ink is written over a circular stamp. The stamp contains the text "RENEW GREEN ENERGY SOLUTIONS PRIVATE LIMITED" around the perimeter and "SOLAPUR" in the center. The signature is written in a cursive style.



महाराष्ट्र MAHARASHTRA

● 2023 ●

60AA 360085

3.1. AUG 2023

सोलापूर अ.क्र. 3942 दिनांक-
श्री. ReNew Green Energy Solutions Pvt. Ltd.
(RGESPL)

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून
हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

कोषागार कार्यालय सोलापूर

28 AUG 2023

मुद्रांक प्रमुख लिपिक/उपलेखापाल

Annexure 5.8

UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



Sanjay J. Datta

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

If any claim is raised by the Concessionaire then the same will be paid by **M/s. ReNew Green Energy Solutions Private Limited**.

A handwritten signature in blue ink is written over a circular purple stamp. The stamp contains the text "RENEW GREEN ENERGY SOLUTIONS PRIVATE LIMITED" around the perimeter and "SOLAPUR" in the center. The signature is written in a cursive style.



महाराष्ट्र MAHARASHTRA

2023

60AA 360086

सोलापूर अ.क्र. 39426 दिनांक-
ReNew Green Energy Solutions Pvt. Ltd.

13.11 AUG 2023

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून
हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला

मुद्रांक विक्रीता, जिल्हा न्यायालय आवार, सोलापूर.

*परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

कोषागार कार्यालय सोलापूर
28 AUG 2023
मुद्रांक प्रमुख लिपिक/उपलेखापाल

Annexure 5.9

UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



Laxmanan DASH.

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

We will obtain prior approval of the NHAI before undertaking any work of installation, shifting or repairs, or alterations to the said overhead electrical line located in the National Highway Right of way.





महाराष्ट्र MAHARASHTRA

2023

60AA 360087

31 AUG 2023

सोलापूर अ.क्र. 3942 दिनांक-

श्री. - ReNew Green Energy Solutions Pvt. Ltd.

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

काश्मिर कार्यालय सोलापूर

28 AUG 2023

मुद्रांक प्रमुख लिपिक/उपलेखापाल

श्री. एम. एन. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

Annexure 5.10

UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



[Handwritten signature]

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance of the said overhead electrical line will be borne by **M/s. ReNew Green Energy Solutions Private Limited** owning the line.

A handwritten signature in blue ink is written over a circular purple stamp. The stamp contains the text "ReNew Green Energy Sol" and "P.L.D." with a star symbol in the center.



महाराष्ट्र MAHARASHTRA

● 2023 ●

60AA 360088

सोलापूर अ.क्र. 39428 दिनांक-

31 AUG 2023

श्री. ReNew Green Energy Solutions Pvt. Ltd. (RGESPL)


अ.क्र. 20011 01/08/23

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०



Annexure 5.11

UNDERTAKING

To,
The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From
M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



Laxmynagar Dab.

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

If NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.

A handwritten signature in blue ink is written over a circular purple stamp. The stamp contains the text "ReNew Green Energy Solutions Private Limited" around the perimeter and "SOLAPUR" in the center.



महाराष्ट्र MAHARASHTRA

2023 31 AUG 2023

60AA 360089

सोलापूर अ.क्र. 3998 दिनांक-

श्री ReNew Green Energy Solutions Pvt. Ltd. (RGESPL)

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

कायदा कार्यालय सोलापूर
28 AUG 2023

श्री. एम. एन. खल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

Annexure 5.12

UNDERTAKING

To,
The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From
M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

- i) Laying of Overhead electrical line will not have any deleterious effect on any of the bridge components and roadway safety for traffic.
- ii) For 6/8 lanning "**M/s. ReNew Green Energy Solutions Private Limited** do undertake that, I will relocate service road / approach road / utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six-lanning or any other development.

A handwritten signature in blue ink is written over a circular purple stamp. The stamp contains the text "RENEW GREEN ENERGY SOLUTIONS PRIVATE LIMITED" around the perimeter and "SOLAPUR" in the center. The signature is written in a cursive style.



महाराष्ट्र MAHARASHTRA

2023

60AA 360090

31 AUG 2023

सोलापूर अ.क्र. 394 दिनांक-

श्री ReNew Green Energy Solutions Pvt. Ltd.

यांनी रुपये १००/- चा स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

अने
20011
011203

[Signature]

श्री. एम. एन. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ क्रोड नं.- २५०१०३०

Annexure 5.13

कोषागार कार्यालय सोलापूर
28 AUG 2023
मुद्रांक प्रमुख लिपिक/उपलेखापाल

UNDERTAKING

To,
The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From
M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004



[Signature]

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

The Transmission line installation shall be carried out by trained and experienced personnel and supervised by technically qualified persons competent to undertake such work.





महाराष्ट्र MAHARASHTRA

● 2023 ●

60AA 360091

31 AUG 2023

सोलापूर अ.क्र. 3942 दिनांक-

श्री. ReNew Green Energy Solutions Pvt. Ltd. - हस्त

यांनी रुपये १००/- ची जनरल स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. चवला
मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.
परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

कोषागार कार्यालय सोलापूर
28 AUG 2023
मुद्रांक प्रमुख लिपिक / तपासण्यापाल

Annexure 5.14

UNDERTAKING

To,
The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur – 413004
Maharashtra

From
M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur – 413004

ReNew Green Energy Solutions Pvt. Ltd.
Laxminarayana Deth.

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

The applicant shall ensure the safety of the highway traffic against the hazards of the high voltage lines during installation, operation and maintenance.

A handwritten signature in blue ink is written over a circular purple stamp. The stamp contains the text "ReNew Green Energy Solutions Pvt. Ltd." around its perimeter. The signature appears to be "M. Mahesh" or similar.



महाराष्ट्र MAHARASHTRA

2023

60AA 360092

31 AUG 2023

सोलापूर अ.क्र. 39439 दिनांक-

श्री. - ReNew Green Energy Solutions Pvt. Ltd. -

(RGESPL)

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून

हा रुपये.१००/- चा स्टॅम्प दिला

कोषागार कार्यालय सोलापूर

28 AUG 2023

मुद्रांक प्रमुख लिपिक / उपलेखापाल

श्री. एम. एन. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

Annexure 5.15

UNDERTAKING

To,

The Project Director, NHAI,
Project Implementation Unit,
Plot No. E-2, Jai Jalaramnagar
Solapur - 413004
Maharashtra

From

M/s. ReNew Green Energy Solutions Private Limited,
Flat No. 102, Bhagwati Tower Apartments
Jule Solapur
Solapur - 413004



Perumangam Daskh.

We M/s. **ReNew Green Energy Solutions Private Limited**, Flat No. 102, Bhagwati Tower Apartments, Jule Solapur, Solapur – 413004 do hereby undertake that in connection with laying of 400 kV S/c Line (On D/c Towers) between RGESL PSS-1 (Village: Ghandora, Taluk: Tuljapur, District: Osmanabad) – RGESL PSS-4 (Village: Konhali, Taluk: Akkalkot, District: Solapur) across National Highway NH-150E crossing between Chainage **KM 110 – KM 111**, crossing exactly at chainage **KM 110+418** near Konhali Village in the state of Maharashtra.

We Undertake for compliance with Indian Electricity Rules and Other Authorities Regulations – All overhead lines shall comply with the requirements of the Indian Electricity Act and Rules made thereunder and the regulations or specifications as laid down by railways or railway electrification authorities, post and telegraphs department, roadways or navigation or aviation authorities, local governing bodies, defense authorities and power and telecommunications coordination committee, wherever applicable.

A handwritten signature in blue ink is written over a circular purple stamp. The stamp contains the text "ReNew Green Energy Solutions Private Limited" around the perimeter and a small star in the center.



महाराष्ट्र MAHARASHTRA

2023

60AA 360077

सोलापूर अ.क्र. 39496 दिनांक-

31 AUG 2023

श्री.- ReNew Green Energy Solutions Pvt. Ltd.

(RGESPL)

यांनी रुपये १००/- चा जनरल स्टॅम्प मागितलेवरून

हा रुपये १००/- चा स्टॅम्प दिला

श्री. एम. एन. बल्ला

मुद्रांक विक्रेता, जिल्हा न्यायालय आवार, सोलापूर.

परवाना क्र. इ.एस.टी./१९९१ कोड नं.- २५०१०३०

कोषागार कार्यालय सोलापूर

28 AUG 2023

मुद्रांक प्रमुख लिपिक / उपलेखापाल

AGREEMENT REGARDING GRANTING OF RIGHT OF WAY

PERMISSIONS

FOR LAYING UTILITY SERVICES ON NATIONAL HIGHWAYS

Agreement to lay Telecom Cable/OFC cable /Electric cable/pipe line/ducts
etc. from to 110-111 Km of NH.....land.



Laxman Gun Dab

This agreement thisday of between
(month) of (year)
..... Acting in his executive
capacity through (herein after
referred to as the “Authority” which expression shall unless excluded by or
repugnant to the context, include his successors in office and assigns) on the one
part

Solutions
M/s.
Renew Green Energy Pvt. Limited (RGESPL)

....., a company registered under the Companies Act,
1956 and having its registered office at
FLAT NO- 102, Bhegwaite Tower Apartment
Jubilee Hills - 493004. (hereinafter called
the “Licensee”) which expression shall unless excluded by repugnant to the
context, include his successors/administrator assignees on the second part.

Whereas the Authority is responsible, inter-alia, for the development and
maintenance of lands in Km.....to
..... NH no. of RoW.

Whereas the Licensee proposes to lay Telecom cable/OFC cable/Electrical
cable/pipe line/ducts etc referred to as utility services in subsequent paras.

Whereas the Licensee has applied to the Authority for permission to lay utility
services from Km *110* to Km *111* of road /route
up to and from km.....to
km.....of road/route up
to.....

And whereas the Authority has agreed to grant permission for way of leave on
the NH RoW as per terms and conditions hereinafter mentioned.

Now this agreement witnesseth that in consideration of the conditions hereinafter
contained and on the part of the Licensee to be observed and performed, the
Authority hereby grants to the Licensee permission to lay utility services as per
the approved drawing attached hereto subject to the following conditions
namely.



[Handwritten signature]

1. RoW permissions are only are only enabling in nature. The purpose of
extending the way leave facility on the National Highway RoW is not for
enhancing the scope of activity of a utility service provider, either by
content or by intent. Further, enforceability of the permission so granted
shall be restricted only to the extent of provisions/scope of activities
defined in the license agreement & for the purpose for which it is granted.

2. No Licensee shall claim exclusive right on the RoW and any subsequent user will be permitted to use the RoW, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled. Decision of the Authority in relation to fulfilment of technical requirements shall be final and binding on all concerned parties. In case any disruption/damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.
3. The Licensee shall be responsible for undertaking all activities including, but not limited to site identification, survey, design, engineering, arranging finance, project management, obtaining regulatory approvals & necessary clearances, supply of equipment, material, construction, erection, testing and commissioning, maintenance and operation and all other activities essential or required for efficient functioning of their own utility/ industrial infrastructure facilities.
4. The Licensee shall pay license fees @ Rs/sq m/month to the Authority. The License fee shall become payable from the date of handing over of RoW land to the Licensee, for laying of utilities/cables/conduits/pipelines for infrastructure/ service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.
5. Fee shall have to be paid in advance for the period for which permission is granted for entering into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.
6. Present policy of the MoRT&H is to provide a 2.00 m wide utility corridor on either side of the extreme edge of RoW. In cases where utility ducts with sufficient space are already available along NH, the utility services shall be laid in such ducts subject to technical requirements being fulfilled.
7. The utility services shall be laid at the edge of the RoW. In case of restricted width of RoW, which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other road side furniture etc; the utility services shall be laid beyond the toe line of the embankments and clear of the drain.
8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed. In case, this is not feasible, the utility services may be carried outside the railings/parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the Authority shall be payable by the Licensee.



A handwritten signature in blue ink, appearing to read "Rajiv Kumar", written over the circular stamp.

9. In exceptional cases, where RoW is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, it also needs to ensure that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee.
10. It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 metre below the ground level. However, any structure above ground shall be aesthetically provided for / landscaped with required safety measures as directed by the concerned Authority;
11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry.
12. Existing drainage structures shall not be allowed to carry the lines across.
13. The top of the casing/conduit pipe containing the utility services to cross the road shall be at least 1.2m below the top of the sub grade or the existing ground level whichever is lower, subject to being at least 0.3m below the drain inverts. A typical sketch showing the clearances is given in Attachment-I.
14. The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.
15. The casing/conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.
16. In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30 cm. but not more than 60 cms wider than the outer diameter of the pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority.
- a. Bedding shall be to a depth not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.



A handwritten signature in blue ink, written diagonally across the bottom right of the page. The signature appears to be "Kamran Khan".

- b. The backfill shall be completed in two stages (i) Side-fill to the level of the top of the pipe (ii) Overfill to the bottom of the road crust.
- c. The side fill shall consist of granular material laid in 15 cm. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.
- d. The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the Highway Authority.

17. The Licensee shall ensure making good the excavated trench for laying utility services by proper filling and compaction, so as to restore the land in to the same condition as it was before digging the trench, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way;

18. All required restoration work subsequent to laying of the cable shall be required to be undertaken by the Licensee at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards.

19. Prior to commencement of any work on the ground, a performance Bank Guarantee @ Rs. per route metre / Rs per sq m with a validity of one year initially (extendable if required till satisfactory completion of work) shall have to be furnished by the Licensee to the Authority/its designated agency as a security against improper restoration of ground in terms of filling/unsatisfactory compaction damages caused to other underground installations/utility services & interference, interruption, disruption or failure caused thereof to any services etc. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

20. In case, the Performance Bank Guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking. In case the work contemplated herein is not completed to the satisfaction of the Authority, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, the Licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority/ its designated agency for any damage sustained by them by reason of the exercise of the RoW facility:



[Handwritten signature]

21. The Licensee shall shift the utility services within 90 days (or as specified by the respective Authority) from the date of issue of the notice by the concerned Authority to shift/relocate the utility services, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at his own cost and risk.

22. The Licensee shall be responsible to ascertain from the respective agency in coordination with Authority, regarding the location of other utilities /underground installations/ facilities etc. The Licensee shall ensure the safety and security of already existing underground installations/utilities/facilities etc. before commencement of the excavation/using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company against damages to already existing underground installations/utilities/facilities etc.

23. The Licensee shall be solely responsible/ liable for full compensation/indemnification of concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them/claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in coordination with Authority shall also have a right make good such damages/ recover the claims by forfeiture of Bank Guarantee.

24. If the Licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.

25. Grant of License is subject to the Licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the work by trenchless technology. In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.



26. The Licensee shall inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches,

[Handwritten signature]

for fresh or maintenance/repair works. A separate performance Bank Guarantee for maintenance/repair works shall have to be furnished by the Licensee.

27. Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the concerned agency designated by the Authority.

28. The licensee shall indemnify the concerned agency in co-ordination with Authority, against all damages and claims, if any due to the digging of trenches for laying cables/ducts.

29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.

30. The permission shall be valid only for the period it is issued and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.

31. That the Licensee shall not undertake any work of shifting, repairs or alterations to the utility services without prior written permission of the concerned agency in co-ordination with the Authority.

32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway land /property, other than what is herein expressly granted. No use of NH RoW will be permitted for any purpose other than that specified in the Agreement.

33. During the subsistence of this Agreement, the utility services located in highway land / property shall be deemed to have been constructed and continued only by the consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and indefeasible by lapse of time.

34. The Licensee shall bear the Stamp Duty charged on this Agreement.

35. Three copies of 'as laid drawings' of utilities (hard and soft copies) with geo-tagged photographs and geo-tagged video recordings of laying of cables in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.

36. The Licensee shall allow free access to the Site at all times to the authorised representatives of Authority to inspect the Project Facilities and to investigate any



A handwritten signature in blue ink, appearing to read 'Rajesh Kumar', written over the circular stamp.

matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective duties and functions.

37. The utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co-ordination with the Authority has been obtained. Notwithstanding anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellation nor shall it be absolved from any liability already incurred.

38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation, repair and maintenance of any part of the utility lines/industrial infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of:

- a. operation, repair and maintenance guidelines given by the manufacturers,
- b. the requirements of Law,
- c. the physical conditions at the Site, and
- d. The safety of operating personnel and human beings.

39. The Licensee shall have to provide safety measures like barricading, danger lighting and other necessary caution boards while executing the work.

40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case of single lane roads, a diversion shall be constructed. If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Licensee.

41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90 days and the site shall be brought back to the original condition failing which the Licensee will lose the right to remove the utility services. However before taking up the work of removal of utility services the Licensee shall furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50m away from the edge of the RoW.

42. Any disputes in interpretation of the terms and conditions of this Agreement or their implementation shall be referred to the redress mechanism prevailing in the Ministry and the decision of the redress mechanism shall be final and binding on all.



[Handwritten signature]

43. For PPP projects, in case any financial loss incurred by the respective project Concessionaries due to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne by the Licensee in mutual agreement with the respective project concessionaries. MoRT&H/NHAI/ implementing authorities for thr project shall not be liable to the concessionaire in any way in his regard.

This agreement has been made in duplicate, each on a Stamp paper, Each party to this Agreement has retained one stamped copy each. \

IN WITNESS WHEREOF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVES THE DAY AND THE YEAR FIRST ABOVE WRITTEN.

SIGNED SELAED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY

BY SHRI _____

(Signature, Name & Address with stamp)

SIGNED ON BEHALF OF
M/S Renew Green Energy Solutions Pvt. Ltd. (LICENSEE)

BY SHRI LAXMINABAYAN DASH, DGM, RGESPL, Solapur.

(Signature, Name & Address with stamp)

HOLDER OF GENERAL POWER OF ATTORNEY
..... 11th April 2023 (DATED)

EXECUTED IN ACCORDANCE WITH THE RESOLUTION NO.

..... DATED PASSED BY THE
BOARD OF DIRECTORS IN THE MEETING HELD ON 11th April 2023.

IN PRESENCE OF (WITNESSES)

1.

2.

