

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय,भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओडिशा /Regional Office, Odisha

क्षत्राय कायालय, आंक्सा / मह्युकांत जाएं, ज्यादेव विहार, भुवनेश्वर 751013, ओड़िशा 301- ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर 751013, ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No: J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha अदुरभार/Ph.: 0674 - 2361470/ 570/670 (काःO),क्षेत्रम /Fax: +91-674-2361770 ई-मेल/e-mail: roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web: www.nhai.gov.in



NHAI/13011/54/RO/OD/ 1094 /2023

23.03.2023

INVITATION OF PUBLIC COMMENTS

Sub: Rehabilitation and up gradation of Chandikhole – Bhadrak section of NH-5 (New NH-16) from Km.62+000 to Km.136+500 in the State of Odisha under NHDP Phase-V on HAM Mode- ROW permission for laying of underground gas pipelines along / across NH-16 near Bhadrak City between Km.127+628 to Km.133+004 by M/s Adani Total Gas Limited - Reg

M/s Adani Total Gas Limited laying of underground gas pipelines along / across NH-16 near Bhadrak City between Km.127+628 to Km.133+004. The details are as under:

SI.	Chainage		Along/ Length				
2.7533	F	T-	Across	(in n	neter)	Location	
No.	From	То	ACTOSS	MS	MDPE		
1.	122+587	123+219	Along (RHS)	632		Near Collector Office (Start of NH service road) to HPCL Shankar Gauri CNG Station	
2.	123+219	124+219	Along (RHS)	1000	1000	HPCL Shankar Gauri CNG Station to Gelpur OPCL Sub station	
3.	124+	-530	Across	36	36	Bonth Chowk	

- As per guidelines issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections on grounds of public inconvenience, safety and general public interest.
- In view of the above, the comments of public, if any, on the above mentioned proposal are invited on below mentioned address:

The Regional Officer,
National Highways Authority of India,
Regional Office, Odisha
301-A, 3rd Floor, Pal Heights,
J/7, Jayadev Vihar, Bhubaneswar 751013, Odisha
e-mail: roodisha@nhai.org

This is issued with the approval of CGM (Tech) & RO, Odisha .

a frame

(Sunil Kumar)
Dy. General Manager (Tech)
National Highways Authority of India,
Regional Office, Odisha
301-A, 3rd Floor, Pal Heights,
J/7, Jayadev Vihar, Bhubaneswar 751013

Check list for getting approval for laying of Natural Gas Supply Pipeline on NH land.

Sr. No		Information/Status	Remarks
1	General Information	Laying Pipeline across NH-16 across & along the NH as per Annexure-I (Enclosed)	v.
1.1	Name and address of the applicant/agency	Adani Total Gas Ltd., 2nd Floor ,Master Babu Complex, Chapulia, Bhadrak, Odisha- 756100	
1.2	National Highway Number	NH 16	
1.3	State	Odisha	
1.4	Location	As per Annexure-I	
1.5	(Chainage in Km.)	Along the road from CH 127628.72 mt to CH 133004 mt	
		Across the road at CI I 127628.72 & CH 133004	
1.6	Length in Meters.	A. 8000 Mtr.	A1. 150 mm NB MS. 5400 Mtr. A2. 90 mm NB MDPE: 2600 Mtr.
		B.230 Mtr.	B1. 230 Mtr. HDD Cased Crossing (150 mm NB MS + 100 mm NB MS + 90 mm NE MDPE)
1.7	Width of available Row		
	(a) Left side from centre line towards increasing chainage/km. direction		
	(b) Right side from centre line towards increasing chainage/km. direction		
	Proposal to lay underground Natural Gas Pipeline	Laying Pipeline across NH-16 across & along the NH as per Annexure-I (Enclosed)	
	Left side from center line towards ncreasing chainage/km direction	A. CH 127628.72 mt to CH 133004	A1. 150 mm NB MS: 5400 Mtr. A2. 90 mm NB MDPE: 2600 Mtr.
	UROES	B. 230 Mtr. (CH 127628.72 & CH 133004)	B1. 230 Mtr. HDD Cased Crossing (150 mm NB MS + 100 mm NB MS + 90 mm NB MDPE)

1|Page

	Right side from center line towards increasing chainage/km direction.	NA	NA
1.9	Proposal to acquire land		
	(a) Left side from centre line.	NA	
	(b) Right side from centre line.	NA	
1.10	Whether proposal is in the same side where land is not to be acquired		
	If not then where to lay the Natural Gas Pipeline	Within ROW	
1.11	Details of already laid services, if any, along the proposed route		
1.12	Number of lanes (2/4/6/8 lanes) existing	6 lane	
1.13	Proposed number of lanes (2 lane with paved shoulders/4/6/8 lanes)		
1.14	Service road existing or not	Yes	
	If yes then which side		
	(a) Left side from center line	Yes	
	(b) Right side from center line	Yes	
.15	Proposed service road		
	(a) Left side from centerline	NA	
	(b) Right side from center line	NA	
1.16	Whether proposal to lay Natural Gas supply pipeline is after the service road or between the service road and main carriageway	After service road	
.17	The permission for laying of Natural Gas supply pipeline shall be considered for approval/rejection based on the Ministry Circulars mentioned as above	NA	

Project Director,
National Highways Authority of India
PIU-BALASORE

(a)	Carrying of sewage/gas pipelines on highway bridges shall not be		
	permitted as fumes /gases pipes can accelerate the process of corrosion or may cause explosions, thus, being much more	Noted	ATGL proposed Natura Gas Pipeline is Underground
	injurious than leakage of Natural Gas.		
(b)	Carrying of Natural Gas pipelines on bridges shall also be discouraged. However, if the Natural Gas supply authorities seem to have no other viable alternative and approach the Highway Authority well in time before the design of the bridge is finalized. They may be permitted to carry the pipeline on independent	NA	
	superstructure, supported on extended portions of piers and abutments in such a manner that in the final arrangement enough free space around the superstructure of the bridge remains available for inspection and repairs etc.		
(c)	Cost of required extension of the substructure as well as that of the supporting superstructure shall be borne by the agency- in- charge of the utilities.	NA	
(d)	Services are not being allowed indiscriminately on the parapet/any part of the bridges. Safety of the bridges has to be kept in view while permitting various services along bridge. Approvals are to be accorded in this regard with the concurrence of the Ministry's project Chief Engineers only.	Noted	ATGL proposed Natura Gas Pipeline is Underground
1.18	If crossing of the road involved. If yes, it shall be either encased in pipes or through structure of conduits specially built for that purpose at the expenses of the agency owning the line.	Yes	Gas Pipeline shall be crossed in steel casing through HDD method
(a)	Existing drainage structures shall not be allowed to carry the lines.	Noted	
(b)	Is it on a line normal to NH	Yes	
(c)	Crossing shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter. What is the distance from the	Yes Project Director Authority of Indi	

3 | Page

	existing structures?		
(d)	The casing pipe(or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.	Yes, Casing pipe is of Carbon steel	
(e)		Noted	
(f)		Yes	
(g)	The top of the casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 mtr below the drain inverts.	Noted	
(h)	Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type.	Yes	HDD (Methodology Enclosed)
(i)	The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a Natural Gasway along it.	Yes	
2	Document / Drawings enclosed with proposal	Yes	
2.1	Cross section showing the size normal size of 1.2m deep X0.3m wide).	Enclosed	
	Should not be greater than 60 cm wider than outer diameter of the pipe	Yes Agreed	
	Located as close to the extreme edge of the right-of-way as possible but not ess than 15 meter from the center ines of the nearest carriageway.	Noted	
.1 (iii)	Shall not be permitted to run along the National Highway when the road formation is situated in double cutting. Now shalk pese be laid over	Yes Agreed	

4|Page

	the existing culverts & bridges.		
2.1 (iv)	These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct.	Yes Agreed	
2.2	Cross section showing the size of the pit and location of cable for HDD method	Enclosed	
2.3	Strip plan / Route plan showing Natural Gas supply pipe line, chainage, width of ROW, distance of proposed pipe line form the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	
2.4	Methodology for laying of proposed Natural Gas supply pipe line.	Enclosed	
241	Open trenching method (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type). If yes, Methodology of refilling of trench.	Yes	Case Crossing/HDD Method
(a)	The trench width should be at least 30 cm, but not more that 60 cm wider than the outer diameter of the pipe.	Noted	
(b)	For filling of the trench, bedding shall be to a depth of not less than 30cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing valve. Unsuitable soll and rock edged should be excavated and replaced by selected material.	Noted	
	The backfill shall be completed in two stages (i) side-fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Noted	
	The side fill shall consist of granular material laid in 15cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding	Noted Noted Orolect Director, thy of India	

5 | Page

BHADRAK

- abun

	will not be permitted.		
			11.00
(e)	The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.		
(f)	The excavation shall be protected by flagman, signs and barricades and red lights during night hours.	Noted	
(g)	If required, a diversion shall be constructed at the expenses of agency owning the utility line.	Noted	
242	Method for Laying Gas Pipeline	Open trenching/HDD method for along the road & Cased crossing through HDD across the road.	
2.4.3	Laying of Natural Gas supply pipeline through CD works and method of laying		
3	Draft License Agreement signed by two witness	Enclosed	
	Performance Bank Guarantee in favour of NHAI has to be obtained @ Rs.50/- per running meter (parallel to NH) and Rs. 1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables/ducts by proper filling and compaction, cleaning debris / loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth.	guidelines of MoRTH circular dt. 22.11.2016	
4.1	Confirmation of BG has been obtained as per NHAI guidelines	To be Confirm	

6 | Page

5	Affidavit/Undertaking from the applicant for the following is to be furnished	Yes	Annexure-II
5.1	Not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Enclosed	
5.2	Renewal of Bank Guarantee.	Yes	
5.3	Confirming all standard condition of NHAI's guidelines.	Enclosed	
5.4	Shifting of Natural Gas supply pipeline as and when required by NHAI at their own cost.	Enclosed	
5.5	Shifting due to 6 laning/widening of NH.	Enclosed	
5.6	Indemnity against all damages and claims clause(xxiv).	Enclosed	
5.7	Traffic movement during laying of Natural Gas supply pipeline to be managed by the applicant.	Enclosed	
5.8	If any claim is raised by be paid by the applicant.	Enclosed	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the showing Natural Gas supply pipeline located in the National Highway right of ways.	Enclosed	
5.10	Expenditure, if any incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Natural Gas supply pipeline will be borne by the agency owning the line.	Enclosed	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it shall be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60days) of the intimation given.	Noted	

105 Sil

AGI

BHADRAK BHADRAK

alonn

5.12	Certificate from the applicant in the following format		
	(i) Laying of Natural Gas supply pileline will not have any deleterious effects on any of the bridge components and	Enclosed	
	roadway safety for traffic.		
	(ii) We do undertake that we will relocate service roads/approach road/utilities at our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future sixlaning or any other development".		
6	Who will sign the agreement on behalf of Natural Gas supply pipeline agency	Rajesh Prabhu	
6.1	Power of Attorney to sign the agreement is available or not	Yes	
7	Certificate from the Project Director		

TO SO ESTUDIO DE SONO DE SONO

BHADRAK S

Project Director,
National Highways Authority of India
PIU-BALASORE

7.1	Certificate for confirming of all		
	standard condition issued vide		
	Ministry Circular No.		

- 1. Ministry Circular No. NH- 41(58)/68 dated 31.1.1969
- 2. Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976
- 3. Ministry Circular No. RW/NH- III/P/66/76 dated 11.05.1982
- 4. Ministry Circular No. RW/NH- 11037/1/86-DOI(ii) dated 28.07.1993
- 5. Ministry Circular No. RW/NH- 11037/1/86-DOI dated 19.01.1995
- 6. Ministry Circular No. RW/NH-34066/2/95/S&R dated 25.10.1999
- 7. Ministry Circular No. RW/NH- 34088/7/2003 S&R(B) dated 17.09.2003



PIU-BALASORE

7.2	Certificate from PD in the following
	format

- (i) " It is certified that any other location of the Natural Gas Supply Pipe line would be extremely difficult and unreasonable costly and the installation of Natural Gas Supply pipe line within ROW will not adversely affect the design, stability and traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc."
- (ii) For 6- laning (a)Where feasible is available" I do certify that there will be no hindrance to proposed sixon laning based the feasibility report considering proposed structures at the said location."
- (iii) (b) In case feasibility report is not available, "I do certify that sufficient ROW is available at site for accommodating proposed six-laning."

BHADRAK BUTOS STUDIOS CO

Project Director,
National Highways Authority of India
PIU-BALASORE

8	If NH section proposed to be taken up by NHAI on BOT basis —a clause is to be inserted in the agreement. "the permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for upgradation of section along NH NO.16 -on Build, Operate and Transfer Basis and therefore, the licensee shall honour the same."		
9	Who will supervise the work of laying of Natural Gas Supply pipeline		
	applicant	Adani Total Gas Limited	
	H Division	Person deputed by PD	
10	Who will ensure that the defects in road portion after laying of Natural Gas supply pipe line are corrected and if not corrected then what action will be taken.		
	(a)On behalf of the applicant	Adani Total Gas Limited	
	(b)On behalf of the applicant	Person deputed by PD	
11	Who will pay the claims for damages done/disruption in working of concessionaire if asked by the concessionaire.	Adani Total Gas Ltd.	
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed).	Enclosed	
13	If any previous approval is accorded for laying of underground Natural Gas supply pipeline that photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed	NIL	

SESTUOIO 3/41

BHADRAK A STATE OF THE STATE OF

atim

Project Director,
Project Director,
Authority of India
PIU-BALASORE

1	Not to damage to other utility, if damaged then to pay the losses
'	either to NHAI or to the concerned agency.
2	Renewal of Bank Guarantee.
3	Confirming all standard condition of NHAI's guidelines.
4	Shifting of Natural Gas supply pipeline as and when required by NHAI at their own cost.
5	Shifting due to 6 laning/widening of NH.
6	Indemnity against all damages and claims clause(xxiv).
7	Traffic movement during laying of Natural Gas supply pipeline to be managed by the applicant.
8	If any claim is raised by the Concessionaire, then the same has to be paid by the applicant.
9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the showing Natural Gas supply pipeline located in the National Highway right of ways.
10	Expenditure, if any incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Natural Gas supply pipeline will be borne by the agency owning the line.
11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it shall be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60days) of the intimation given.
12	Certificate from the applicant in the following format
	(a) Laying of Natural Gas supply pipeline will not have any deleterious effects on any of the bridge components and roadway safety for traffic.
	(b) We do undertake that we will relocate service roads/approach road/utilities at our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six- laning or any other development".

GASASANI TOTAL GAS LIMITED

Rajesh Prabhu (Region Head – R-3)