



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/UT-337/NH-361/MJP/2023-24/3054

Date: 27.02.2024

Invitation of Public Comments

Sub: Four laning of Mahagaon-Yavatmal (Package-II) section of NH-361 from Km 320.580 to km 400.575 (Design Length -80.195) under NHDP Phase-IV on Hybrid Annuity Mode in the State of Maharashtra- Permission for grant of permission for laying Arbi city Water Supply Schem under (Maharashtra Suwarn Jayanti Nagarothan Mahaabhiyan) Ta. Arni, Dist. Yavatmal proposal for laying water supply pipeline along Ch. 357.500 to km 358.660 LHS and across at 362.745 for the Total length of 1.160 kms the road on section of National highway -Reg.

Ref.:

1. PD, PIU Yavatmal letter no. 321 dated 16.02.2023.
2. Chief Officer, Nagar Parishad Arni letter no. 1721/2023 dated 13.12.2023.

It is to inform all concern that Nagar Parishad Arni under reference (2) has submitted a proposal for the subjected work and PD, PIU Yavatmal has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s MJP is across subject stretch is as follows:
 - laying water supply pipeline along Ch. 357.500 to km 358.660 LHS and across at 362.745 for the Total length of 1.160 kms.
3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091 Email : ronagpur@nhai.org

N. Wadetwar
27.02.24

(Naresh Y. Wadetwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi

[mansoor@nic.in]

- for uploading in Ministry's website