



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन इकाई : कृष्णगिरी

Project Implementation Unit : Krishnagiri

259/1, सेलम मेन रोड, केएकेसी पेट्रोल पम्प के पास, कृष्णगिरी (तमिलनाडु) - 635 001

259/1, Salem Main Road, Near KAKC Petrol Bunk, Krishnagiri (Tamil Nadu) - 635 001.

Phone : 04343 234250

Fax : 04343 236208

Email : Kri@nhai.org
nhai.krishnagiri@gmail.com



भारतमाला
एकरी के एक पर जगता
BHARATMALA
ROAD TO PROSPERITY

No. NHAI/11013/OFC/2021/PIU-K'giri/1115

07th September 2021

Invitation of Public Comments

Sub: NHAI, PIU, Krishnagiri - Laying of Underground OFC along the road from km.3/550 to km.31/230 (LHS), km.26/965 to km.27/200(RHS), km.31/23 to km.32/000(RHS) for a total length of 28.685m and across the road at km.13/220, km.27/200 and km.31/230 in Krishnagiri – Walajahpet section of NH-48 (Old NH-46) by M/s. Vindhya Telelinks Limited – Reg.

The proposal is regarding permission for laying of Optical Fibre Cable from Krishnagiri – Walajahpet section of NH-48 (Old NH-46) along the road from km.3/550 to km.31/230 (LHS), km.26/965 to km.27/200(RHS), km.31/230 to km.32/000(RHS) for a total length of 28.685m and across the road at km.13/220, km.27/200 and km.31/230 in Krishnagiri – Walajahpet section of NH-48 (Old NH-46) by M/s. Vindhya Telelinks Limited submitted to this office vide letters No. VTL/IP-1/2021-22/TN/068 Dated 27.08.2021.

2. The details of the proposal is as under:

- a) The above proposal pertains to the laying of OFC along the road from km.3/550 to km.31/230 (LHS), km.26/965 to km.27/200(RHS), km.31/230 to km.32/000 (RHS) for a total length of 28.685m and across the road at km.13/220, km.27/200 and km.31/230 by HDD method in Krishnagiri – Walajahpet section of NH-48 (Old NH-46).
- b) The details of ROW available along with the distance at which OFC is proposed to lay from the centerline is as follows:

[Handwritten signature]

Sl no.	Description	Length in mtrs	ROW in Meters		Distance of OFC from centerline of the Main Carriageway	
			LHS	RHS	LHS	RHS
1	Km.3/550 to Km.3/900(LHS)	350	29.75	28.75	28.75	
2	Km.3/900 to km.3/990(LHS)	90	31.75	29.75	30.75	
3	Km.3/990 to km.5/000(LHS)	1010	30.00	29.75	29.00	
4	Km.5/000 to km.5/200(LHS)	200	27.75	28.50	26.75	
5	Km.5/200 to km.5/400(LHS)	200	26.75	29.50	25.75	
6	Km.5/400 to km.6/000(LHS)	600	30.00	37.00	29.00	
7	Km.6/000 to km.6/450(LHS)	450	30.25	27.00	29.25	
8	Km.6/450 to Km.7/000(LHS)	550	23.50	25.00	22.50	
9	Km.7/000 to km.7/600(LHS)	600	26.75	35.00	25.75	
10	Km.7/600 to km.7/800(LHS)	200	24.75	30.00	23.75	
11	Km.7/800 to km.8/000(LHS)	200	30.00	39.00	29.00	
12	Km.8/000 to km.8/400(LHS)	400	37.75	29.00	36.75	
13	Km.8/400 to km.9/000(LHS)	600	24.00	30.00	23.00	
14	Km.9/000 to km.9/200(LHS)	200	36.75	21.75	35.75	
15	Km.9/200 to km.9/400(LHS)	200	30.00	32.00	29.00	
16	Km.9/400 to km.9/600(LHS)	200	31.75	26 & 28	30.75	
17	Km.9/600 to km.9/800(LHS)	200	35.00	25.5	34.00	
18	Km.9/800to km.10/000(LHS)	200	29.75	25.5	28.75	
19	Km.10/000 to km.10/250(LHS)	250	32.00	23.00	29.00	

[Signature]

20	Km.10/250 to km.10/500(LHS)	250	28.00	23.50	27.00	
21	Km.10/500 to km.10/800(LHS)	300	31.00	23.50	30.00	
22	Km.10/800 to km.11/450(LHS)	650	32.00	21.75	31.00	
23	Km.11/450 to km.11./600(LHS)	150	36.00	29.00	35.00	
24	Km.11/600 to km.12/200(LHS)	600	31.00	25.00	30.00	
25	Km.12/200 to km.12/800(LHS)	600	40.00	22.00	39.00	
26	Km.12/800 to km.13/500(LHS)	700	32.00	25.50	31.00	
27	Km.13/500 to km.13/950(LHS)	450	27.50	30.50	26.75	
28	Km.13/950 to km.14/200(LHS)	250	30.00	22.00	29.00	
29	Km.14/200 to km.14/800(LHS)	600	31.00	50.00	30.00	
30	Km.14/800 to km.15/300(LHS)	500	36.75	42.00	35.75	
31	Km.15/300 to km.19/000(LHS)	3700	41.00	37.50	40.00	
32	Km.19/000 to km.19.500(LHS)	500	39.00	41.00	38.00	
33	Km.19/500 to km.20/500(LHS)	1000	19.50	26.00	18.50	
34	Km.20/500 to km.21/000(LHS)	500	29.00	30.00	28.00	
35	Km.21/000 to km.21/600(LHS)	600	28.00	24.50	27.00	
36	Km.21/600 to km.22/000(LHS)	400	35.00	21.75	34.00	
37	Km.22/000 to km.22/200(LHS)	200	37.00	30.00	36.00	
38	Km.22/200 to km.23/000(LHS)	800	28.00	32.00	27.00	
39	Km.23/000 to km.24/000(LHS)	1000	39.00	38 & 43.75	38.00	
40	Km.24/00 to km.26/000(LHS)	2000	31.00	38.75	30.00	
41	Km.26/000 to km.27/000(LHS)	1000	26.00	34.00	25.00	
42	Km.27/000 to km.27/200(LHS)	200	55.00	27.75	54.00	

B. J. M.

43	Km.27/200 to km.28/000(LHS)	800	41.00	38.00	40.00	
44	Km.28/000 to km.29/000(LHS)	1000	48.00	34.75	47.00	
45	Km.29/000 to km.30/000(LHS)	1000	25.75	32.00	24.75	
46	Km.30/000 to km.31/000(LHS)	1000	30.00	31.00	29.00	
47	Km.31/000 to km.31/230(LHS)	230	36.00	38.00	35.00	
48	km.26/965 to km.27/200 (RHS)	235	27.75	55.00	-	27.00
49	km.31/230 to km.31/980 (RHS)	750	38.00	32.75	-	38.00
50	Km.31/980 to km.32/000 (RHS)	20	50.00	37.75	-	49.00
	Total	28685				
3 Crossing at km.13/220, km.27/200 & km.31/230.						

3. M/s. Vindhya Telelinks Limited, Chennai has proposed to lay OFC along the road by open trench method and intersection locations by HDD method. It is proposed to lay 20mm dia OFC Cable (1 nos.) along the road by open trench method encased in 40mm dia PLB pipe (2nos) duly keeping the top of the casing at 1.65 m below the top of sub grade level. Further, the applicant has proposed to lay the 20mm OFC cable (1nos) across NH by HDD method, encased in 40mm PLB pipe, which in turn encased in 150mm RCC pipe duly keeping the top of the casing pipe at a depth of 1.65m below the top of sub grade level.

4. M/s. Vindhya Telelinks Limited, Chennai has furnished an undertaking to indemnify the concerned agency in coordination with NHAI, against all damages and claims if any, due to the digging of trenches for laying cables/ ducts. Further, the applicant has furnished undertaking that they will adopt HDD method wherever, the available width of ROW is less than 15m and undertaking not to damage other utility, if damaged then to pay the losses either to NHAI or to the concerned agency. Further, the applicant has furnished undertaking that the HDD method will be adopted for crossing of

[Signature]


all cross roads at grade separators at grade junction and wherever required and in the built up areas as per the instruction of NHAI officials.

5. As per the guidelines issued by the Ministry vide letter No.RW/NH33044/29/2015/S&R(R) dated 22.11.2016, the proposal submitted by M/s. Vindhya Telelinks Limited, Chennai will be made available for 30 days seeking public comments/objections and the comments shall be furnished within 30 days from the day of closure of public objections.

In view of the above, comments of the public on the above proposal are invited any may be sent to the below mentioned address:

The Project Director,
National Highways Authority of India,
Project Implementation Unit,
No.259/1, Salem Main Road,
Near KAKC Petrol Bunk,
Krishnagiri (T.N) - 635 001

Yours faithfully,


(G.Athipathi)
Project Director

Copy to:

1. Regional Officer, NHAI, Chennai Region, Chennai – for kind information.
2. NHAI website.
3. The NIC, New Delhi- for uploading in the Ministry's website.

MP BIRLA
GROUPRef: VTL/IP-1/2021-22/TN/068
Date: 27 Aug 2021

EPC Division:

No. 1, Udayam Nagar Extension,
Barani Street, Velachery,
Chennai-600 042, Tamilnadu
Ph : 491 96770 65256To
The Project Director,
National Highway Authority of India,
Krishnagiri,
Tamilnadu.

Sir,

Sub: Submission of revised drawings (5 sheets between Km 11 to Km12, Km-21.6 to Km23, Km23.0 to Km.26, Km.26 to Km.29 & Km29 to Km32) for permission to lay underground Optical Fiber Cable (OFC) on NH - 48 along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms of (Krishnagiri - Walajapet Section) in the state of Tamil Nadu, National Highways, Krishnagiri - reg.,

- Ref: i) Our proposal Ltr Dt: VTL/IP-1/2021-22/TN/010, Dated 10 Jun 2021
 ii) Your letter no: NHAI/11013/OFC/2021/PIU-K'giri/751, Dated 13 Jul 2021
 iii) Our revised proposal Ltr No: VTL/IP-1/2021-22/TN/033, dated 19 Jul 2021
 iv) Your letter no: NHAI/11031/OFC/2021/PIU-K Giri/959, dated 16 Aug 2021

With reference to the above subject and reference no: iv. here with we are submitting corrected drawings (5 sheets between Km 11 to Km12, Km-21.6 to Km23, Km23.0 to Km.26, Km.26 to Km.29 & Km29 to Km32) to lay Optical Fiber Cable for a length of 28685 Mtrs in NH - 48 (Krishnagiri - Walaja Section) along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km. 31/230, for a total length of 28.685 Kms which comes under the jurisdiction of National Highways, Krishnagiri, the copy of D.O.T along with location drawings in Two Original and Four copies enclosed.

We, kindly request your good self to give us permission to lay OFC, Covering a length of 28685 Mtrs as per the drawing enclosed. We will do the trenching as per the guidelines and remit the applicable charges on receipt of your demand note. We assure you that utmost care will be taken while laying our duct, of cable and the road surfaces will be restored immediately as specified by the National Highways.

Thanking you,
Yours truly,

For M/s. Vindhya Telelinks Limited

Authorized signatory

Encls: 5 drawing sheets attached.



OPTICAL FIBRE CABLE **ROUTE DIAGRAM**

SECTION

NH – 48 (Krishnagiri - Walajapet Section) Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms

Applicant:



M/s. Vindhya Telelinks Limited.,
EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank,
Picket Branch, Wellington Road, Near AOC Centre,
Marredpally, Secunderbed – 500026, Telangana.

The Project Director
National Highway Authority of India
Krishnagiri.

Annexure-1

CHECK LIST

Guidelines for Project Directors for processing the proposal of laying optical fiber cable by private parties in the land along National Highways vested with NHAI.

Relevant Circulars

- * Ministry Circular No: RW/NH-33044/17/2000-S&R dated 29.09.2000
- * NHAI's circular No: NHAI/OEC2k/Vol II dated 07.11.2000 which includes the comprehensive guideline and draft license agreement for laying of OF Cable by private party in the land along National Highways vested with NHAI.
- * Ministry's circular No: RW/NH-33044/27/2015-S&R (R) dated 22.11.2016, it is regarding the modification of previous Ministry's circular enhancing the amount of Performance Bank Guarantee and charges for granting license for use of highway land.

Sl No:-	Item	Information Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant/Agency	M/s. VINDHYA TEELINKS LIMITED., EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank, Picket Branch, Wellington Road, Near AOC Centre, Marredpally, Secunderbad - 500015, Telangana.	
1.2	National Highway Number		
1.3	State	NH - 48	
1.4	Location	Tamilnadu	
		(Walajapet - Krishnagiri Section)	
1.5	Chainage/Km	Km.3/550 to Km.31/230 (LHS), Km. 26/965 to Km. 27/200 (RHS) and Km. 31/230 to 32/000 (RHS) also a crossing at Km.13/220, (LHS-RHS), Km.27/200 (LHS-RHS), and Km 31/230 (LHS-RHS)	
1.6	Length in Meters		
1.7	Width of available ROW	28685 Mtrs	
	a) Left side from center line towards increasing chainage /km direction	Min: 19.50 mtrs Max: 55.00 mtrs	
	b) Right side from center line towards increasing chainage /km direction	Min: 21.75 mtrs Max: 55.00 mtrs	
1.8	Proposal to lay the utility		
	a) Left side from center line towards increasing chainage /km direction	Yes, as per drawings attached (Utility Corridor)	
	b) Right side from center line towards increasing chainage /km direction	Yes, as per drawings attached (Utility Corridor)	
1.9	proposal to acquire the land		
	a) Left side from center line	NA	
	b) Right side from center line		

Kao



1.10	whether proposal is in the same side where land is not to be acquired	YES	
	if not then where to lay the cable		
1.11	Details of already laid services, if any along the proposed route	-	
1.12	Number of Existing lanes (2,4,6,8 lanes)	6 Lane	
1.13	proposed number of lanes (2lane with paved shoulders/4/6/8 lanes)	NA	
1.14	Service road existing or not	Yes	
	if YES then which side		
	a)Left side from center line	Yes	
	b)Right side from center line	Yes	
1.15	Proposed Service road		
	a)Left side from center line		
	b)Right side from center line		
1.16	Whether proposal to lay the utility is after the service road or between the service road and main carriageway	After the service road along utility corridor at extreme end of RoW.	
1.17	The permission for laying OFC shall be considered for approval/rejection		
	(i) Where the RoW more than 45m then the duct cable shall be laid at the edge of right of way within the utility corridor of 2m width, duly keeping in view the future widening.	Yes	
	(ii) Where land is yet to be acquired for 4 laning and the position of new carriageway has been decided then the cable shall be laid at the edge of right of way within the utility corridor of 2m width, on that side of existing carriageway where extra land is not proposed to be acquired for 4-laning	NA	
	(iii) where the widening plan for 4 laning is not yet decided and available RoW is around 30m or less, a judicious decision would need to be taken for permitting the laying of cable/duct. This could be within 1.5m to 2m of utility corridor at the edge of existing Row, duly keeping in view the possible widening plans.	NA	
	(iv) Where Row is restricted and adequate only to accommodate the carriageway, central verge, shoulders and drains (eg. Highways in cutting through hilly/rolling terrian) the cable shall be laid clear of the drain.	NA	
	(v) Where land strip for utility corridor cannot be conveniently earmarked (available RoW restricted to the toe of the embarkment) for laying of cable/ducts, the permission may be refused.	NA	



1.18	No.of application on the same stretch	1	
1.19	Whether the case of multiple licenses	No	
1.20	If so furnish a joint implementation programmer to lay their respective ducts within stipulated time frame.	NA	
1.21	If crossing of the road involved If YES ,it shall be only through trench-less technology	YES. at Km 13/220, (LHS-RHS), Km.27/200 (LHS-RHS) and Km 31/230 (LHS-RHS) by HDD method	
2	Document /Drawing to be enclosed with the proposal	YES Enclosed	
2.1	crossection showing the size of the trench for open trenching method (is it normal size of 1.2m (min) deep X 0.42meter wide should not be greater than 1.2m in width in multiple ducts.	YES Enclosed	
2.2	Cross section showing the size of the pit and location of cable for HDD method	YES Enclosed	
2.3	Strip plan/route plan showing the utility/Gas Pipeline chainage Width of ROW distance of proposed pipeline from the edge of ROW. Important mile stone Intersections ,cross drainage works etc...	YES attached, as per drawing	
2.4	Methodology for laying of the utility pipeline	Laying methodology attached	
2.4.1	open trenching method, if yes methodology of refilling the trench	Back filling the soil excavated with compaction @ every 300mm	
2.4.2	Horizontal Directional Drilling method (HDD method)	Road crossing and buildup area	
2.4.3	Laying OFC through CD works and method of laying (whether to be hung outside parapet)	No	
3	Draft license agreement is signed by two witnesses	Enclosed	
4	The licensee fee estimate as per ministry guide lines issued vide circular no:RW/NH/33044/29/2015/S&RDATED 22-11-2016	Enclosed	
4.1	whether performance bank guarantee as per ministry circular No:RW/NH-3044/29/2015/S&R(R)DATED 22-11-2016 is obtained	Yes	
4.2	Confirmation of BG has been obtained or not as per MORTH guide lines	YES – Will be submitted after approval from competent Authority	
5	Affidivit /undertaking from the applicant from the following is to be furnished		
5.1	Undertaking for not to damage any other utility ,if damaged then to pay the losses eithe to NHA or to the concerned agency	YES Enclosed	
5.2	Undertaking for renewal of BG as when asked by MORTH/NHA	YES, Enclosed	



5.3	Undertaking for confirming all standard condition of MoRTH /NHAI guide lines	YES, Enclosed	
5.4	Shifting of OFC as and when required by NHAI	YES, Enclosed	
5.5	Shifting due to 6 laning / widening of NH	YES, Enclosed	
5.6	Undertaking for indemnity against all damages clause (xxiv)	YES, Enclosed	
5.7	Undertaking for management of traffic moment during laying of utility line without hampering the traffic	YES, Enclosed	
5.8	Undertaking that if any claim is raised by the concessionaire /contractor then the same has to be paid by applicant	YES, Enclosed	
5.9	Certificate for 6-lanning from the applicant in following format "we do undertake that I /we will relocate service road /approach road /utilities at my/our own cost not withstanding the permission granted within such time as will be stipulated by NHAI for future six laneing/any other development"	YES, Enclosed	
6.0	Power of attorney in favour of authorised signatory.	YES, Enclosed	
7.0	Copy of DOT License	YES, Enclosed	
8	Certificate from PD in the following format		
8.1	Certificate for confirming of all standard condition issued vide ministry circular no RW/NH-33044/17/2000-S&R dated 29.09.2000 and NHAI's guidelines issued vide no NHAI/OEC/2k/Vol II dated 07.11.2000 and ministry's circular no: RW/NH-33044/27/2015-S&R (R) dated 22.11.2016.	Undertaking enclosed	
8.2	Certificate for 6 lanning from PD the following format	NA, as stretch is already 6 lane/under 6 lanning	
	a)where feasibility is available "I do certify that there will be no hindrance to proposed six laning based on the feasibility report considering proposed structures at the said location " b)In case feasibility report is not available "I do certify that sufficient ROW is available at sight for accommodating proposed six laning"		
9	The agreement fee of Rs.1 shall be charges	NA	



10	If NH section proposed to be taken up by NHAI on BOT basis - a clause in para 17 to be inserted in the agreement. The permitted Highway on which licensee has been granted the right to lay Gas pipeline /Duct has also been granted as a right of way of to the cocessionaire under the concession agreement for upgrading of ----- Section from KM ----- to KM ----- of NH no: ----- on build. (operate and transfer basis) and therefore the licensee shall honour the same	Yes	
11	who will supervise the work of laying of OFC pipeline.		
	a) on behalf of the applicant	Vindhya Telelinks Ltd Engineer	
	b) on behalf of MORTH /NHAI	NHAI	
12	Who will ensure that the defects in road portion after alying of gas/ofc pipeline are corrected and if not corrected then what action will be taken.		
	a) on behalf of the applicant	Vindhya Telelinks Ltd Engineer	
	b) on behalf of NHAI	NHAI	
13	Who will pay the claims for damages done /disruption in working of concesionaire if asked by the concessionaire	Vindhya Telelinks Ltd Engineer	
14	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed), issued vide ministry circular no RW/NH-33044/27/2015-S&R (R), dated 22.11.2016	Enclosed	
15	if any previous approval is accorded for laying of cable then photocopy of register of records of permission accorded as maintained by PD (as per ministry circular no RW/NH-33044/27/2015-S&R (R), dated 22.11.2016) as referred in para 13 above is enclosed or not	No	

Name /Designation/Signature of the
authorized representative of the applicant



Name /Designation/Signature of the
concerned field authority of



தமிழ்நாடு TAMILNADU

Vindhya Telelinks
Limited

17 JUL 2020

BZ 508165

N. ILANGO VAN STAMP VENDOR
L.No. 17.CH (S) 2010
No.18/11C, Rajalakshmi Nagar,
3rd Main Road, Chennai-600 042.
Cell: 98410 63716 / 98848 66616

AGREEMENT REGARDING GRANTING OF RIGHT OF WAY
PERMISSIONS
FOR LAYING UTILITY SERVICES ON NATIONAL HIGHWAYS

Agreement to lay Telecom / OFC cable /electrical cable / pipe line/ ducts etc in NH – 48 along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms of (Krishnagiri – Walajapet Section) in the state of Tamil Nadu, National Highways, Krishnagiri.

This Agreement made this _____ day of _____ (month) _____ of (year) between _____ acting in his executive capacity through _____ (hereinafter referred to as the "Authority" which expression shall unless excluded by or repugnant to the context include his successors in office and assigns) on the one part, an M/s. VINDHYA TELELINKS LIMITED, EPC DIVISION, PLOT NO. 56, ISHAQ COLONY, OPPOSITE SYNDICATE BANK, PICKET BRANCH, WELLINGTON ROAD, NEAR AOC CENTRE, MARREDPALLY, SECUNDERBED – 500026, TELANGANA, a company registered under the Companies Act, 1956 and having its Registered Office at Udyog Vihar, P.O. Chorhata, Rewa (M.P.) – 486006, (hereinafter called the "Licensee") which expression shall unless excluded by repugnant to the context, include his successors / administrator assignees on the second part.



Whereas the Authority is responsible, inter-alia, for development and maintenance of lands in NH - 48 along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms of (Krishnagiri - Walajapet Section) in the state of Tamil Nadu, National Highways, Krishnagiri.

Whereas the Licensee Proposes to lay Telecom cable / OFC cable / electrical cable/Pipe line / ducts etc., referred to as utility services in subsequent paras.

Whereas the Licensee has applied to the Authority for permission to lay utility services in NH - 48 along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms of (Krishnagiri - Walajapet Section) in the state of Tamil Nadu, National Highways, Krishnagiri.

And whereas the Authority has agreed to grant such permission for way leave on the NH RoW as per terms and conditions hereinafter mentioned.

Now this agreement witnessed that in consideration of the conditions hereinafter contained and on the part of the Licensee to be observed and performed, the Authority hereby grants to the Licensee permissions to lay utility services as per the approved drawing attached hereto subject to the following conditions, namely:

1. Row permissions are only enabling in nature. The purpose of extending the way leave facility on the National Highway, Row is not for enhancing the scope of activity of a utility service provider, either by content or by intent. Further, enforceability of the permission so granted shall be restricted only to the extent of provisions / scope of activities defined in the license agreement & for the purpose for which it is granted.
2. No Licensee shall claim exclusive right on the Row and any subsequent user will be permitted to use the Row, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled, Decision of the Authority in relation to fulfilment of technical requirements shall be final and Binding on all concerned parties. In case any disruption / damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.
3. The Licensee shall be responsible for undertaking all activities including, but not limited to site identification, survey, design, engineering, arranging, finance, project management, obtaining regulatory approvals & necessary clearances, supply of equipment material, construction, erection, testing and commissioning, maintenance and operation and all other activities essential or required for efficient functioning of their own utility industrial infrastructure facilities.)
4. The Licensee shall pay license fees @ Rs./sq m/month to the Authority. The Licensee fee shall become payable from the date of handing over of Row land to the Licensee for laying of utilities/ cables /conduits/pipelines for infrastructure/



- service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.
5. Fee shall have to be paid in advance for the period for which permission is granted for entering into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @15% per annum compounded annually.
 6. Present policy of the MoRT&H is to provide a 2.00 m a wide utility corridor on either side of the extreme edge of Row. In cases where utility ducts with sufficient space are already available along NH, the utility services shall be laid in such ducts subject to technical requirements being fulfilled.
 7. The Utility services shall be laid at the edge of the RoW. In case of restricted width of RoW, which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other road side furniture etc; the utility services shall be laid beyond the toe line of the embankments and clear of the drain.
 8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc, below the bed. In case, this is not feasible, the utility services may be carried outside the railings/ parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the authority shall be payable by the Licensee.
 9. In exceptional cases, where RoW is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, it also needs to ensure that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee.
 10. It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 metre below the ground level. However any structure above ground shall be aesthetically provided for / landscaped with required safety measures as directed by the concerned Authority.
 11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing /conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the specifications of the Ministry.
 12. Existing drainage structures shall not be allowed to carry the lines across.



13. The top of the casing/conduit pipe containing the utility services to cross the road shall be at least 1.2m below the top of the sub grade or the existing ground level whichever is lower, subject to being at least 0.3m below the drain inverts. A typical sketch showing the clearances is given in Attachment-I.
14. The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.
15. The casing/conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.
16. In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30cm. but not more than 60cms wider than the outer diameter of the pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority.
- i. Bedding shall be to a depth not less than 30cm. it shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.
 - ii. The backfill shall be completed in two stages (i) side-fill to the level of the top of the pipe (ii) Overfill to the bottom of the road crust.
 - iii. The side fill shall consist of granular material laid in 15cm. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that has been removed. Consolidation by saturation or ponding will not be permitted.
 - iv. The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the highway Authority.
17. The Licensee shall ensure making good the excavated trench for laying utility services by proper filling and compaction, so as to restore the land in to the same condition as it was before digging the trench, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way.
18. All required restoration work subsequent to laying of the cable shall be required to be undertaken by the Licensee at its cost either by itself or through its authorized representative in consultation with the authority as per predetermined time schedule and quality standards.
19. Prior to commencement of any work on the ground, a performance Bank guarantee @Rs. Per route metre /Rs per sq m with a validity of one year



initially (extendable if required till satisfactory completion of work) shall have to be furnished by the Licensee to the Authority its designated agency as a security against improper restoration of ground in terms of filling / unsatisfactory compaction damages caused to other underground installations utility services & interference, interruption, disruption, or failure caused thereof any services etc. in case of licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

20. In case, the Performance Bank guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking. In case the work contemplated herein is not completed to the satisfaction of the Authority, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, the Licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority/its designated agency for any damage sustained by them by reason of the exercise of the RoW facility.
21. The Licensee shall shift the utility services within 90 days (or as specified by the respective authority) from the date of issue of the notice by the concerned authority to shift/relocate the utility services, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at his own cost and risk.
22. The Licensee shall be responsible to ascertain from the respective agency in co-ordination with Authority, regarding the location of other utilities/underground installations/facilities etc. The Licensee shall ensure the safety and security of already existing underground installations / utilities / facilities etc. before commencement of the excavation /using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company against damages to already existing underground installations/utilities/facilities etc.
23. The Licensee shall be solely responsible / liable for full compensation/indemnification of concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them / claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in co-ordination with Authority shall also have a right make good such damages/recover the claims by forfeiture of Bank Guarantee.
24. If the licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.
25. Grant of Licensee is subject to the Licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the



work by trenchless technology. In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorised representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

26. The Licensee shall inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches, for fresh or maintenance/repair works. A separate performance Bank guarantee for maintenance/repair works shall have to be furnished by the Licensee.
27. Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid and trenches filled up before the close of the work that day, filling should be completed to the satisfaction of the concerned agency designated by the Authority.
28. The Licensee shall indemnify the concerned agency in co-ordination with Authority, against all damages and claims, if any due to the digging of trenches for laying cables/ducts.
29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.
30. The permission shall be valid only for it is issued and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.
31. That the Licensee shall not undertake any work of shifting, repairs or alterations to the utility services without prior written permission of the concerned agency in co-ordination with the Authority.
32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway/and/property. Other than what is herein expressly granted. No use of NH RoW will be permitted for any purpose other than that specified in the Agreement.
33. During the subsistence of this Agreement, the utility services located in highway land / property shall be deemed to have been constructed and continued only by the



- consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and indefeasible by lapse of time.
34. The Licensee shall bear the Stamp Duty charged on this Agreement.
35. Three copies of "as laid drawings" of utilities (hard and soft copies) with geo-tagged photographs and geo-tagged video recordings of laying of cables in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.
36. The Licensee shall allow free access to the Site at all times to the authorised representatives of Authority to inspect the Project Facilities and to investigate any matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective duties and functions.
37. The Utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co-ordination with the Authority has been obtained. Notwithstanding anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellations nor shall it be absolved from any liability already incurred.
38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation repair and maintenance of any part of the utility lines/industrial infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of:
- a. Operation, repair and maintenance guidelines given by the manufacturers.
 - b. The requirements of Law.
 - c. The physical conditions at the Site, and
 - d. The safety of operating personnel and human beings.
39. The Licensee shall have to provide safety measures like barricading, danger lighting and other necessary caution boards while executing the work.
40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case of single lane roads, a diversion shall be constructed. If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Licensee.
41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90 days and the site shall be brought back to the original condition failing which the Licensee will lose the right to remove the utility services. However before taking up the removal of utility services the Licensee shall furnish a



Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50m away from the edge of the RoW.

42. Any disputes in interpretation of the terms and condition of this agreement or their implementation shall be referred to the redress mechanism prevailing in the ministry and the decision of the redress mechanism shall be final and binding on all.

43. For PPP Projects, in case of any financial loss incurred by the respective project concessionaires due to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne by the Licensee in Mutual agreement with the respective project concessionaires. MoRT&H/NHAI/implementing authorities for the project shall not be liable to the concessionaire in any way in this regard.

This agreement has been made in duplicate, each on a stamp paper, each Party to this Agreement has retained one stamped copy each.

IN WITNESS WHEREOF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVES THE DAY AND THE YEAR FIRST ABOVE WRITTEN.

SIGNED SEALED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY.

BY SHRI _____
(Signature, name & address with stamp)

SIGNED ON BEHALF OF M/s. VINDHYA TELELINKS LIMITED, EPC DIVISION, PLOT NO. 56, ISHAQ COLONY, OPPOSITE SYNDICATE BANK, PICKET BRANCH, WELLINGTON ROAD, NEAR AOC CENTRE, MARREDPALLY, SECUNDERBED - 500026, TELANGANA. (LICENSEE).

BY SHRI _____
(Signature, name & address with stamp)

HOLDER OF GENERAL POWER OF ATTORNEY DATED _____ EXECUTED IN ACCORDANCE WITH THE RESOLUTION NO. _____ DATED _____ PASSED BY THE BOARD OF DIRECTORS IN THE MEETING HELD ON _____

IN THE PRESENCE OF (WITNESSES)

1.

2.



Vindhya Telelinks Ltd
Chennai

CD 121610
A. DEVA MANOHARI
STAMP VENDOR
Plot No. 533, Sivaraman Street,
Ram Nagar North Extn.,
Madipakkam, Chennai-600 091.
L.No.25/CH(S)2010 Date: 22-03-2011

Annexure-V

UNDERTAKING

We, M/s. Vindhya Telelinks Limited, EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank, Picket Branch, Wellington Road, Near AOC Centre, Marredpally, Secunderbed - 500026, Telangana, Laying of Optical Fiber cables in NH - 48 along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms of (Krishnagiri - Walajapet Section) in the state of Tamil Nadu, National Highways, Krishnagiri. We here by undertake the Standard Conditions of NHAI Guidelines:

- 1) Not to Damage to Other Utility, if damaged then to pay the losses either to NHAI or to the concerned agency: Regarding the location of other cables, underground installation/utilities etc. M/s. Vindhya Telelinks Limited shall be responsible to ascertain from the respective agency in coordination with NHAI. M/s. Vindhya Telelinks Limited shall ensure the safety and security of already existing cables/underground installation/utilities facilities etc. before commencement of the excavation.



2. **Renewal of Bank Guarantee:** M/s. Vindhya Telelinks Limited shall furnish a Bank Guarantee @ Rs100/- per running meter to the NHAI, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NHAI to M/s. Vindhya Telelinks Limited for clearing debris/loose earth. In case the work contemplated herewith is not completed to the satisfaction of the NHAI, which has granted the permission, within a period of 11 months from the date of issue of the bank guarantee, M/s. Vindhya Telelinks Limited shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. In case of M/s. Vindhya Telelinks Limited failing to discharge the obligation of making good the excavated trench, the NHAI shall have a right to make good the damages caused by excavation, at the cost of M/s. Vindhya Telelinks Limited and recover the amount by invoking the bank guarantee furnished by M/s. Vindhya Telelinks Limited.

3. **Confirming all standard conditions of NHAI:**

- (i) The period of validity of Way permission shall be co-terminus with the validity of licensee given by the Ministry of Communications / DoT.
- (ii) The cable shall be laid at the edge of the right of way within 2m utility corridors.
- (iii) The top of the casing conduit pipe containing the cables shall be at least 1.65m below the surface of the road subject to being at least 0.3m below the drain inverts.
- (iv) The licensee has to cross the NH by horizontal drilling method (trenchless technology only). In case any damage is caused to the road pavement in this process, M/s. Vindhya Telelinks Limited will be required to restore the same to the original condition at his own cost.
- (v) Existing CD works shall not be allowed for laying the OFC and shall be crossed by HDD method only.
- (vi) No trenching will be done on link road, boring method will be used in link road and cable will be laid at the extreme edge of the road in the non-BT surface only.
- (vii) The licensee shall inform/give a notice to the NHAI, Govt. of India or its authorized agency at least 15 days in advance with route details prior to digging trenches for fresh or maintenance/repair work. A separate work plan and a separate performance Bank Guarantee @ Rs100/- per meter length for maintenance/ repair work shall have to be furnished by M/s. Vindhya Telelinks Limited.
- (viii) Each day, the extent of digging the trenches should be strictly regulated so that cables are laid and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the concerned agency designated by the NHAI.



- (ix) The Licensee shall indemnify the concerned agency in co-ordination with NHAI, against all damages and claims, if any, due to the digging of trenches for laying cables/ducts.
- (x) The NHAI has a right to terminate the permission or to extend the period of agreement. In case the M/s. Vindhya Telelinks Limited wants shifting, repairs or alteration to telecom cables/ducts, he will have to furnish a separate bank guarantee.
- (xi) The Licensee shall not without prior permission in writing from the NHAI Govt. of India or its authorized agency undertake any work of shifting, repairs or alterations to the said telecom cables/ducts.
- (xii) The permission granted shall not in any way be deemed to convey to M/s. Vindhya Telelinks Limited any ownership right or any interest in route/road/highway/ land/ property, other than what is herein expressly granted.
- (xiii) During the subsistence of this agreement, the laying telecom cables/ducts located in highway land/property shall be deemed to have been constructed and continued only by the consent and permission of the NHAI so that the right of M/s. Vindhya Telelinks Limited to the use thereof shall not become absolute and indefeasible by laps of time.
- (xiv) M/s. Vindhya Telelinks Limited shall bear the stamp duty charged for the agreement.
- (xv) The telecom cables shall not be brought in to use by M/s. Vindhya Telelinks Limited unless a completion certificate to the effect that the laying telecom cables/ducts has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfactions of the concerned agency in co-ordination with the owner has been obtained.
- (xvi) Notwithstanding anything NHAI contained herein this agreement may be cancelled at any time by the for breach of any condition of the same and the M/s. Vindhya Telelinks Limited shall neither be entitled to any compensation for any loss caused to it by such cancellation nor shall it be absolved from any liability already incurred.
- (xvii) The licensee shall have to provide barricading, danger lighting and other necessary caution boards while executing the work and during maintenance. If NHAI is required to do some emergent work M/s. Vindhya Telelinks Limited will provide an observer within 24 hours. NHAI will not be responsible for any damage of any kind by what so ever means natural or otherwise.
- (xviii) The enforceability of the Right-of Way permission granted here in shall be restricted to the extent of provisions/scope of service contained/defined in the license agreement of the License with Department of Telecommunications and for the purpose for which it is granted. Either by content or by intent, the purpose extending this Right-of Way facility is not to enhance the scope of M/s. Vindhya Telelinks Limited of the department of Telecommunications.



4. **Shifting of OFC as and when required by NHAI:** M/s. Vindhya Telelinks Limited shall shift the cables/ducts within 90 days (or as specified by the respective agency/owner) from the date of issue of the notice by the NHAI, Govt. of India to shift/relocate the cables/ducts, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridges and restore the road/land to its original condition at his own cost and risk
5. **Shifting due to 6 lining / widening of NH:** After the termination/expiry of the agreement, M/s. Vindhya Telelinks Limited shall remove the cables/ducts within 90 days and the site shall be brought back to the original condition failing which the M/s. Vindhya Telelinks Limited will lose the right to remove the cables/ducts. However, before taking up the work of removal of cables the M/s. Vindhya Telelinks Limited shall furnish a bank guarantee to the owner for a period of one year for an amount assessed by the owner for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50m away from the edge of the right of way.
6. **Traffic movement during lying of OFC to be managed by the applicant:** If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of M/s. Vindhya Telelinks Limited.
7. **If any claim is raised by the concessionaire then the same has to be paid by the applicant:** M/s. Vindhya Telelinks Limited shall be solely responsible/ liable for full compensation/indemnification of concerned agency/aggrieved owner for any direct, indirect or consequential damage caused to them/claims or replacement sought for, at the cost and risk of M/s. Vindhya Telelinks Limited. The concerned agency in co-ordination with NHAI shall also have a right to make good such damages/recover the claims by way of invoking of Bank Guarantee furnished by M/s. Vindhya Telelinks Limited. If M/s. Vindhya Telelinks Limited fails to comply with the condition 5 and 6 above to the satisfaction of the NHAI, the same shall be got executed by the NHAI at the risk and cost of the M/s. Vindhya Telelinks Limited.
8. **We, M/s. Vindhya Telelinks Limited , EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank, Picket Branch, Wellington Road, Near AOC Centre, Marredpally, Secunderbed - 500026, Telangana,** hereby do undertake to furnish a Performance Bank Guarantee @100/- per meter for a period of one year initially (extendable if required till satisfactory completion of work) as a security against improper restoration of ground in terms of filling/unsatisfactory compaction/damages caused to other underground installation utility services & interference interruption, disruption of failure caused thereof to any services etc. In case, M/s. Vindhya Telelinks Limited. Failing to discharge the obligation of making good the damages caused due to excavated trench, the NHAI shall have a right to make good the damages caused due to excavation at the cost of the M/s. Vindhya Telelinks Limited. And recover the amount by invoking the Bank Guarantee. In case the work contemplated is not completed to the Satisfaction of NHAI, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, M/s. Vindhya Telelinks Limited. Shall either furnish a fresh guarantee or extend the guarantee for a further period of one year.
9. **Not to damage to other utility, if damaged, then to pay the losses either to NHAI or to the concerned agency.**



10. In case the work contemplated is not completed to the satisfaction of NHAI, which has granted the permission within a period of 11 months from the date of issue of the Bank Guarantees, M/s. Vindhya Telelinks Limited shall either furnish a fresh guarantee or extend the guarantee for a further period of one year.
11. We will relocate Cable lines/Utilities at our own cost, notwithstanding the permission granted within such time as will be stipulated by NHAI "for future six-lining or any other development."
12. We M/s. Vindhya Telelinks Limited , EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank, Picket Branch, Wellington Road, Near AOC Centre, Marredpally, Secunderbad – 500026, Telangana, hereby undertake that "The existing avenue plantation is not affect due to the present proposed OFC line in NH - 48 along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms .
13. We M/s. Vindhya Telelinks Limited , EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank, Picket Branch, Wellington Road, Near AOC Centre, Marredpally, Secunderbad – 500026, Telangana, hereby undertake to adopt open trench method where the available width of ROW 15.00 m or more and trench less technology (HDD) where the available width of ROW is less than 15.00m.
14. We M/s. Vindhya Telelinks Limited , EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank, Picket Branch, Wellington Road, Near AOC Centre, Marredpally, Secunderbad – 500026, Telangana, hereby undertake that the pay the fee /rent as mentioned in the Ministry's Guidelines Lr. No. RW/NH- 33044/29/2015-S&R (R) dated 22.11.2016 as and when asked by NHAI.
15. We M/s. Vindhya Telelinks Limited , EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank, Picket Branch, Wellington Road, Near AOC Centre, Marredpally, Secunderbad – 500026, Telangana, hereby undertake that the HDD method will be adopted for crossings of all cross roads at grade separators, at grade junctions and wherever required and in the build up areas as per the instructions of NHAI officials.
16. Lr. No. RW/NH-33044/29/2015-S&R (R) dated 22.11.2016 as and when asked by NHAI. Reference Circular issued by Ministry of Road Transport & Highways, GOI, Circular No. RW/NH-33044/29/2015-S&R (R) dated 22.11.2016. Where in, the last paragraph that "The Highway Administration Rules 2004 will be modified accordingly. This circular will come in to effect from the date of notification of the modified Highway Administration Rule" So we hereby give our consent to abide by the content of this circular from the date of its notification by MORTH, GOI and agree to pay the ground rent any other charges applicable for the section as applied by us.

For M/s. Vindhya Telelinks Limited

(Authorized Signatory)





தமிழ்நாடு திருமலிநாடு TAMILNADU

Vindhya telelinks Ltd
Chennai

CD 121605

A. DEVAMANOHARI
STAMP VENDOR
Plot No. 533, Sivaraman Street,
Ram Nagar North Extn
Medipakke, Chennai-600 081.
L.No.25/CH(S)2010 Date: 22-03-2011
Annexure-VI

INDEMNITY BOND

Name of Work: Laying of Optical Fiber Cable in NH - 48 along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms .


Indemnity against all damages and claims as per Sl. No. 5.6 of Checklist

We, M/s. Vindhya Telelinks Limited, EPC Division, Plot No. 56, Ishaq Colony, Opposite Syndicate Bank, Picket Branch, Wellington Road, Near AOC Centre, Marredpally, Secunderbad - 500026, Telangana, do hereby indemnify Project Director, National Highways Authority of India, Project Implementation Unit, binding ourselves to pay all the losses and claims in respect of laying of optical fiber cable in NH - 48 (Krishnagiri - Walajapet Section) along the road from Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS), for a total length of 28.685 Kms of in the state of Tamil Nadu, or maintenance thereof and against all claims, proceedings, damages, costs, charges and expenses whatsoever in respect thereof in relation there to. Failing such payments of claims in the above work we abide in accepting for recovery of such claims affected from any of our assets.


For M/s. Vindhya Telelinks Limited,

Authorized Signatory





SH 1



LEGEND:

- PROPOSED OFC ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT&BRIDGE

NOTES:


1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1.010 KM
3. SCALE - NTS

WALAJHPET-KRISHNAGIRI(NH-48)
(Km: 3/990 TO Km: 5/000)

APPLICANT:

Vindhya Telelinks Limited.
Udyog Vihar, P.O. Chorbata, Rewa (M.P.) 496006.

LHS



RHS



LEGEND:

- PROPOSED OFC ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT & BRIDGE

APPLICANT:

NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1 000 KM
3. SCALE - NTS

WALAJHPET-KRISHNAGIRI(NH-48)

(Km: 5/000 TO Km: 6/000)

Vindhya Telelinks Limited.

Udyog Vihar, P.O. Chorhatta, Rewa (M.P.) 484006.



LEGEND:

- PROPOSED OFC ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT & BRIDGE

NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1.000 KM
3. SCALE - NTS


WALAJAHPET-KRISHNAGIRI(NH-48)

(Km: 6/000 TO Km: 7/000)

Vindhya Telelinks Limited.

Udayag Vilas, P.O. Choorhata, Rewa (M.P.) 491006.

APPLICANT:



LEGEND:

- PROPOSED OFC ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT & BRIDGE

APPLICANT:

VINDHYA TELELINKS LTD.
CHEMMI T.N.

WALAJHPET-KRISHNAGIRI(NH-48)


(Km: 7/000 TO Km: 8/000)

NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1 000 KM
3. SCALE - NTS

Vindhya Telelinks Limited.

Udyog Vihar, P.O. Cherthala, Rewa (M.P.) 485006



NOTES

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1.000 KM
3. SCALE - NTS

WALAJAHPET-KRISHNAGIRI(NH-48)


(Km: 8/000 TO Km: 9/000)

Vindhya Telelinks Limited.

Udayag Vilas, P.O. Chettala, Rewa (M.P.)-486006.



- LEGEND:**
- PROPOSED O/C ROUTE
 - BT ROAD
 - CENTER LINE OF CARRIAGEWAY
 - BOUNDARY (ROW)
 - CULVERT&BRIDGE
- APPLICANT:**



LEGEND

- PROPOSED OFC ROAD
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT & BRIDGE

NOTES

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1.000 KM
3. SCALE - NTS

WALAJHPET-KRISHNAGIRI(NH-48)

(Km: 10/000 TO Km: 11/000)


APPLICANT:

Vindhya Telelinks Limited.

Udayag Vilhar, P.O. Churhula, Rewa (M.P.) 485006.

LHS

RHS



LEGEND:

- PROPOSED O/C ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT&BRIDGE

NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1.000 KM
3. SCALE - NTS

WALAJAHPET-KRISHNAGIRI(NH-48)


(Km: 11/000 TO Km: 12/000)

APPLICANT:

Vindhya Telelinks Limited.

Udayag Vilhar, P.O. Choorhata, Rewa (M.P.) 486006.





LEGEND:

- PROPOSED O.F.C. ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT&BRIDGE

NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 2.000 KM
3. SCALE - NTS


WALAJAHPET-KRISHNAGIRI(NH-48)

(Km: 12/000 TO Km: 14/000)

Vindhya Telelinks Limited.

Udayag Vilas, P.O. Chornatta, Rowa (M.P.) 486504.

APPLICANT:



LEGEND:

- PROPOSED OFC ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT & BRIDGE

NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1.000 KM
3. SCALE - NTS

WALAJAHPET-KRISHNAGIRI(NH-48)

(Km: 14/000 TO Km: 15/000)

APPLICANT:

Vindhya Telelinks Limited.


Udayag Vilas, P.O. Chorthala, Rewa (M.P.) 486505.

TELELINKS LTD.

CHENNAI

T.N.

S.H.1



LEGEND:

- PROPOSED O.F.C. ROUTE

- B.T. ROAD

- CENTER LINE OF CARRIAGEWAY

- BOUNDARY (ROW)

- CULVERT & BRIDGE

APPLICANT:

WALAJAHPET-KRISHNAGIRI(NH-48)


(Km: 15/000 TO Km: 19/000)

Vindhya Telelinks Limited.

Udhyog Vihar, P.O. Chornaha, Rewa (M.P.) 486004.

NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 4.000 KM
3. SCALE - NTS



NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 2.600 KM
3. SCALE - NTS

WALAJAHPET-KRISHNAGIRI(NH-48)

(Km: 19/000 TO Km: 21/600)

LEGEND:

- PROPOSED O.F.C. ROUTE

- BT ROAD

- CENTER LINE OF CARRIAGEWAY

- BOUNDARY (ROW)


- CULVERT&BRIDGE

APPLICANT:

Vindhya Telelinks Limited.

Udyog Vihar, P.O. Chorfada, Rewa (M.P.) 486006.





LEGEND:

- PROPOSED OFC ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT & BRIDGE

APPLICANT:

WALAJAHPET-KRISHNAGIRI(NH-48)

(Km: 21/600 TO Km: 23/000)


NOTES:

1. ALL DIMENSIONS ARE IN METERS
UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 1.400 KM
3. SCALE - NTS

Vindhya Telelinks Limited.

Udyog Vihar, P.O. Chorhata, Rewa (M.P.) 492006.





LEGEND:

- PROPOSED OFC ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT&BRIDGE

APPLICANT:



WALAJAHPET-KRISHNAGIRI(NH-48)


(Km: 26/000 TO Km: 29/000)

NOTES:

1. ALL DIMENSIONS ARE IN METERS
UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 3.000 KM
3. SCALE - NTS

Vindhya Telelinks Limited.

Udhay Vilas, P.O. Chorbheda, Baram (M.P.) 486006.



LEGEND:

- PROPOSED OFC ROUTE
- BT ROAD
- CENTER LINE OF CARRIAGEWAY
- BOUNDARY (ROW)
- CULVERT & BRIDGE

APPLICANT:

WALAJAHPET-KRISHNAGIRI(NH-48)
(Km: 29/000 TO Km: 32/000)

Vindhya Telelinks Limited.
Udyog Vihar, P.O. Chorbata, Rewa (M.P.) 486006.

NOTES:

1. ALL DIMENSIONS ARE IN METERS UNLESS OTHERWISE SPECIFIED
2. SECTION LENGTH - 3.000 KM
3. SCALE - NTS



Methodology adopted for laying of OFC by Open Trench Method

General:

After through study of the entire stretch of proposed OFC laying, we have proposed to laying of OFC (Optical Fiber Cable) on NH - 48 (Krishnagiri - Walajapet Section) along the road **Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS),** for a total length of **28.685 Kms**, in the limits of National Highways, Krishnagiri, in state of Tamil Nadu.

- ❖ An Indicative diagram is enclosed in the annexure for ready reference.
- ❖ We have proposed to lay our OFC at the extreme Edge of ROB according to the availability of space and in case where there is possibility of our cable is laid at 1.65 m depth with HDPE Pipe Protection.
- ❖ All Road crossings will be done by Auguring and HDD method (Trench less technology) without disturbing the Top Road surface.
- ❖ Restoration of trenches: After laying of ducts we will backfill the trench with excavated soil in layers and the trenches will be compacted with roller.

Protection Methodology in case of Culverts : Trench shall be excavated due at the extreme boundary of ROW across waterway to culverts to the depth of 1.65 m below the invert level of the culvert /cannel and DWC pipe will be laid with (RCC full round pipe) concrete encasement for further protection.

Protection methodology in case of culverts /Cannels : In case of non-compliance, we propose to lay OFC cable by HDD in shorter lengths. However, the same shall be discussed with the Project Director, NHAI, Krishnagiri, officials on case to case basis and cable routing shall be decided as per their advice.

Methodology adopted for laying of OFC by HDD Method

General:


After through study of the entire stretch of proposed OFC laying, we have proposed to laying of OFC (Optical Fiber Cable) on NH - 48 (Krishnagiri - Walajapet Section) along the road from **Km.3/550 to Km.31/230 (LHS), Km 26/965 to Km 27/200 (RHS) & Km 31/230 to Km 32/000 (RHS), also a crossing at Km. 13/220 (LHS-RHS), Km. 27/200 (LHS-RHS) and Km.31/230 (LHS-RHS),** for a total length of **28.685 Kms**, in the limits of National Highways, Krishnagiri, in state of Tamil Nadu.

- ❖ An Indicative diagram is enclosed in the annexure for ready reference.
- ❖ In Trench less Technology method of HDD we will excavate Two Pits of size 1.2 m x 0.6m x 1.65 m at the extreme edges of Row boundary R&B Road, horizontally directional drilling method the hole will be drilled of 75mm dia through Machine and then the PLB Pipe HDPE ducts will be Pulled.
- ❖ The Excavated Pits will be backfilled with Excavated material in layers and Compacted.

Methodology in case of Cannels / Bridges

- ❖ We propose to lay OFC cable by HDD in shorter lengths. However, the same shall be discussed with the Project Director, NHAI, Krishnagiri, officials on case to case basis and cable routing shall be decided as per their advice.





CH : KM-10/250

TITLE:

SECTION: KRISHNAGIRI TO WALAJAPET (NH-48)

CROSSSECTION DETAILS FOR NH-48


APPLICANT:



Vindhya Telelinks Limited.

Udhyog Vihar, P.O. Charhiata, Rewa (M.P.) 485008.





CH: 13/500 KM



TITLE:


SECTION: WALAJAHPET - KRISHNAGIRI(NH-48)

CROSSSECTION DETAILS FOR NH-48

APPLICANT:

Vindhya Telelinks Limited.

Udhyog Vihar, P.O. Chorthala, Reas (M.P.) 466005.



CH: 27/200 KM

TITLE:

SECTION: WALAJAHPET - KRISHNAGIRI(NH-48)


CROSSECTION DETAILS FOR NH-48

APPLICANT:

Vindhya Telcelinks Limited.

Udyog Vihar, P.O. Chornaha, Rewa (M.P.) 486006.





ENCLOSURE TO MINISTRY OF ROAD TRANSPORT & HIGHWAYS LETTER NO. RW/NH-33044/29/2015/S&R(R)(Pt). DATED 22.11.2016

TITLE:

APPLICANT:

FIGURE - 1 INSTALLATION OF RCC CASING PIPE FOR
CROSSING THE ROAD (HDD METHOD) &
PLACE WHERE THE DISTANCE FROM THE CARRIAGE
LEVEL OF CARRIAGE WAY IS LESS THAN 15M



Vindhya Telcelinks Limited.
Udyog Vihar, P.O. Chomata, Rewa (M.P.) 493004.

