

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहने और राजमार्ग मंत्रालय,भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओड्शा / Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर - 751013, ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubanewar- 751013, Odisha अदुप्पाव/Ph.: 0674 - 2361470/ 570/670 (का/O), फेक्स /Fax : +91-674-2361770 ई-मेल/e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in



NHAI/13011/54/RO/OD/ //53 /2023

29.03.2023

To

The Sr. Technical Director, NIC Centre at MoRTH, Transport Bhawan, New Delhi 110001

Sub:

Rehabilitation and up gradation of Jharapokharia- Baripda- Baleshwar section of NH-5 (From Km.0+000 to Km. 80+600) in the State of Odisha under NHDP Phase- IV on EPC Mode – ROW permission for 33 kV line laying and crossing through underground and overhead between Km.71+438 to Km.75+740 along with NH-18 and one underground crossing at Km.71+438 in Mayurbhanj District- Reg

Ref:

PD, PIU- Balasore letter No. 207 dated 24.02.2023

Sir.

Please find enclosed herewith a proposal of M/s Meghasani Pulp and Paper Pvt. Ltd for laying of 33 kV HT line between Km.71+438 to Km.75+740 along utility corridor and one crossing at Km.71+438 in Mayurbhanj District. The details are as under:

SI.	Description	Chainage		Type of	Dia of
No.	Description	From	To	Cable	Cable
1.	Along	71+438	75+740	20040	
2.	Crossing NH	71+	438	3C x 240 sq.mm	20011111

 Accordingly, us per guidelines Issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dt. 22.11.2016, the application along with the recommendations of concerned PD/Consultants are enclosed herewith with request to hoist the same in the Ministry's Website for public comments within 30 days of uploading on the website.

This is issued with the approval of CGM (Tech) & RO, Odisha.

Yours faithfully,

(Sunil Kumar)

Dy. General Manager (Tech)



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय,भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओड़िशा / Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर : 751013, ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha अदुरपाष /Ph.: 0674 - 2361470/ 570/670 (का/O),कंबर /Fax : +91-674-2361770 ई-मेल/e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in



NHAI/13011/54/RO/OD/ // 52_12023

29.03.2023

INVITATION OF PUBLIC COMMENTS

Sub: Rehabilitation and up gradation of Jharapokharia- Baripda- Baleshwar section of NH-5 (From Km.0+000 to Km. 80+600) in the State of Odisha under NHDP Phase- IV on EPC Mode – ROW permission for 33 kV line laying and crossing through underground and overhead between Km.71+438 to Km.75+740 along with NH-18 and one underground crossing at Km.71+438 in Mayurbhanj District- Reg

M/s Meghasani Pulp and Paper Pvt. Ltd has submitted a proposal for laying of 33 kV HT line between Km.71+438 to Km.75+740 along utility corridor and one crossing at Km.71+438 in Mayurbhanj District. The details are as under:

SI.	Description	Chainage		Type of	Dia of
No.	Description	From To Cable	Cable	Cable	
1.	Along	71+438	75+740	3C x 240	
2.	Grossing NH	71+438		sq.mm	200mm

- As per guidelines issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections on grounds of public inconvenience, safety and general public interest.
- In view of the above, the comments of public, if any, on the above mentioned proposal are invited on below mentioned address:

The Regional Officer,
National Highways Authority of India,
Regional Office, Odisha
301-A, 3rd Floor, Pal Heights,
J/7, Jayadev Vihar, Bhubaneswar 751013, Odisha
e-mail: roodisha@nhai.org

This is issued with the approval of CGM (Tech) & RO, Odisha.

29.03.2023

(Sunil Kumar)

Dy. General Manager (Tech)
National Highways Authority of India,
Regional Office, Odisha
301-A, 3rd Floor, Pal Heights,
J/7, Jayadev Vihar, Bhubaneswar 751013

CHECK-LIST

Check list for getting approval for laying of Electric Power Transmission Line on NH-18 land

SI No.	Item	Information/Status	Remarks
1	General Information	Laying of Electrical Power Cable supply for alongside of NH with RoW from Power grid to own Industrial unit with crossing at NH with one point.	
1.1	Name and Address of the Applicant	Meghasani Pulp & Paper Private Limited, Reg Office: 571/769, Badaghaai, Kuruda Road, Sutei, Balasore, Odisha, 756056, Plant Address: 1028, Gaddeulia, Mayurbhanj- 757082, Odisha	
1.2	National Highway	NII 18	
1.3	State	ODISHA	
1.4	Location	Crossing NH-18 at KM.71.438, From Balasore Towards Jharpokharia, Near Baisinga Bypass. Overhead & Underground transmission of Electricity Line in Right hand side of the road at KM. 71.438 to 75.740 from Jharpokharia to Balasore.	
.5	(Chainage in K.M)	71 +43 8 to 751740 K.M.	
.6	Length in Meter	1302 MTR	
.7	Width of Available Row		
	a) Left side from centreline towards increasing chainage/km direction	60 Mtr	
	 Right side from centre line towards increasing chainage/km direction 	60 Mtr	
.8	Proposal for overhead Electric Power Transmission line along Nit	YES	
	a) Left side from centre line towards increasing chainage direction	NA	
	b) Right side from center line towards increasing chainage direction	1.600 KM	
9	Proposal to acquire land	NΛ	
	(a)Left side from center line	NA	
	(b)Right side from center line	684	
10	Whether proposal is in the same side where land is not to be acquired if not then where to lay the cable	ROW	
11	Details of already laid services, if any, along the proposal route	NIL	
12	Number of lanes (2/4/6/8 lanes) existing	4Lane	
13	Proposed Number of lane (2 lane with paved shoulders/4/6/8 lanes)	NIL	
14	Service road existing or not	NO	
	If yes then which side	NA	
	a) Left side from center line	NA	

Project Director, SEGHASANI PULP AND PADER DIT LTD.
National Highways Authority of India
PIU-BALLEDRE
DIRECTOR

Belesore

	(b)Right side from center line	NO	
1.15	Proposed service road	NA	
	(a)Left side from center line		
	(b)Right side from center line		
1.16	Whether proposal to lay Overhead Power Transmission line is after the service road in between the service road between the service road and main carriage away	NA	
1.17	The permission for laying Overhead Power Transmission line shall be considered for approval/rejection based in the ministry circulars mentioned as above	Consider for the approval	
1.18	If crossings of the road involved	YES	
	If yes, it shall be either encased in pipes or through	YES, HDD.	
	structure or conduits specially built for that purpose	ALCONO.	
	at the expenses of the agency owning		
-	(a) Existing drainage structures shall not be	No	
	allowed to carry the lines.		
	b) Is it on the line normal to NH	YES	
	C)Crossings shall not tie to near the existing	Beyond 15 Mtr	
	structures on the National Highway, the minimum distance being 15 metre What is the Distance from the existing structures.		
	d) The casing pipe (or conduit pipe in the case of	YES.	
	electric cable) carrying the utility line shall be of steel, cast iron or reinforced cement concrete and have adequate strength and be large enough to		
	permit ready with drawal of the carrier pipe /cable.		
	(e) Ends of the casing/conduit pipe shall be sealed	YES	
	from the outside, so that it does not act as a		
	drainage path	100	
	The casing/conduit pipe should as minimum extended from drain to drain in cuts and tor of slope toe of slopes in the fills.	YES	
	(g) The top of the casing /conduit pipe should be at	YES	
-	least 1.2 meter below the surface of the road subject		
8	to being at least 0.3metr below the drain inverts.		
	Crossing shall be by boring method HDD,	YES	Allenge
	specially where the existing road pavement is of cement concrete or dense bituminous concrete type.		
	I) (The casting/conduit pipe shall be installed with	YES	
	an even bearing throughout its length and in such a	10.000	
	manner as to prevent the formation of a waterway		
	along it		
	Documents/Drawings enclosed with the proposal	Drawings attached, the	
	Cross section showing the size of trench for open	Diameter of Underground	
	trenching method (is it normal size of 2m deep	cable and crossing pipes were	18
	x0.3m wide)	lower as per the NHAI	K
	i) Should not be greater than 60cm wider than the	Guidelines.	/
	outer diameter of the pipe	Vec	Project Director,
	(ii) Located as closed to the extreme edge of the	1,739	Windyava Author
	right of way as possible but not less than 15m from the centre lines of the nearest carriage way.	Yes National	PIL-BALASON

Manmalli an Parel DIRECTOR



3	Draft License Agreement signed by two witnesses	YES, enclosed
	works and method of laying	Hagona, PIN-BALL
2.4.3	Laying of Overhead electrical line through CD	YES SORE
2.4.2	Horizontal Direction Drilling (HDD) method	YES YES Nasonal Highways PIU-BAL SORE
	the expense of agency owning the utility line.	VICE LA DIRECTOR
	(g) if required, a diversion shall be constructed at	
	hours.	AF.
	signs and barricades, and red lights during night	W.
	f) The excavation shall be protected by flagman,	NA NA
	at the trench.	0
	Care shall be taken to avoid the formation of a dip	
	as the existing crust on either side of the trench.	
	(e) The road crust shall be built to the same strength	
	saturation or ponding will not be permitted.	
	material that had been removed. Consolidation by	
	shall be compacted to the same density as the	
	moisture to 95% of the Proctor's Density. Overfill	
	mechanical tampering and controlled addition of	
	laid in 15cm layers each consolidated by	1363
_	(d) The side fill shall consist of granular material	NA
	overfill to the bottom of the road crust.	
	(i) side-fill to the level of the top of the pipe and (1)	TYCE
	. (c) The Backfill shall be completed in two stages	NA
	rock edged should be excavated and replaced by selected material.	
	change in the bearing value. Unsuitable soil and	
	and graded to yield a firm surface without sadden	
	depth of not less than 30cm. It shall consist of granular material, free of lumps, clods and cobbles	
	(b) For filling of the trench, Bedding shall be to a	10/1
	of the pipe.	NA
	not more than 60cm wider than the outer diameter	INO.
	(a) The trench width should be at least 30cm, but	NA
	type), If yes, Methodology of refilling of trench.	
	cement concrete nor dense bituminous concrete	
2.4.1	utility corridor only, where payement is neither	1390
2.4.1	Open Trenching Method. (May be allowed in	No.
2.4	Methodology for laying of Overhead Power Transmission Line	method
2.4	works etc	Horizontal Directional Drilling
	Important mille stone, Intersections, cross drainage	
	distance of proposed cable from the edge of ROW.	
	Transmission Une Chainage, width of ROW.	anached
2.3	Strip plan/route plan showing Overhead Power	YES, 1.600KM Drawing attached
	of cable for HDD method	YES, L600KM Drawing
2.2	Cross section showing the size of pit and location	As per the guidelines
	obstruct drainage of the road land	A LANGE CONTRACTOR OF THE PARTY
	0.6meter below the around level so as not to	Yes
	iv) These should be so laid that their top is at least	
	existing culverts and bridges.	
	double cutting. Nor shall these be laid over the	
	highways when the road formation is situated in	Yes

MEGHASANI PULP AND PAPER PVT. LTD.

Manmalti an Fande

DIRECTOR

Balasore a

4	Performance Bank Guarantee in favour of NHAI	** # 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	has to be obtained @ Rs. 50/- per running meter (parallel to NH) and Rs. 1,00,000/- per crossing of	APPROVAL.
	NH, for a period of one year initially (extendable if	
	required till satisfactory completion of work) as a	
	security for ensuring/making will be submit good	
	the excavated trench for laying the cables / ducts by	
	proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at	
	least 50m away from the edge of the right of way.	
	No payment shall be payable by the NHAI to the	
	licensee for clearing debris/loose earth.	
4.1	Performance Bank Guarantee as per above is to be	YES
	obtained	
4.2	Confirmation of BG has been obtained as per NHAI guidelines	YES.
5	Affidavit /Undertaking from the applicant for	
-	randavier ondertaking from the appreciation	
5.1	Not to damage to other utility, if damaged then to	YES.
	pay the losses either to NHAI or to the concerned	
	agency	
5.2	Renewal of Bank Guarantee	Yes
5.3	Conforming all standard condition of NHAI	YES, enclosed
	guidelines	
5.4	Conforming all standard condition of NHAI	YES, enclosed
	guidelines NHAI at their own cost.	
5.5	Shifting due to 6 landing /widening of NH	With the second
5.6	Indemnity against all damages and claims clause (XXIV)	YFS_enclosed
5.7	Traffic movement during laying of Overhead	YES, enclosed
	Power Transmission line to be managed by the	
	applicant	
5.8	If any claim is raised by the concessionaire then the	YES, enclosed
. 0	same has to be paid by applicant	VEC suglessed
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation shifting or	Y E.S. enclosed
	repairs, alteration to the over head power	
	Transmission line located in the National Highway	
	Right-of- ways	
.10	Expenditure, if any, incurred by NHAI for repairing	YES, enclosed
	any damage caused to the national highway by the	
	laying, maintenance or shifting of the overhead	
	power Transmission line will be borne by the	
	agency owing the line	Name of the Party
.11	the NHAI considers it necessary in future to move	YES, enclosed
	the utility line for any work of Improvement or	
	repairs to the road, it will be carried out as 5.11 desired by the NHAI at the cost of the agency	/ -
	owing the utility line within a reasonable time (not	
	exceeding 60 days) of the intimation given	Project Director,
.12		VCC and and Authorny Authorny
	format	PIV-BALABORE

MEGHASANI PULP AND PAPER PVT. LTD. Panda Mem somalli an Panda DIRECTOR

Balasore A

		444 (1798)
1	(i) Laying of Overhead Power Transmission Line	
	will not have any deleterious effects on any of the	di II II
	bridge components and road way safety for traffic.	
	(ii) For 6 lanning "We do undertake that will	
	relocate service road/ approach road/utilities at my	
	own cost notwithstanding the permission granted	
	within such time as well be stipulated by NHAI for	1) 4 1
	future four/six laning of any other development."	
6	Who will sign the agreement on behalf of Overhead	Director, Mr. Manmath Kumar
	Power Transmission Line agency.	Panda
7	Certificate From the Project Director	
7.1	Certificate for conforming of all standard condition	YES
7.1	issued vide Ministry circular no. NH-II/P/66/76, Dt	100
	19.11.1976, Ministry Circular No. NH-7.1/P/20/77	
	Dt 8-04-1982, Ministry circular no. RW/NH-	
	III/p/66/76 Dt 11.5.1982 and Ministry circular no.	
	RW/NH-11037/1 /86/DOI, dated 19-01-1995	
7.2	Certificate from the PD in the following Format	
1.2		YES
	(i) "It is certified that any other location of the Overhead Power Transmission line would be	11.02
	extremely difficult and unreasonable costly and the	
	installation of Overhead Power Transmission Line	
	within ROW will not adversely affect the design.	
	stability and traffic safety of the Highway nor the	
	likely future improvement such as widening of the	
	carriage way, easing of curve etc."	333
	(ii) For 6 laning	NA
	(a) Where feasibility is available "I do certify that	
	there will be no hinderance to proposed six laning	
	based on the feasibility report considering proposed	
	structures at said location"	
	(b) In case feasibility report is not available "I do	
	certify that sufficient ROW is available at side for	
	accommodating proposed six laning	
8		YES
1	BOT basis a clause is to be inserted in the	
	agreement. "The permitted Highway on which	
	licensee has been granted the right to lay cable duct	
	has also been granted as a right of way to the	
	concessionaire under the concession agreement for	
	upgradation for up-gradation of	
	(Section from	
	KM to KM of	6
	NH No. 18 on Build, Operate and Transfer Basis)	
	and therefore, The Licensee honour the same.	1/
)	Who will supervise the work of laying Overhead	Applicant /
	Power Transmission Line.	
0	Who will ensure that the defects in road portion	IAHN
230	after laying of Overhead Power Transmission Line	Project Directed,
	are corrected and if not corrected then what action	Rational Highways Authority of
	will be taken	FIU-BALA3ORE
11	Who will pay the claims for damages	Meghasani Pulp and Paper
		PRODUCTION OF THE CONTROL OF THE CON
	done/disruption in working of concessionaire if	Private Limited





12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed))	
13	If any previous approval is accorded for laying of Overhead Power Transmission then photocopy of register of records of permissions accorded as maintained by PD may be enclosed.	

MEGHASA:

A.630C.

Project Director,
National Highways Authority of India