



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय - हैदराबाद

प्रथम तल, नया भवन, भारतीय प्रशासनिक स्टाफ कॉलेज, कॉलेज पार्क काँपस, रोड नंबर-3, बंजारा हिल्स, हैदराबाद-500 034. तेलंगाना

Regional Office - Hyderabad,

First Floor, New Building, Administrative Staff College of India (ASCI), College Park Campus, Road No. 3, Banjara Hills, Hyderabad - 500 034, Telangana.

टेली / Tele : 040 - 29562147 / 48

ई-मेल / E-mail : rohyderabad@nhai.org
nhairohyd@gmail.com



भारतमाला
राष्ट्रीय सेवा योजना
BHARATMALA
ROAD TO PROSPERITY

Notice Inviting Public Comments

NHAI/RO-HYD/25011/3/18/2021/Utility/1884

Dt.26.10.2021

Sub: NHAI - RO Hyderabad - PIU Nirmal-Proposal for laying of Optical Fiber Cable from Km.436+350 to Km.434+120 (RHS), from Km.434+080 to Km.432+980 (RHS), from Km.428+250 to Km.428+200 (LHS), from Km.428/200 to Km.428+115 (RHS), From Km.426/880 to KmKm.426+830 (RHS), from Km.425+630 to Km.424+210 (LHS), Km.424+210 to Km.419+510 (LHS) along NH-44 by Open trench Methodology and Highway crossings at Km.436+350, Km. 428+200, and Km.426+830 by HDD method on Nagpur to Hyderabad section of NH-44 in the State of Telangana- Reg..

Ref: 1. PIU Nirmal Lr.no. NHAI/PIU-NRML/Utility/T-Fibre-OFC/2021/1257, dated 21.10.2021

The Project Director, PIU, NHAI, Nirmal vide letter cited above has recommended the Proposal submitted by M/s.Telangana Fiber Grid Corporation Limited for laying of Optical Fiber Cable from Km.436+350 to Km.434+120 (RHS), from Km.434+080 to Km.432+980 (RHS), from Km.428+250 to Km.428+200 (LHS), from Km.428/200 to Km.428+115 (RHS), From Km.426/880 to KmKm.426+830 (RHS), from Km.425+630 to Km.424+210 (LHS), Km.424+210 to Km.419+510 (LHS) along NH-44 by Open trench Methodology and Highway crossings at Km.436+350, Km. 428+200, and Km.426+830 on Nagpur to Hyderabad section of NH-44 in the State of Telangana.

2. As per para 4 of the Ministry's guidelines no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, public comments is hereby invited on the above proposal seeking claims and objections (on grounds of public inconvenience, safety and general public interest) within 30 days on public portal i.e. website of Ministry of Road Transport and Highways (www.morth.nic.in) in Form-A (copy enclosed) for "Accommodation of Public and Industrial Utility Services along and across National Highways".

Comment Inviting Authority

The Regional Officer,
National Highways Authority of India,
Regional Office: Hyderabad,
First Floor, New Building,
Administrative Staff College of India(ASCI),
College Park Campus, Road No.3,
Banjara Hills, Hyderabad - 500 034,
Telangana State,
Phone: 040-29562147, 040-29562148,
Email: rohyderabad@nhai.org, nhairohyd@gmail.com

Encls: Above Proposal

Yours faithfully,

(G.V. Bheemasena Reddy)

Deputy General Manager (Tech)

For Regional Officer-cum-

Highway Administrator, Hyderabad

To:

1. Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001 for uploading on Ministry's website.
2. Shri S.Manivasagam, Dy. GM (IT), NHAI HQs, New Delhi for uploading on NHAI website.

Copy to:-1. The Project Director, NHAI, PIU Nirmal: for information

2. M/s Telangana Fiber Grid Corporation Limited: for information

FORM-A

Form for seeking claims and objections (on grounds of public inconvenience, safety and general public interest) on the application for Accommodation of Public and Industrial Utility Services along and across National Highways

Sub: NHAI - RO Hyderabad - PIU Nirmal-Proposal for laying of Optical Fiber Cable from Km.436+350 to Km.434+120 (RHS), from Km.434+080 to Km.432+980 (RHS), from Km.428+250 to Km.428+200 (LHS), from Km.428/200 to Km.428+115 (RHS), From Km.426/880 to KmKm.426+830 (RHS), from Km.425+630 to Km.424+210 (LHS), Km.424+210 to Km.419+510 (LHS) along NH-44 by Open trench Methodology and Highway crossings at Km.436+350, Km. 428+200, and Km.426+830 on Nagpur to Hyderabad section of NH-44 in the State of Telangana-Reg.

The claims and objections (on grounds of public inconvenience, safety and general public interest) by the general public needs to be given within 30 days of uploading the online application for comments

| Sl. No | Item | Details |
|--------|--|---------|
| 1 | Name of the person who is desiring to give claims and objections (on grounds of public inconvenience, safety and general public interest) | |
| 2 | Address of the person | |
| 3 | Details of the application for Accommodation of Public and Industrial Utility Services along and across National Highways against which claims and objections are being given (name of applicant and other details like site address etc.) | |
| | a) Application No. | |
| | b) Name of applicant (who applied to Accommodation of Public and Industrial Utility Services along and across National Highways) | |
| | c) Details of Application | |
| 4 | The claims and objections (on grounds of public inconvenience, safety and general public interest) | |

CHECK-LIST

Guidelines for Project Directors for processing the proposal of laying optical fiber cable by private parties in the land along National Highways vested with NHAI.

Check list for getting approval for laying of optical fiber cables on NH land


| S.No. | Item | Information/Status | Remarks |
|-------|--|--|---------|
| 1 | General Information | | |
| 1.1 | Name and Address of the Applicant | M/S Telangana Fiber Grid Corporation Limited, 7 th Floor splendid Tower SP Road Begumpet, Hyderabad. Telangana-500003 | |
| 1.2 | National Highway Number | NHAI - 44 | |
| 1.3 | State | Telangana | |
| 1.4 | Location | NHAI-44, from 436/350 to 434/120 on RHS. 434/080 to 432/980 on RHS, 428/250 to 428/200 on LHS, 428/200 to 428/115 on RHS, 426/880 to 426/830 on RHS, 425/630 to 424/210 on LHS, 424/210 to 419/510 on LHS, Section length for ROW applied 9.815 Kms (i.e. 9635Mtrs + 180Mtrs.= 9815Mtrs) including road crossings at 436/350, 428/200 & 426/830 under the Jurisdiction of NHAI | |
| 1.5 | (Chainage in km) | NHAI-44, from 436/350 to 434/120 on RHS. 434/080 to 432/980 on RHS, 428/250 to 428/200 on LHS, 428/200 to 428/115 on RHS, 426/880 to 426/830 on RHS, 425/630 to 424/210 on LHS, 424/210 to 419/510 on LHS, Section length for ROW applied 9.815 Kms (i.e. 9635Mtrs + 180Mtrs.= 9815Mtrs) including road crossings at 436/350, 428/200 & 426/630 | |
| 1.6 | Length in Meters | 9815Mtrs. | |
| 1.7 | Width of available ROW | | |
| | (a) Left side from center line towards increasing chainage/km direction | 30Mtrs | |
| | (b) Right side from center line towards increasing chainage/km direction | 30Mtrs | |
| 1.8 | Proposal to lay the cable | | |
| | (a) Left side from center line towards increasing chainage/km direction | 428/250 to 428/200 on LHS, ✓ 425/630 to 424/210 on LHS, ✓ LHS, 424/210 to 419/510 on LHS ✓ | |
| | (b) Right side from center line towards increasing chainage/km direction | 436/350 to 434/120 on RHS, ✓ 434/080 to 432/980 on RHS, ✓ 428/200 to 428/115 on RHS, ✓ 426/880 to 426/830 on RHS, ✓ | |




PROJECT DIRECTOR
National Highways Authority of India
PIU, NIRMAL.

| | | | |
|------|--|--|--|
| 1.9 | Proposal to acquire land | NA | |
| | (a) Left side from center line | NA | |
| | (b) Right side from center line | NA | |
| 1.10 | Whether proposal is in the same side where land is not to be acquired | NA | |
| | If not then where to lay the cable | | |
| 1.11 | Details of already laid services, if any, along the proposed route | BSNL | |
| 1.12 | Number of lanes (2/4 / 6/8 lanes) existing | 4 Lane | |
| 1.13 | Proposed Number of lanes (2 lane with paved shoulders/4/6/8 lanes) | - | |
| 1.14 | Service road existing or not | No | |
| | If yes then which side | | |
| | (a) Left side from center line | NA | |
| | (b) Right side from center line | NA | |
| 1.15 | Proposed Service Road | No | |
| | (a) Left side from center Line | NA | |
| | (b) Right side from center line | NA | |
| 1.16 | Whether proposal to lay cable is after the service road or between the service road and main carriageway | NA | |
| 1.17 | Whether carrying of sewage/gas /OFC pipeline has been proposed on highway bridges If yes, then mention the methodology proposed for the same | No | |
| 1.18 | Whether carrying of sewage/gas pipeline/OFC has been proposed parapet/any part of the bridges If yes, then mention the methodology proposed for the same | No | |
| 1.19 | If crossings of the road involved If yes, it shall be either encased in pipes or through structures or conduits specially built for that purpose at the expenses of the agency owning the line | Road Crossing shall be executed by HDD Method. | |
| | a) whether existing drainage structure allowed to carry utility pipeline | No | |
| | b) is it on a line normal to NH | Yes | |
| | c) what is the distance of crossing the utility pipelines from the existing structures Crossings shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter | NA | |
| | d) The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable. Mention type of casing | NA | |
| | e) ends of the casing/conduit pipe/tower foundation shall be sealed from the outside, so that it does not act as a drainage path | Yes | |
| | f) the casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in the fills | Yes | |
| | g) the top of the casing/conduit pipe/tower foundation should be atleast 1.2meter below the surface of the road subject to bring atleast 0.3m below the drain inverts | NA | |




PROJECT DIRECTOR
 National Highways Authority of India
 PHU, NIRMAL.

| | | | |
|-------|---|--|--|
| | h) Mention the methodology proposed for crossing of road for the proposed OFC. Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type | HDD Methodology | |
| | i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it. | Yes | |
| 2. | Document/Drawings enclosed with the proposal | Yes | |
| 2.1 | Cross section showing the size of trench for open trenching method (is it normal size of 1.6m deep x 0.3m wide) i) Should not be greater than 60cm wider than the outer diameter of the pipe ii) located at close to the extreme edge of the right of way as possible but not less than 15 meter from the centerline of the nearest carriageway iii) Shall not be permitted to run along the NH when the road formation is situated in double cutting, nor shall these be laid over the existing culverts and bridges iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land | Yes, Enclosed Yes Yes yes | |
| 2.2 | Cross section showing the size of pit and location of cable for HDD method | Enclosed | |
| 2.3 | Strip plan/Route Plan showing the utility/Gas pipe line, Chainage, width of ROW, distance of proposed pipe line from the edge of ROW, important mile stone, intersections, cross drainage works etc. | Enclosed, Attached as per the Drawing | |
| 2.4 | Methodology for laying of the utility pipe line. | Enclosed | |
| 2.4.1 | Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, what is the Methodology of refilling of trench | Back fill the soil excavated with Compaction @ every 300mm | |
| | (a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe. | Enclosed | |
| | (b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged - should be excavated and replaced by selected material. | Yes | |
| | (c) The backfill shall be completed in two stages (i) side — fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust. | Yes | |
| | (d) The side-fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the proctor's density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation | Yes | |



PROJECT DIRECTOR
National Highways Authority of India
PHU, NHAI.

| | | | |
|-------|--|---|--|
| | or ponding will not be permitted. | | |
| | (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. | Yes | |
| | (f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours. | Yes | |
| | (g) If required, a diversion shall be constructed at the expense of agency owning the utility line. | Yes | |
| 2.4.2 | Horizontal Directional Drilling (HDD) Method | Yes Attached Drawing | |
| 2.4.3 | Laying OFC Through CD Works And Method Of Laying (Whether to be hung outside parapet) | Details Provided in Methodology of Laying | |
| 3 | Draft License Agreement is signed by two witnesses | Enclosed | |
| 3.1 | The licensee fees estimate as per Ministry's guidelines issued vide circular No. RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016. | Furnished | |
| 4 | Whether Performance Bank Guarantee as per Ministry's Circular no. RW/NH 33044/29/2015/S&R(R) dated 22.11.2016 is obtained. | Yes | |
| 4.1 | Confirmation of BG has been obtained or not as per MoRTH/NHAI guidelines | Yes | |
| 5 | Affidavit / Undertaking from the Applicant for the following is to be furnished | | |
| 5.1 | Undertaking for not to Damage any other utility, if damaged then to pay the losses either to NHAI or to the concerned agency. | Yes ; Enclosed | |
| 5.2 | Undertaking for Renewal of Bank Guarantee as and when asked by MoRTH/NHAI. | Yes | |
| 5.3 | Undertaking for Confirming all standard condition of Ministry Circulars and NHAI's guidelines. | Enclosed | |
| 5.4 | Undertaking for Indemnity against all damages and claims | Enclosed | |
| 5.5 | Undertaking for management of traffic movement during laying of utility line without hampering the traffic. | Enclosed | |
| 5.6 | Undertaking that if any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant. | Enclosed | |
| 5.7 | Undertaking that prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the utility located in the National Highway right-of-ways. | Enclosed | |
| 5.8 | Undertaking that expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the utility line will be borne by the applicant agency owning the line. | Enclosed | |
| 5.9 | Undertaking that text of the text of the license deed is as per verbatim of MoRTH format (issued vide Ministry's Circular no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016) | Enclosed | |
| | Undertaking that the applicant has obtained various safety clearances from the representative | Enclosed | |



[Signature]
PROJECT DIRECTOR
National Highways Authority of India
DHU, MUMBAI.

| | | | |
|------|---|---------------------------|--|
| 5.10 | authorities such as Directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearance s applicable, before applying to Highway Administration | | |
| 5.11 | If the MoRTH/NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the MoRTH/NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given. | Enclosed | |
| 5.12 | Certificate from the applicant in the following format (i) Laying of OFC pipe line will not have any deleterious effects on any of the bridge components and roadway safety for traffic. (ii) "We do undertake that I/we will relocate service road/approach road / utilities at my / our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI" for future six-laning or any other development." | Enclosed | |
| 6. | Power of Attorney in favour of authorized signatory | Yes ; Enclosed | |
| 7 | Certificate from the Project Director | | |
| 7.1 | Certificate that the proposal is confirming to all standard conditions issued vide Ministry's Circular No: RW/NH- 33044/29/2015/S&(R) dated 22.11.2016. | Yes | |
| 7.2 | Certificate from PD in the following format (i) "It is certified that any other location of the OFC pipe line would be extremely difficult and unreasonable costly and the installation of OFC pipe line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc". (ii) for 6-lanning (a) Where feasibility is available "I do certify that there will be no hindrance to Proposed six-laning based on the feasibility report considering proposed structures at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning". | Yes | |
| 8 | If NH section proposed to be taken up by NHAI on BOT basis - a clause in para 17 to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up=gradation of [.....] section from Km ----- to km ----- of NMH No. ----- on Build, Operate and | Inserted in the Agreement | |



[Signature]
PROJECT DIRECTOR
National Highways Authority of India
PHJ, NHRAI.

| | | | |
|----|--|--|--|
| | Transfer Basis] and therefore, the licensee shall honour the same." | | |
| 9 | Who will supervise the work of laying OFC (a) On Behalf of the Applicant (b) On Behalf of MORTH/NHAI | (a) M/S Telangana Fiber Grid Corporation Limited (Master system Integrator) BBNL Project for Government of Telangana (b) IE | |
| 10 | Who will ensure that the defects in road portion after laying of OFC are corrected and if not corrected then what action will be taken. (a) On Behalf of the Applicant (b) On Behalf of MORTH/NHAI | (a) M/S Telangana Fiber Grid Corporation Limited (Master system Integrator) BBNL Project for Government of Telangana (b) IE | |
| 11 | Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire. | M/S Telangana Fiber Grid Corporation Limited (Master system Integrator) BBNL Project for Government of Telangana | |
| 12 | A Certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed) issued vide Ministry Circular No. RW/NH/33044/17/2000/S&R dated 23.7.2003. | Yes | |
| 13 | If any previous approval is accorded for laying of cable then Photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular No. RW/NH/33044/17/2000/S&R dated 23.7.2003) as referred in para 13 above is enclosed or not. | No | |



PROJECT DIRECTOR
National Highways Authority of India
PIU, NIRMAL.

Annexure-II

[Enclosure to Ministry Circular No. RW/NH-33044/17/2000-S&R dated 29.9.2000 and dt. 23.07.2003]

Format for Maintaining Records of Right-of-Way permission granted for laying OFC

(to be maintained separately for every NH and State)

1. Name of State : Telangana
2. Name of Agency (NHAI) : NHAI
3. NHAI Number : NHAI-44

| S. No. | Location (change in Km) | Left or right side of NH (towards increasing chainage/km direction) | Section and reach | Kind of service | Name of license and contact address | Date of signing of agreement | Date of last inspection of site | Any deviation from MOST standards | Remarks |
|--------|--|---|--|-----------------|--|------------------------------|---------------------------------|-----------------------------------|---------|
| 1 | NHAI-44, from 436/350 to 434/120 on RHS, 434/080 to 432/980 on RHS, 428/250 to 428/200 on LHS, 428/200 to 428/115 on RHS, 426/880 to 426/830 on RHS, 425/630 to 424/210 on LHS, 424/210 to 419/510 on LHS, Section length for ROW applied 9.815 Kms (i.e. 9635Mtrs + 180Mtrs = 9815Mtrs) including road crossings at 436/350, 428/200 & 426/830 under the Jurisdiction of NHAI | LHS/RHS | NHAI-44, from 436/350 to 434/120 on RHS, 434/080 to 432/980 on RHS, 428/250 to 428/200 on LHS, 428/200 to 428/115 on RHS, 426/880 to 426/830 on RHS, 425/630 to 424/210 on LHS, 424/210 to 419/510 on LHS, Section length for ROW applied 9.815 Kms (i.e. 9635Mtrs + 180Mtrs = 9815Mtrs) including road crossings at 436/350, 428/200 & 426/830 under the Jurisdiction of NHAI | Telangana Fiber | Telangana Fiber Grid Corporation Ltd. 7th Floor Splendid Tower SP Road Begumpet, Hyderabad. Telangana-500003 | | | No | |



Mandal- Chegunta

District- Medak

M/S
436/350

17.913517,
78.462047

Sher E Punjab
Dhaba Battakh
Wala

17.914717,
78.461396

Bharat
Petroleum
Petrol Pump

17.925199,
78.458644

HP Petroleum
Filling Station

17.926305,
78.458347

Sony
international
Hotel

40

RHS

17.932207,
78.458040

HKGN Kalyani
Biryani Hotel HKGN

17.941353,
78.459438

Boundary
LHS
Berm

CW

CL

CW

Berm
RHS
Boundary

17.941353,
78.459438



M/S
432/980

New Golden Family
Dhaba
17.933088,
78.458628

LHS

Ismail Dhaba
17.931703,
78.458600

HP Petroleum
Filling Station

17.925792,
78.459088



Sher E Punjab
Dhaba Surender

17.913634,
78.462866

Rohini
Minerals PVT
17.912566,
78.463300



M/S 436/350

NHAI-44 Toopran to Mirzapalli Rd

Toopran

Start

17.911817,
78.463240

Narsingi

M/S
434/80

M/S
434/120

17.931898,
78.458197

17.931579,
78.4581835

17.91185458,
78.46291192

ROW Plan for Chegunta

All Dimensions are in Meter

Legend

Proposed OFC
Path

Road Length

3330m (RHS) (1 x 60m Road Crossing)=
3.390km

Berm

Row Boundary

CW

Road name Toopran to Mirzapalli Rd)
NHAI 44

Sensitivity: LNT Construction Internal Use



PROJECT DIRECTOR
National Highways Authority of India
PHU, NIRMAL

Mandal- Chegunta
District- Medak

Chegunta
Village

Routled to Chegunta Rd



Masaipet
Shivalayam



Govt
Hospital

17.977452,
78.461107

R & B Guest House

RHS

Boundary
LHS
Berm

CW

CL

CW

Berm

RHS

Boundary

17.978820,
78.460855

M/S

MS-426/830

17.978675,
78.460724

Chegunta to Siddipet Rd

50

17.978304,
78.461005

M/S

426/880

NHAI-44 Toopran to Mirzapalli Rd

Narsingi

End

LHS

Hanuman temple

17.974298,
78.465199

Chegunta
lake

ROW Plan for Chegunta

All Dimensions are in Meter

Road name Toopran to Mirzapalli Rd)


NHAI 44


| Legend | |
|-------------------|--|
| Proposed OFC Path | --- |
| Road Length | 50m (LHS) 85m+ 50m (RHS) (2 x 60m Road Crossing) = 0.305km |
| Berm | --- |
| Row Boundary | --- |
| CW | --- |

Sensitivity: LNT Construction Internal Use



PROJECT DIRECTOR
National Highways Authority of India
PW, MUMBAI.





30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End

30

30

End