



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in

क्रमांक: NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, km. 0 to 92.250/293

दिनांक: 16.05.2024

INVITATION OF PUBLIC COMMENTS

विषय: Permission for establishment of 17 nos. of SV stations (Sectionalizing valves) between NH designed Ch. Km. 0.000 (Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km. 92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km. 58.125 of NH-58) along the National Highway No.-08 (New NH-48) by M/s Indraprastha Gas Ltd. (IGL) in the State of Rajasthan-reg.

- सन्दर्भ:**
- M/s IGL letter no. IGL/Ajmer/NHAI/PIU Ajmer/130922 dated 13.09.2022 and letter no. 14122 dated 14.11.2022.
 - PD, PIU-Ajmer letter no. NHAI/Ajm/KAB/NH-8/Access/Utility/14301 dated 12.01.2023.
 - This office letter no. NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, km. 0 to 92.250/3237 dated 21.02.2023
 - M/s IGL letter no. 021123 dated 02.11.2023, letter no. 291123 dated 29.11.2023 & letter no. 021223 dated 02.12.2023.
 - PD, PIU-Ajmer letter no. NHAI/Ajm/KAB/NH-8/Access-Utility-IGL/15670 dated 13.12.2023.
 - This office letter no. NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, km. 0+92.250/2724 dated 09.01.2024
 - IGL letter no. IGL/Ajmer/NHAI/PIU-Ajmer/240124 dated 24.01.2024
 - PD, PIU-Ajmer letter no. NHAI/Ajm/KAB/NH-8/Access-Utility-IGL/16211 dated 21.06.2024

It is to inform all concern CGM (GA Head), Ajmer, Indraprastha Gas Limited, Ajmer vide cited letters under ref. above has submitted a proposal for subject work and PD, NHAI, PIU-Ajmer has submitted the above proposal vide letter under reference (viii) for approval of Competent Authority, Highway Administration.


2. The proposal is for permission for establishment of 17 nos. of SV stations (Sectionalizing valves) between NH designed Ch. Km. 0.000 (Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km. 92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km. 58.125 of NH-58) along the National Highway No.-08 (New NH-48) by M/s Indraprastha Gas Ltd. (IGL) in the State of Rajasthan.

3. As per para-4 of Ministry's Circular No. RW/NH-33044/29/2015 S&R (R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on ground of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying and crossing of electric line on the subjected stretch. The objections/comments may be addressed to the below mentioned address upto 15.06.2024 beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur
National Highways Authority of India,
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).


(मनोज खोड़ा)
प्रबन्धक (तकनीकी)

- Copy to:**
- Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
 - Director, NIC, New Delhi - for uploading in Ministry's website. [rahul.sh@nic.in]
 - PD, PIU-Ajmer: for information and with the request to ensure deposition of license fee and BG amount as per applicable guideline of MoRTH.
 - CGM (GA Head) Indraprastha Gas Limited: for information.



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, अजमेर

बी-136-सी, बी-ब्लॉक, पंचशील नगर, अजमेर-305004 (राज.)

Project Implementation Unit, Ajmer

B-136-C, B-Block, Panchsheel Nagar, Ajmer-305004 (Raj.)

Ph. No.: 0145-2680571, E-mail / ई-मेल : ajmer@nhai.org, Web./ वेब : www.nhai.gov.in



2

UPC: N/03004/01001/RJ

No. NHAI/Ajm/KAB/NH-8/Access-Utility-IGL/16211

क्षेत्रीय अधिकारी

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण,

क्षेत्रीय कार्यालय,

एफ-120, जनपथ, श्याम नगर

जयपुर-302019

M/DME
19/3/24



Date: 21.03.2024

Sh. Deepak, PA
11/3/24

विषय: Permission for Establishment of 17 nos. of SV Stations (Sectionalizing valves) between NH designed Ch. Km. 0.000(Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km.92.125(Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km 58.125 of NH-58) along the National Highway No. -08 (New NH-48) in the State of Rajasthan - reg.

- संदर्भ:
- (1) NHAI, RO-Jaipur letter no. NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, Km 0 to 92.250/3237 dated 21.02.2023
 - (2) This office letter no. NHAI/Ajm/KAB/NH-8/ Access-Utility-IGL/15670 dated 13.12.2023
 - (3) NHAI, RO-Jaipur letter no. NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, Km 0 to 92.250/2724 dated 09.01.2024
 - (9) This office letter no. NHAI/Ajm/KAB/NH-8/ Access-Utility-IGL/15824 dated 17.01.2024
 - (10) M/s. Indaprashta Gas Limited letter no. IGL/Ajmer/NHAI/PIU Ajmer/130124 dated 18.01.2024
 - (11) M/s. Indaprashta Gas Limited letter no. IGL/Ajmer/NHAI/PIU Ajmer/240124 dated 24.01.2024
 - (12) This office letter no. NHAI/Ajm/KAB/NH-8/ Access-Utility-IGL/15864 dated 30.01.2024
 - (13) Concessionaire letter no. SI-PO/NH-8/IE/2023-24/9285 dated 06.03.2024
 - (14) IE letter no. IE-LNM/KAB/NHAI/AJM/385 dated 07.03.2024

महोदय,

With reference to the subjected proposal cited above and considering the observations raised vide RO-Jaipur letter dated 21.02.2023 (Annex-1), this office, with due deliberation, has recommended the subjected proposal vide this office letter dated 13.12.2023 (Annex-2) for necessary approval of Competent Authority. It is submitted that, earlier, the agency had submitted proposal for establishment of 31 nos. SV Stations between NH designed Ch. Km. 0.000 (Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km.92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km 58.125 of NH-58) along the National Highway No. 08 (New NH-48) which was modified to 17 nos. SV Stations wherein SV sizing has been reduced from 5m x 4 m to 4.99m x 2m.

Competent Authority i.e. RO-Jaipur vide letter dated 09.01.2024 (Annex-3) has raised the observations that the size of proposed SV stations is still too large covering all the utility corridor as such and directed to ask to M/s. IGL to explore the possibility to accommodate these SV stations outside the ROW. The same has been communicated to agency M/s. IGL vide this office letter dated 17.01.2024 (Annex-4) and returned the proposal unapproved for further necessary action at their end.

In this connection, agency M/s. IGL vide its letter dated 24.01.2024 (Annex-5) has submitted compliances and requested for necessary approval. Compliances furnished by agency are reproduced here as under:

- (1) In view of your concern we reengineered design of SV (Sectionalize Valve) from current 2 Mtr X 5 Mtr to 1.55 Mtr X 4.5 Mtr (Cross section and isometric drawing attached in Annexure-I), further reduction in SV size is technically not possible considering the size of pipeline and requirement.

प्रधान कार्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली-110075 • दूरभाष : 011-25074100, 25074200 • वेब : www.nhai.gov.in

Corporate Office: G-5 & 6, Sector-10, Dwarka, New Delhi-110075 • Tele.: 011-25074100, 25074200 • Web.: www.nhai.gov.in

- (2) As far as laying of other utilities are concern, we shall lay 2nos. of duct pipe of 800mm each beneath SV to cross other utilities. Further to this, other utilities can also pass below of SV. Sectionalize Valve (SV) to be installed at a distance of 3Km apart from each other to isolate network in case of emergency as per PNGRB standard T4S (Attached for reference).
- (3) Installation of SV outside NHAI ROW is not feasible as SV to be installed on laid pipeline as per technical requirement which is in NHAI ROW. There is no guideline for CGD pipeline network laying in private land (CGD Policy attached for reference).

The above compliances furnished by M/s. IGL was forwarded to IE of the Project vide this office letter dated 30.01.2024 (Annex-6) and requested to re-examine the proposal in view of the observations raised by RO-Jaipur as well as MoRTH guidelines and submit their comments/recommendations duly obtaining the consent of Concessionaire in this regard.

IE has forwarded the proposal to Concessionaire and obtained comments/consent of Concessionaire issued vide its letter dated 06.03.2024 (Annex-7) stating that "applicant has submitted revised SV installation drawing and found in order. Therefore, Concessionaire give consent to Authority for appropriate action to issue permission to the subject proposal as per the guidelines of MoRTH." Further, IE has examined the proposal/drawing with reference to the Ministry's guidelines issued vide letter dated 22.11.2016, 16.03.2017 and subsequent amendments dated 17.04.2023 and found that the said proposal is duly complying with MoRTH guidelines and accordingly IE vide its letter dated 07.03.2024 (Annex-8) has recommended the proposal for issuance of permission for laying of subject utility, duly signed & sealed on each page of Checklist & Drawings.

The proposal along with compliance furnished by the agency M/s. IGL has been reviewed and examine in this office and further recommendations of IE is found in order as per MoRTH guidelines dated 22.11.2016 & 16.03.2017. Accordingly, the proposal is submitted duly signed and sealed on each pages of Checklist & Drawings with the recommendations of this office to accord "In-Principle" approval to M/s. Indaprashta Gas Limited for the subjected work, subject to fulfillment of the deposition of applicable Fees & Bank Guarantee.

संलग्न: उपरोक्तानुसार (1 फाईल)।

भवदीय
(ए.के. खण्डेलवाल) 21/03
महाप्रबंधक (तक.) / परियोजना निदेशक

प्रतिलिपि: अधिकृत प्रतिनिधि, मै. इन्द्रप्रस्थ गैस लिमिटेड, नई दिल्ली; को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

राष्ट्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No.: NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, km 0 to 92.250/3237 Date: 21.02.2023

Project Director

NHAI, PIU-Ajmer,

B-136-C, B-Block, Panchsheel,

Ajmer (Raj.)- 305004.

Sub.: Permission for establishment of 31 nos. of SV Stations (Sectionalizing Values) between NH Km. 0.00 (Near Haryana Hotel, NH Old Km. 364.125 of NH-8) to NH Km. 92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Km. 58.125 of NH-58) along the NH-8 (New NH-48) by M/s. Indraprastha Gas Ltd. (IGL) in the State of Rajasthan.

Ref.: 1. M/s. IGL letter no. IGL/Ajmer/NHAI/PIU Ajmer/130922 dated 13.09.2022 and letter no. 14122 dated 14.11.2022.

2. PD, PIU-Ajmer letter no. NHAI/Ajm/KAB/NH-8/Access/Utility/14301 dated 12.01.2023 (received on 23.01.2023).

Sir,

Please your letter cited under ref. (ii) above, vide which you have submitted the proposal for grant of permission for establishment of 31 nos. of SV Stations (Sectionalizing Values) between NH Km. 0.00 (Near Haryana Hotel, NH Old Km. 364.125 of NH-8) to NH Km. 92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Km. 58.125 of NH-58) along the NH-8 (New NH-48) by M/s. Indraprastha Gas Ltd. (IGL) in the State of Rajasthan for approval of the Competent Authority.

2. The proposal is seen and it is to submit that the laying of the gas pipeline along the National Highway is already given. Now, the proposal is submitted for establishment of SV stations (Sectionalizing Valves) at 31 locations of size 5m x 4m. The guideline only permits for laying of underground and overhead utilities, such establishment of the SV stations is not specified in the MoRTH guideline.

3. Further, there may be other utilities along the ROW and 5m x 4m SV stations may also affect future widening of the highway.

4. In this regard, proposed deviation from MoRTH policy guidelines no. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 for establishment of 31 nos. SV Stations of size 5m x 4m within the ROW has not been considered by the competent authority.

5. In view of above, the proposal is returned herewith un-approved.

This issues with the approval of Highway Administration-cum Regional Officer, NHAI, Jaipur.

Yours faithfully,

(Manoj Khoda)
Manager (Tech.)

Encl.: As above - (2 files as received from PIU).



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार) National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, अजमेर

मकान नम्बर-104, आदर्श नगर, अजमेर (राज.) 305001

Project Implementation Unit, Ajmer

House No.-104, Adarsh Nagar, Ajmer (Raj.) 305001

Ph. No.: 0145-2680571, E-mail / ई-मेल : ajmer@nhai.org, Web./ वेब : www.nhai.gov.in



12
2

UPC: N/03004/01001/RJ

No. NHAI/Ajm/KAB/NH-8/Access/Utility/14301

मुख्य महाप्रबंधक (तक.) सह क्षेत्रीय अधिकारी

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण,

क्षेत्रीय कार्यालय,

एफ-120, जनपथ, श्याम नगर

जयपुर-302019



Date: 12.01.2023

12/01/2023
D.M.
23.01.2023

Sub.: Request for permission for Establishment of 31 nos. of SV Stations (Sectionalizing values) between NH designed Ch. Km. 0.000 (Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km.92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km 58.125 of NH-58) along the National Highway No. -08 (New NH-48) in the State of Rajasthan - reg.

- Ref.:** (1) M/s Indaprashta Gas Limited, New Delhi letter no. IGL/Ajmer/NHAI/PIU Ajmer/130922 dated 13.09.2022 received in this office on 14.09.2022.
(2) This office letter no. NHAI/Ajm/KAB/NH-8/Access-PP/13778 dated 26.09.2022.
(3) IE letter no. Theme/NHAI/IE OMT/KAB/AJM/17/2599 dated 19.10.2022.
(4) This office letter no. NHAI/Ajm/KAB/NH-8/Access-PP/13901 dated 20.10.2022.
(5) M/s Indaprashta Gas Limited, New Delhi letter no. IGL/Ajmer/NHAI/PIU Ajmer/141122 dated 14.11.2022.
(6) This office letter no. NHAI/Ajm/KAB/NH-8/Access/Utility/14070 dated 02.12.2022.
(7) Concessionaire letter no. SI-PO/NH-8/IE/2021-22/8659 dated 16.12.2022.
(8) IE letter no. Theme/NHAI/IE OMT/KAB/AJM/17/2661 dated 19.12.2022.

Sir,

M/s. Indraprastha Gas Ltd. vide above referred letter dated 13.09.2022 (**Annex-1**) has submitted the proposal of permission for Establishment of 31 nos. of SV Stations (Sectionalizing values) between NH designed Ch. Km. 0.000 (Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km.92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km 58.125 of NH-58) along the National Highway No. -08 (New NH-48) in the State of Rajasthan.

The same has been forwarded to IE of the Project M/s. Theme Engineering Services Pvt. Ltd. vide this office letter dated 26.09.2022 (**Annex-2**) to examine the proposal as per prevailing site condition in light of the Ministry's guidelines issued vide letter no. RW/NH-33044/29/2015/S&R/(R) dated 22.11.2016 & further letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 and requested to submit their comments/recommendations along with Inspection Note.

IE has examined the proposal and raised certain observations along with comments of Concessionaire vide IE's letter dated 19.10.2022 (**Annex-3**) which has been communicated to agency M/s. IGL vide this office letter dated 20.10.2022 (**Annex-4**) to resubmit the proposal duly comply the observations of Concessionaire & IE, strictly in accordance to MoRTH guidelines.

Agency M/s. IGL vide their letter dated 14.11.2022 (**Annex-5**) has revised the proposal after furnishing point wise compliance of observations. The same has been forwarded to IE vide this office letter dated 02.12.2022 (**Annex-6**) to re-examine the proposal as per prevailing site condition in light of the Ministry's guidelines and submit their comments/recommendations along with consent of Concessionaire.

IE has forwarded the proposal to Concessionaire of the Project and obtained comments/consent of Concessionaire issued vide its letter dated 16.12.2022 (**Annex-7**). Further, IE has reviewed and re-

(Handwritten signature)

examined the proposal w.r.t. the observations conveyed as well as Ministry's guidelines dated 22.11.2016 & 16.03.2017 and IE vide its letter dated 19.12.2022 (Annex-8) has submitted that applicant M/s. Indraprastha Gas Ltd. has complied all the observations hence, recommended the proposal duly signed & stamped on each page of checklist, Layout Plan, Key Plan subject to deposition of applicable fee & Bank Guarantee.

This office has further examined the proposal in light of the MoRTH guidelines dated 22.11.2016 & 16.03.2017 and same is found in order. Accordingly, the proposal is submitted duly signed and sealed on each pages of Checklist & Drawings with the recommendations of this office to accord "In-Principle" approval for the subjected work subject to fulfillment of the deposition of applicable Fees.

Incl.: Two copies of proposal

भवदीय

(ए.के. खण्डेलवाल)

महाप्रबंधक (तक.) / प्रियोजना निदेशक

Copy to: M/s Indraprastha Gas Limited, New Delhi; for information please



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



क्रमांक: NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, km. 0 to 92.250/2724 दिनांक: 09.01.2024

परियोजना निदेशक,

भाराराप्रा प.का.ई, अजमेर

बी-136-सी, बी ब्लॉक, पंचशील नगर,

अजमेर (राज.)- 305004

विषय: Permission for establishment of 17 nos. of SV stations (Sectionalizing valves) between NH designed Ch. Km. 0.000 (Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km. 92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km. 58.125 of NH-58) along the National Highway No.-08 (New NH-48) by M/s Indraprastha Gas Ltd. (IGL) in the State of Rajasthan

- सन्दर्भ: (i) M/s IGL letter no. IGL/Ajmer/NHAI/PIU Ajmer/130922 dated 13.09.2022 and letter no. 14122 dated 14.11.2022.
(ii) PD, PIU-Ajmer letter no. NHAI/Ajm/KAB/NH-8/Access/Utility/14301 dated 12.01.2023.
(iii) This office letter no. NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, km. 0 to 92.250/3237 dated 21.02.2023
(iv) M/s IGL letter no. 021123 dated 02.11.2023, letter no. 291123 dated 29.11.2023 & letter no. 021223 dated 02.12.2023.
(v) PD, PIU-Ajmer letter no. NHAI/Ajm/KAB/NH-8/Access-Utility-IGL/15670 dated 13.12.2023.

Sir,

Please refer to your letter mentioned under reference (v) above, vide which you have resubmitted the proposal after necessary compliance of the observations conveyed by RO Jaipur vide letter cited under ref. (iii) above for establishment of 17 nos. of SV stations (Sectionalizing valves) between NH designed Ch. Km. 0.000 (Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km. 92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km. 58.125 of NH-58) along the National Highway No.-08 (New NH-48) by M/s Indraprastha Gas Ltd. (IGL) in the State of Rajasthan for approval of the competent authority.

2. The proposal is seen and it is observed that the size of the proposed SV stations is still too large covering all the utility corridor as such; it is requested to review as to how the other utilities already laid & proposed to be laid at these locations will be accommodated/installed. Further, Competent Authority has desired to ask to M/s IGL to explore the possibility to accommodate these SV stations outside the ROW.

3. In view of the above, the proposal is returned herewith unapproved.

This issues with the approval of Highway Administration-cum- Regional Officer, NHAI, Jaipur

Yours faithfully,

(Manoj Khoda)
Manager (Tech.)

Encl: As above.



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार) National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, अजमेर

बी-136-सी, बी-ब्लॉक, पंचशील नगर, अजमेर-305004 (राज.)

Project Implementation Unit, Ajmer

B-136-C, B-Block, Panchsheel Nagar, Ajmer-305004 (Raj.)

Ph. No.: 0145-2680571, E-mail / ई-मेल : ajmer@nhai.org, Web./ वेब : www.nhai.gov.in



2

UPC: N/03004/01001/RJ

No. NHAI/Ajm/KAB/NH-8/Access-Utility-IGL/15670

क्षेत्रीय अधिकारी

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण,

क्षेत्रीय कार्यालय,

एफ-120, जनपथ, श्याम नगर

जयपुर-302019



Date: 13.12.2023

मेन
(MIG)
15/12

विषय: Permission for Establishment of 17 nos. of SV Stations (Sectionalizing values) between NH designed Ch. Km. 0.000(Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km.92.125(Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km 58.125 of NH-58) along the National Highway No. -08 (New NH-48) in the State of Rajasthan - reg.

- संदर्भ: (1) NHAI, RO-Jaipur letter no. NHAI/18013/1/2021-ROJ/Permission-SV Station/IGL/205/NH-48, Km 0 to 92.250/3237 dated 21.02.2023
(2) M/s. Indaprashta Gas Limited letter no. IGL/Ajmer/NHAI/PIU Ajmer/021123 dated 02.11.2023
(3) This office letter no. NHAI/Ajm/KAB/NH-8/ Access-Utility-IGL/15582 dated 07.11.2023
(4) Concessionaire letter no. SI-PO/NH-8/IE/2023-24/9116 dated 21.11.2023
(5) IE letter no. IE-LNM/KAB/NHAI/AJM/260 dated 22.11.2023
(6) M/s. Indaprashta Gas Limited letter no. IGL/Ajmer/NHAI/PIU Ajmer/291123 dated 29.11.2023.
(7) M/s. Indaprashta Gas Limited letter no. IGL/Ajmer/NHAI/PIU Ajmer/021223 dated 02.12.2023

महोदय,

With reference to the subject matter cited above, it is submitted that M/s. Indaprashta Gas Limited has been authorized by 29.03.2019 for City Gas Distribution network in Geographical Area of Ajmer, Pali & Rajsamand. The Agency, vide letter dated 02.11.2023 (Annex-1) has submitted its revised proposal considering the observations raised by RO-Jaipur vide letter dated 21.02.2023 (Annex-2). Earlier, the agency has submitted the proposal for establishment of 31 nos. SV Stations between NH designed Ch. Km. 0.000 (Near Haryana Hotel, NH Old Ch. Km. 364.125 of NH-8) to NH designed Ch. Km.92.125 (Near Jodhpur Mishthan Bhandar Beawar, NH Old Ch. Km 58.125 of NH-58) along the National Highway No. 08 (New NH-48) which now has been modified to 17 nos. SV Stations wherein SV sizing has been reduced from 5m x 4 m to 4.99m x 2m.

The above revised proposal was forwarded to IE of the Project M/s. L.N. Malviya Infra Projects Pvt. Ltd. vide this office letter dated 07.11.2023 (Annex-3) to examine the proposal as per the prevailing site condition in light of the Ministry's guidelines issued vide letter dated 22.11.2016, 16.03.2017 & subsequent amendments dated 17.04.2023 and submit their comments/recommendations immediately to this office along with calculation of License Fee on current Commercial DLC rates as per amendment dated 17.04.2023.

IE has forwarded the proposal to Concessionaire of the Project and obtained comments/consent of Concessionaire issued vide its letter dated 21.11.2023 (Annex-4) stating that "Concessionaire give consent to Authority for appropriate action to issue access permission to the subject proposal as per the guidelines of MoRT&H".

✓

Further, IE has examined the proposal/drawing as per prevailing site conditions in light of the Ministry's guidelines issued vide letter dated 22.11.2016, 16.03.2017 and subsequent amendments dated 17.04.2023 and found that the said proposal is duly complying with MoRTH guidelines and accordingly IE vide its letter dated 22.11.2023 (Annex-5) has recommended the proposal for issuance of permission for laying of subject utility, duly signed & sealed on each page of Checklist & Drawings.

Meanwhile, the Agency, vide its letter dt 02.12.2023 (Annex-6), has submitted the revised License Fee calculation in accordance with MoRTH guidelines dt 17.04.2023.

The proposal has been further reviewed & examined in this office and recommendation of IE along with verification & validation in the Check list & Drawings is found in order as per MoRTH guidelines dated 22.11.2016 & 16.03.2017. Further, the License Fee as submitted by Agency has been checked & found correct as per prevailing current commercial rate of DLC and in accordance to amendments issued by MoRTH vide letter dated 17.04.2023. Accordingly, the proposal is submitted duly signed and sealed on each pages of Checklist & Drawings with the recommendations of this office to accord "In-Principle" approval to M/s. Indaprashta Gas Limited for the subjected work, subject to fulfillment of the deposition of applicable Fees & Bank Guarantee.

संलग्न: उपरोक्तानुसार (2 फाईल)।

भवदीय

(ए.के. खण्डेलवाल)

महाप्रबंधक (तक.) / परियोजना निदेशक

प्रतिलिपि: अधिकृत प्रतिनिधि, मै. इन्द्रप्रस्थ गैस लिमिटेड, नई दिल्ली; को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

CHECK-LIST

Guidelines for processing the proposal for laying of utility line in the land along National Highways vested with NHAI/PWD/BRO.

Ministry circular No-RW/NH 330044/29/2015/S&R(R) Dated 22/11/2016.

Sr.No.	Item	Information/ Status	Remarks
	General Information		
1	Name and Address of the Applicant / Agency	Indraprastha Gas Ltd. IGL Bhawan, Plot No-4, Community Centre, R.K. Puram, Sector-9, New Delhi-110022	
2	National Highway Number	NH- 08 (New NH – 448 & 58)	
3	State	Rajasthan	
4	Location	Between, Near Haryana Hotel to Near jodhpur Mishthan Bhandar Beawar, on Ajmer- Udaipur Road (Chungi Naka)	
5	(Chainage in km)	Between NH Designed Ch. Km- 0.000	
6	Length in Meters	92.250	
7	Width of available ROW in both side	17 No. of S.V. Stations	
8	Side of NH (left or right side of NH towards increasing chainage /KM direction)	30 Mtrs/ Variable Each Side	
9	Name of Highways Authority of NHAI/PWD/BRO	LHS	
10	Highway Administration Address	Project Director National Highways Authority of India Project Implementation Unit- Ajmer Highway Administration-cum Regional Officer Office of CGM (Tech.) cum Regional Officer National Highway Authority of India F-120, Janpath, Saket Nagar, Shyam Nagar, Jaipur Rajasthan-302019	

Hemant Singh
GA Head- Ajmer
Indraprastha Gas Limited



परियोजना निदेशक / Project Director
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
प.का.ई.-अजमेर / P.I.U.- Ajmer

प्रबंधक (तक.) / Manager (Tech.)
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
प.का.ई.-अजमेर / P.I.U.- Ajmer

Sr.	Item	Measurement observation as per site condition	MORT&H Norms	Whether complying with MORT&H Norms
1	Details of already laid utility service if any	No	Enclosed	Complying
2	Whether up gradation of the stretch in near future is proposed or not	No		N/A
	(a) If yes provision of utility adversely affect the plan of up gradation	No	Not affect the plan of up gradation	N/A
3	Laying of the utility service along the National Highways	Yes		Complying
3.1	Location of proposed utility service along the stretch	N/A (Only establishment of 17 No. of S.V. Stations)	Utility duct / beyond the toe line of the embankment and drains , and close to the extreme edge of the ROW	Complying
3.2	Depth of top of utility service from Ground level	1.5 mtr	0.6m	Complying
3.3	Mechanism for crossing for water channel	Beneath the bed	Through utility duct (if provision exist) or beneath the bed of water channel	N/A
3.4	Whether is ROW restricted in this stretch?	No		N/A
3.4.1	If yes whether provision of land acquisition is required to lay utility	N/A		N/A
	(a) If yes whether undertaking for land acquisition along with relevant L.A detail has been furnished	N/A		N/A
3.4.2	Width of concrete duct , if utility service are proposed to be laid in concrete ducts	N/A	Not less than one meter	N/A
4	Laying of utility Service across the NH	No		Complying
4.1	Whether existing drainage structures is allowed to carry the utility lines.	No	Not to be allowed	N/A
4.2	Proposed crossing of utility service	No	Perpendicular to NH	Complying
4.3	Type of casing pipe/conduit carrying the utility line	Steel as Casing	Steel , cast iron , or RCC and have adequate strength	Complying

Hemant Singh
GA Head - Ajmer
Indraprastha Gas Limited

परियोजना निदेशक / Project Director
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
नगरपालिका, अजमेर / P.I.U. - Ajmer

Hemant Singh
GA Head - Ajmer
Indraprastha Gas Limited

Kishangarh-Ajmer
Beawar Section
L.N. MALVIYA INFRASTRUCTURE PROJECTS PVT. LTD.

प्रबंधक (तक.) / Manager (Tech.)
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
प. कार्यालय - अजमेर / P.I.U. - Ajmer

4.4	Whether ends of the casing /conduit pipe are sealed from the outside	Sealed	Sealed	Complying
4.5	Length of crossing /conduit pipe crossing NH	60 Mtrs	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing /conduit pipe	3.0 Mtrs	At least 1.2m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement	HDD	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	N/A	In accordance with IRC codes.	N/A
5	Document/drawing enclosed with the proposal	Yes Enclosed		Complying
5.1	Cross section showing the size of trench for open trenching method	Yes	Enclosed	Complying
	a. Trench width	Yes	More than 30cm and less than 60 cm wider than the outer diameters of the utility pipe	Complying
	b. Filling of trench	Yes	As per ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R(R) dated 22.11.2016	Complying
	c. Location of trench	Yes	Extreme edge of the ROW	Complying
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes enclosed	Enclosed , if applicable	Complying
5.3	Strip plan / Route plan showing utility line , chainage , width of ROW , distance of proposed utility from the edge of ROW , important mile stone , intersection , cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes enclosed	Enclosed	Complying

Hemant Singh
GA Head- Ajmer
Indraprastha Gas Limited



परियोजना निदेशक / Project Director
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
प.का.ई.-अजमेर / P.I.U.- Ajmer

अधीक्षक (तक.) / Manager (Tech.)
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
प.का.ई.-अजमेर / P.I.U.- Ajmer

6	Methodology for laying of utility line	Yes enclosed	Enclosed	Complying
7	Draft license agreement is as per Ministry circular No- RW/NH/34044/29/2015/S& R(R) Dated 22/11/2016 and signed by two witness	Yes enclosed	Enclosed	Complying
8	License fees in favor of MoRT&H RPAO Jaipur	Shall be furnished as per demand	As per Ministry circular No- RW/NH330044/29/2015/S& R(R) Dated 22/11/2016.	Complying
9	Whether bank guarantee has been obtained	Shall be furnished as per demand	As per Ministry circular No- RW/NH/34044/29/2015/S& R(R) Dated 22/11/2016.	Complying
	a. If yes, whether confirmation of BG has been obtained as per MoRT&H / NHAI guidelines	Shall be obtained		
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MORT&H / NHAI to the concerned agency	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of bank guarantee and when asked by NHAI/MORT&H	Enclosed	Enclosed	Complying
10.3	Undertaking for conforming all standard condition of MORT&H / NHAI guidelines	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MORT&H /NHAI within a month at their own cost	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying

Hemant Singh
GA Head - Ajmer
Indraprastha Gas Limited



परियोजना निदेशक / Project Director
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
प.का.ई.-अजमेर / P.I.U.-Ajmer

प्रबंधक (तक.) / Manager (Tech.)
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
प.का.ई.-अजमेर / P.I.U.-Ajmer

10.7	Undertaking that if any claim is raised by the concessionaire/ contractor than the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of electricity, chief controller of explosive safety of directorate, state / central pollution control board and any other statutory clearances applicable before applying to Highway Administration	Enclosed	Enclosed	Complying

The ROW of the National Highway available at the proposed location from the central line of divided carriage way to ROW extreme edge in rural section is 30.00 m


The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.

Name designations & Signature of the
Authorized representative of applicant


GA P. U. Singh
Indraprastha Gas Limited

परियोजना निदेशक / Project Director
Name designations & Signature of the
concerned field authority of NHAI
प.का.इ.-अजमेर / P.I.U.- Ajmer




प्रबंधक (तक.) / Manager (Tech.)
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
अजमेर / P.I.U.- Ajmer