



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001 Maharashtra. Tel. 0712-2520091, 2980554

e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/UT-339/NH-53/Water/2023-24/3095

Date: 01.03.2024

Invitation of Public Comments

Sub: Four laning of Chikhali to Tarsod section of NH-53 from km 360.000 to km 422.700 in the State of Maharashtra to be executed as Hybrid Annuity Mode (DBFOT Annuity) Pattern under NHDP Phase-IV-Proposal for crossing of Water pipeline of across Nagpur-Surat section of NH-53 at km 371.450 and along the road (200M) at km 371.500 to km 371.300 at Muktainagar in NHAI land Dist. Jalgaon in the State of Maharashtra -Reg.

Ref.:

1. PD, PIU Jalgaon letter no. 277 dated 21.02.2024.
2. Chief Officer, Bodwad Nagarpanchayat, Bodwad letter no. 28 dated 04.01.2024.

It is to inform all concern that Bodwad Nagarpanchayat vide letter under reference (2) has submitted a proposal for the subjected work and PD, PIU Dhule has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator i.e. Regional Office, Nagpur.

2. The alignment proposed by Minor Irrigation Dept. Dhule is across subject work as follows:

- Laying of water pipeline from km 371.500 to 371.300 and crossing at km 371.450.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,

Regional Office - Nagpur

National Highways Authority of India,

"Narang Towers", 3rd Floor,

Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),

Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091 Email : ronagpur@nhai.org

(Signature)
02.03.24

(Naresh Y. Wadetwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi

- for uploading in Ministry's website

[mansoor@nic.in]

मुख्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075

Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075