No. RO/LKO/US/NH-56A,56B/Km.8.750 - 9.100/2019 31 2 2

Government of India Ministry of Road Transport & Highways (Regional Office, Lucknow)

N.H. Bhawan, Biotech Chowk, Lucknow Ring Road, Vikas Nagar, Lucknow - 226 022 Ph.: (0522) - 2967112, 2738226 (Tele-Fax)

Dated: 03.09.2019

Invitation of public comments

Sub.: Proposal for permission of NOC for laying of 125mm dia MDPE pipeline along NH-56A,56B (Shaheed Path Road) from Km.8.750 (Sultanpur Road) to Km.9.100 (Best Price) at bituminous portion by trenchless (HDD) method in the State of Uttar Pradesh - Reg.

M/s Green Gas Limited has submitted the proposal for laying of MDPE pipeline along NH-56A, 56B (Shaheed Path Road) from Km.8.750 (Sultanpur Road) to Km.9.100 (Best Price) at bituminous portion by trenchless (HDD) to the consideration.

- 2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 3. In view of the above, comments of the public on the above application is invited to the below mentioned address:

The Chief Engineer - Regional Officer, Ministry of Road Transport & Highways, N.H. Bhawan, Biotech Chowk, Lucknow Ring Road, Vikas Nagar, Lucknow - 226 022.

Encl: As above.

Yours faithfully,

(Ruchir Agarwal)
Assistant Executive Engineer
For Chief Engineer - Regional Officer

Copy to:

(i) NIC, New Delhi - for uploading on the Ministry's website.

(ii) The Regional Officer, UP - East, National Highways Authority of India, S-2/656, A-3B, Varuna Vihar Colony, 2nd & 3rd Floor, One Place Tower, Sikraul, Varanasi - 221 002.

(iii) The Project Director, NHAI, PIU, 3/248, Vishal Khand, Gomti Nagar, Luckow.

(Ruchir Agarwal)
Assistant Executive Engineer
For Chief Engineer - Regional Officer

CHECK -LIST

Guidelines for Project Directors for processing the proposal for laying of Gas Pipe line in the land along National Highways vested with NHAI.

Relevant circulars of Ministry of Road Transport and Highways

- 1) Circular No. NH-III/P/66/76 dated 18/19.11.1976
- 2) Circular No. RW/NH-III/P/66/76 dated 11.5.1982
- 3) Circular No. RW/NH-11037/1/86-DOI (ii) dated 28.7.1993
- 4) Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995
- 5) Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999
- 6) Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003
- 7) Circular No. RW/NH-33044/29/2015/ S&R (R) dated 22.11.2016

Check list for getting approval for laying of Gas Pipe Line on NH land (To be filled by the PIU)

The permission for laying of Gas Pipe Line shall be considered for approval /rejection based on the Ministry Circulars mentioned as above.

(a) Carrying of swage/gas pipelines on Highway Bridges shall not be permitted as Fumes/gases pipes can accelerate the process of corrosion or may cause explosions, this, being much more injurious than leakage of water.

(b) Services are not being allowed indiscriminately on the parapet/any part of the bridges. Safety of the bridges has to be kept in view while permitting various services along bridge.

S. No.	Item	Information/ Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant/Agency	Green Gas Ltd. Fortuna Tower, 2 nd Floor, 10 Rana Pratap Marg, Lucknow-226001	
1.2	National Highway Number	NH-230 (56A, 56B)	
1.3	State	Uttar Pradesh	
1.4	Location	NH-230 (56A,56B) (along to Lucknow- Shaheed Path from Sultanpur road to best price near Ansal API)	
1.5	(Chainage No)	Ch. No 8+750 to 9+100	
1.6	Length in Meters	350 mters (approx)	
1.7	Width of available ROW	Yes	
	(a) Left side from center line towards increasing chainage / km direction.	Ch. No 8+750 to 9+100	
	(b) Right side from center line towards increasing chainage/ km direction	N/A	*

Sujot (Apta Dy. Managar (Tech.) National Highways Authority of India Project Implementation Unit, Luckhow

जिया जना विदेशक (A

SYED MOHD HASAN Manager (PROJECTS) GREEN GAS LIMITED TO (A JV OF GAIL & IOCL)

National Fighways Authority of India भागिय राज्निय राजनार्ग प्राह्मिकरण Lucknow Project Implementation Unit, Lucknow प्रवृत्त एवं राजनार्ग मंत्रालय, भारत सरकार) 3/248, Vishai Khand, Gomti Nagar, Lucknow 48, विशाल खण्ड, गोमती नगर, लखनक

4.0				
1.8	Proposal to lay underground Pipeline		Yes	
	(a) left side from center line towar	rds		
	increasing chainage/ km direction			
	(b) Right side from center line towar	rds	Not applicable	
	increasing chainage/ km direction			
1.9	Proposal to acquire land			
	(a) Left side from center line		Not applicable	
	(b) Right side from center line		Not applicable	
1.10	Whether proposal is in the same side whe	ere	Yes	
	land is not to be acquired			
	If not then where to lay the cable			
1.11	Details of already laid services, if any, alor	ng	No	
	the Proposed route			
1.12	Number of existing lanes (2/4 / 6/8 lanes)		4 Lane	
1.13	Proposed Number of lanes (2 lane wi		Already four Lane	
	paved shoulders/4/ 6/8 lanes)		Judy Tour Larie	
1.14	Service road existing or not		No	
	If yes then which side			
	(a) Left side from center line			
	(b) Right side from center line			
1.15	Proposed Service road		N / A	
	(a) Left side from center line		N/A	
	(b) Right side form center line			
1.16	Whether proposal to lay Gas Pipe Line	ic	At the edge of the	
	after the service road or between the service	13	At the edge of the service road at	
	road and main carriageway		depth of 3 meter.	
1.17	Whether carrying of sewage / gas pipelin	20 1	No	21/2
	has been proposed on highway Bridges.	10	10	N/A
	If Yes. Then mention the methodolog	σv		
	proposed for the same.	БУ		
1.18	Whether carrying sewage / gas pipeline ha	25 1	No	D1 / A
	been proposed on the parapet/any part of	of I	10	N/A
	the Bridges.	01		
	If Yes, then mention the methodolog	av.		
	proposed for the same.	БУ		
1.19	If crossings of the road involved	-	V/A.	
	If yes, it shall be either encased in pipes of		V/A.	
	through structure or conduits specially bui	il+		
	for that purpose at the expenses of th	10		
	agency owning the line.			
	(a) Whether existing drainage structures ar	ro N	I/A	
	allowed to carry sewage /gas pipeline		7/^	
	(b) is it on a line normal to NH		I/A	
		. '	·/ ^	
	(c) What is the distance of crossing th	ne N	lo structure existing	
	sewage/gas pipelines from the existin		earby.	
	structures.		curby.	
			, Daller	7

पारतीय राष्ट्रतय राजमार्ग प्राधिकरण (सड़क परिवहन एवं राजमार्ग भंत्रालय, भारत सरकार) 3/248, विशाल खण्ड, गोमती नगर, लखनऊ

Dy. Manager (Tech.)
National Highways Authority of India
Project Implementation Unit, Lucknow
3/248, Vishal Khand, Gomti Nagar, Lucknow

Manager (PROJECTS)
GREEN GAS LIMITED
(A JV OF GAIL & IOCL)
Lucknow

	Crossings shall not be too near the exis				
	structures on the National Highway,	the			
	minimum distance being 15 Meter.				
	(d) the casing pipe (or conduit pipe in	the	N/A		
	case of electric cable) carrying the utility	line			
	shall be of steel, cast iron, or reinfo	rced			
	cement concrete and have adequ				
	strength and be large enough to pe				
	ready withdrawal of the carrier pipe/cabl	0			
	Mention type of casing.	е.			
	(e)Ends of the casing/conduit pipe shal	1 1	D1 / D		
	sealed from the outside so that it do	i be	N/A		
	sealed from the outside, so that it does	not			
	act as a drainage path.				
	(f) The casing/conduit pipe should,		N/A		
	minimum extend from drain to drain in	cuts			
	and toe of slope in the fills.				
	(g) The top of the casing/conduit pipe sho	ould	Yes		
	be at least 3 meter below the surface of	the			
	road subject to being at least 0.5 m be				
	the drain inverts.				
	Mention the proposed details.				
	(h) Mention the methodology proposed	for	HDD		
	crossing of road for the proposed Sewa		1100		
	gas pipe line.	80/			
	Crossing shall be by boring method (H	וחח			
	[Trenchless Technology], specially where				
	existing road pavement is of cem				
	concrete or dense bituminous concrete ty				
	(i) The casing/conduit pipe shall be insta	pe.	N1 / A		
			N/A		
	with and even bearing throughout its len				
	and in such a manner as to prevent	the			
2	formation of a waterway along it.	-			
2	Document / Drawings to be enclosed w	vith			
2.4	the proposal				
2.1	Cross section showing the size of trench	for	N/A		
	open trenching method				
	(is it normal size of 1.2m deep X 0.3m wi	de)			
	(i) Should not be greater than 60 Cm wi	der			
	than the outer diameter of the pipe				
	(ii) located as close to the extreme edge	of			
	the right-of-way as possible but not less the	nan			
	15 meter from the centre-lines of	the			
	nearest carriageway				
	(iii) Shall not be permitted to run along	the			
	National Highways when the road format	ion			
	is situated in double cutting. Nor shall the	000			
	be laid over the existing culverts a	626			
	ac idid over the existing curverts a	ind			

परियो जन निवंशक Sijot Gupta भारतीय राष्ट्रीय राजनार्ग प्राधिकरण Dy. Manage: (Tech.) (सड़क परिवहन एवं राजनार्ग अंत्रालय, भारत सरक्ष्मिश्चर Implementation Unit, Lucknow 3/248, विशाल खण्ड, गोमती नगर, लखन्छ/248, Vishal Khand. Gomti Magar Lucknow SYED MOHD HASAN Manager (PROJECTS) GREEN GAS LIMITED (A JV OF GAIL & IOCL) Lucknow

	bridges.		
	(iv) These should be so laid that their top i at least 0.6 meter below the ground level so	S	
	as not to obstruct drainage of the road land.	P	
2.2	Cross section showing the size of pit and	1 1	
	location of pipe for HDD method	Yes	
2.3	Strip plan/ route Plan showing Gas pipe line	, Enclosed	
	Chainage, width of Row, distance or proposed Gas pipe line from the edge or ROW, important mile stone, intersections cross drainage works etc.	f f	Site Survey Drawings an enclosed
2.4	Methodology for laying of Gas pipe line.	Yes	
2.4.1	Open trenching method. (May be allowed in	N/A	
	utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If Yes, what is the Methodology of refilling of trench		
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.		
	(b) For filling of the trench, Bedding shall be	N/A	
	to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be excavated and replaced by selected material.		
	(c) The backfill shall be completed in two stages (i) side-fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.		
	(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed Consolidation by saturation or pounding will not be permitted.	N/A	
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	N/A	
	(f) The excavation shall be protected by	N/A	

परियोजना निर्वेशक
भारतीय राज्यार्थ प्राधिकरण
(सड़क परिवहन एवं राजयार्थ प्राधिक, भारत सरकार)
अtional Highways Authority of India
(मड़क परिवहन एवं राजयार्थ भंत्रालय, भारत सरकार)
Project Implementation Unit, Lucknow
3/248, विशाल खण्ड, गोमती नगर, लखनक २/248 Vishal Khand. Gomti Nagar, Lucknow

SYED MOHD HASAN Menager (PROJECTS) GREEN GAS LIMITED (A JV OF GAIL & IOCL) Lucknow

	flagman, signs and barricades, and red light during night hours.	hts		
	constructed at the expense of agenowning the utility line.		N/A	
2.4.2	Horizontal Directional Drilling (HDD) Metho	od	Yes	
2.4.3	Methodology for laying of Gas Pipe Li Through CD works and method of laying. cases where the carrying of gas pipe line the bridge becomes inescapable.	ine In	N/A	
3	Draft License Agreement signed by tw witnesses		Enclosed	On Rs. 100 Non Judiciary Stamp Paper
4	Performance Bank Guarantee in favor NHAI has to be obtained @ Rs 100/-p running meter as a security from the ensuring/making good the excavated trensfor laying the Gas pipe line/ducts by proper filling and compaction, clearing debris/lowearth produced due to execution trenching at least 50m away from the edge of the right of way. No payment shall payable by the NHAI to the licensee for clearing debris/loose earth. Performance BG as per above is to loobtained.	for second of se	Submitted	Submitted
5	Affidavit / Undertaking from the Applica for the following is to be furnished	nt		
5.1	Not to Damage to other utility, if damage then to pay the losses either to NHAI or the concerned agency.		Enclosed	
5.2	For Renewal of Bank Guarantee.		Yes	
5.3	For Confirming all standard condition Ministry Circulars and NHAI's guideline.		Enclosed	
5.4	For Shifting of Gas pipe line as and whe required by NHAI at their own cost	en	Enclosed	
5.5	For Shifting of Gas pipe line due to 6 lanning / widening of NH	ng	Enclosed	
5.6	For Indemnity against all damages ar claims	nd	Enclosed	
5.7	For Traffic movement during laying of Gapipe line to be managed by the applicant.	as	Enclosed	
5.8	If any claim is raised by the Concessionair then the same has to be paid by the applicant.		Enclosed	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation shifting or repairs, or alterations to the Ga	n,	Enclosed	

परियो जन निर्देशक
भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
Dy. Manager (Tech.)
(सहक परिवहन एवं राजमार्ग मंत्रालय, भारत संस्कृष्ण) on all Highways Authority of India 3/248, दिशाल खण्ड, गोमती नगर, लखन्म्हिं। ect Implementation Unit, Lucknow

GREEN GAS LIMITED (A JV OF GAIL & IOCL) Lucknow

	pipe line/any other utility located in the National highway right-of ways.	9
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, Maintenance of shifting of the Gas pipe line will be borne by the applicant agency owning the line.	I r
5.11	If the NHAI considers it necessary in future to move the utility line for any work or improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days (of the intimation given.	
5.12	Certificate from the applicant in the following format	Enclosed
	(i) Laying of Gas pipe line will not have any deleterious effects on any of the bridge components and roadway safety for traffic.	
	(ii) "We do undertake that I/we will relocate service road/approach road/utilities at my/our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI' for future six-lanning or any other development."	
6	Who will sign the agreement on behalf of Gas pipe line agency.	
	Power of Attorney to sign the agreement is available or not	Available Authorized Person is Mr. Syed Mohd.Hasan Manager (Projects).
7	The Project Director, will submit the following Certificates.	
7.1	Certificate for proposal for confirming of all standard condition issued vide Ministry of Road Transport and Highways Circular No. NH-III/P/66/76 Dated 18/19.11.1976, RW/NH-III/P/66/76 dated 11.5.1982, RW/NH-11.037/1/86-DOI (ii) dated 28.7.1993, RW/NH-11.037/1/86/DOI dated 19.1.1995, RW/NH-34066/2/95/ S&R dated 25.10.1999 and Circular NO. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003. (iii)	
		100

Manager (PROJECTS) GREEN GAS LIMITED (A JV OF GAIL & IOCL) Lucknow

परियोजन निवेशक

मारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India
(सड़क परिवहन एवं राजमार्ग मंत्रालय, मारत सरकार/oject Implementation Unit, Lucknow
3/248, विशाल खण्ड, गोमती नगर, लखनऊ3/248, Vishal Khand, Gomti Nagar, Lucknow

	5.11 5.11 1 5.55 1 5.55		
	F.No RW/nh-33044/29/2015/S&R (R) dated 22.11.2016.		
7.2	Certificate from PD in the following format (i) "It is certified that any other location of the Gas pipe line would be extremely difficult and unreasonable costly and the installation of Gas pipe line within ROW will not adversely affect the design, stability & traffic safety of the high way nor the likely future improvement such as widening of the carriageway, easing of curve etc". (ii) For 6 lanning (a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-lanning based on the feasibility report considering proposed structures at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-lanning".		
8	If NH section proposed to be taken up by NHAI on BOT basis — a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay Gas Pipeline/duct has also been granted as a right of way to the concessionaire under the concessionagreement for up-gradation of [and therefore, the licensee shall honor the same."		
9	Who will supervise the work of laying of Gas pipe line		Green Gas Ltd.
	(a) On behalf of the Applicant	Mr. Syed Mohd.Hasan Manager (Projects).	Representative of Green Gas Limited
	(b) On behalf of NHAI		
10	Who will ensure that the defects in road portion after laying of Gas pipe line are corrected and if not corrected then what action will be taken.		
	(a) On behalf of the Applicant	Mr. Syed Mohd.Hasan Manager (Projects).	N'
		280	Sa.

विशासिका विशासिक विशा

Dy. Manager (Tech.)
National Highways Authority of India
Project Implementation Unit, Lucknow
3/248 Vishal Khand Gomti Nagar Lucknow

SYED MOHD HASAN Manager (PROJECTS) GREEN GAS LIMITED (A JV OF GAIL & IOCL) Lucknow

	(b) On behalf of NHAI	
11	Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire	
	On behalf of the Applicant	Green Gas Ltd.
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed Performa (copy enclosed).	
13	If any previous approval is accorded for laying of underground Gas Pipe line then Photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed.	

Manager (PROJECTS)
GREEN GAS LIMITED
(A JV OF GALL & IOCL) Lucknow

Dy. Manager (Tech.)
National Highways Authority of India
Project Implementation Unit, Lucknow
3/248, Vishal Khand, Gomti Nagar, Lucknow

Project Director

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सहक परिवहन एवं राजमार्ग गंत्रालय, भारत सरकार) 3/248, विशास खण्ड, गोमती नगर, सखनक