



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर" तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)

कार्यालय के सामने, पाम रोड, सिविल लाईन्स, नागपुर - 440 001 टेलि.: 0712-2520091/2980554

ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Tower" 3rd floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur - 440 001. Tel. : 0712-2520091/2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/Ut.83/NH-47/OFC/2021-22/ 2284

Date: 09.10.2021

Invitation of Public Comments

Sub: Independent Engineer Services for four laning of Nagpur - Saoner - Betul section of NH-69 (New NH-47) from kms. 3.000 to km kms 59.300 in the State of Maharashtra and from kms 137.000 to kms 257.400 in the State of Madhya Pradesh on DBFOT (Annuity) Basis -Permission for laying of OFC-Reg.

Ref.: (i) PD, PIU-2, Nagpur 757 dated 24.09.2021
(ii) M/s BSNL, letter dated 27.04.2021

It is to inform all concern that M/s BSNL vide letter under reference (ii) has submitted a proposal for the subjected work and PD, PIU-2, Nagpur has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by M/s BSNL, is along Nagpur-Saoner-Betul Section of NH-47 in the State of Madhya Pradesh. The following work is involved:

- Laying of underground Optical Fiber Cable from km. 70.770 to km. 71.200 and km 68.260 to km 68.470.
- Alignment of the cable is along Nagpur-Saoner-Betul Section of NH-47
- Cable to be laid in Duct 1.20m below ground level in utility corridor.
- Cable to be crossed by HDD method

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address upto 09.01.2021, beyond due date, no comments/ objections will be accepted.

मुख्यालय : जी-5 एवं 6, सेक्टर - 10, द्वारका, नई दिल्ली - 110 075
Head office : G-5 & 6, Sector - 10, Dwarka, New Delhi - 110 075

The Regional Officer,

Regional Office - Nagpur

National Highways Authority of India,

"Narang Towers", 3rd Floor,

Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),

Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091

Email : ronagpur@nhai.org

N. Wadetwar
09.10.21

(Naresh Y. Wadetwar)

General Manager (Tech.)

NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi

[mansoor@nic.in]

- for uploading in Ministry's website