



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

## National Highways Authority of India

(Ministry of Road Transport & Highways)

### क्षेत्रीय कार्यालय - हैदराबाद

प्रथम तल, नया भवन, भारतीय प्रशासनिक स्टाफ कॉलेज, पार्क काँपस, रोड नंबर-3, बंजारा हिल्स, हैदराबाद-500 034. तेलंगाना

Regional Office - Hyderabad,

NHAI/RO-HYD/25011/3/2/2019/Access Permission/ 2627 Dt.01/01/2020



भारतमाला  
BHARATMALA  
ROAD TO PROSPERITY

### Notice Inviting Public Comments on OFC Line along NH road from Km.447/600 to Km.474/000 and road crossing at Km.447/600, Km.455/200, Km.455/800, Km.458/600, Km.460/200, Km.463/515, Km.463/550 and Km.469/900 of NH-44

Sub: NHAI - RO Hyderabad - PIU Nirmal- Proposal for Permission for laying of OFC on NH-44 by M/s.Dinesh Engineers Limited along NH road from Km.447/600 to Km.474/000 and road crossing at Km.447/600, Km.455/200, Km.455/800, Km.458/600, Km.460/200, Km.463/515, Km.463/550 and Km.469/900 in the State of Telangana -Reg.,

Ref: 1. PIU Nirmal letter no.NHAI/PIU-NRML/ OFC-Utility/DEL/2019/1078, dated 20/11/2019.

The Project Director, PIU, NHAI, Nirmal vide letter cited under reference 1<sup>st</sup> has submitted a Proposal for permission laying of OFC on NH-44 by M/s.Dinesh Engineers Limited along NH road from Km.447/600 to Km.474/000 and road crossing at Km.447/600, Km.455/200, Km.455/800, Km.458/600, Km.460/200, Km.463/515, Km.463/550 and Km.469/900 in the State of Telangana.

2. The proposal has been examined as per Ministry's Guidelines vide letter no.RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 and is generally found in order

3. In view of above, as per above Ministry's guidelines Para 4, public comments are hereby invited on the above proposal seeking claims and objections (on grounds of public inconvenience, safety and general public interest) within 30 days on public portal i.e. website of Ministry of Road Transport and Highways (www.morth.nic.in) in Form-A (copy enclosed) for "Accommodation of Public and Industrial Utility Services along and across National Highways".

### Comment Inviting Authority

The Regional Officer,  
National Highways Authority of India,  
Regional Office: Hyderabad,  
First Floor, New Building,  
Administrative Staff College of India(ASCI),  
College Park Campus, Road No.3,  
Banjara Hills, Hyderabad - 500 034,  
Telangana State,  
Phone: 040-29562147, 040-29562148,  
Email: rohyderabad@nhai.org, nhairohyd@gmail.com

Encls: Above Proposal

Yours faithfully,

  
(Keerthi Bharadwaj) 11/1/2020

Deputy Manager (Technical)  
For Regional Officer, Hyderabad

Copy to:-

1. Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001 for uploading on Ministry's website.
2. The Project Director, NHAI, PIU Nirmal: for information

## FORM-A

Form for seeking claims and objections (on grounds of public inconvenience, safety and general public interest) on the application for Accommodation of Public and Industrial Utility Services along and across National Highways

**Sub:** NHAI - RO Hyderabad - PIU Nirmal- Proposal for Permission for laying of OFC on NH-44 by M/s.Dinesh Engineers Limited along NH road from Km.447/600 to Km.474/000 and road crossing at Km.447/600, Km.455/200, Km.455/800, Km.458/600, Km.460/200, Km.463/515, Km.463/550 and Km.469/900 in the State of Telangana - Reg.

The claims and objections (on grounds of public inconvenience, safety and general public interest) by the general public needs to be given within 30 days of uploading the online application for comments

Sl. No	Item	Details
1	Name of the person who is desiring to give claims and objections (on grounds of public inconvenience, safety and general public interest)	
2	Address of the person	
3	Details of the application for Accommodation of Public and Industrial Utility Services along and across National Highways against which claims and objections are being given (name of applicant and other details like site address etc.)	
	a) Application No.	
	b) Name of applicant (who applied to Accommodation of Public and Industrial Utility Services along and across National Highways)	
	c) Details of Application	
4	The claims and objections (on grounds of public inconvenience, safety and general public interest)	



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

### Project Implementation Unit

H.No. 1-2-21/K16/1B, L.K. Towers, Second Floor,  
Shivaji Chowk, NIRMAL District - 504 106,  
Telangana.

Phone & Fax: 08734 241365

08734 242370

e-mail: [piunirmal@nhai.org](mailto:piunirmal@nhai.org)

[piunirmal@gmail.com](mailto:piunirmal@gmail.com)

BHARATMALA

ROAD TO PROSPERITY



*Handwritten notes:*  
Please excuse & put up  
Dt: 20.11.2019

NHAI/PIU-NRML/OFC-Utility/DEL/2019/ 1078

To  
The Regional Officer  
National Highways Authority of India  
Regional Office  
Hyderabad

Sub: NHAI, PIU, NIRMAL – Permission for laying of OFC on NH-44 from Km. 447/600 to Km. 474/000 along the NHAI road and Km. 447/600, Km. 455/200, Km. 455/800, Km. 458/600, Km.460/2, Km.463/515, Km. 463/550 and Km. 469/900 – Approval requested - Reg.

Ref: 1. M/s. Dinesh Engineers Ltd. Lr. No. DEL/IP-1/2019-TS/RoW/Ramayampet-Hyderabad (Hakimpet)/224, dtd. 01.05.2019  
2. M/s. K&J PPL Lr.No KNJ/NHAI/SO/2019/0-271, dtd. 06.07.2019  
3. T.O. Lr. No. NHAI/PIU-NRML/OFC-Utility/2019/658, dtd. 01.08.2019  
4. M/s. Dinesh Engineers Ltd. Lr. No. DEL/IP-1/2019-TS/RoW/Ramayampet-Hyderabad (Hakimpet)/263, dtd. 12.09.2019  
5. T.O. Lr. No. NHAI/PIU-NRML/Utility/Dionesh Engrs./2019/885, dtd. 24.09.2019  
6. T.O. Lr. No. NHAI/PIU-NRML/Utility/Dionesh Engrs./2019/886, dtd. 24.09.2019  
7. Canara Bank Lr. No. nil, dtd. 26.09.2019  
8. Kotak Bank Lr. No. Nil, dd. 26.09.2019

Sir,

With reference to the subject cited above, it is submitted that M/s. Dinesh Engineers Ltd, Hyderabad has submitted the proposal for laying of Optical Fiber Cable in the stretch from Permission for laying of OFC on NH-44 from Km. 447/600 to Km. 474/000 along the NHAI road and Km. 447/600, Km. 455/200, Km. 455/800, Km. 458/600, Km.460/2, Km.463/515, Km. 463/550 and Km. 469/900, in the state of Telangana and sought approval in the reference 1st cited.

Accordingly, this office has referred the proposal to the Independent Consultant. The Independent Consultant vide reference 2<sup>nd</sup> cited has recommended the proposal duly informing the following:

- The agency has proposed laying of OFC from Km. 447/600 (toopran) to Km. 474/000 (Gundlapochampalli) for a length of 26.400 Km on RHS
- The existing RoW from Km. 447/600 (toopran) to 459/300 (Kallakal) is 60m
- The existing RoW from Km. 459/300 (Kallakal) to 470/000 (Medchal) is 30m
- The existing RoW from Km.470/000 (Medchal) to Km. 474/000 (Gundlapochampalli) is 75m
- The agency has proposed crossings at Km. 447/600, Km. 455/200, Km. 455/800, Km. 458/600 is from LHS to RHS of length 60m, Km.460/2, Km.463/515, Km. 463/550 and Km. 469/900 is 30m
- The agency has proposed to lay the cable within 2m of RoW and at the extreme edge of RoW.

(Contd.....2)

*Handwritten signature*

#2#

- As per Clause 5.1 & 5.2 of MoRTH circular no.RW/NH-33044/29/2015/S&R(R), dtd.22.11.2016, the amount for license fee, lease rental determination for utility services such as towers / repeater's / junction boxes etc. communicated.
- The IE has recommended the proposal as per the undertakings furnished by the agency as per MoRTH guidelines.

Accordingly, the proposal has been verified in accordance with MoRT&H Circulars, dtd. 07.08.2013 & 22.11.2016 and the agency M/s. Dinesh Engineers Ltd, Hyderabad has furnished the following:

- Checklist
- License Deed
- Undertakings for Relocation of cables as and when required
- Methodology of laying OFC
- Power of Attorney
- Route plans
- Bank Guarantees for Rs.26,76,000/- valid up to 27.08.2020


M/s. Dinesh Engineers Ltd, Hyderabad has furnished BG for Rs.26,76,000/- valid up to 27.08.2020 as per the MoRT&H Circulars, dtd. 22.11.2016 informed by the IE, and informed that they will pay necessary licence fee payable for the use of National Highway land, at the time of final Agreement, as per Standards & Guidelines of MoRT&H.

The proposal submitted by M/s. Dinesh Engineers Ltd, Hyderabad, is in order and in accordance with MoRT&H circular dtd 07.08.2013 & 22.11.2016. The certificate in respect of conformity of the proposal is enclosed.

Keeping in view of the above, it is hereby recommended and requested to accord approval of the competent authority for proposal submitted by M/s. Dinesh Engineers Ltd, Hyderabad for laying of Optical Fiber Cable from for laying of OFC on NH-44 from Km. 447/600 to Km. 474/000 along the NHAI road and Km. 447/600, Km. 455/200, Km. 455/800, Km. 458/600, Km.460/2, Km.463/515, Km. 463/550 and Km. 469/900, on Nagpur- Hyderabad section of NH 44 in the state of Telangana, at the earliest please.

Encl: As above (1 set of proposal)

Yours faithfully


  
(A.Tarun Kumar)  
Project Director  
NHAI, PIU, NIRMAL

**INSPECTION REPORT**  
**LAYING OPTICAL FIBER CABLE PROPOSED BY**  
**M/s. DINESH ENGINEES LTD, HYDERABAD ON NH-44 for laying of OFC on NH-44 from Km.**  
**447/600 to Km. 474/000 along the NHAI road and Km. 447/600, Km. 455/200, Km. 455/800, Km.**  
**458/600, Km.460/200, Km.463/515, Km. 463/550 and Km. 469/900 ON NAGPUR –**  
**HYDERABAD SECTION OF NH-44**

The proposed site for laying of OFC in the stretch from Km. 447/600 to Km. 474/000 is inspected.

1. The above stretch comes under AP-2 package.
2. The agency has proposed laying of OFC from Km. 447/600 (toopran) to Km. 474/000 (Gundlapochampalli) for a length of 26.400 Km on RHS
3. The existing RoW from Km. 447/600 (toopran) to 459/300 (Kallakal) is 60m
4. The existing RoW from Km. 459/300 (Kallakal) to 470/000 (Medchal) is 30m
5. The existing RoW from Km.470/000 (Medchal) to Km. 474/000 (Gundlapochampalli) is 75m The agency has proposed crossings at Km. 447/600, Km. 455/200, Km. 455/800, Km. 458/600 is from LHS to RHS of length 60m, Km.460/2, Km.463/515, Km. 463/550 and Km. 469/900 is 30m
6. The agency has proposed to lay the cable within 2m of RoW and at the extreme edge of RoW
7. BSNL and other agency OFC cables are laid in the stretch in the utility corridor of the highway.
8. While crossing the structures, the cable is proposed to be laid through the ground not affecting the structure and the same is acceptable.

The proposal submitted is examined and recommended for granting the permission.


  
(A.Tarun Kumar)  
Project Director  
NHAI, PIU, NIRMAL



**CERTIFICATE IN RESPECT OF LAYING OPTICAL FIBER CABLE PROPOSED BY  
M/s. DINESH ENGINEES LTD, HYDERABAD ON NH-44 for laying of OFC on NH-44 from Km.  
447/600 to Km. 474/000 along the NHAI road and Km. 447/600, Km. 455/200, Km. 455/800, Km.  
458/600, Km.460/2, Km.463/515, Km. 463/550 and Km. 469/900 ON NAGPUR – HYDERABAD  
SECTION OF NH-44**

It is hereby certified as under

- (i) Confirming of all the standard conditions issued vide Ministry Circular No. RW/NH-33044/17/2000-S7R dated 29.9.2000, NHAI's guidelines issued vide No. NHAI/OFC/2K/Vol II dated 7.11.2000, Ministry's circular No. RW/NH-33044/27/2000-S&R (R) dated 21.3.2006 and Ministry's circular No. RW/NH-33044/27/2005/S&R (R) (Pt.) dated 07.08.2013 & Ministry's circular No. RW/NH-33044/29/2015/S&R(R), dtd.22.11.2016 are incorporated in the proposal and the same is herewith confirmed.
- (ii) For 6-laning –  
I do certify that sufficient ROW is available at site for accommodating proposed six-laning.
- (iii) I do hereby certify that the proposed permission will be entered in the register of records of the permission in the prescribed proforma.



(A.Tarun Kumar)  
Project Director  
NHAI, PIU, NIRMAL