



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in



NHAI/RO/NAG/Ut.90/NH-47/MSEDCL/2021-22/ 2849

Date: 29.11.2021

Invitation of Public Comments

Sub: Four laning of Nagpur -Saoner-Betul section of NH-69 from km 3.000 to kms 59.300 in the State of Maharashtra and from kms. 137.000 to kms 257.400 in the State of Madhya Pradesh on DBFOT (Annuity) basis- **Permission for crossing of underground HT electric line by HDD Method -Reg.**

Ref.:

1. PD, PIU-2, Nagpur letter no. 962 dated 12.11.2021
2. M/s MSEDCL, letter no. 3308 dated 13.10.2021

It is to inform all concern that M/s MSEDCL vide letter under reference (ii) has submitted a proposal for the subjected work and PD, PIU-2, Nagpur has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by M/s MSEDCL, is along Nagpur-Saoner-Betul Section of NH-69 in the State of Maharashtra. The following work is involved:


- Crossing underground HT electrical line by HDD Method at km 45+200 (Left to Right side) (MH Section) at Pipla (Bhadi) for length of 100m on NH-69.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

[Signature]
29/11

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091
Email : ronagpur@nhai.org


(N. L. Yeotkar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website
[mansoor@nic.in]