

टेलीफ़ोन - 0172-2743228, 2740376 ई-मेल: rochandigarh2010@gmail.com

## भारत सरकार / Govt. of India

सड़क परिवहन एवं राजमार्ग मंत्रालय/ Ministry of Road Transport & Highways क्षेत्रीय कार्यालय, केन्द्रीय सदन, छठा तल, सेक्टर-९ ए, चंडीगढ़-१६०००९ Regional Office, Kendriya Sadan, 6th Floor, Sector-9 A, Chandigarh-160009

No. RW/CH/PB/NH-03/Km.39.297 to 39.447(LHS)/NOC/2378/2025 260-61. Dated: 6.05.2025

To,

Senior Technical Director, NIC, Transport Bhawan, New Delhi - 110001.

Sub: NOC permission for laying of proposed Sewerage Pipe Line from Km.39.297 to 39.447 (LHS), Total Length = 200.00m from JS Motors to Sooch Hospital), Along NH-03, at Hoshiarpur, On Jalandhar - Hoshiarpur - Mubarakpur road, Tehsil & Distt. Hoshiarpur in the state of Punjab - M/s Punjab Water Supply & Sewerage Division Hoshiarpur.

Ref: Punjab State PWD memo No. no. 839 dated 22/01/2025.

Sir,

Kindly refer to the letter cited under reference above received from EE(NH), PWD (B&R) Br., Hoshiarpur, Punjab, forwarding therewith the subject proposal for consideration of this office.

2. As per Para 4 of this Ministry's guidelines dated 22.11.2016, the application so received will have to be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest). In view of the same, please find enclosed herewith the details of proposal mentioned above. The competent Authority has decided to upload the instant proposal on the Ministry's website to invite public comments, if any, on the proposal within 30 days.

Executive Engineer For H.A. MoRT&H, Chandigarh

Encl.: As above

Copy to: Executive Engineer, NHD, PWD (B&R) Br., Hoshiarpur - for kind information please.

## **CHECK- LIST**

Guidelines for processing the proposal for laying of Utility line in the land along/across Guidellines of Utility line in the land along/across NationalHighways vested with NHAI/PWD/BRO. As per Ministry guidelines vide letter No. National July 19 National Nati

## **General Information**

1. Name and Address of the Applicant/Agency

Sh. Amandeep Singh, Executive Engineer

Punjab Water Supply & Sewerage

Division Hoshiarpur.

2. National Highway Number

NH-03

3. State

Punjab

4. Location

Hoshiarpur,

Distt. Hoshiarpur

5. Chainage in KM

From CH 39+247 to 39+447(LHS)

6. Length in Meters

200.00m (LHS)

7. Width of available ROW in both side

37.50m

8. Side of NH (left or right side of NH And increasing chainage/Km direction) LHS

9. Name of Highway Authority of NHAI/PWD/BRO

Executive Engineer, PWD Hoshiarpur

10. Highway Administration address

Regional Office, MoRT&H Chandigarh,

6th Floor, Kendriya Sadan, Chandigarh.

zhishan p

Executive Engineer Pb. W/S & Sew Diya.,

HOSHIARPUR

<b>Item</b>	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH
Details of already laid utility Details of already laid utility	No such existing utility available		Norms (Y/N) Yes
Mether up gradation of the Stretch in near future is proposed or not	No		Yes
a) If yes, provision of utility adversely affects the		Not affect plan of up- gradation	
Laying of the utility service along the National Highways.			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Location of proposed utility service along the stretch	From CH 39+247 to 39+447 (LHS)	Utility Duct/ beyond the toe line of the embankment and	On extreme edge of row
tops:		drains, and close to the extreme edge of the ROW.	
Depth of top of utility service from ground level	1.20m	0.6 meter	Yes
Mechanism for crossing water channel	Beneath the bed of water channel	Through utility duct(if provision exists) or beneath the bed of water channel	Yes
Whether ROW is restricted in this stretch?	No		Yes
If yes, whether provision of land acquisition is required to lay utility	Not Applicable		Not Applicable
(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	Not Applicable		Not Applicable
Width of concrete duct, if utility services are proposed to be laid in concrete ducts	Not Applicable	Not less than one lane	Not Applicable
Laying of utility service across the NH			

M

Executive Engineer
Pb. W/S & Sew Divn.,
HOSHIARPUR

Morshow

Whether Existing drainage	Not April		
thirps is anowed to carry	Not Applicable	Not to be allowed	
the utility lines		riot to be allowed	Not
the utility			Applicable
a alai	of the second		
the state of the s	OF T	pt .	divi
the substitute of	,		
lunging of utility			.4
Proposed crossing of utility	Not applicable	Daw	
service		Perpendicular to NH	Not
Type of casing pipe/conduit	Not applicable		applicable
carrying the utility line.	Pricable	Steel, cast iron, or	Yes
and the second	,	reinforced cement	
7.27		concrete and have	
Whether ends of the	Motorall	adequate strength	
casing/conduit pipe are sealed	Not applicable	Sealed	Not
from the outside		•	applicable
		w.	17
Length of casing/conduit pipe	Not applicable	Extend from drain to	Not
crossing NH.		drain in cuts and toe to	applicable
		toe of slope in the fills	
Depth of top of the	Not applicable	At least 1.2 m below the	Not
casing/conduit pipe.		top of subgrade	applicable
Crossing method in case of CC	Not applicable	Only boring	Not
pavement	••	method(HDD)	applicable
Horizontal and vertical	N/A (Underground	In accordance with IRC	Not
clearance in case utilities are	Only)	codes.	Applicable
allowed overhead,			- I PP II Sub II
Document/ Drawings	Yes Enclosed		
enclosed with the proposal	774.09	/	= ,-
Cross-Section showing the size	Not applicable	Enclosed, if applicable	Not
of trench for open trenching			applicable
method		. 4	-17
(a)Trench width	Not applicable	More than 30 cm and less	Not
Maria Marian in fig.		than 60 Cm wider than	applicable
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	the outer diameter of the	
25-24 12-25 12-3		utility pipe	38.5
(b) Filling of trench	Not applicable	As per Ministry guidelines	Not
(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)		vide letter No. RW/NH-	applicable
	And the state of	34044/29/2015/S&R (R)	7
7.10 m		dated 22.11.2016	- 1
(c)Location of trench	Not applicable.	Extreme edge of the ROW	Not
	1		applicable
		4	1
		¥	132
S2 Cross co.	The state of the s	Enclosed, if applicable	Yes
Cross section showing the size of pit and location	Enclosed	Inclosed it applicable	ý.
HDD most rocation of conduit 10			
Strip plan ( p	Enclosed	Enclosed	Yes
Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of provided the control of the co	Eliciosea		
ROW, distance of proposed			at i
- rec of proposed	Λ	1	

Shister

M

Executive Engineer
Pb. W/S & Sew Divn.

utility from the edge of ROW,			
inportant milestone,			
mportant milestoffe, intersections, cross drainage	*		
intersections			
works etc.		C. 1870, 1987 (1)	
plan and profile drawing of	Enclosed		-u fo
plan and prome drawing or plan and prome drawing or stretch showing cross section of stretch showing cross section of		Enclosed	Yes
		r o	
Methodology of laying of utility	Open Trench Method		
line	open French Method	Enclosed	Yes
	F. 1		
Draft License Agreement is as	Enclosed	Enclosed	Yes
per Ministry guidelines vide			
interno. RW/NH-			
24044/29/2015/S&R (R)	A.		
dated 22.11.2016 and signed by			
two witness	1		
License fees in Favor of	Will be submitted	As per Ministry vide	Yes
MoRT&H RPAO		circular no. RE/ NH-	. 30
Morrail		33044/29/2015/S&(R)da	
		ted 22.11.2016	
Whether Bank Guarantee has	Will be obtained at	As per Ministry vide	Yes
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	the time of	circular no. RE/NH-	103
been obtained		33044/29/2015/S&(R)da	
420017-1021	permission.	ted 22.11.2016	
( ) ( ) ( ) ( )		teu 22.11.2010	
(a)if yes, whether Confirmation			
of BG has been obtained as per		,	
MoRTH/NHAI guidelines			
Affidavit / Undertaking from		"	
the Application for	Fuelegad	Enclosed	Yes
onder taking for flot to dainage	Enclosed	Enclosed	144
other existing utility, if damaged	17	W. 18 (18)	
then to pay the losses to either		· ·	
to MoRTH/NHAI or to the	194-		
concerned agency.	Enclosed	Enclosed	Yes
Undertaking for renewal of	Enclosed		
Bank Guarantees and when	t		\$\frac{1}{2}
asked by NHAI/MoRTH	Enclosed	Enclosed	Yes
ondertaking for confirming all	Enclosed		
alluard condition of	S 1		4
MoRTH/NHAI guidelines.	Enclosed	Enclosed	Yes
	Eliciosea	,	
MoRTH/NUAL asked by	4.		
their own as within a month a	at	vi d	Vac
Undertaking form	Enclosed	Enclosed	Yes
against all damages and claims			Yes
Undertaking and claims	. Enclosed	Enclosed	103
traffic movement during laying	7		
of utility line without			J. F. William
hampering the traffic.	6 8 12 10	1	e e e e e e e e e e e e e e e e e e e

Executive Engineer
Pb. W/S & Sew Divn.,
HOSHIARPUR

ic va alaim ia			
idertaking that if any claim is	Enclosed	England	
dertaking concessionaire		Enclosed	Yes
	4		
	TAME B	4.00	
handle - Aleannil Cont	Not Applicable for	Alleryta	
be paid by the applicant	CGD Projects	Enclosed	Yes
aniai.	Trojects		
haralles such	, x,		
an recently	ec -		
sdirectorate of electricity, sdirectorate of explosives, Chie controller of explosive safety		. * <u> </u>	
The controller of explosives,	5" 7 2 1 - 1 - 1		
Chief controller of explosive safety			
petoleum and Capitolite  petroleum and Capit		1.0	
	200		
In the Control Dual a alla ally		,	
descriptory clearance 3	* * 10		
tenlicable, before applying to	- ,		
Highway Administration			

he Right of the Way (ROW) of the National Highway available at the proposed location from the muter Line of divided carriageway is 19.25m (LHS).

he above particulars along with the drawings and documents have been verified and certified as mrect as per prevailing site conditions.

Amandeep Singh, Executive Engineer Funjab Water Supply & Sewerage Division Hoshiarpur Executive Engineer, PWD Hoshiarpur

Executive Engineer
Pb. W/S & Sew Divney

