



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर)  
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554  
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



## National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3<sup>rd</sup> Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554  
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/UT-212/NH-161/2023-24/ 1014

Date: 19.07.2023

### Invitation of Public Comments

**Sub:** -Laning of Medshi to Washim (Package II) from Km 47.700 to Km 92.200 (Design Chainage) Section of NH-161 including Bypasses at Malegaon and Washimin the State of Maharashtra on EPC mode- **Proposal for overhead crossing of 132KV Malegaon-Jaulka TSS SCDC EHV Line @ 64+770 of NH-161-Reg.**

**Ref.:**

1. PD, PIU Washim letter no. 958 dated 05.07.2023
2. EE, EHV, MSEDCL, Div. Akola 250 dated 21.03.2022

It is to inform all concern that M/s MSEDCL, Div. Akola vide letter under reference (ii) has submitted a proposal for the subjected work and PD, has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that MSEDCL, Div. Akola along on Medshi to Washim (Package II) Section of NH-161 in the State of Maharashtra is as follows:

- Overhead crossing oof 132 KV EHV line at km 64.770
3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

**The Regional Officer,**

Regional Office - Nagpur,

National Highways Authority of India,

"Narang Towers", 3<sup>rd</sup> Floor, Opp.to Office of Dy. Commissioner of Police Traffic

(Nagpur City), Palm Road, Civil Lines, Nagpur-440 001, Maharashtra

Tel : 0712-2520091 Email : [ronagpur@nhai.org](mailto:ronagpur@nhai.org)

*(Naresh Y. Wadetwar)*  
20.07.23

(Naresh Y. Wadetwar)  
General Manager (Tech.)  
NHAI, RO, Nagpur

**Copy to:** (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website  
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website  
[mansoor@nic.in]

मुख्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075

Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075