



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in

NHAI/18013/1/2024-ROJ/Lay Water Pipeline & Crossing/PHED/344/NH-911A, Km. 000+000 to 09+035/413 Dt. 29.05.2024



### INVITATION OF PUBLIC COMMENTS

**Sub:** Upgradation to 2-lane with paved shoulder/4-lane of Khajuwala-Poogal section of NH-911A (design chainage 0+000 to 30+812) and Poogal - Dantour-Jaggasar-Gokul-Godu-Ranjeetpura-Charanwala - Naukh- Bap section of NH-911 (design chainage 1+430 to 182+725) Total length 212.107 km under BharatmalaPariyojna in the State of Rajasthan on Hybrid Annuity mode (Pkg. BM/10) : **Prpposal for Grant of permission to Laying & Joining Water Pipe Line along NH from Ch. 000+000 to Ch. 09+035 and 1 No. crossing at Ch. 09+035 in length 9035 Mtr (RHS) in 25 Mtr. ROW both side on NH-911A in the section Poogal-Khajuwala, Tehsil Khajuwala in the State of Rajasthan [Application No. 20221216/1/7/16821/1830] : In-principal approval-reg.**

**Ref:** 1. EE, PHED Project Div. Bikaner letter no. 1728 dated 11.11.2022,  
EE/BKN/Khajuwala/2023-24/SP-1/Comp/Khajuwala dated 04.02.2023 &  
EE PHED Project Div Bikaner letter no. EE/BKN/Khajuwala/2023-24/1300-1302  
dated 08.12.2023  
2. PD, PIU Bikaner letter No. 13181/1/2020/NOC-OFC &TL (BM-10)/P40/2024-25/248  
dated 02.05.2024

Sir,

It is to inform all concern the Eexecutive Engineer, PHED, Project Div. Bikaner (Raj.) vide cited under ref. (1) above has submitted the proposal for the subjected work and PD, NHAI, PIU, Bikaner has submitted the above proposal vide letter under ref. (2) for approval of the Competent Authority, Highway Administration.

1. The proposal for grant of permission for Laying & Joining Water Pipe Line along NH from Ch. 000+000 to Ch. 09+035 and 1 No. crossing at Ch. 09+035 in length 9035 Mtr (RHS), in 25 Mtr. ROW both side on NH-911A in the section Poogal-Khajuwala, Tehsil Khajuwala in the State of Rajasthan by EE, PHED Project Div. Bikaner.
2. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of Public inconvenience, Safety and General Public Interest).

In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's Circular dated 22.11.2016 due to Grant of permission to Laying & Joining Water Pipe Line along NH from Ch. 000+000 to Ch. 09+035 and 1 No. crossing at Ch. 09+035 in length 9035 Mtr (RHS) in 25 Mtr. ROW both side on NH-911A in the section Poogal-Khajuwala, Tehsil Khajuwala in the State of Rajasthan to the subjected project stretch. The objections/comments may be addressed to the below mentioned address upto 28.06.2024, beyond due date, no comments/objections will be accepted.

**The Regional Officer, Regional Office - Jaipur**

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

**This issue with the approval of Highway Administration-cum RO, NHAI, Jaipur.**

Yours faithfully,

(Mangal Khoda)  
Manager (Tech.)

- Copy to:** (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]  
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [rahu.sh@nic.in]  
(iii) PD, PIU-Bikaner for information with request to ensure deposition of Requisite License Fee and BG amount as per applicable Guidelines of MoRTH.  
(iv) EE, PHED, Project Div. Bikaner (Raj.) for information.



सत्यमेव जयते

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, बीकानेर, सी-38, सादुलगंज,

बीकानेर (राजस्थान)- 334002

Project Implementation Unit- Bikaner, C-38, Sadulganj,

Bikaner (Rajasthan) - 334002, फ़ोन / Tel.: 0151-2224477

ई-मेल : bikaner@nhai.org, nhaibikaner@gmail.com



“सड़कें ही नहीं, राष्ट्र का निर्माण भी”

No.13181/1/2020/NOC-OFC&TL(BM-10)/P40/2024-25/248

Date: 02.05.2024

Regional Officer  
National Highways Authority of India  
Regional Office, Jaipur  
F-120, Janpath, Shyam Nagar  
Jaipur (Raj.) - 302019.



MIDMK  
PA  
H  
7/5

**Name of Project:** Upgradation to 2 lane with paved shoulder / 4 lane of Khajuwala-Poogal section of NH-911A (design chainage 0+000 to 30+812) and Poogal - Dantour-Jaggasar-Gokul-Godu-Ranjeetpura-Charanwala - Naukh- Bap section of NH-911 (design chainage 1+430 to 182+725) Total length 212.107 km under Bharatmala Pariyojna in the State of Rajasthan on Hybrid Annuity mode (Pkg. BM/10) [UPC No. N/07007/01001/RJ-RCW]

**Subject Proposal for Grant of permission to Lay Water Pipe Line at "Crossing of NH-911A from RHS Chainage 000+000 to Chainage 09+035 and crossing of NH-911A at Chainage 09+035 in the section Poogal-Khajuwala, Tehsil Khajuwala in the State of Rajasthan: In-Provisional NOC-reg. [Application No20221216/1/7/16821/1830]**

- Ref: [1] EE PHED Project Div Bikaner letter no. 1728 dated 11.11.2022  
[2] This office letter no. 13181/1/2020/NOC-OFC(BM10)/P402/10331 dated 20.12.2022  
[3] IE M/s.TPF Getinsa-Euroestudios S.L. in association with Sterling Indo Tech Consultants Pvt. Ltd. Jaipur letter no. TPFSITC/NHAIRAJ/KPG/2022-23/2240 dated 28.12.2022  
[4] This office letter no. 13181/1/2020/NOC-OFC(BM10)/P40/10382 dated 29.12.2022  
[5] EE PHED Project Div Bikaner letter no. EE/BKN/Khajuwala/2023-24/SP-1/Comp/Khajuwala dated 04.02.2023  
[6] This office letter no. 13181/1/2020/NOC-OFC(BM10)/P40/2023-24/1239 dated 14.10.2023  
[7] IE M/s.TPF Getinsa-Euroestudios S.L. in association with Sterling Indo Tech Consultants Pvt. Ltd. Jaipur letter no. TPFSITC/NHAIRAJ/KPG/2022-23/2143 dated 30.10.2023  
[8] This office letter no. 13181/1/2020/NOC-OFC(BM10)/P40/2023-24/1382 dated 03.11.2023  
[9] EE PHED Project Div Bikaner letter no. EE/BKN/Khajuwala/2023-24/1300-1302 dated 08.12.2023  
[10] This office letter no. 13181/1/2020/NOC-OFC(BM10)/P40/2023-24/1657 dated 13.12.2023  
[11] IE M/s.TPF Getinsa-Euroestudios S.L. in association with Sterling Indo Tech Consultants Pvt. Ltd. Jaipur letter no. TPFSITC/NHAIRAJ/KPG/2023-24/2575 dated 25.12.2023

Sir,

Please refer letter cited under reference at Sr. No. (1) vide which EE PHED Project Div Bikaner has submitted a Proposal for Grant of permission to Lay Water Pipe Line at "Crossing of NH-911A from RHS Chainage 000+000 to Chainage 09+035 and crossing of NH-911A at Chainage 09+035 in the section Poogal-Khajuwala, Tehsil Khajuwala in the State of Rajasthan for approval of Competent Authority.

This office vide reference (2) has sent the proposal to Independent Engineer of the Project Highway M/s.TPF Getinsa-Euroestudios S.L. in association with Sterling Indo Tech Consultants Pvt. Ltd Jaipur to examine the proposal as per Ministry Guidelines and site conditions and to submit their comments/recommendations.

Independent Engineer M/s. TPF Getinsa Euroestudios S.L India Project Office in association with Sterling Indotech Consultants (P) Ltd vide letter cited under reference at Sl. No. (3) has examined the proposal and made some observations. The same has been forwarded to EE PHED Project Div. Bikaner vide this office letter cited under reference at Sr. No. (4) to submit the compliance of observations raised by IE. EEPHED Project Division Bikaner vide letter cited under reference at Sr. No.(5) has submitted the compliance of observations of IE. The same has been forwarded to IE M/s. TPF Getinsa Euroestudios S.L India Project Office in association with Sterling Indotech Consultants (P) Ltd Jaipur vide this office letter cited under reference at Sr. No. (6) and requested to examine the proposal as per prevailing Norms/guidelines issued by NHAI, MoRTH etc and submit your comments/recommendation to this office.

Independent Engineer M/s. TPF Getinsa Euroestudios S.L India Project Office in association with Sterling Indotech Consultants (P) Ltd vide letter cited under reference at Sl. No. (7) has again examined the proposal and made some observations. The same has been forwarded to EE PHED Project Div. Bikaner vide this office letter cited under reference at Sr. No. (8) to submit the compliance of observations raised by IE. EEPHED Project Division Bikaner vide letter cited under reference at Sr. No.(9) has submitted the compliance of observations of IE. The same has been forwarded to IE M/s. TPF Getinsa Euroestudios S.L India Project Office in association with Sterling Indotech Consultants (P) Ltd Jaipur vide this office letter cited under reference at Sr. No. (10) and requested to examine the proposal as per prevailing Norms/guidelines issued by NHAI, MoRTH etc and submit your comments/recommendation to this office.

2/2

Consultants (P) Ltd Jaipur vide this office letter cited under reference at Sr. No. (10) and requested to examine the proposal as per prevailing Norms/guidelines issued by NHAI, MoRTH etc and submit your comments/recommendation to this office.

The Independent Engineer M/s. TPF Getinsa Euroestudios S.L India Project Office in association with Sterling Indotech Consultants (P) Ltd vide letter cited under reference at Sl. No. (11) has submitted as under:-

*In reference to the above cited subject, PIU Bikaner forwarded the proposal to IE to examine the same in accordance with MoRTH guidelines issued vide letter RW/NH-34044/29/2015/S&R(R)Pt. dated 22.11.2016.*


*In context of above, IE has reviewed the said proposal according to site conditions and MoRTH circular no RW/NH-34044/29/2015/S&R(R)Pt. dated 22.11.2016 and is being recommended for further necessary action with all relevant documents signed by AE.*

Executive Engineer Project Div Bikaner vide letter no. 869-871 dated 04.09.2023 has submitted the BG of amounting to Rs. 6,250/- issued by State Bank of India, IE Br. Kota. The BG has got verified by this office.

This office also agrees with recommendation of IE and the proposal has been broadly examined in this office and also had been verified at site; which is as per Ministry guidelines no. 33044/29/2015/S&R( R) dated 22.11.20216 and found in order.

In view of above, the proposal is hereby recommended for approval of Competent Authority.

Yours faithfully,



Encl: As above (3 files).

परियोजना निदेशक/Project Director  
भारतप्रा.प.का.ई. बीकानेर/NHAI, PIU, Bikaner

## CHECK LIST


Refer Circular No. Ministry's circular No RW/NH-33044/29/2015/S&R Dated: 22.11.2016.

(Guidelines for processing the proposal for laying of utility line in the land crossing National Highway vested with NHAI/PWD/BRO.)


### General Information :-

1.	Name and Address of the Applicant/Agency	Office of the Executive Engineer, Public Health Engineering Department, Project Division-1, Bikaner
2	National Highway No.	NH 911 A
3	State	Rajasthan
4	Location	Laying & Jointing of Water Pipeline along NH 911 A in Khajuwala-Poogalsection of tehsil Khajuwala in Bikaner District
5	Chainage in KM	Along (From RHS CH 00+00 to 09+035 and Crossing at CH 09+035
6	Length in mtr	9035 M (RHS)
7	Width of available ROW in Both Side	25 M
8	Side of NH (Left or Right side Of NH towards increasing Chainage/Km/Direction)	Along (From RHS CH 00+00 to 09+035 and Crossing at CH 09+035
9	Name of Highway Authority (NHAI/PWD/BRO)	Project Director, NHAI, PIU, Bikaner
10	Highway Administrative address	Chief General Manager /Regional officer,NHAI, Jaipur - 302019

S.No	Item	Measurement observations per site conditions	MORTH Norms	Whether complying with Morth Norms
1	Detail of already laid utility service if any	No utility service		
2	Whether up-gradation of the stretch in near future is proposed or not	Not proposed		

  
**सहायक अभियन्ता**  
 जन स्वास्थ्य अभियांत्रिकी विभाग  
 बीकानेर, राजस्थान

  
**PROJECT DIRECTOR**  
 NHAI, PIU, Bikaner

  
**अधिशायी अभियन्ता**  
 जन स्वा. अभि. विभाग  
 परियोजना खण्ड, बीकानेर

  
**SITE ENGINEER**  
 NHAI, PIU, Bikaner

	A) If Yes, provision of utility adversely affect the plan of upgradation			
3	Laying of the utility service along the National Highway			
3.1	Location of proposed utility service along the stretch	Beyond the Toe line of the embankment and drains and close to the extreme edge of ROW	Utility Duct/ beyond the toe line of the embankment and drains and close to the extreme edge of the ROW	
3.2	Depth of top utility service from ground level	1.2 m	1.2 m	
3.3	Mechanical for crossing water channel	Will be done beneath the bed of water channel	Through utility duct(if provision exists) or beneath the bed of water channel	
3.4	Whether ROW is restricted in this stretch	No		
3.4.1	If yes, whether provision of land acquisition is required to lay utility	Not Applicable		
	a) If yes, whether undertaking for land acquisition along with relevant I.A. details has been furnished I.A. details has been furnished	Not Applicable		
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	Not Applicable	Not less than one lane	

4	Laying of the utility Service across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines	No	Not to be allowed	
4.2	Proposed crossing of utility service	Crossing at CH 09+035	Perpendicular to NH	

सहायक अभियन्ता  
जन स्वास्थ्य अभियांत्रिकी विभाग  
परियोजना खण्ड, बीकानेर

9549090000/studio  
INGENIERIA

अधिरापी अभियन्ता  
जन स्वा. अभि. विभाग  
परियोजना खण्ड, बीकानेर

SITE ENGINEER  
NHAI, PIU, Bikaner

4.3	Type of casing pipe/conduit carrying the utility	MS ( Mild steel)(450 mm) and DI (150 mm)	Steel cast iron, or reinforced cement concrete and have adequate strength	
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	To be sealed	Sealed	
4.5	Length of casing/conduit pipe crossing NH	25 M		
4.6	Depth of top of the casing/conduit pipe	1.20 M	At least 1.2 m below the top of subgrade	
4.7	Crossing method in case of CC pavement	HDD	Only boring method (HDD)	
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	Not Applicable	In accordance with IRC codes	
5	<b>Document/Drawing Enclosed with the proposal</b>			
5.1	<b>Cross-section showing the size of trench for open trenching method</b>	Drawing enclosed	Enclosed,if applicable	
	a) Trench width	OD + 30 cm	More than 30 cm and less than 60 cm wider than the outer diameter of the utility pipe	YES
	b) Filling of trench	As per Ministry guidelines vide letter No.RW/NH-34044/29/2015/S&R (R) Dated 22.11.2016	As per Ministry guidelines vide letter No.RW/NH-34044/29/2015/S&R(R) Dated 22.11.2016	YES

	c) Location of trench	Extreme edge	Extreme Edge of ROW	YES
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes Attached	Enclosed if applicable	YES
5.3	Strip, plan /route plan showing utility line, Chain age, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersection, cross drainage works etc.	Yes Attached	Enclosed	YES

सहायक अभियन्ता  
जन स्वास्थ्य अभियांत्रिकी विभाग  
परियोजना खण्ड, बीकानेर

अधिशायी अभियन्ता  
जन स्वा. अभि. विभाग  
परियोजना खण्ड, बीकानेर

SITE ENGINEER  
NHAI, PIU, Bikaner

5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes Attached	Enclosed	
6	Methodology for laying of pipe line	Yes Attached	Enclosed	
7	Draft License agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R(R) dated 22.11.2016 and signed by two witnesses	Yes Attached	Enclosed	
8	Licence fees in favour of Morth RPAO Jaipur	The required License Fee will be submitted as per instructions of NHAI.	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R(R) dated 22.11.2016	
9	Whether Bank Guarantee has been Obtained	The required BG will be submitted as per instructions of NHAI.	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R(R) Dated 22.11.2016	
	a) If yes, whether Confirmation of BG has been obtained as per Morth, NHAI guidelines	"		
10	Affidavit/under takings from the applicants for:			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MORTH/NHAI or to the concerned agency.	Yes Attached	Enclosed	

10.2	Undertaking for renewal Bank Guarantees and when asked by NHAI/MORTH	Yes Attached	Enclosed	
10.3	Undertaking for confirming all standard condition of MORTH/NHAI	Yes Attached	Enclosed	
10.4	Undertaking for shifting of utility as and when required by MORTH/NHAI	Yes Attached	Enclosed	
10.5	Undertaking for indemnity against all damages and claims	Yes Attached	Enclosed	
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic	Yes Attached	Enclosed	

सहायक अभियन्ता  
जन स्वास्थ्य अभियांत्रिकी विभाग  
परियोजना खण्ड, बीकानेर



INGENIERIA

अधिसापी अभियन्ता  
जन स्वा. अभि. विभाग  
परियोजना खण्ड, बीकानेर


SITE ENGINEER  
NHAI, PIU, Bikaner


10.7	Undertaking that if any claim is raised by the concessionaire/contractor than the same has to be paid by the applicant	Yes Attached	Enclosed	
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, chief controller of Explosives, petroleum and explosive safety Organization, Oil Industry safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Yes Attached	Enclosed	

The Right of the Way (ROW) of the National Highway available at the proposed location from the centre line of divided carriageway is ( \_ 12.5 \_ ) m (from centre of ROW to edge of ROW towards as proposed utility).

The above particulars along with the drawing and documents have been verified and certified as correct as per prevailing site condition.


[Name, Designation and Signature  
Of the authorized representative of  
Applicant]

  
अधिसापी अभियन्ता  
जन स्वा. अभि. विभाग  
परियोजना खण्ड, बीकानेर

  
SITE ENGINEER  
NHAI, PIU, Bikaner

[Name, Designation and Signature  
of concerned field authority  
of NHAI / PWD / BRO]

  
getincompostudios  
INGENIERIA

  
प/प्र. ड. व. श.

परियोजना निदेशक/Project Director  
भारतप्रा. प. का. ई. बीकानेर/NHAI, PIU, Bikaner