

### No. RW/BHP/MP/Gas Pipe line(152)/2022-23/

### Government of India Ministry of Road Transport & Highways (Chief Engineer - Regional Office, Bhopal)

2<sup>nd</sup> Floor, Nirman Bhawan, Arera Hills, Bhopal-462011 PH: 0755-2551329, 0755-2571467, Email ID: ro.bpl-morth@gov.in

Date:16.04.2025

### **Invitation of Public Comments**

Subject: Proposal for Permission for Gas Pipeline (GAIL) from Ch. 2+230 to Ch. 2+330 (RHS) and 1 nos. crossing at Ch. 2+230 (LHS) for a length of 160 m on Bhopal Jabalpur Road NH-46 (Old NH-12) in the State of Madhya Pradesh. Reg.-

DM, MPRDC, Bhopal vide letter no. 921/MPRDC/DM BPL/2025 dated 01.04.2025 forwarded therewith a proposal in this office for Permission for Gas Pipeline (GAIL) from Ch. 2+230 to Ch. 2+330 (RHS) and 1 nos. crossing at Ch. 2+230 (LHS) for a length of 160 m on Bhopal Jabalpur Road NH-46 (Old NH-12) in the State of Madhya Pradesh.

- 2. As per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highways Administrator will make available the proposal seeking permission for utility laying for public comments for 30 days on ground of public interest.
- 3. In view of the above the comments of public are invited on captioned proposal and the same should reach to below mentioned address within 30 days beyond which no comments will be considered.

The Highways Administration
O/o RO Highways Administration
Ministry of Road Transport & Highways
IInd Floor, Nirman Bhawan, Bhopal-462011.
Email: ro.bpl-morth@gov.in

4. This issues with the approval of Highways Administration-cum Regional Officer, MoRT&H, Bhopal. (Computer no. –218907)

Yours faithfully,

Assistant Executive Engineer For CE-RO, MoRT&H, Bhopal

### Copy to:

- 1. The Senior Technical Director, NIC, Transport Bhawan, New Delhi-110001 for uploading on Ministry's Website.
- 2. The CE (NH), MPRDC, Bhopal-for information.
- 3. The DM, MPRDC, Bhopal -for information and necessary action.
- 4. M/s GAIL Gas Ltd for information and necessary action.



M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

🖀 : 0755-2597290 / 2765205 Fax : 0755-2572643, Website : mprdc.gov.in

Addigoviiii 40/330

Bhopal, dated: 01/06/2025

No.**9.2**)...../MPRDC/DM BPL/2025 To.

Assistant Executive Engineer,

Chief Engineer – R.O.
MoRT&H Regional Office
2nd floor, Nirman Bhawan, Arera Hills,
Bhopal-462011

Sub: Regarding Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 Nos. Crossing at 2+230 (LHS) for a length of 160 Mtr on Bhopal-Jabalpur road NH-46 (Old Nh-12)

Ref: 1. Assistant Executive Engineer, Regional Officer, MoRT&H Bhopal letter no. RW/BHP/MP/Gas Pipe line(162)/2022-23/4706 dated 09.02.2023

2. Gail Gas Ltd., letter no. GGL Mandideep/MPRDC/NH-46/Vindhyanchal/remaining Licensc/210 dated 22.04.2024.

In reference to above cited subject and letter under reference. The site inspected by Shri Rakesh More, AGM, MPRDC, Bhopal with representative M/s. Gail Gas Ltd, Raisen Regarding Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 Nos. Crossing at 2+230 (LHS) for a length of 160Mtr on Bhopal-Jabalpur road NH-46 (Old Nh-12) with HDD method.

The proposal checked as per stipulated norms for Ministry of Road Transport & Highway, Govt. of India New Delhi, Circular No. RW/NH-33044/29/2015/S&(R) dated 22.11.2016 and found in order.

The Following documents submitted herewith:-

- 1. Receipt of License fee Rs. 4,937/- on Bharatkosh.gov.in (Govt. of India)
- 2. BG amounting to Rs. 16,000/-.
- 3. Checklist duly verified by DM, MPRDC.
- 4. Signed copy of License Deed.
- 5. Methodology.
- Drawing for laying/crossing of Gas Pipeline.
- Undertaking.

The License fee **Rs. 4,93**7/- deposited on Bharatkosh.gov.in (Govt. of India) receipt portal Transaction reference no. 1904240009904 & Bank Guarantee No. 0007NDLG00112623 amounting to **Rs. 16,000**/- of ICICI Bank issued on date 12.12.2022 has deposited by M/s. Gail Gas Ltd, Raisen.

The proposal recommended & forwarded in favor of Approval please.

Encl:-As above.

Divisional Manager MPRDC, Bhopal

No...../MPRDC/DM BPL/2025 Bhopal, dated: /03/2025

Copy to:-

 M/s. Gail Gas Limited, Plot No. C-1, Sector -A, Industrial Arera, Mandideep -462046 Raisen for information.

> Divisional Manager MPRDC, Bhopal



(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेड की पूर्णतः स्वामित अनुषंगी कम्पनी)

## **GAIL Gas Limited**

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

स्थानीय कार्यालय : प्लॉट नं. सी-1, सेक्टर-ए, औद्योगिक क्षेत्र, मण्डीदीप-462046, रायसेन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A, Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

No.: GAIL Gas Mandideep/MPRDC/Vindhyanchal Crossing/2024-25/978

Date:07.02.2025

To. **Divisional Manager** MPRDC, Bhopal

Sub: Reply of MoRTH letter No. RWBHP/MP/Gas pipe line (152)/2022-23/4706 Dated:09.02.2023.

Ref: GAIL Gas application no GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2022 for permission of pipeline laying from Ch. 2+230 to Ch. 2+330 and 01 no of crossing at Ch.2+330 for a length of 160 Meter on Bhopal-Jabalpur Road NH-46 (Old NH-12).

Dear Sir.

In reference to above, pointwise reply is as given below:

2. (i) Total license fee of Rs. 1,04,646/- (One Lakh Four Thousand Six Hundred Forty-Six Only) (receipt attached) and additional license fee against change of pipeline diameter from 4" to 6" of Rs 4,937/- (Four Thousand Nine Hundred Thirty-Seven Only) has already been submitted (receipt attached).

(ii) Names of two parties are mentioned on the first page of the license agreement and attached

(iii) Drawing is attached with this letter, showing cross section of gas pipeline alongwith cross section of the road.

As compliance of all the points are being submitting, therefore it is requested to kindly accord your permission.

Thanking you.

Yours sincerely

DGM (CGD-Projects)

GAIL Gas Limited, Mandidee Peneral Manager 科科

पंजीकृत कार्यालय:

गेल भवन, 16, भीकाएजी कामा प्लेस, आर.के. पुरम, नई दिल्ली -110066, इंडिया

REGD OFFICE.

GAIL BHAWAN, 16, BHIKAIJI CAMA PLACE, R. K. PURAM, NEW DELHI - 110066, INDIA

निगमित कार्यालय:

13वीं और 14वीं मंजिल, गेल जुबली टावर, बी 35व 36, सेक्टर-1, नोएडा-201301 (यू.पी.)

CORPORATE OFFICE:

13<sup>™</sup> &14<sup>™</sup> FLOOR, GAIL JUBILEE TOWER, B 35 & 36, SECTOR-I NOIDA - 201301 (U.P.)

सीआईएन/CIN U40200DL2008G0I178614

www.gailgas.com



(भारत सरकार का उपक्रम) (एक महारत्न कंपनी येल (इंडिया) लिगिटेड की पूर्णतः स्वामित अनुषयी कन्पनी)

# **GAIL** Gas Limited

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

खानीय कार्यालय : प्लॉट नं, सी-1, संवटर-ए, आँद्रोगिक क्षेत्र, मण्डीदीप-462046, रायसेन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-I, Sector-A, Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

No.: GGLMandideep/MPRDC/NH-46/Vindhyanchal/remaining Licensep10Date: 22.04.2022

To, Divisional Manager MPRDC, Bhopal

Subject: Submission of remaining License Fee for Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01nos. crossing at 2+230 (LHS) for a length of 160 Mtr on Bhopal-Jabalpur road NH-46 (OldNH-12).

Ref: 1. GAIL Gas letter no GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2022.

- GAIL Gas letter no GGL/MANDIDEEP/MPRDC/NH-46/2023-24/101 dated 06.06.2023.
- MPRDC demand letter no. 7473/MPRDC/DM BPL/2024 dated 22.02.2024.

Dear Sir.

In reference to above, GAIL GAS LTD, is submitting the remaining License fee of Rs. 4,937/- (Four Thousand Nine Hundred Thirty-Seven Only) on NTRP Portal Bharatkosh.gov.in (Govt. of India) with transaction details of 190420009904 for Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01nos, crossing at 2+230 (LHS) for a length of 160 Mtr on Bhopal-Jabalpur road NH-46 (OldNH-12).

It is requested to kindly acknowledge the payment and issue the receipt of the same.

Thanking you.

Yours sincerely

Chicl Manager (CGD) ages (CGC) and CGC (CGD) ages (CGC) and CGC (CGC) ages (CGC) and CGC (CGC) and C

पजीकृत कार्यालयः गेल भवन, 16, भीकारणी कामा प्लेश, आर.के पुरम, नई दिल्ली - 110066, इंडिया

REGD. OFFICE:
GAIL BHAWAN, 16, BHIKAUI CAMA PLACE, R. K., PURAM, NEWDELHI-110066, INDIA

निगर्नित कार्यालयः 13वी और 14वी मजिल, गेल जुबली टावर, वी 35व 36, संक्टर-1, नीएडा-201301(यू.पी.) CORPORATE OFFICE-

13 &14 FLOOR GAIL JUBILEE TOWER, B 35 & 36, SECTOR-1 NOIDA - 201301 (U.P.)





(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेंड की पूर्णतः स्थामित अनुषगी कम्पनी)

### GAIL Gas Limited

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

रथानीय कार्यालय : प्लॉट नं. सी-1, सेक्टर-ए, औद्योगिक क्षेत्र, मण्डीदीप-462046, रायसेन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A, Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

No.: GGL/MANDIDEEP/MPRDC/OBE/NH-46/VINDHYANCHAL

Date: 03.01.2023

To. Divisional Manager MPRDC, Bhopal

Subject: Submission of License Fee, BG, corrected drawing, check list, agreement and undertaking for permission of Gas pipeline laying along and across NH-46 at Obedullaganj bypass.

Ref: 1. GAIL Gas letter no GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2022.

2. MPRDC demand letter no. 995/MPRDC/DM-2 BPL/2022 dated 16.11.2022.

Dear Sir.

In reference to above, GAIL GAS LTD, has already been submitted the License fee of Rs. 1,04,646/- (One Lakh Four Thousand Six Hundred Forty-Six Only) through online for pipeline laying permission of Natural Gas Carbon Steel Pipeline of Dia-4" at NH-46 (Old NH-12) at road Chainage No. Ch. 2+230 to Ch. 2+330 and 1 no. of crossing at 2+230 of NH-46 (Old NH-12).

GAIL Gas Ltd is submitting BG amount of Rs. Rs. 16,000/- (BG No. 0007NDLG00112623 dated 12.12.2022), corrected drawing, Check list, Agreement, Undertaking, Certificate, Challan and license fee transaction receipt along with this letter.

It is requested to kindly acknowledge the payment and issue the receipt of the same.

Thanking you.

Yours sincerely

DGM (CGD Projects)

GAIL Gas Limited.

Mandideep.

पंजीकृत कार्यालय गेल भवन, 16, भीकाएजी कामा प्लेख, आर के पुरम, नई दिल्ली - 110056, इंडिया

REGD. OFFICE GAIL BHAWAN, 16, BH, KAUI CAMA PLACE, R. K. PURAM, NEW DELHI - 110066, INDIA

निगमित कार्यालय

13वीं और 14वीं मंजिल, गेल जुवली टांबर, बी 35 a 35, सेक्टर-1, नोएडा-201301 (बू.पी.) CORPORATE OFFICE

13" &14" FLOOR, GAIL JUBILEE TOWER, B35 &36, SECTOR-1 NOIDA - 201301 (U.P.)

सीआईएन/CIN U40200DL2008G0ff78614 www.gailgas.com

GOVERNMENT OF INDIA MINISTRY OF BOAD TRANSPORT & HIGHWAYS

भारतीलपन्ध्य अभियनता सोर्थाय असिक्ता Office of the Chief Engineer-Regional Office. 2nd Floor, Nirman Bhawan, Arera Hilla is not lively want, when become Dhopst-452 011 Com 153/129 Email: (p.hsi morth@ney.ir)

No.RW/BHP/MP/Gas pipe line (152)/2022-23/ 4-106-

Dated the: 69 02 2023

The Divisional Manager. MPROC, Bhopal

Sub: Proposal for Permission for Gas Pipeline (GAIL) from Ch. 2+230 to Ch. 2+330 (RHS) and 1 sub: Proposition of the Ch. 2+230 (LHS) for a length of 180 m on Bhopal Jabalpur road NH-46 (Old NH-12).

Ref. (i) DM, MPRDC, Shopara letter no. 1437/MPRDC/DM-2 SPL/2022 Bhopal dated 05 01 2023

Ministry's circular no. RW/NH-33044/29/2015/S&R (R) Dated 22:11:2018 (1)

Please refer to your letter under ref. (i) cited above forwarding therewith the Application submitted by M/s Gall Gas Private Limited, Bhopal seeking Proposal for Permission for Gas Pipeline (GAIL) from Ch. 2+230 to Ch. 2+330 (RHS) and 1 nos. crossing at Ch. 2+230 (LHS) for a tength of 160 m on Bhopal Jabalpur road NH-46 (Old NH-12) in the State of Madhya Pradesh under provisions of Guidelines for accommodation for Public and Industrial Utility Services on NH vide Ministry's circular no. RW/NH-33044/29/2015/ S&R (R) Dated 22.11.2016.

- The proposal has been examined and following observation are raised:
  - (i) Calculation error in the license fee.
  - (ii) First page of the license agreement should mention the name of two parties
  - (ii) Drawing showing cross section of gas pipeline along with cross section of road is not
- In view of the above proposal is returned for compliances.
- This issues with the approval of RO, MoRT&H Bhopal, Note#4 (Computer no.- 218907)

(Snubham Kaushai) Assistant Executive Engineer For Regional Officer, MoRT&H, Bhopal


Copy to -

1. The CE (BOT), MPRDC, Bhopal - for information,

2 The M/s Gail Gas Pvt. Ltd., 3rd Floor, Hotel Shiv Vilas, Hoshangabad Road, Mahaveer Nagar, Mandideep, District - Raisen - 462 045 (M.P.) - for information and necessary



# SISTRATION AND Registration and Stamp Department EGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DE EGISTRATION AND STAMPS DEPARTMMAD PRACES PARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DE



EGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTM
EGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTM
DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTM
DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTM
DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTM

	DEPARTMENT OF REGISTRATION AND	STAINES DEPARTMENT OF REGISTRATION AND STAINES DEFARTMENT OF	ence production and the state of the production of the second
		E-Stamp Details	
	E-Stamp Code T OF REGISTRATION AND	901010522072024004362EGISTRATION AND STAMPS DEPARTMENT OF	
	Total E-Stamp Amount STRATION AND	STOOMS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF	
	Govt Stamp Duty (Rs.) NAND		
	Janpad Duty (Rs.) TRATION AND	DAMPS DEPARTMENT OF REGISTRATION UP STAMPS DE RESIDENT OF	REGISTRATION AND STAMPS
	Exempted Amount(RsT) NAND	O AMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF	REGISTRATION AND STAHES
	E-Stamp Type TOF REGISTRATION AND	NON-JUDICIAL NT OF REGISTRATION AND STAMPS DEPARTMENT OF	REGISTRATION AND STANDS REGISTRATION AND STANDS
	Issue Date & Time REGISTRATION AND	\$22/07/2024R12:46:33 REGISTRATION AND STAMPS DEPARTMENT OF	REGISTRATION AND STAMPS
	Service Provider or Issuer Details	VIMAL KUMAR SHRIVASTAVA/SP012942404202100296	REGISTRATION AND STAMPS
	SP/SRO/DRO/HOPDetails ATION AND	WARD NOR 16 PATED NAGAR MANDIDEEP TESIL GOHA	RGANJ DISTT RAISEN
	DEPARTMENT OF REGISTRATION AND	STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF	REGISTRATION AND STAMPS
		Deed Details	
	Deed Type MENT OF REGISTRATION AND	Agreement or Memorandum of an agreement'S DEPARTMENT OF	REGISTRATION AND STAMPS
	Deed Instrument of REGISTRATION AND	If not otherwise provided for- Five hundred rupees AR MENT OF	REGISTRATION AND STAMPS
	Purpose APTMENT OF REGISTRATION AND	Agreement	REGISTRATION AND STAMPS
A.	TOPPARTMENT OF REGISTRATION AND	First Party Details	REGISTRATION AND STARPS
	Organization Name REGISTRATION A	MDDIV	REGISTRATION AND STAMPS REGISTRATION AND STAMPS
	Address ARTMENT OF REGISTRATION	( Madhya Pradesh Road Development Corporation Ltd. Bhopal	
	DEPARTMENT OF REGISTRATIC	Bhopal BHOPAL Madhya Pradesh INDIA	REGISTRATION AND STAMPS ** REGISTRATION AND STAMPS **
	Number of Persons REGISTRA	Bilopat Briorat Maulya Fradesii INDIA	REGISTRATION AND STAMES
	Number of Persons REGISTRA	Second Party Details	REGISTRATION AND STAMPS
	Organization Name	GAIL GAS LIMITED	PASIS PARTION AND STAND
	Address ARTMENT OF REGISTRES	Plot No C-1, Sector-A, Industrial Area Mandideep RAISEN	Madhya Pradech INDIA
	Number of Persons	1	iviauliya 11aucsii 114DIA
	CUPARIMENT OF REGISTALE ALLER A	THE SECTION OF THE PERSON OF T	SIGNET SATTON AND STOTES
	DEPARTMENT OF REGISTRATE		GISTRATION AND STARRY
	DEPARTMENT OF REGISTRAL TO A LAND TO THE PARTMENT OF REGISTRAL TO A LAND TO THE PARTMENT OF REGISTRAL TO THE PARTMENT OF		EGISTRATION AND STAMPS
	THE ASSESSMENT OF DECISION	1   1   1   1   1   1   1   1   1   1	PERMIT PRIMA AND APPRICACION

Digitally signed by VIMAL KUMAR SHRIVASTAVA Date: 2024.07.22 12:46:35

DEPARTMENT OF REGISTRATE PARTMENT OF REGISTRATION OF RE

EPARTMENT OF REGISTRATION AND ST EPARTMENT OF REGISTRATION AND STATES ARTMENT OF REGISTRATION AND STAMPS OF REGISTRATION AND STAMPS OF THE PROPERTY OF THE PARTMENT OF REGISTRATION AND STAMPS OF THE PARTMENT OF THE PARTMENT

SPARTMENT OF REGISTRATION AND SPARTM

FPARTMENT OF REGISTRATE PARTMENT OF REGISTRATION DEPARTMENT OF REGISTRATION A STATE



DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND S

TRANSMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF PEGISTRATION AND STAMPS DEPARTMENT

E-stamp Code: 01010522072024004362

# AGREEMENT REGARDING GRANTING OF RIGHT OF WAY PERMISSIONS FOR CROSSING OF 150 MM STEEL/MDPE PIPELINE ON NATIONAL HIGHWAYS

Agreement for laying of underground 6" Natural Gas Carbon Steel pipeline from Ch. 2.230 to Ch. 2.330 (RHS) and 01 nos. crossing at 2.230 (LHS) for a total length of 160 Meters on Bhopal-Jabalpur Road NH-46 (Old NH-12).

This Agreement made this......day of (month)......of (year) between ......acting in his executive capacity through **DM MPRDC Division Bhopal** (hereinafter referred to as the "Authority" which expression shall unless excluded by or repugnant to the context, include his successors in office and assigns) on the one part, and **M/s. GAIL Gas Limited** a company registered under the Companies Act, 1956 and having its Registered Office at **Plot C-1**, **Sector-A**, **Industrial Area**, **Mandideep**, **Dist. Raisen**, **MP-462046** (hereinafter called the "Licensee") which expression shall unless excluded by repugnant to the context, include his successors/administrator assignees on the second part.

Whereas the Authority is responsible, inter-alia, for development and maintenance of lands in Meter from Ch. 2.230 to Ch. 2.330 (RHS) and 01 nos. crossing at 2.230 (LHS) for a total length of 160 Meters on Bhopal-Jabalpur Road NH-46 (Old NH-12).

Whereas the Licensee proposes to lay / pipeline etc. referred to as utility services in subsequent paras.

Whereas the Licensee, has applied to the Authority for permission to lay the 6" Natural Gas Carbon Steel pipeline from Ch. 2.230 to Ch. 2.330 (RHS) and 01 nos. crossing at 2.230 (LHS) for a total length of 160 Meters on Bhopal-Jabalpur Road NH-46 (Old NH-12).


And whereas the Authority has agreed to grant such permission for way leave on the NH ROW as per terms and conditions hereinafter mentioned.

Now this agreement witnessed that in consideration of the conditions hereinafter contained and on the part of the Licensee to be observed and performed, the Authority hereby grants to the Licensee permission to lay utility services as per the approved drawing attached hereto subject to the following conditions, namely.

ROW permissions are only enabling in nature. The purpose of extending the way leave facility
on the National Highway ROW is not for enhancing the scope of activity of a utility service
provider, either by content or by intent. Further, enforceability of the permission so granted
shall be restricted only to the extent of provisions/scope of activities defined in the license
agreement & for the purpose for which it is granted.

2. No licensee shall claim exclusive right on the Row and any subsequent user will be permitted to use the Row, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled. Decision of the Authority in relation to fulfilment of technical requirements shall be final and binding on all concerned parties. In case any disruption/damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.

 The Licensee shall be responsible for undertaking all activities including but not limited to site Identification, survey, design, engineering, arranging finance, project management, obtaining regulatory approvals & necessary clearances, supply of equipment, material,








construction, erection, testing and commissioning, maintenance and operation and all other activities essential or required for efficient functioning of their own utility/ industrial infrastructure facilities.

- 4. The Licensee shall pay license fees @ Rs: 1,09,583/- for 5 year to the Authority. The License fee shall become payable form the date of handing over of ROW land to the Licensee, for laying of utilities/cables/conduits/pipelines for infrastructure/ service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.
- 5. Fee shall have to be paid in advance for the period for which permission is granted for entering into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.
- Present policy of the MoRT&H is to provide a 2.00 m wide utility corridor on Either side of
  the extreme edge of ROW. In cases where utility ducts with sufficient space are already
  available along NH, the utility services shall be laid in such ducts subject to technical
  requirements being fulfilled.
- 7. The utility services shall be laid at the edge of the ROW. In case of restricted width of ROW, which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other roadside furniture etc. the utility services shall be laid beyond the toe line of the embankments and clear of the drain.
- 8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed. In case, this in not feasible, the utility services may be carried outside the railings/parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the Authority shall be payable by the Licensee.
- 9. In exceptional case, where ROW is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, It also needs to ensure that maintenance of the utility services shall not interfere with safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee.
- 10. It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 meter below the ground level. However, any structure above ground shall be aesthetically provided for/landscaped with required safety measures as directed by the concerned Authority.
- 11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing/ conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specification of the Ministry.
- 12. Existing drainage structures shall not be allowed to carry the lines across.
- 13. The top of the casing/conduit pipe containing the utility services to cross the road shall be at least 1.2m below the top of the sub grade or the existing ground level whichever is lower,



subject to being at lease 0.3m below the drain inverts. A typical sketch showing the clearances is given is given in Attachment-I.

- 14. The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.
- 15. The casing conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.
- 16. In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30cm but not more than 60cm wider than the outer diameter of the pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority
- a. Bedding shall be to a depth not less than 30cms. It shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.
- b. The backfill shall be completed in two stages(i)Side-fill to the level of the top of the pipe(ii) Overfill to the bottom of the road crust.
- c. The side fill shall consist of granular material laid in 15cms. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the Proctor's Density Overfill shall be compacted to the same density as the material that had been removed, Consolidation by saturation or ponding will not be permitted.
- d. The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the Highway Authority
- 17 The Licensee shall ensure making good the excavated trench for laying utility services by proper filling and compaction, so as to restore the land in to the same condition as it was before digging the trench, clearing debris/loose earth produced due to execution overreaching at least 50 m away from the edge of the way;
- 18 All required restoration works subsequent to laying of the cable shall be required to be undertaken by the Licensee at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards.
- 19. Prior to commencement of any work on the ground, a performance Bank Guarantee @ Rs. 16000/- with a validity of one year initially (extendable if required till satisfactory completion of work) shall have to be furnished by the Licensee to the Authority / its designated agency as a security against improper restoration of ground in terms of filling/ unsatisfactory compaction damages caused to other underground installations/ utility, services & interference, interruption, disruption or failure caused to other underground installations/utility services& interference, interruption, disruption of failure caused thereof to any services etc. In case of the Licensee falling to discharge the obligation of making good of the excavated trench/ other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.
- 20. In case, the Performance Bank Guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking. In case the 'vork contemplated herein is not completed to the satisfaction of the Authority, which has granted the permission, within a period of 11 months from the date of issue



of the Bank Guarantee, the Licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority / its designated agency for any damage sustained by them by reason of the exercise of the ROW facility.

- 21. The Licensee shall shift the utility within 90 days (or as specified by the respective Authority) from the date of issue of the notice by the concerned Authority to shift/relocate the utility services in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at his own cost and risk.
- 22. The Licensee shall be responsible to ascertain from the respective agency in co-ordination with Authority, regarding the location of other utilities/underground installations/ facilities etc. The Licensee shall ensure the safety and security of already existing underground installations/utilities/facilities etc. before commencement of the excavation/using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company against damages to already existing underground installations/utilities/facilities etc.
- 23. The Licensee shall be solely responsible/ liable for full compensation/indemnification of concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them/claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in co-ordination with Authority shall also have a right make good such damages/recover claim by forfeiture of Bank Guarantee.
- 24. If the Licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.
- 25. Grant of License is subjected to the licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the work by trenchless technology. In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.
- 26. The Licensee shall Inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches, for fresh or maintenance/repair works. A separate performance Bank Guarantee for maintenance/repair works shall have to be furnished by the Licensee.
- 27. Each day, the extent of digging the trenches should be strictly regulated so that utility services are laid and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the concerned agency designated by the Authority.



- 28. The licensee shall indemnify the concerned agency in co-ordination with Authority, against all and claims, if any due to the digging of trenches for laying cables/ducts.
- 29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. in case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.
- 30. The permission shall be valid only for the period it is issued, and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.
- 31. That the Licensee shall not undertake any work of shifting, repairs or alterations to the utility services without prior written permission of the concerned agency in co-ordination with the Authority.
- 32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway land /property, other than what is herein expressly granted. No use of NH Row will be permitted or any purpose other than that specified in the Agreement.
- 33, During the subsistence of this Agreement, the utility services located in highway land / property shall be deemed to have been constructed and continued only by the consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and indefeasible by lapse of time.
- 34. The Licensee shall bear the Stamp Duty charged on this Agreement.
- 35. Three copies of 'as laid drawings' of utilities (hard and soft copies) with geo-tagged photographs and geo-tagged video recordings of laying of pipelines in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.
- 36. The Licensee shall allow free access to the Site at all times to the authorized representatives of Authority to inspect to investigate any matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective duties and functions.
- 37. The utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co- ordination with the Authority has been obtained. Not with standing anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellation not shall it be absolved from any liability already incurred.
- 38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation, repair and maintenance of any part of the utility lines/industrial

Infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of;

- a. Operation, re-pair and maintenance guidelines given by the manufacturers,
- b. The requirements of Law,
- c. The physical conditions at the Site, and
- d. The safety of operating personnel and human beings.
- 39. The licensee shall have to provide safety measures like barricading, danger lighting and other necessary caution boards while executing the work
- 40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case of single lane roads, a diversion shall be constructed. If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Licensee
- 41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90 days and the site shall be brought back to the original condition failing which the Licensee will lose the right to remove the utility services, However before taking up the work of removal of utility services the Licensee shall furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50m away from the edge of the Row.
- 42. Any disputes in interpretation of the terms and conditions of this Agreement or their implementation shall be referred to the redress mechanism prevailing in the Ministry and the decision of the redress mechanism shall be final and binding on all.
- 43. For PPP Projects, in case of any financial loss incurred by the respective project concessionaires due to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne by the Licensee in mutual agreement with the respective project concessionaires. MORTH/ NHAI/ implementing authorities for the project shall not be liable to the concessionaire in any way in this regard.

This agreement has been made in duplicate, each on a Stamp Paper, each party to this Agreement has retained one stamped copy each.

IN WITNESS WHEREOF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENT ATIVES THE DAY AND THE YEAR FIRST ABOVE WRITTEN



E-stamp Code: 01010522072024004362

### SIGNED SEALED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY

BY SHRI	
(Signature, name &	Address with stamp)

SIGNED ON BEHALF OF M/S GAIL GAS LIMITED .....(LICENSEE)

BY

SHRI KAMLESH KESWANI,

DGM (CGD),

GAIL GAS LIMITED, MANDIEEP


(Signature, name & Address with stamp)

HOLDER OF GENERAL POWER OF ATTORNEY DATED 06.03.2024.

IN THE PRESENCE OF (WITNESS):

1. Vikash Kumar Kanaujia

2. Shiv Dutt Sing of The Sing





(भारत सरकार का उपक्रम) (एक महारत्न कपनी) गेल (इंडिया) लिगिटेंड की पूर्णतः स्वामित अनुषंगी कम्पनी)

# GAIL Gas Limited

(A Govt of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

रथानीय कार्यालय प्लॉट नं. सी-1, रोवटर-ए. आंदोगिक क्षेत्र, मण्डीदीय-462046, रागसेन, मध्यप्रदेश

SITE OFFICE:

Plot No. C-1, Sector-A. Industrial Area, Mandideep-462046. Raisen, Madhya Pradesh

No.: GGLMandideep/MPRDC/NH-46/Vindhyanchal/remaining Licensep Date: 22.04.2023

To. Divisional Manager MPRDC, Bhopal

Subject: Submission of remaining License Fee for Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01nos, crossing at 2+230 (LHS) for a length of 160 Mtr on Bhopal-Jabalpur road NH-46 (OldNH-12).

Ref: 1. GAIL Gas letter no GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2022.

- GAIL Gas letter no GGL/MANDIDEEP/MPRDC/NH-46/2023-24/101 dated 06.06.2023.
- MPRDC demand letter no. 7473/MPRDC/DM BPL/2024 dated 22.02.2024.

Dear Sir.

In reference to above, GAIL GAS LTD, is submitting the remaining License fee of Rs. 4,937/-(Four Thousand Nine Hundred Thirty-Seven Only) on NTRP Portal Bharatkosh.gov.in (Govt. of India) with transaction details of 190420009904 for Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01nos. crossing at 2+230 (LHS) for a length of 160 Mtr on Bhopal-Jabalpur road NH-46 (OldNH-12).

It is requested to kindly acknowledge the payment and issue the receipt of the same.

Thanking you.

Yours sincerely

क्षमार कनीजिया Knust Kauanlia GAIL Gas Limite Chief Manager (CGD)

Mandida San San Felina Gon Felfitz Gandicees

पजीकृत कार्यालय गंत भवन, 16. भीकाएजी कामा प्लेस, आर.के. पुरम, नई दिल्ली -110065, इंडिया

REGD OFFICE: GAIL BHAWAN, 16, BHIKAUT CAMA PLACE, R. K. PURAM, NEW DELHI - 110066, INDIA

निगमित कार्यालय: 13वीं और 14वीं मंजिल, गेल जुबसी टाक्स, वी 35 व 36, सेक्टर-1, नोएडा-201301(यू.पी.) CORPORATE OFFICE

13 814 FLOOR, GAIL JUBILEETOWER, B35&36, SECTOR-1 NOIDA - 201301 (U.P.)

सीआईएन/CIN U40200DL2008G0I178614 www.gailgas.com

Transaction Details: 1904240009904

Depositor's Details

Name:	M/S. GAIL Gas Limited		
Address Line 1:	PLOT C-1, SECTOR -A	Address Line 1:	INDUSTRIAL AREA, MANDIDEEP
City		District :	RAISEN
State :	MADHYA PRADESH	Country	
Pincode:	462046	Email:	kamleshkeswani@gail.co.in
Mobile No.:	9425673939		

### Payment Details

Payment status	BOOKED
Bank Name	
Aggregator Name	ICICI
Channel Name	Net banking
Response Bank Name	
Response PayMode	

Documents Required

### Deposit Details

Purpose	Remarks	Amount	Ministry	DDO Name	PAO Name	Payment Frequency / Period
License fee for laying of utility services	Demand no 7473/MPRDC/DMBPL/2024	4937.00	ROAD TRANSPORT & HIGHWAYS	PAO, National Highways, Bhopal	Regional Pay & Accounts Office, (NH), Bhopal	No Restriction,-1-0



(भारत सरकार का उपक्रम) (एक महारत्न कंपनी गेल (इंडिया) लिमिटेड की पूर्णतः स्वामित अनुषरी कम्पनी)

## Gas Limited

(A Govt. of India Undertaking) (A wholly owned subsidiary of SAIL (India) Limited - A Maharatna Company)

स्थानीय कार्यालय: प्लॉट नं. सी-1, सेक्टर-ए, औद्योगिक क्षेत्र, मण्डीदीप-462046, रायसेन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A, Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

No.: GGLMandideep/MPRDC/NH-46/Vindhyanchal/remaining LicensehioDate:22.04.2023

To. Divisional Manager MPRDC, Bhopal

Subject: Submission of remaining License Fee for Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01nos. crossing at 2+230 (LHS) for a length of 160 Mtr on Bhopal-Jabalpur road NH-46 (OldNH-12).

Ref: 1. GAIL Gas letter no GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2022.

- GAIL Gas letter no GGL/MANDIDEEP/MPRDC/NH-46/2023-24/101 dated 06.06.2023.
- MPRDC demand letter no. 7473/MPRDC/DM BPL/2024 dated 22.02.2024.

Dear Sir,

In reference to above, GAIL GAS LTD, is submitting the remaining License fee of Rs. 4,937/-(Four Thousand Nine Hundred Thirty-Seven Only) on NTRP Portal Bharatkosh.gov.in (Govt. of India) with transaction details of 190420009904 for Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01nos. crossing at 2+230 (LHS) for a length of 160 Mtr on Bhopal-Jabalpur road NH-46 (OldNH-12).

It is requested to kindly acknowledge the payment and issue the receipt of the same.

Thanking you.

Yours sincerely

Chief Manager (COE) GAIL Gas Limited mie Mandideep

पंजीकृत कार्यालय:

गेल भवन, 16, भीकाएजी कामा प्लेस, आर के पुरम, नई दिल्ली - 110066, इंडिया


GAIL BHAWAN, 16, BHIKAIJI CAMA PLACE, R. K. PURAM, NEW DELHI-110066, INDIA

निगमित कार्यालय

13वीं और 14वीं मंजिल, गेल जुबली टावर, बी 35व 36, सेक्टर-1, नोएडा-201301 (यू.पी.)

CORPORATE OFFICE:

13<sup>™</sup> &14<sup>™</sup> FLOOR, GAIL JUBILEE TOWER, B35 &36, SECTOR-1 NOIDA -201301 (U.P.)



सीआईएन/CIN U40200DL2008G0l178614

www.gailgas.com

Transaction Details: 1904240009904

Deposition's Betails

Name:	M/S. GAIL Gas Limited		
Address Line 1:	PLOT C-1, SECTOR -A	Address Line 1:	INDUSTRIAL AREA, MANDIDEEP
City		District :	RAISEN
State :	MADHYA PRADESH	Country	
Pincode:	462046	Email:	kamleshkeswani@gail.co.in
Mobile No.:	9425673939		•

Payment Dernis

Payment status	BOOKED
Bank Name	
Aggregator Name	ICICI
Channel Name	Net banking
Response Bank Name	
Response PayMode	

Documents Required

Deposit Details

Purpose	Remarks	Amount	Ministry	DDO Name	PAO Name	Payment Frequency / Period
License fee for laying of utility services	Demand no 7473/MPRDC/DMBPL/2024	4937.00	ROAD TRANSPORT & HIGHWAYS	PAO, National Highways. Bhopal	Regional Pay & Accounts Office, (NH), Bhopal	No Restriction,-1-0

CIN: U45203MP2004SGC016758

Azadi <sub>Ka</sub> <sup>Mnel</sup> Mahotsav



To.


# M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

2: 0755-2597290 / 2765205 Fax: 0755-2572643, Website: mprdc.gov.in



Bhopal, dated: 92/03/2024

Dy. General Manager (CGD), GAIL GAS Ltd. Mandideep, 3<sup>rd</sup> Floor, Hotel Shiv Vilas, Hoshangabad road Bhopal

Sub: Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12).

In reference to above cited subject. The site inspected by Shri A.A. Khan, Manager, MPRDC, Bhopal with representative of M/s Gail Gas Ltd. Mandideep for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12).

The Revised License fee Rs. 1,09,583/- and already license fee paid Rs. 1,04,646/- by Transaction reference no. 1312220002431 dated 13.12.2022 & so please deposit the remaining license fee Rs. 4,937/- (Rs. Four Thousand Nine Hundred Thirty Seven Only) on NTRP Portal Bharatkosh.gov.in (Govt. of India). Then case will be forwarded to C.E-R.O., MoRT&H, Bhopal for necessary action.

Encl: As above.

Divisional Manager MPRDC, Div- Bhopal

C. Wisers\N. vi\Desistop Uitesh\O. K. Jain Sir\Permission Letter\N. O. Fermission Letter: Dock



(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेंड की पूर्णतः स्टामित अनुषागी कन्पनी)

### GAIL Gas Limited

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

### Ref No- GGL/MANDIDEEP/MPRDC/NH-46 /2023-24 / 101

To,
The Divisional Manager,
Madhya Pradesh Road Development Corporation,
45-A, Arera Hills, Bhopal,
Madhya Pradesh 462016

स्थानीय काय लय: प्लॉट मं. सी- 1, सेक्टर-ए, ओधोरिक क्षे 1, मण्डीवीप-462046, संयसेन, एठ प्रदेश

SITE OFFICE

Plot No.: C-1, Sector-A, Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

Date: 06.06.2023

Subject: - Permission for crossing of GAIL Gas Ltd. Natural Gas Carbon Ste: Pipeline of Dia 6" (with 12" casing pipe) instead of Dia-4" along NH-46 at road Chainage No. C 1. 2+230 from Right hand side to Left Hand Side for increasing chainage at extended arm.

Ref: - 1. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE dated: 30.08.2022.

- 2. GGL/MANDIDEEP/MPRDC/OBE/NH-46/VINDHYANCHA dated 03.01.2023.
- 3. 2396/MPRDC/DM BPL/Permission/2023 Bhopal Dated: 09.05.2023
- 4. GAIL-GAS/MANDIDEEP/22-23/MPRDC/NH-46 DATED: 30.03.2023.
- 5. 1540/MPRDC/DM BPL/ Permission/2022 Bhopal, Dated: 19.07.2021.

Dear Sir.

Permission for one no. of crossing NH-46 at road Ch. 2+230 was applied vide application no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE dated: 30.08.2022. Subsequently, upon receipt of demand note GGL/MANDIDEEP/MPRDC/OBE/NH-46/VINDHYANCH A dated:03.01.2023 provided from MPRDC, Licence fee and Bank Guarantee were submitted to your good office.

However, due to changes in road side for laying the pipeline, the crossin; is to be done with 6-inch pipeline in place of 4-inch pipeline to maintain the pipeline hydraulics

In view of above, you are requested to provide the additional demand (if applicable) for increase in pipeline diameter from 4" (with 10" casing pipe) to 6" (with 12" casing pipe) for one no crossing the NH-46 at road Ch. 2+230.

Further, during the issuance of permission for change in side (refer your letter no. 2396/MPRDC/DM BPL/Permission/2023 Bhopal Dated: 09.05.2023), the side for laying the piffeline has also been changed from chainage Ch. 2+230 to 2+810, which was not actually required (refer our application no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/NH-46 dated:

पंजीकृत कार्यालयः

BHO

गेल भवन, 16, मीकाएजी कामा प्लेस, आर.के. पुरम, नई दिल्ली -110066, इंडिया

REGD, OFFICE:

GAIL BHAWAN 16, BHIKAUI CAMA PLACE, R.K. PURAM, NEW DELHI-110066, INDIA

निगमित कार्जालय

13वीं और 14वीं मंजिल, गेल जुबली टावर, बी 35 व 36, सेक्टर-1, नोएडा-201301 (यू.पी.) CORPORATE OFFICE: (1/2)





### INDIA NON JUDICIAL



### **Government of Uttar Pradesh**

e-Stamp

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Property Description

Consideration Price (Rs.)

First Party Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-UP88255827116585W

06-Mar-2024 03:03 PM

NEWIMPACC (SV)/ up14013504/ GAUTAMBUDDH NAGAR 1/ UP-GBN

SUBIN-UPUP1401350472733626101525W

GAIL GAS LTD

Article 48 Power of Attorney

: Not Applicable

. Hot Apphodoic

GAIL GAS LTD

Not Applicable

GAIL GAS LTD

100

(One Hundred only)

सत्यमेट जपन



upac2538271165857

## Please write or type below this line POWER OF ATTOERNEY

I Panchanan Halder, CGM (O&M and Project Monitoring) of GAIL GAS Limited NOIDA, having its registered office at 16, Bhikaji Cama Place, New Delhi-66 has been empowered to authorize to execute agreements, deeds, etc. on behalf of the GAIL GAS Limited.

And WHERE AS in view of the powers given to me to appoint a substitute or substitutes and of delegating any one or more of the various powers and authorities confirmed on me, I do hereby nominate, appoint and authorize Sh. Kamlesh Keswani who is presently employed with GAIL GAS Gas Limited as Dy, General Manager(CGD) to exercise the powers and authorize to sign documents, affidavit, agreement, undertaking, drawing etc. with all relevant departments for all such acts, deeds and things necessary in connection with or incidental for obtaining permission from PWD, Railway, NHAI/MorTH, Forest Department, MPIDC, Nagar Palika, MPRDC and Madhya Pradesh State Pollution Control Board for laying pipeline and developing of CGD network in Raisen, Shajapur and Sehore District of Madhya Pradesh.

Statutory Alert:

The authenticity of this Stamp certificate should be verified at 'www.shollestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.

<sup>2.</sup> The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

I hereby agree to ratify all acts, deeds and things lawfully done by Sh. Kamlesh Keswani in pursuant to this authorization unless previously revoked by me or the company for obtaining PERMISSION FOR LAYING PIPELINE AND DEVELOPMENT OF CGD NETWORK in Raisen, Shajapur and Sehore District of Madhya Pradesh.

IN WITHNESS THEREOF I PANCHANAN HALDER HAS HERE UNTO SET AND SUBSCRIBED HANDS AT NOINDA ON THIS DAY OF FEBRUARY'2024.

Executed by: Sign of the Executor

In the presence of

(S.K.Singh) DGM (CGD), GGL, NOIDA.

400

CD. E. Witz)
GM ( COND-ling)

(Panchanan Halder)

CGM (O&M and Project Monitoring)

**GAIL GAS Limited** 

पंचानन इलदर/ Panchanan Halder मुखा महाप्रदेशक / CHIEF GENERAL MANAGER (शोजीडी-परियोजना) / (CGD-PROJECTS) गेल गैस लिमिटेड/GAIL Gas Limited THE REAL PROPERTY PROOF INFORMER TO THE REAL PROPERTY OF THE P नव एक्स टॉकर वी 35-36 सेक्टर-1, नोएक एक THE RESERVE TOWER B-35436, SECTOR-1, HOLL AND

### CHECK LIST

Guidelines for Project Directors for processing the Proposal of laying gas pipeline by Central Govt. PSU in the land along National Highways/State Highways/Major District Roads vested with MPRDC.

Relevant circulars-

Ministry's Circular No. RW/NH-333044/27/2005-S&R(R)(Pt.) Date 06/07.08.2013. It is regarding the modification pf previous Ministry's circular enhancing the amount of Performance Bank Guarantee @ Rs. 100/per route meter.

Check list for getting approval for laying of 6" Steel pipeline from Ch. 2.230 to Ch. 2.330 (RHS) and 01 nos. crossing at 2.230 (LHS) for a total length of 160 Meters on Bhopal-Jabalpur Road NH-46 (Old NH-12).

Sr. No.	Item	Measurement at Site	Norms	Remark
1	Width of Available ROW of MPRDC Land	60 m	Existing ROW	NA
2	Width of Available ROW of MPRDC Land - Left side from center line (towards increasing Chainage/Km direction	35	60.00m	NA
3	Width of Available ROW of MPRDC Land - Right side from center line (towards increasing Chainage/Km direction)	25	60.00m	NA
4	Proposal to lay underground gas pipeline - Left side from centre line (Towards increasing Chainage/Km direction	No pipeline will be laid on left hand side	60.00m	NA
5	Proposal to lay underground gas pipeline - Right side from centre line (towards increasing Chainage/Km direction)	No pipeline will be laid on Right hand side	60.00m	Yes
6	Proposal to Acquire Land	NA NA	-NA-	NA
7	Proposal to Acquire Land - Left side of the centre line	NA	m	NA
8	Proposal to Acquire Land - Right side of the centre line	NA	m	NA
9	Whether proposal is in the same side where land is not to be acquired, if not then where to lay the gas pipeline	NA	LHS/RHS/BOTH	NA
10	Details of already laid services, if any along the proposal route	NA	-NA-	NA ·
11	Number of lanes (2/4 or 6/8) existing	4 lanes	Lanes	NA
12	Proposed number of lanes (2 lane with paved shoulders of 4 or 6/8 lane	NA	Lanes	NA
13	Service road (existing or not) Y/N, if yes then which side	NA	-NA-	NA
14	Service road (existing or not) Y/N, if yes then which side -Left side from centre line (width)	No	20m	NA
15	Service road (existing or not) Y/N, if yes then which side - Right side from centre line (width)	No	20m	NA
16	Proper service road	NA	-NA-	NA
17	Proper service road -Left side from centre line (width)	NA	7.00m	NA
18	Proper service road - Right side from centre line (width)	NA	7.00m	NA
19	Whether proposal to lay gas pipeline is beyond the service road of between the service road and main carriageway	NA	WITHIN/BEYOND/MIXED	NA
20	The permission for laying of gas pipeline shall be considered for approval/rejection based on Ministry Circular mentioned as above - Carrying of sewage/gas pipeline on highway/bridges shall not be permitted as fumes/gases pipes can accelerate the process of corrosion or may cause explosions, thus being much more injurious that leakage of gas	NA OL NIAN	-NA-	NA NA NA (Allahan)

Maker CDC, Bhopal Silvan General Managemat Mayag MPRDC, BHOPAPRDC, Bhopal

Kantlesh era Manage Handiver

31	The permission for laying of gas pipeline shall be considered for approval/rejection based on Ministry Circular mentioned as above - Carrying of Gas pipeline on bridges shall also be discouraged, however if the gas authorities			
	seem to have no other viable alternative and approach the highway authority well in time before the design of the bridge is finalized the may be permitted to carry the pipeline in independent superstructure supported on extended	NA	-NA-	NA
22	portions of piers and abutment in such a manner that in the final arrangement enough free spade around the superstructure of the bridge remains available for inspection and repairs etc.	NA		NA
23	The permission for laying of gas pipeline shall be considered for approval/rejection based on Ministry Circular mentioned as above - Cost of required extension of the sub-structure as well as that the supporting superstructure shall be borne by the agency in charge of the utilities	NA	Amount	NA
24	The permission for laying of gas pipeline shall be considered for approval/rejection based on Ministry Circular mentioned as above - Services are not being allowed indiscriminately on the parapet/any part of the bridge. Safety of the bridges has to be kept in view while permitting various services along bridge approvals are to be accorded in this regard with the concurrence of the Ministry?s project Chief Engineers only.	NA	-NA-	NA
25	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line	YES	-NA-	YES
26	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - Existing drainage structure shall not be allowed to carry the lines	YES	-NA-	YES
27	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - Is it on a line normal to NH/SH	YES	-NA-	YES
28	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - Crossing shall be too near the existing structure on the National Highway. The minimum distance being 15m. What is the distance from the existing structure	NA	-NA-	NA
29	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - The casing pipe (or conduit pipe in case of electric gas) carrying the utility line shall be of steel cast iron or reinforced	10" steel	6" steel dia carrying gas pipeline	YES सम्वामी ani

Bhopal MPRDC, BHOPAL MPRDC, Bhopal Manager

कमलेश के Keswarian Wamlesh Keswarian अय महामबाक Manager मंडीका उप हिलारा Manager मंडीका ON. General Mandideer मेल त्या Cas Limited, Mandideer GAIL Cas Limited, Mandideer

30	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - Ends of the casing/conduit pipe shall be sealed from the outside, so that it does as a drainage path	YES	: -NA-	YES
31	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - The casing/conduit pipe shall be sealed from drain to in cuts and loe of slope in the fills	YES	-NA-	YES
32	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - The top of the casing/conduit pipe should be at least 1.2m below the surface of the road subject to being at least 0.3m below the drain invert	YES	-NA-	YES
33	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - Crossing shall be by borning method (HDD) specially where the existing	YES	-NA-	YES
34	road pavement is of cement concrete or dense bituminous concrete type	Cement Concrete		NA
35	If crossing of the road involved is yes, it shall be either encased in pipelines or through structure or conduit specially built for the purpose at the expenses of the agency owning the line - The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a gasway along it	YES	-NA-	YES
36	Document/Drawing enclosed with the proposal	Yes	-NA-	Yes
37	Cross section showing the size of the trench for open trenching method if is normal size of 1.5 m deep x 0.5 m width	-NA-	-NA-	-NA-
38	Cross section showing the size of the trench for open trenching method if is normal size of 1.5 m deep x 0.5 m width - Should not be greater than 60cm wider than the outer diameter of the	-NA-	-NA-	-NA-
39	Cross section showing the size of the trench for open trenching method if is normal size of 1.5 m deep x 0.5 m width - Located as close to the extreme edge of the right of way as possible but not less than 15m from the center lines of the nearest carriage way	-NA-	-NA-	-NA-
40	Cross section showing the size of the trench for open trenching method if is normal size of 1.5 m deep x 0.5 m width - Shall not be permitted top run along the NH/SH when the road formation is situated in double cutting nor shall these be laid over existing culverts and bridges.	-NA-	-NA-	-NA- \
41	Cross section showing the size of the trench for open trenching method if is normal size of 1.5 m deep x 0.5 m width - These should be so laid that their top is at least 0.6m below the ground level so as not to obstruct drainage of the road land	-NA-	-NA-	-NA- मलेश केसवानी स्टेश Keswani कार्माहाप्रवेदक स्थाप

Bhopal Assistant General Manage Manage Bhopal Assistant General Manage M

स्वातान्त्र (सीजीई) उप महाप्रवेधक (सीजीई) Ov. General Manager मंडीद Dv. General Farthes Transport farthes, Mandide GAIL Gas Limited, Mandide

42	Cross section showing the size of pit and location of pit for HDD method	Yes	-NA-	Yes
43	Strip plan/route plan showing gas pipe line Chainage, width of ROW, distance of proposed gas from the edge of ROW, important mile stone, intersections cross drainage works etc.	Yes	-NA-	Yes
44	Methodology for laying of gas pipe line	Yes	HDD Method	Yes
45	Open trenching method (may be allowed in the utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type, if yes methodology or refilling of trench	NA	VUP middle circle	NA
46	Open trenching method (may be allowed in the utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type, if yes methodology or refilling of trench - The trench width should be at least 30cm but not more than 60m wider than the outer diameter of the pipe	NA	-NA-	NA
47	Open trenching method (may be allowed in the utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type, if yes methodology or refilling of trench-For filling of the trench. Bidding shall be to a depth of not less than 30cm. It shall consist of granular material.  Free of lumps clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material	NA	-NA-	NA
48	Open trenching method (may be allowed in the utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type; if yes methodology or refilling of trench—The backfill shall be completed in two stages	NA	-NA-	NA
49	The backfill shall be completed in two stages - Side fill to the level the top of the pipe and	Yes	-NA-	Yes
50	The backfill shall be completed in two stages - Overfill to the bottom of the road crust	Yes	-NA-	Yes
51	Open trenching method (may be allowed in the utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type, if yes methodology or refilling of trench. The side fill shall consist of granular material laid in 15m layers each consolidated by mechanical tempering and controlled additional of moisture of 90% of the proctor?s density over fill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or pending will not be permitted	NA	-NA-	NA
52	Open trenching method (may be allowed in the utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type, if yes methodology or refilling of trench. The road crust shall be built to the same strength as the existing crust on either side of the trench. Corc shall be taken to avoid the formation of dip at the trench	-NA-	-NA-	NA

Manager MPRDC, Bhopal

(1)

Asus and General Manager Manag

कमलेश कंसवायी कमलेश कंसवायी Wamlesh Keswani Wamlesh Keswani Goreral Manager मंडीद्री Dy. General Manager मंडीद्री Dy. General Manager गेल गेम निर्मिटेड, गेल गेम जिल्हा GMI. Gas Limited, Mandides

53	Open trenching method (may be allowed in the utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type, if yes methodology or refilling of trench -	NA :	NA.	NA.
22	The excavation shall be protected by flagman signs and barricades and red light during the night hours	IVA .	-NA-	NA
54	Open trenching method (may be allowed in the utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type, if yes methodology or refilling of trench - If required, a diversion shall be constructed at the expense of the agency owning utility line	NA .	-NA-	NA
55	Horizontal Directional drilling (HDD) method	YES	YES	YES
56	Laying of gas supply pipe line through CD work and method laying	NA	-NA-	NA
57	Laying of gas supply pipe line through CD work and method laying - On approaches the gas mains/gass shall be carried along a line as close to the edge of the right of way as possible up to a distance of 30m from the bridge and subject to all other stipulation contained in MPRDC guidelines	NA	-NA-	NA
58	Draft license agreement signed by two witnesses	YES	YES	YES
59	Performance bank guarantee in favour of MPRDC has to be obtained @ Rs. 50/- per running meter (parallel to NH/SH) and Rs. 1,00,000 per crossing of NH/SH for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making	Yes	-NA-	Yes
60	Good the excavated trench for laying the gass/ducts by proper filling and compaction, clearing debris/loose earth produced due to executing of trenching at least 50m away from the edge of the right of way no payment shall be payable by the MPRDC to the licensee for clearing debris/loose earth	-NA-	-NA-	-NA-
61	Performance BG as per above it to be obtained	Yes	-NA-	Yes
62	Confirmation of BG has been obtained as per MPRDC guidelines	Yes	-NA-	Yes
63	Affidavit/undertaking from the applicant for	Yes	-NA-	Yes
64	Not to damage to other utility, if damaged then to pay the losses either to MPRDC or to the concerned agency	Yes	-NA-	Yes
65	Renewal of bank guarantee	NA	-NA-	NA
66	Confirming all standard condition of MPRDC?s guidelines	Yes	-NA-	Yes
67	Shifting to gas pipeline as and when required by MPRDC at their own cost	Yes	-NA-	Yes
68	Shifting due to 6 lanning/widening of NH/SH	NA	-NA-	NA
69	Indemnity against all damages and claims clause (xxiv)	NA	-NA-	NA
70	Traffic movement during laying of gas pipeline to be managed by the applicant	Yes	-NA-	Yes
71	If any claim if raised by the Concessionaire then the same has to be paid by the applicant	Yes	-NA-	Yes
72	Prior approval of the MPRDC shall be obtained before undertaking any work of installation, shifting or repairs of alteration to the showing gas pipe line located in the National Highway right of ways	NA	-NA-	NA क्रसवाना amlesh Keswani amlesh Keswani amlesh Kasara Manage

MPRDC, Bhopal
Assistant General Manager MPRDC, Bhopal
MPRDC, Bhopal

र्कि महाप्रवासक (साजारहा) भर General Manager (CGD) भर जेस लिमिटेड, भेरा जेस लिमिटेड, GAIL Gas Limited, Mandidee

•	Expenditure if any incurred by MPRDC for repairing any damage cause to the National		4	
73	Highway by the laying maintenance or shifting of the gas pipe line will be borne by the agency owning the line	NA	-NA-	NA
74	If the MPRDC consider if necessary in future to move the utility line for any work of improvement or repairs of the road. It will be carried out as desired by the MPRDC or the cost of the agency owning the utility line with in a reasonable time (not exceeding 60 days) of the intimation given	NA	-NA-	NA
75	Certificate from the applicant in the following format	NA	-NA-	NA
76 Certificate from the applicant in the following format - Laying of gas pipe line will not have any deleterious effects on any of the bridge components and roadway safety for traffic		NA NA	-NA-	NA
77	Certificate from the applicant in the following format - For 6 lanning ?we do undertake that will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as well be stipulated by MPRDC? For future six	NA	-NA-	NA
78	Who will sign the agreement on behalf or gas pipe line agency	Yes	Name, designation	Yes
79	Certificate from the Project Director	NA	-NA-	NA
80	Certificate for confirming of all standard conditions	Yes	-NA-	Yes
81	Certificate from PD in the following format - it is certificated that any other location of the gas pipeline would be extremely difficult and unreasonable costly and the installation of gas pipeline with in ROW will not adversely affect the design stability and traffic safety of the highway nor the likely future improvement such as widening of the carriageway easing of curve etc.	Yes	-NA-	Yes
82	Certificate from PD in the following format - For 6 laning	NA	-NA-	NA
83	Certificate for confirming of all standard conditions - Where is feasibility available ?I do certify that there will be no hindrance to proposed six lanning based on the feasibility report considering proposed structure at the side location?	NA	-NA-	NA
84	Certificate for confirming of all standard conditions - In case feasibility reports is not available ? ?I do certify that sufficient ROW is available at site for accommodating proposed six langua?	NA	-NA-	NA
85	If NH/SH section proposed to be taken up by MPRDC on BOT basis a clause is to be inserted in the agreement ?the permitted highway on which licensee has been granted the right to lay gas pipe line gas/duct has also been granted as a right to way to the Concessionaire under the concession agreement for up gradation of ( section	NA	-NA-	NA
86	from Km to Km of NH/SH no on build, operate and transfer basis) and therefore the licensee shall honour the same	NA		NA
87	Who will supervise the work of laying of gas pipeline	MPRDC/GAIL Gas Ltd/MEENAAR GLOBAL	Applicant	Yes कंसवानी esh Keswani esh Keswanish

Manager
MPRDC, Bhopalssistan General Manager
MPRDC, BHOPAL
D

Divisional Manage MPRDC, Bhopay

Kamlesh Ke (क्षीजीडा) Kamlesh संक्षितिका (दिना) प्राथमहाप्रबंधक (क्षीजीडा) प्राथमहाप्रबंधक (क्षीजीडा) प्राथमहाप्रबंधक (क्षीजीडा) प्राथमहाप्रबंधक (क्षीजीडा) प्रवास क्षित्र (क्षीजीडा) प्रवास क्षित्र (क्षीजीडा) प्रवास क्षीजीडा

88	Who will ensure, that the defects in road portion after laying of gas laying of gas pipeline are corrected and if not corrected then what action will be taken?	MPRDC/GAIL Gas Ltd/MEENAAR , GLOBAL	Applicant	Yes
89	Who will pay the claims for damages done/disruption in working of Concessionaire, if asked by the Concessionaire	NA	Applicant	NA
90	A certificate from PD that he will enter the proposed permission in the register records of the permission in the prescribed proforma (copy enclosed)	. NA	Attached	NA
91 If any previous approval is accorded for laying of underground gas pipeline then photo copy of register of records of permission accorded as maintained by PD then copy enclosed		NA .	-NA-	NA

Recommendation: Satisfactory / Unsatisfactory

Over all Remarks:

Manager

MPRDC, Bhopal

Assistant General Manager MPRLO, GROPAL MPRDC, BHOPAL

THE GALL COS LIMITED, MANUAL COS LIMITED, MANU

### CERTIFICATE

This is to certify that proposal and proposed location for laying gas pipeline has been reviewed and physically verified by this office and this proposal is:

A) Found in conformity to the requirement set out as per MoRTH Circular No.RW/NH/22044/17/2005/S&R(R)(PT) dated 06/07.08.2013 and recommended for approval.

OR

B) Not found in conformity to the requirement set out as per MoRTH Circular No. RW/NH/22044/17/2005/S&R(R)(PT) dated 06/07.08.2013 due to following reasons:

a)	
b)	
-1	


(Please state the full reason in full detail with reference to Ministry's circular dated 06/07.08.2013)

(Strike out, whichever is not appligas from above)

Divisional Manger MPRDC, Bhopal



## Registration and Stamp Department Madhya Pradesh



### Certificate of Stamp Duty

THE RESERVE OF THE PARTY OF THE	E-Stamp Details		
E-Stamp Code	01010522072024004037		
Total E-Stamp Amount	500 STATE OF THE S		
Govt. Stamp Duty (Rs.)	500 Municipality Duty (Rs.) 0		
Janpad Duty (Rs.)	Upkar Amount (Rs.) 0		
Exempted Amount(Rs.)	SO AMPS DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS		
E-Stamp Type	NON-JUDICIAL, TO PROGRESS RATION AND STALIPS DEPARTMENT OF RESERVED AND AND STALIPS DEPARTMENT OF RESERVED AND STALIPS DEPARTMENT OF RESERVED AND AND STALIPS DEPARTMENT OF RESERVED AND AND STALIPS DEPARTMENT OF RESERVED		
Issue Date & Time	22/07/2024R12:39:26 REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION		
Service Provider or Issuer Details	VIMAL KUMAR SHRIVASTAVA/SP012942404202100296		
SP/SRO/DRO/HO Details	WARD NO 16 PATEL NAGAR MANDIDEEP TESIL GOHARGANJ DISTT. RAISEN		
PATENT OF PEG STRATION AND	GOHARGANJ RAISEN GISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND TRAMPS		
THE PARTY OF THE P	Deed Details		
Deed Type	Agreement or Memorandum of an agreement DEPARTMENT OF REGISTRATION AND STATIFFE		
Deed Instrument	If not otherwise provided for- Five hundred rupees.		
Purpose HENT OF HEG STRATION AND	Agreement Agreem		
	First Party Details		
Organization Name	MPRDC		
Address MENT OF REG S MATIONER	(Madhya Pradesh Road Development Corporation Ltd. Bhopal ) Add- 45A, Arera Hills,		
MENT OF REG STRATELLED	Bhopal BHOPAL Madhya Pradesh INDIA		
Number of Persons	THE RESERVE OF THE PROPERTY OF		
	Second Party Details		
Organization Name	GAIL GAS LIMITED		
Address MENT OF REGISTER THE	Plot No C-1, Sector-A, Industrial Area Mandideep RAISEN Madhya Pradesh INDIA		
Number of Persons	The state of the s		
- CLEPS IMENT OF REGISTING	The one to the second s		

THENT OF REGISTRATION AND STATE OF THE STATE

MENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND

MENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND STAMPS

DEPARTMENT OF REGISTRATION AND STAMPS DEPARTMENT OF REGISTRATION AND S Date: 2024.07.22 12:40:44

DEPARTMENT OF REGISTRATION AND THE STATE OF REGISTRATION AND THE S



### Undertaking

I/We hereby certify that following terms and condition will be adhered to during the crossing/laying of underground 6" Natural Gas Steel pipeline from Ch. 2.230 to Ch. 2.330 (RHS) and 01 nos. crossing at 2.230 (LHS) for a total length of 160 Meters on Bhopal-Jabalpur road NH-46 (Old NH-12).

- 1. The underground CGD pipeline shall be laid in strict observance of the norms prescribed for the purpose and in compliance with the instruction to be obtained from the project director of concerned highway authority
- 2. The underground CGD pipeline will not be Interfered with the public utility service. If any
- 3. Adequate arrangement for cautioning by way of caution board during the day time danger light at light will be provided by the concerned department
- 4. The which of digging trench should be kept to minimum. After completion of work the trench shall be filled up by the department and compacted to satisfaction of the Engineer – in - charge
- 5. No avenue tress shall be felled or trimmed except special permission of the highway authority, the concerned department shall indemnify the highway authority from all danger, if any, due to the laying of the pipeline
- 6. Concerned depart should notify the concern engineer in charge at least 15 days in advance before digging trenches along the road sides
- 7. If the repairing work of digging portion is not up to the satisfaction of the engineer in charge, the same will be repaired by the highway authority and the cost for that purpose will entirely be borne by the concerned department.
- 8. In case of necessity, the CGD pipeline will be shifted at our own cost and risk within 60 days of receipt of such notice from the NHAI.
- 9. The CGD pipeline shall be as close to the extreme edge of the right of way as possible but not less than 15 meters from the center line of the nearest carriage way
- 10. The CGD pipeline shall not be permitted to run along the national highway when the road formation is situated in double cutting. Nor shall these be led over the existing culverts and bridges without the prior approval of government of India.
- 11. The CGD pipeline shall be so placed that at no time there is interference with the maintenance of the national highways,
- 12. These should be so laid that their top is at least 0.6 mts. Below, ground level or as otherwise Directed by the highway authority so s not to obstruct drainage of the road land.
- 13. We do undertake that we shall take prior approval of NHAI before starting or undertaking any work of installation, shifting or repairs of alteration to the gas pipeline located in national highway right of the work.
- 14. We undertake that if any claim is raised by the concessionaire towards and damage any other region there of then same shall be paid us.
- 15. We shall undertake that we shall bear the expenditure, if any, incurred by NHAI for repairing any damage caused to the national highway by laying, maintenance or shifting of the Gas pipeline.
- 16. We undertake that no claim shall be made by the agency in case of revenue loss/ any other losses/ insurance etc. at the time of shifting the gas pipeline.
- 17. We do undertake that while laying of the cars pipeline across national highway we shall take care of that existing utilities and settles that have been previously laid. In case of any

E-Stamp Code: 01010522072024004037

damage, we shall pay the necessary repair charges either to NHAI or to the concerned agency

- 18. We do undertake that we are agreeable to the terms and condition laid in the draft agreement and here by confirm the signing of the agreement within 30 days of receipt of the approval from NHAI we also confirm the agreement deposit of the statutory fees/ user charges/ bank guarantee as applicable and agreed in the agreement at the time of signing of the agreement, We also undertake that bank guarantee shall be renewal as and when required as directed by NHAI.
- 19. We do undertake that we shall manage and abide by all that standard conditions of ministry circulars and NHAI guidelines regarding laying of the pipelines in the national highway land.
- 20. We do undertake that we shall manage and control the ongoing traffic movement while laying our gas pipeline across national highway, we shall carry our pipeline laying work without hampering on going traffic.

For GAIL Gas Limited

Kamlesh Keswapian

DGM (CAMES) TO KESWANI

Kamlesh Keswapian

Kamlesh

In the presence of

1. Vikash kumar Kanaujian Kumar Kumar Kanaujian Kumar Kumar Kanaujian Kumar Ku

2. Shiv Dutt Singh,

THE REPORT OF THE PROPERTY OF



# गस लिमिटेड

(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेड की पूर्णतः स्वामित अनुषंगी कम्पनी)

## GAIL Gas Limited

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

स्थानीय कार्यालय : प्लॉट नं. सी-1, सेक्टर-ए, औद्योगिक क्षेत्र, मण्डीदीप-462046, रायसेन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A, Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

Ref: GGL Mandideep/MPRDC/Vindhyanchal Xing/BG Ext/2024-25/245 Date: 17.07.2024

To,

The Chief General Manager (Admin.), M.P. Road Development Corporation Ltd. Bhopal, M.P.

Subject: Submission of renewed/extended Bank Guarantee nos. 0007NDLG00040524 for Rs. 6,000/- dated 21.07.2023 Amended on 05.07.2024 for laying of 6" dia steel pipeline from Ch. 2+230 to Ch. 2+330 at RHS for increasing chainage at extended arm and one no of crossing at road chainage No. Ch. 2+230 of total length 160 meter on Bhopal-Jabalpur Road NH-46.

Ref: 1. GAIL Gas letter no GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated:30.08.2022. GAIL Gas letter no GGL/MANDIDEEP/MPRDC/NH-46/2023-24/101 dated:06.06.2023.

Dear Sir,

In reference to above, GAIL Gas Limited is submitting the renewed/extended Bank Guarantee nos. 0007NDLG00040524 dated 21.07.2023 amended on 05.07.2024 for Rs. 6,000/- for laying of 6" dia steel pipeline from Ch. 2+230 to Ch. 2+330 at RHS for increasing chainage at extended arm and one no of crossing at road chainage No. Ch. 2+230 of total length 160 meter on Bhopal-Jabalpur Road NH-46.

It is requested to kindly acknowledge the BG and issue the receipt of the same.

Thanking you.

Yours sincerely

Chief Manager (CGD) विकास कुमार क्रमोजिया GAIL Gas Limited Manager (स्विजीहर्ग)

GAIL Gas Limited, Manufice Panager (CGD) (CGD) (CGD) (CGD) (CGD) (CGD) (Chief क्षेत्र क्षिणी क्षेत्र Unici निर्माणका मंडीदीय मेल भेस लिमिटेड, Mandic sen GAIL Gas Limited, Mandic sen

पंजीकृत कार्यालय:

गेल भवन, 16, भीकाएजी कामा प्लेस, आर के पुरम, नई दिल्ली -110066, इंडिया

REGD. OFFICE:

GAIL BHAWAN, 16, BHIKAIJI CAMA PLACE, R. K. PURAM, NEW DELHI-110066, INDIA

निगमित कार्यालय:

13वीं और 14वीं गंजिल, गेल जुबली टावर, बी 35व 36, सेवटर-1, नोएडा 201301 (यू.पी.)

CORPORATE OFFICE:

13" &14" FLOOR, GAIL JUBILEE TOWER, B35 &36, SECTOR-1 NOIDA - 201301 (U.P.)

सीआईएन/CIN U40200DL2008G0l178614

www.gailgas.com



To,
THE MANAGING DIRECTOR MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED
45 A ARERA HILLS

BHOPAL MADHYA PRADESH 462011 INDIA

Sub: Issuance of Bank Guarantee Amendment

Dear Sir/Madam,

Please find attached Bank Guarantee amended by us favouring yourself on behalf of:

GAIL GAS LIMITED, PLOT,B35&36,13&14,SECTOR-1,GAIL JUBILEE TOWER, , , NOIDA, UTTAR PRADESH 201301, INDIA

Please find the details mentioned below.

Bank Guarantee No. & Date of Issue	Expiry Date	Claim Expiry Date	Currency	Amount of Bank Guarantee
0007NDLG00040524 21-07-2023 Amended on : 05-07-2024	19-07-2025	19-07-2025	INR	6,000.00

We confirm that the officials who have signed the above Bank Guarantee are authorized to sign such documents on behalf of ICICI Bank Limited. You may verify genuineness of the Bank Guarantee by writing to us at bgconfirmation@icicibank.com for receiving the confirmation over email.

Alternatively, you may also write to the following address to verify the genuineness of the BG:

ICICI Bank Limited, Trade Finance Operations Group, ICICI Bank Towers, Survey No.115/27, Tower 3, South Wing, 6th Floor, Plot No. 12, Nanakramguda, Serilingampally, Hyderabad - 500032, Telangana

In the event of invocation, we request you to please ensure compliance with the terms and conditions of the Bank Guarantee in order to ensure timely payment. You are requested to ensure special care inter alia with respect to the following in the invocation claim letter -

- Bank Guarantee Number
- Expiry/Claim Expiry date
- Claim Amount
- Designated Bank branch for submission of invocation claim
- · Any declaration / certification that may be required as part of the guarantee text.
- · Any other requisite document including the original Bank Guarantee.

Thanking you,

Yours faithfully,

For ICICI Bank Limited Authorized Signatory

> SHIVAM BHAGAT Deputy Manager-II 873871

> > ICICI Bank Limited 9A, Phelps Building, 2nd Floor, Connaught Place, New Delhi - 110 001, Delhi, India.

Website www.icicibank.com CIN:L65190GJ1994PLC021012 Regd. Office: ICICI Bank Tower, Near Chakli Circle,

Old Padra Road, Vadodara 390 007,

India.

Corp. Office

: ICICI Bank Towers, Bandra-Kurla Complex, Mumbai 400051, India.



### INDIA NON JUDICIAL

### **Government of National Capital Territory of Delhi**

### e-Stamp

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Property Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-DL10110367501335W

28-Jun-2024 06:51 PM

IMPACC (IV)/ dl736003/ DELHI/ DL-DLH

SUBIN-DLDL73600375442703388235W

ICICI BANK

Article Bank Guarantee

Not Applicable

(Zero)

ICICI BANK

Not Applicable

ICICI BANK

(One Hundred only)

सत्यमव जयत

Please write or type below this line

This Stamp Paper forms an Integral Part of

BGNO. 000 FNDL Croco 40524

Dated 21-7.2023

Amount

6000.00

For GICI Bank Linklad action Banking, SA, C.P., N.D.-1

SUYASH ANAND M-I A-3734

**RUCHITA SINGH** Manager-II S13827

Statutory Alert:

- The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
- The onus of checking the legitimacy is on the users of the certificate.

In case of any discrepancy please inform the Competent Authority



BG Number: 0007NDLG00040524 Amendment Date: July 05, 2024

1751030

# BANK GUARANTEE ICICI Bank Limited

(Incorporated in India)



- 1 To
- 2 THE MANAGING DIRECTOR MADHYA PRADESH ROAD DEVELOPMENT CORPORATION
- 3 LIMITED
- 4 45 A ARERA HILLS
- 5 BHOPAL 462011 MADHYA PRADESH INDIA
- 6 Sub: Amendment of Bank Guarantee No.0007NDLG00040524 Dated 21/07/2023 for
- 7 INR,6000.00
- 8 Current Bank Guarantee Details: 6 Bank

Bank Guarantee Number	Date of Issue	Expiry Date	Claim Expiry Date	Currency	Amount of Bank Guarantee
0007NDLG000405 24	21/07/2023	19/07/2024	19/07/2024	INR	6000.00

- 9 At the request of GAIL GAS LIMITED, we hereby amend above mentioned Bank Guarantee as
- 10 follows:
- 11 \*Expiry date of the Bank guarantee has been amended to 19/07/2025
- 12 \*Claim expiry date of the Bank sugrantee has been amended to 19/07/2025.
- 13 All other terms and conditions of the original Bank guarantee remain unchanged. This letter
- 14 forms an integral part of the original guarantee referred above and may be kept attached

Ficici Bank

FICICI Bank

15 thereto

FICICI Bank

- 16 The liability of the Guarantor under this Guarantee shall not exceed INR 6000.00 (Six
- 17 Thousand Rupee Only) (the "Guaranteed Amounts").

FICICI Bank

18 This Guarantee shall be valid up to 19/07/2025 (the "Expiry Date").

# ICICI Bank

- 19 Notwithstanding anything to the contrary contained herein, no obligation of the Guarantor to
- 20 pay any amount under this Guarantee shall arise prior to the fulfillment of the following
- 21 conditions precedent:
- 22 (a) written claim/demand(s) in terms of this Guarantee of an aggregate amount less than or

M-I A-3734

For CICI Bank Limited

Kuchit

Authorized ale story

Transaction Banking, 9A, C.P., N.D.-1

RUCHITA SINGH Manager-II \$13827

The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking confirmation of its issuance by writing to the email ID <a href="mailto:bgconfirmation@icicibank.com">bgconfirmation@icicibank.com</a> or to ICICI Bank Limited, Trade Finance Operations Group, ICICI Bank Towers, Survey No.115/27, Tower 3, South Wing, 6th Floor, Plot No. 12, Nanakramguda, Serilingampally, Hyderabad – 500032, Telangana.

Regd. Office: ICICI Bank Ltd., ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Pin code- 390 007, Gujarat Phone: +91-265-6722286, CIN L65190GJ1994PLC021012

BG Number: 0007NDLG00040524 Amendment Date: July 05, 2024

1751031

### BANK GUARANTEE ICICI Bank Limited



(Incorporated in total Guaranteed Amounts is/are made by the Beneficiary hereunder; and

- 24 (b) such written claim/demand(s) is/are delivered to the Guarantor on or before the
- 25 19/07/2025 at the ICICI Bank branch located at ICICI BANK LIMITED, Delhi, 9A PHELPS
- 26 BUILDING CONNAUGHT CIRCUS NEW DELHI.110001.
- · 27 Date:05/07/2024
- 28 Place:Delhi
- 29 FOR ICICI BANK LIMITED
- 30 Authorised Signatories
- 31 Signature: For ICICI Bank Limites
  32 Name: Name:
- 33 Signature Code: 10ry Signature Code: Authorized Transaction Banking, S. C.P., N.D.-1

SUYASH ANAND M-I A-3734 RUCHITA SINGH Manager-II \$13827

ARY GOF

The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking confirmation of its issuance by writing to the email ID <a href="mailto:bgconfirmation@icicibank.com">bgconfirmation@icicibank.com</a> or to ICICI Bank Limited, Trade Finance Operations Group, ICICI Bank Towers, Survey No.115/27, Tower 3, South Wing, 6th Floor, Plot No. 12, Nanakramguda, Serilingampally, Hyderabad – 500032, Telangana.

Regd. Office: ICICI Bank Ltd., ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Pin code- 390 007, Gujarat Phone: +91-265-6722286, CIN L65190GJ1994PLC021012



### गेल गैस लिमिटेड

(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेड की पूर्णतः स्वागित अनुषंगी कन्पनी)

### GAIL Gas Limited

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

स्थानीय कार्यालय : प्लॉट मं. सी–1, सेक्टर–ए, औद्योगिक क्षेत्र, मण्डीदीप–462046, रायसेन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A, Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

No.: GGL/MANDIDEEP/MPRDC/OBE/NH-46/VINDHYANCHAL

Date:03.01.2023

To, Divisional Manager MPRDC, Bhopal

Subject: Submission of License Fee, BG, corrected drawing, check list, agreement and undertaking for permission of Gas pipeline laying along and across NH-46 at Obedullaganj bypass.

Ref: 1. GAIL Gas letter no GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2022. 2. MPRDC demand letter no. 995/MPRDC/DM-2 BPL/2022 dated 16.11.2022.

Dear Sir,

In reference to above, GAIL GAS LTD. has already been submitted the License fee of Rs. 1,04,646/- (One Lakh Four Thousand Six Hundred Forty-Six Only) through online for pipeline laying permission of Natural Gas Carbon Steel Pipeline of Dia-4" at NH-46 (Old NH-12) at road Chainage No. Ch. 2+230 to Ch. 2+330 and 1 no. of crossing at 2+230 of NH-46 (Old NH-12).

GAIL Gas Ltd is submitting BG amount of Rs. Rs. 16,000/- (BG No. 0007NDLG00112623 dated 12.12.2022), corrected drawing, Check list, Agreement, Undertaking, Certificate, Challan and license fee transaction receipt along with this letter.

It is requested to kindly acknowledge the payment and issue the receipt of the same.

Thanking you.

Yours sincerely

DGM (CGD Projects), and another (CGD All Gas Limited of Gas Another (CGD Mandideep (30 General Another Mandideep (30 General A

पंजीकत कार्यालय

गल भवन, 16, भीकाएजी कामा प्लेस, आर.के. पुरम, नई दिल्ली -110066, इंडिया

REGD. OFFICE

GAIL BHAWAN, 16, BIHIKAUJI CAMA PLACE, R. K. PURAM, NEW DELHI-110066, INDIA

निगमित कार्यालय


।3वीं और 14वीं मंजिल, गेल जुबली दागर, बीं 35 व 36, सेंक्टर-1, नीएडा-201301 (बू.भी.)

CORPORATE OFFICE

13" &14" FLOOR GAIL JUBILEE TOWER 835 &36, SECTOR-1 NOIDA-201301 (U.F.)

CORPORATION TO BE A CONTROL OF THE STATE OF

सीआईएन/CIN U40200DL2008G0I178614 www.gallgas.com



Date: 12-12-2022 Ref: 0007NDLG00112623

To,
THE MANAGING DIRECTOR MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED
45-A, ARERA HILLS

BHOPAL MADHYA PRADESH INDIA 462011

Sub: Issuance of Bank Guarantee

Dear Sir/Madam,

Please find enclosed Bank Guarantee issued by ICICI Bank Limited ("ICICI Bank") favoring yourself on behalf of: GAIL GAS LIMITED, PLOT, B35&36,13&14 FLR, SECTOR-1, GAIL JUBILEE TOWER, NOIDA, UTTAR PRADESH, INDIA, 201301 ("Bank Guarantee") with the tenor and claim period as requested by you. For ease of reference the details have been reproduced as below:

Bank Guarantee No. & Date of Issue	Expiry Date	Claim Expiry Date	Currency	Amount of Bank Guarantee
0007NDLG00112623 12-12-2022	15-12-2023	15-12-2023	INR	16,000.00

We confirm that the officials who have signed the above Bank Guarantee are authorized to sign such documents on behalf of ICICI Bank. You may verify genuincness of the Bank Guarantee from any branch of ICICI Bank in your own interest.

In the event of invocation, we request you to please ensure compliance with the terms and conditions of the Bank Guarantee in order to ensure timely payment. You are requested to ensure special care inter alia with respect to the following in the invocation claim letter -

- Bonk Guarantee Number
- Expiry/Claim Expiry date
- Claim Amount
- · Designated Bank branch for submission of invocation claim
- Any declaration / certification that may be required as part of the guarantee text.
- Any other requisite document including the original Bank Guarantee.

Please note that ICICI Bank shall not be liable under the Bank Guarantee post expiry of the claim period as requested by you.

Thanking you,

Yours faithfully

For ICICI Bank Limited Authorized Signatory

> SHREY SHARMA Opputy Manager-H: 672250

> > Delhi, India.

ICICI Bank Limited 9A, Phelps Building, 2nd Floor, Connaught Place, New Delhi - 110 001,

Website www.icicibank.com CIN:L65190GJ1994PLC021012 Regd. Office: ICICI Bank Tower, Near Chakli Circle,

Old Padra Road, Vadodara 390 007,

India.

Corp. Office : ICICI Bank Towers, Bandra-Kurla Complex, Mumbai 400051, India.



### INDIA NON JUDICIAL

# Government of National Capital Territory of Delhi

₹100

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Property Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-DL27395631350336U

07-Dec-2022 12:00 PM

IMPACC (IV)/ di736003/ DELHI/ DL-DLH

SUBIN-DLDL73600329795978732547U

ICICI BANK

Article Bank Guarantee

Not Applicable

(Zero)

ICICI BANK

Not Applicable

ICICI BANK

(One Hundred only)

सत्यमेव जयते



The art of the property of the particle of the property of the particle of the

0007NDLG00112623

12.12.2022

INA 16000.00

For ICIGI Bank Limited Authorised Signatory

VIYOM A ITTAL DM-1 466237

SIDDHANT DAS Manager-1: 426168

The authenticity of this Stamp certificate should be verified at www.shoilet Any discrepancy if the Eddels to this Certificate and as available on the way. The onus of checking the legitimacy is on the users of the certificate.
The onus of checking the legitimacy is on the users of the certificate.
In case of any discrepancy clease inform the Competent Authority.

AFICICI Bank Y ICICI Bank Wickel Bank Current Shot Wacher Bhasis BANK GUARANTEE ICICI Bank Limited BG Number: 0007NDLG00112623 (Incorporated in India) Issuance Date: 12 December, 2022 Effective Date: 16 December, 2022 BANK GUARANTEE 2 To, acatha Bank Wanted Book \*3 The Managing Director 4 Madhya Pradesh Road Development Corporation Limited 5 45-A, Arerd Hills, Bhopal - 462011 6 An consideration of agreement for gas pipeline crossing/laying on Bhopal-Jabolpur Road NH-12 FICICI Bank (New NH-46) between The Managing Director Madnya Pradesh Road Development Corporation 8 . Limited Bhopal (hereinafter called Principal) & "(GAIL Gas Limited, Plot No. C-1, Sector-A, Industrial Area Mandideep, Dist. Raisen, MP-4620.46]". Thereinafter called Contractor). We ICICI Bank 500 10 Limited having one of its branch office at ICICI Bank Limited. 9A. Phelps Building.Connaught Place. New Delhi-110001 and having its registered office at ICICI Bank Tower, Near Chakli Circle, Old Podra Road, Vadodara, Gujarat, Pin - 390 007 (hereinafter referred to as "The Bank", Guarantor")
hereby undertake to pay the principal an amount not exceeding Rs. 16,000 (Austrean 14)
Thousand Only) against any loss or damage or conditions contained in the son degree nent. C-12 We ICICI Bank Ltd do hereby undertake to pay the amount of an application under this guarantee FRACHOY: without any demur, merely on a demand from the principal stating that amount claimed is on account of not making good and executed trenching laying of underground cable of proper filling and compaction, as to restore the land in the sufferentiation as it was before digging the trench.

debris/loose earth produced the trenching However, our liability under this guarantee shall be restricted as 10,000/. (Rupees Sixteen Thousand Only). We undertake to pay the principal appropriate the principal appropriate to dehanded notwithstanding any dispute or dispute raised by the contractors in appropriate their absolute and unequivocal. The payment so made by us under this pand shall be a valid discharge of aux liability for payment their under god the contractors shall be a valid discharge of aux liability for payment their under god the contractors shall be a valid discharge of aux liability for payment their under god the contractors shall 19 bond shall be a valid discharge of our liability for payment there under and the contractor(s) shall 25 have no claim against us for making such payments. We, ICICI Bank Ltd further agree that the guarantee here in contained shall remain in full force and effect during the period would be taken for the performance of said agreement and that it shall be 27 continued to be enforceable till all the dues of the principal or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till the principal, certify that the terms and conditions of the said agreement have been fully and property carried out by the said contractor and accordingly discharges this guarantee or till 15.12.2023 whichever is earlier we shall be 32 discharged from our liabilities under this guarantee thereafter, Propertion. 33 The guarantee will not be discharged due to the charge in the constitution of the bank on of the

For IQICI\Bank Limited contractor.

The Property of the Control of the C

d Sonatory Authorise Authorised Synatory order Banking, 9A, Colin, Place, New Devil

VIYOM MITTAL

SIDDHANT DAS Manager-L; 426168

DM-1 466237 The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking confirmation of its issuance from a branch of ICICI Bank other than the issuing branch.

Regd. Office: ICICI Bank Ltd., ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Pin code- 390 007, Gujarat Phone: +91-265-6722286, CIN L65190GJ1994PLC021012

WICICIBank WICICIBank WIGICIBank WINCHOLE Bank FICIOI Bank W MCHCH BURN FICION Benk ARMOND Bank BANK GUARANTEE WARREST Bank Protest Bank ICICI Bank Limited BG Number: 0007NDLG00112623 (Incorporated in India) Issuance Date: 12 December, 2022 Effective Date: 16 December, 2022 35 We ICICI Bank Ltd lastly undertakes not to revoke this guarantee during its currency except with 36 previous consent of the principal in writing. 37 This bank guarantee is valid until 15.12.2023 Picici Bank 38 The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking 39 confirmation of its issuance from a branch of ICICI Bank Ltd. Upper Ground Floor, Gopaldas 40 Bhawan Connaught Place, New Delhi other than the issuing branch. 41 The liability of the guaranter under this guarantee shall not exceed Rs 16,000/- (Rupees Sixteen 42 Thousand Only), (the "Guaranteed Amount").
43 This Guarantee shall be valid up to 15.12.2023 44 Notwithstanding anything to the contrary contained herein, ho obligation of the Gugrantor to pay 45 any amount under this Guarantee shall arise prior to the fulfillment of the totaling conditions 46 precedent: (a) Written claim/demand(s) in terms of this Guarantee of an aggregate and unit less than or equal to the Guaranteed Amounts Is/are made by the Beneficiery Tereuridan and (b) Such written claim/demand(s) is/are delivered to the Guaranto on or before 15.12.2023 at at ICICI Bank Limited. 9A. Phelps Building Company of Physics New Delhi-110001 51 For ICICI Bank Ltd 52 Authorised signofoxies 53 Signot 12 Signature: For KICI Rark Limited 54 Name: Aethorical Signature Code: Sanatory Name:

Authorized Signatory
Signature Code Translation Signatory ACTIVITIES FOR ALL VIYOM MITTAL SIDDHANT DAS Manager-1: 426168 DM-1 466237 AF JOHN Benk AFRICACIE DE AF PERMITTORS FRENCH HALLS THE WATER WILL A road min ORDER BOOK A REMOVED BOOK AND REMOVED BOOK APHORES .... A MINISTER BUTTON White Royal Concession ACMON/Cank

The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking confirmation of its issuance from a branch of ICICI Bank other than the issuing branch.

Regd. Office: ICICI Bank Ltd., ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Pin code- 390 007, Gujarat Phone: +91-265-6722286, CIN L65190GJ1994PLC021012

GROWING GLOGIERAL GLOGIERAL GLOGIERAL GLOGIERAL


THE WARDS BOOK

Picici Bank

PICICI BUILD

Production Productions

NTRP (Toll free No.1800 118 111	)		Chall	an			
Challan No. :	2039901312220000	2434	Challan Identification No. (CIN) by Bank: 20399013122200002434				
Transaction Ref No.	1312220002431						
Challan of money paid	into CANARA BAN	IK (bank), RAIPUR	(brand	ch).			
To be filled in by the	remitter		To be filled in by th	e Departmenta	al Officer or at	his instance	
Name (& or designation) and address of the party (i.eTax payer etc.) crediting money	1 CAROLI DI SOLUZIONI PARTICIZZATI IN PROPER PARTICIPAZZATI PROPERTI DE PARTICIPAZZATI PROPERTI PRO	Full particulars of the nature of remittance and/or authority (if any)	Head of Account	Amount (INR)		Order to the bank	Remarks
M/S. GAIL Gas LimitedPlot No. C-1, Sector-A, industrial Area Mandideep -	ROAD TRANSPORT & HIGHWAYS - 024/PAO, National Highways, Bhopal [203990]	License fee for laying of utility services,	105400800010000	104646.00	Regional Pay & Accounts Office, (NH), Bhopal [002192]		
Date: 13/12/2022		Tctal	Six Hundred	(Rupees :On Forty-Six) On	The same of the sa	Thousand	





# Dharatkosh gov.in

Government of India Receipt Portal

# RECEIPT

Transaction Ref.No. 1312220002431

Dated: Dec 13 2022 10:28AM

Received from M/S. GAIL GAS LIMITED

with Transaction Ref.No.

1312220002431

Thousand Six Hundred Forty-Six Only ) through Internet based Online payment Dated Dec 13 2022 10:28AM the sum of INR 104646 (One Lakhs Four in the account of License fee for laying of utility services, , GAIL Gas Mandideep, Demand Letter no.995 dtd 16/11/2022. Disclaimer:- This is a system generated electronic receipt, hence no physical signature is required for the purpose of authentication Printed On: 20-12-2022 07:45:17

Courtesy :- Controller General of Accounts



### GOVERNMENT OF INDIA सड़क परिवहन और राजगार्ग गंत्रालय

### MINISTRY OF ROAD TRANSPORT & HIGHWAYS

कार्यालयमुख्यअभियन्ता-क्षेत्रीयअधिकारी,

Office of the Chief Engineer-Regional Officer, द्वितीय तल, जिर्माण भवन, अरेरा हिल्स 2nd Floor, Nirman Bhawan, Arera Hills

भोपाल-462 011, दूरभाषः 2551329 Bhopal-462 011, Phone: 0755 - 2551 329

Email: ro.bpl-morth@qov,in

Dated the: 09.02.2023

No.RW/BHP/MP/Gas pipe line (152)/2022-23/ 4706

To,

The Divisional Manager, MPRDC, Bhopal.

Sub: Proposal for Permission for Gas Pipeline (GAIL) from Ch. 2+230 to Ch. 2+330 (RHS) and 1 nos. crossing at Ch. 2+230 (LHS) for a length of 160 m on Bhopal Jabalpur road NH-46 (Old NH-12) in the State of Madhya Pradesh.

Ref: (i) DM, MPRDC, Bhopal's letter no. 1437/MPRDC/DM-2 BPL/2022 Bhopal dated 05.01.2023.

(ii) Ministry's circular no. RW/NH-33044/29/2015/S&R (R) Dated 22.11.2016.

Please refer to your letter under ref. (i) cited above forwarding therewith the Application submitted by M/s Gail Gas Private Limited, Bhopal seeking Proposal for Permission for Gas Pipeline (GAIL) from Ch. 2+230 to Ch. 2+330 (RHS) and 1 nos. crossing at Ch. 2+230 (LHS) for a length of 160 m on Bhopal Jabalpur road NH-46 (Old NH-12) in the State of Madhya Pradesh under provisions of Guidelines for accommodation for Public and Industrial Utility Services on NH vide Ministry's circular no. RW/NH-33044/29/2015/ S&R (R) Dated 22.11.2016.

- 2. The proposal has been examined and following observation are raised:
  - (i) Calculation error in the license fee.
  - (ii) First page of the license agreement should mention the name of two parties.
  - (iii) Drawing showing cross section of gas pipeline along with cross section of road is not attached.
- 3. In view of the above proposal is returned for compliances.
- 4. This issues with the approval of RO, MoRT&H Bhopal, Note#4 (Computer no.- 218907)

XX

(Shubham Kaushal)
Assistant Executive Engineer
For Regional Officer, MoRT&H, Bhopal

Copy to:-

1. The CE (BOT), MPRDC, Bhopal - for information.

 The M/s Gail Gas Pvt. Ltd., 3rd Floor, Hotel Shiv Vilas, Hoshangabad Road, Mahaveer Nagar, Mandideep, District - Raisen – 462 045 (M.P.) – for information and necessary action.

### Calculation Sheet for License fee & BG

Name of Road:- Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at Ch. 2+230 (LHS) for a length of 160 mts on Bhopal-Jabalpur road NH-46 (Old NH-12) under jurisdiction of MPRDC, Bhopal.

Charges for granting license for use Highway Land for laying Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at Ch. 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12) License fee for Five Year.

	Chai	nage				Collector	Amount
s. No.	From	То	Name of Village	L	В	Guideline 22-23 Rate	=LxBxR/10x12
1	2230	2330	NH-12 (RHS) (100 mm. dia )	100	0.1	1760	147
2		Ch. 2+230	NH-12 (200 mm. dia )	60	0.1	1760	88
			Total Length	160		nse fee for One onthTotal Rs.	235
					For five	e year Rs. 235 x 60	14080
		Case	of public utility purp	ose 140	80 @ 339	% of license fee i.e.	4646
License fee for Five year Rs.					4646		
			For 0	1 no. Cre	ossing @	100000/- per road	100000
			100	1.1	Licer	se fee for paid Rs.	104646

### Bank Guarantee (Performance) for 01 Year

Total length 160 mtr x 100 per running meter

16000

Total Rs. For BG

16000/-

MPRDC, Bhopal-2

**Divisional Manager** 

Spenant

MPRDC, Bhopal-2



### गेल गैस लिमिटेड

(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेड की पूर्णतः स्वामित अनुषंगी कम्पनी)

### **GAIL Gas Limited**

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

### Ref No- GGL/MANDIDEEP/MPRDC/NH-46 /2023-24 / 101

To, The Divisional Manager, Madhya Pradesh Road Development Corporation, 45-A, Arera Hills, Bhopal, Madhya Pradesh 462016 स्थानीय काय लय : प्लॉट नं. सी- 1, सेक्टर-ए, औद्योगिक क्षे 1, मण्डीदीप-462046, रायसेन, मध्य प्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A, Industrial I rea, Mandideep-462046, Raisen, Madhya Pradesh

Date: 06.06.2023

**Subject:** - Permission for crossing of GAIL Gas Ltd. Natural Gas Carbon Ste: Pipeline of Dia 6" (with 12" casing pipe) instead of Dia-4" along NH-46 at road Chainage No. C 1. 2+230-from Right hand side to Left Hand Side for increasing chainage at extended arm.

- Ref: 1. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE dated: 30.08.2022.
  - 2. GGL/MANDIDEEP/MPRDC/OBE/NH-46/VINDHYANCHA dated 03.01,2023.
  - 3. 2396/MPRDC/DM BPL/Permission/2023 Bhopal Dated: 09.05.2023
  - 4. GAIL-GAS/MANDIDEEP/22-23/MPRDC/NH-46 DATED: 30.03.2)123.
  - 5. 1540/MPRDC/DM BPL/ Permission/2022 Bhopal, Dated: 19.07.2022.

Dear Sir.

Permission for one no. of crossing NH-46 at road Ch. 2+230 was applied vide application no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE dated: 30.08.2022. Subsequently, upon receipt of demand note GGL/MANDIDEEP/MPRDC/ OBE/NH-46/VINDHYANCH A dated:03.01.2023 provided from MPRDC, Licence fee and Bank Guarantee were submitted to your good office.

However, due to changes in road side for laying the pipeline, the crossing is to be done with 6-inch pipeline in place of 4-inch pipeline to maintain the pipeline hydraulics

In view of above, you are requested to provide the additional demand (if applicable) for increase in pipeline diameter from 4" (with 10" casing pipe) to 6" (with 12" casing pipe) for one no crossing the NH-46 at road Ch. 2+230.

Further, during the issuance of permission for change in side (refer your letter no. 2390/MPRDC/DM BPL/Permission/2023 Bhopal Dated: 09.05.2023), the side for laying the niffetine has also been changed from chainage Ch. 2+230 to 2+810, which was not actually required (refer our application no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/NH-46 dated:

पंजीकृत कार्यालय :


BHOPAL

गेल भवन, १६, भींकाएजी कामा प्लेस, आर.के. पुरम, नई दिल्ली -११००६६, इंस्प्रि

GAIL BHAWAN, 16, BHIKAUI CAMA PLACE, R.K. PURAM, NEW DELHI-1

निगमित कार्यालय

13वीं और 14वीं मंजिल, गेल जुबली टावर, बी 35व 36, सेक्टर-1, नोएडा-201301 (यू.पी.)



30.03.2023, wherein change in side was requested from chainage 0.60 to 2.230 only). Considering the various other difficulties in laying the line in RH side, it is requested to keep the original permission valid for laying the pipeline from Ch. 2+230 to 2+810 at LHS of increasing Chainage permission valid for laying the pipeline from Ch. 2+230 to 2+810 at LHS of increasing Chainage permission valid for laying the pipeline from Ch. 2+230 to 2+810 at LHS of increasing Chainage permission/2022 Bhopal, Dated: 19.07.2022.

Thanking you.

Yours sincerely

Tours biller

DGM (CGD Projects) asta of the construction

GAIL Gas Limited

Mandideep



### गेल गैस लिमिटेड

(मारत सरकार का उपक्रम) (एक महारत कंपनी • गेल (इंडिया) लिमिटेड की पूर्णतः स्वामित अनुषंगी कम्पनी)

### **GAIL Gas Limited**

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

### Ref No- GGL/MANDIDEEP/MPRDC/NH-46 /2023-24 / 101

To,
The Divisional Manager,
Madhya Pradesh Road Development Corporation,
45-A, Arera Hills, Bhopal,
Madhya Pradesh 462016

स्थानीय कार्यालय : प्लॉट नं. सी–1, सेक्टर-ए, औद्योगिक क्षेत्र, मण्डीदीप–462046, रायसेन, मध्यप्रदेश SITE OFFICE : Plot No.: C-I, Sector-A, Industrial Area, Mandideep–462046,

Raisen, Madhya Pradesh

Date: 06.06.2023



Subject: - Permission for crossing of GAIL Gas Ltd. Natural Gas Carbon Steel Pipeline of Dia 6" (with 12" casing pipe) instead of Dia-4" along NH-46 at road Chainage No. Ch. 2+230 from Right hand side to Left Hand Side for increasing chainage at extended arm.

- Ref: 1. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE dated: 30.08.2022.
  - GGL/MANDIDEEP/MPRDC/OBE/NH-46/VINDHYANCHA dated:03.01.2023.
  - 3. 2396/MPRDC/DM BPL/Permission/2023 Bhopal Dated: 09.05.2023.
  - 4. GAIL-GAS/MANDIDEEP/22-23/MPRDC/NH-46 DATED: 30.03.2023.
  - 5. 1540/MPRDC/DM BPL/ Permission/2022 Bhopal, Dated: 19.07.2022.

Dear Sir,

Permission for one no. of crossing NH-46 at road Ch. 2+230 was applied vide application no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE dated: 30,08.2022. Subsequently, upon receipt of demand note GGL/MANDIDEEP/MPRDC/OBE/NH-46/VINDHYANCHA dated:03.01.2023 provided from MPRDC, Licence fee and Bank Guarantee were submitted to your good office.

However, due to changes in road side for laying the pipeline; the crossing is to be done with 6-inch pipeline in place of 4-inch pipeline to maintain the pipeline hydraulics.

In view of above, you are requested to provide the additional demand (if applicable) for increase in pipeline diameter from 4" (with 10" casing pipe) to 6" (with 12" casing pipe) for one no crossing the NH-46 at road Ch. 2+230.

Further, during the issuance of permission for change in side (refer your letter no. 2396/MPRDC/DM BPL/Permission/2023 Bhopal Dated: 09.05.2023), the side for laying the pipeline has also been changed from chainage Ch. 2+230 to 2+810, which was not actually required (refer our application no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/NH-46 dated:

पंजीकृत कार्यालय:

गेल भवन, 16. भीकाएजी कामा प्लेस, आर.के. पुरम, नई दिल्ली -110066, इंडिया

REGD. OFFICE:

GAIL BHAWAN, 16, BHIKAIJI CAMA PLACE, R. K. PURAM, NEW DELHI-110066, INDIA

निगमित कार्यालय

13वीं और 14वीं मंजिल, गेल जुबली टावर, बी 35 व 36, सेक्टर-1, नोएडा-201301 (यू.पी.)

13" & 14" FLOOR, GAIL JUBILEE TOWER, B 35 & 36, SECTOR-1 NOIDA - 201301 (U.P.)

(112)

S No. From Manager

U40200DL2008GU178614

CIN: U45203MP2004SGC016758

Amrit Mahotsav




### M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

雷: 0755-2597290 / 2765205 Fax: 0755-2572643, Website: mprdc.gov.in



Bhopal, dated: 22/02/2024

Dy. General Manager (CGD), GAIL GAS Ltd. Mandideep, 3<sup>rd</sup> Floor, Hotel Shiv Vilas, Hoshangabad road Bhopal


Sub: Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12).

In reference to above cited subject. The site inspected by Shri A.A. Khan, Manager, MPRDC, Bhopal with representative of M/s Gail Gas Ltd. Mandideep for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12).

The Revised License fee Rs. 1,09,583/- and already license fee paid Rs. 1,04,646/- by Transaction reference no. 1312220002431 dated 13.12.2022 & so please deposit the remaining license fee Rs. 4,937/- (Rs. Four Thousand Nine Hundred Thirty Seven Only) on NTRP Portal Bharatkosh.gov.in (Govt. of India). Then case will be forwarded to C.E-R.O., MoRT&H, Bhopal for necessary action.

Encl: As above.

Divisional Manager MPRDC, Div- Bhopal



C:\Users\Rizvi\Desktop\Jitesh\D.K. Jain Sir\Permission Letter\R.O. Permission Letterr Dock

### Revised Calculation Sheet for License fee & BG

Name of Road:- Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos crossing at Ch. 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (old NH-12) under jurisdiction of MPRDC, Bhopal.

Charges for granting license for use Highway Land for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos crossing at Ch. 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 road License fee for Five Year.

	Chai	nage				Collector	Amount
S. No.	From	То	Name of Village	L	В	Guideline Rate	=LxBxR/10x12
1	2230	2330	NH-12 (dia up to 300 mm)	100	0.150	1760	220
2	Crossing at	Ch.2+230	NH-12 (dia up to 300 mm)	60	0.300	1760	264
				160	License fee for One monthTotal Rs.		484
					For fiv	ve year Rs. 484 x 60	29040
			Case of public utility	purpose :	29040 @ 33	3% of license fee i.e.	9583
				For 01 no.	Crossing @	100000/- per road	100000
					License	fee for Five year Rs.	109583
					License	fee already paid Rs.	104646
1	A Me			Rema	ining Licen:	se fee to be paid Rs.	4937

### Bank Guranttee (Performance) for 01 Year

Total length 160 mtr x 100 per running meter

16000

Total Rs. For BG

16000/-

Asst. General Manager MPRDC, Bhopal Divisional Manager MPRDC, Bhopal

CIN: U45203MP2004SGC016758




### M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

雷: 0755-2597290 / 2765205 Fax: 0755-2572643, Website: mprdc.gov.in



No...../MPRDC/DM-2 BPL/2022

Bhopal, dated: /01/2023

To,

Assistant Executive Engineer, Chief Engineer – R.O. MoRT&H Regional Office 2<sup>nd</sup> floor, Nirman Bhawan, Arera Hills, Bhopal-462011

Sub: Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12).

Ref: M/s Gail Gas Ltd. letter no. GGL/MANDIDEEP//MPRDC/OBE/NH-46/ VINDHYANCHAL dated 03.01.2023.

In reference to above cited subject. The site inspected by Shri A.A. Khan, Manager, MPRDC, Bhopal with representative of M/s Gail Gas Ltd. Mandideep for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12).

The proposal checked as per stipulated norms for Ministry of Road Transport & Highway, Govt. of India New Delhi, Circular No. RW/NH-33044/29/2015/S&(R) dated 22.11.2016 and found in order.

The Following documents submitted herewith:-

- 1. Receipt of License fee Rs. 1,04,646/- on Bharatkosh.gov.in (Govt. of India)
- BG amounting to Rs. 16,000/-.
- Checklist duly verified by DM, MPRDC.
- 4. Signed copy of License Deed.
- Methodology.
- Drawing for laying/crossing of Gas Pipeline.
- Undertaking.

The License fee Rs. 1,04,646/- deposited on Bharatkosh.gov.in (Govt. of India) receipt portal Transaction reference no. 1312220002431 dated 13.12.2022 & Bank Guarantee No. 0007NDLG00112623 amounting to Rs. 16,000/- of ICICI Bank issued on date 12.12.2022 has deposited by M/s Gail Gas Ltd.

The proposal recommended & forwarded in favor of Approval please.

Encl: As above.

Divisional Manager MPRDC, Div-2, Bhopal Bhopal, dated: Q5/01/2023

No. 1438. /MPRDC/DM-2 BPL/2023

Copy to:-

 Shri S.M.L. Shrivastava, GAIL GAS Ltd. Mandideep, 3<sup>rd</sup> Floor, Hotel Shiv Vilas, Hoshangabad road Bhopal for information.

Afreward

Divisional Manager MPRDC, Div-2, Bhopal

chisilat stri Marc



### गैस लिमिटेड

(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेड की पूर्णतः स्वामित अनुषंगी कम्पनी)

### GAIL Gas Limited

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

रथानीय कार्यालय: प्लॉट नं. सी-1, सेवंटर-ए. आद्योगिक क्षेत्र, मण्डीदीप-462046, रायरोन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A. Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

Ref: GAIL Gas Mandideep/2023-24/MPRDC/Ashta & Vindhyanchal/BG Ext/194 Date: 20.12.2023

To,

The Chief General Manager, M.P. Road Development Corporation Ltd. Bhopal, M.P.

Subject: Submission of renewed/extended Bank Guarantee nos. 0007NDLG00132123 for Rs. 4,60,000/- and 0007NDLG00112623 for Rs. 16,000/-.

Ref: 1. Permission No. 1924/F-175/2/APMS-3374/MPRDC/NOC/Gas/2023 Ujjain, Date 12.06.2023. 2. GAIL Gas application no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2023.

Dear Sir.

CORPORATE OFFICE:

13" &14" FLOOR GAIL JUBILEE TOWER B35 &36, SECTOR-INCIDA-201301 (U.P.

In reference to above, GAIL Gas Limited is submitting the renewed/extended Bank Guarantee nos. 0007NDLG00132123 dated 13.01.2023 amended on 11.12.2023 for Rs. 4,60,000/- for laying permission of MDPE pipeline from road Ch. 0+00 to Ch. 2+300 and 1 no. of crossing at SH-70 (Old SH-41) and 0007NDLG00112623 dated 12.12,2022 amended on 11.12.2023 for Rs. 16,000/- for pipeline laying permission of Natural Gas Carbon Steel Pipeline of Dia-6" from road Ch. 2+230 to Ch. 2+330 and 1 no. of crossing at 2+230 of NH-46 (Old NH-12).

It is requested to kindly acknowledge the BGs and issue the receipt of the same.

Thanking you. Lis Ke 1600 Yours sincerely DGMT(CGD) GAIL Gas Limited गेल भवन, 16, भीकाएजी कामा प्लेस, आर.के. पुरम, नई दिल्ली -110066. इंडिया GAIL BHAWAN, 16, BHIKAIJI CAMA PLACE, R. K. PURAM, NEW DELHI-1100 GOLDON निगमित कार्यालय : 13वीं और 14वीं गजिल, गेल जुबली टावर, वी 35व 36, सेक्टर-1, नोएडा-201301(यू U40200DL2008G01178514

CIN: U45203MP2004SGC016758



## M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Unuertaking)

45-A, Arera Hills, Bhopal-462011

當: 0755-2597290 / 2765205 Fax: 0755-2572643, Website: mprdc.gov.in

No. 99.5.../MPRDC/DM-2 BPL/2022 To, Bhopal, dated: 16/11/2022

Amrit Mahotsav

Shri S.M.L. Shrivastava,
Deputy General Manager (CGD),
M/s GAIL Gas Ltd.,
C-1, Sector-A, Industrial Area,
Mandideep, Dist.- Raisen (MP)-462046

Sub: Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12).

Ref: Your letter no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2022.

In reference to above cited subject, the site inspected by Shri A.A. Khan, Manager, MPRDC, Bhopal with representative of M/s GAIL Gas Ltd. The Following documents to be submitted in this office with proposal:-

- 1. Receipt of License fee Rs. 1,04,646/- on Bharatkosh.gov.in (Govt. of India)
- 2. Bank Guarantee amounting to Rs. 16,000/-
- 3. Checklist
- 4. Undertaking
- 5. Methodology
- 6. Working Drawing for laying/Crossing of Gas Pipeline.
- 7. Draft Agreement.

So, please deposit the License fee of Rs. 1,04,646/- on NTRP Portal and Bank Guarantee/FDR Rs. 16000/- (Rs. Sixteen Thousand Only) deposit in favor of MD, MPRDC, Bhopal. Then case will be forwarded to C.E- R.O., MoRT&H, Bhopal for necessary action.

Permission for Gas Pipeline laying/crossing for open trench shall not given by the MoRT&H and MPRDC, only laying by HDD method shall be given.

Encl: calculation sheet.

Divisional Manager MPRDC, Div-2, Bhopal

C-Users Reven Develop | Process | Standard Company | Developed Colorada Company | Note | Developed Process | Developed Colorada Company | Note | Developed Colorada C



(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेड की पूर्णतः स्वामित अनुपगी कम्पनी)

### GAIL Gas Limited

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

रधानीय कार्यालयः प्लॉट नं. सी-1, संक्टर-ए, ओद्योगिक क्षेत्र, मण्डीदीप-462046. रायरोन, मध्यप्रदेश

### SITE OFFICE:

Plot No.: C-1, Sector-A. Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

Ref: GAIL Gas Mandideep/2023-24/MPRDC/Ashta & Vindhyanchal/BG Ext/194 Date: 20.12.2023

To,

The Chief General Manager, M.P. Road Development Corporation Ltd. Bhopal, M.P.

Subject: Submission of renewed/extended Bank Guarantee nos. 0007NDLG00132123 for Rs. 4,60,000/- and 0007NDLG00112623 for Rs. 16,000/-.

Ref: 1. Permission No. 1924/F-175/2/APMS-3374/MPRDC/NOC/Gas/2023 Ujjain, Date 12.06.2023. GAIL Gas application no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2023.

Dear Sir.

In reference to above, GAIL Gas Limited is submitting the renewed/extended Bank Guarantee nos. 0007NDLG00132123 dated 13.01.2023 amended on 11.12.2023 for Rs. 4,60,000/- for laying permission of MDPE pipeline from road Ch. 0+00 to Ch. 2+300 and 1 no. of crossing at SH-70 (Old SH-41) and 0007NDLG00112623 dated 12.12.2022 amended on 11.12.2023 for Rs. 16,000/- for pipeline laying permission of Natural Gas Carbon Steel Pipeline of Dia-6" from road Ch. 2+230 to Ch. 2+330 and 1 no. of crossing at 2+230 of NH-46 (Old NH-12).

It is requested to kindly acknowledge the BGs and issue the receipt of the same.

Thanking you.

Yours sincerely

GAIL Gas Limited;

पजीकृत कार्यालय: गेल भवन, 16, भीकाएजी कामा प्लेस, आर.फ. पुरम, नई दिल्ली -110066. इंडिया


REGD OFFICE: GAIL BHAWAN, 16, BHIKAUI CAMA PLACE, R.K. PURAM, NEW DELHI- 110056, INDIA

निगमित कार्यालयः

13वी और 14वीं गणिल, गेल जुबली टावर, बी 35व 36, सेक्टर-1, नोएडा-201301 (यू.पी.)

CORPORATE OFFICE: 13" &14" FLOOR GAIL JUBILEE TOWER 835&36, SECTOR-INDIDA-201301 (U.P.)

facetived pool



To,
THE MANAGING DIRECTOR MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED
45-A ARERA HILLS

BHOPAL MADHYA PRADESH 462011 INDIA

Sub: Issuance of Bank Guarantee Amendment

Dear Sir/Madam,

Please find attached Bank Guarantee amended by us favouring yourself on behalf of:

GAIL GAS LIMITED, PLOT.B35&36.13&14,SECTOR-1,GAIL JUBILEE TOWER, , , NOIDA, UTTAR PRADESH 201301, INDIA

Please find the details mentioned below.

Bank Guarantee No. & Date of Issue	Expiry Date	Claim Expiry Date	Currency	Amount of Bank Guarantee
0007NDLG00112623 12-12-2022 Amended on : 11-12-2023	15-06-2026	15-06-2026	INR	16,000.00

We confirm that the officials who have signed the above Bank Guarantee are authorized to sign such documents on behalf of ICICI Bank Limited. You may verify genuineness of the Bank Guarantee from any branch of ICICI Bank in your own interest.

In the event of invocation, we request you to please ensure compliance with the terms and conditions of the Bank Guarantee in order to ensure timely payment. You are requested to ensure special care inter alia with respect to the following in the invocation claim letter -

- Bonk Guarantee Number
- · Expiry/Claim Expiry date
- Claim Amount
- · Designated Bank branch for submission of invocation claim
- Any declaration i certification that may be required as part of the guarantee text.
- · Any other requisite document including the original Bank Guarantee.

Thanking you,

Yours faithfully.

For ICICI Bank Limited Authorized Signatory

ASHUTOSH SHARMA Deputy Manager-II: 491451

ICICI Bank Limited
9A. Phelps Building, 2nd Floor,
Connaught Place,
New Delhi - 110 001,
Delhi, India.

Website www.icicibank.com

CIN:L65190GJ1994PLC021012

Regd. Office: ICICI Bank Tower, Near Chakli Circle.

Old Padra Road, Vadodara 390 007.

India.

Corp. Office : ICICI Bank Towers, Bandra-Kurla Complex, Mumbai 400051, India.



### INDIA NON JUDICIAL



### Government of National Capital Territory of Delhi

₹100

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Property Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-DL03917930463460V

29-Nov-2023 05:44 PM

IMPACC (IV)/ dl736003/ DELHI/ DL-DLH

SUBIN-DLDL73600371951191248427V

ICICI BANK LTD

Article Bank Guarantee

Not Applicable

(Zero)

ICICI BANK LTD

Not Applicable

ICICI BANK LTD

(One Hundred only)

सत्यमेव जयते



Please write or type below this line 1N-DL0391

This Stamp Paper forms an Integral Part of

ESM 0007ND16100112623

Bulled 12-12-2022

Amount IN R 16000.00

For IGICI Bank Limited

SIDDHANT DAS Manager-II: 426168


YASH SHARMA Deputy Manager-II: 466230

Statutory Alert:

The authenticity of this Stamp certificate should be verified at 'www.shollestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid. The crus of checking the legitimacy is on the users of the certificate. In case of any discrepancy please inform the Competent Authority.

BG Number: 0007NDLG00112628No. Amendment Date: December 11, 2023

1295660



### BANK GUARANTEE ICICI Bank Limited

(Incorporated in India)

- 1 To
- 2 THE MANAGING DIRECTOR MADHYA PRADESH ROAD DEVELOPMENT CORPORATION
- 3 LIMITED
- 4 45-A, ARERA HILLS
- 5 BHOPAL 462011 MADHYA PRADESH INDIA
- 6 Sub; Amendment of Bank Guarantee No.0007NDLG00112623 Dated 12/12/2022 for
- 7 INR.16000.00
- 8 Current Bank Guarantee Details:

Bank Guarantee Number	Date of Issue	Expiry Date	Claim Expiry Date		Amount of Bank Guarantee
0007NDLG001126 23	12/12/2022	15/12/2023	15/12/2023	INR	16000,00

- 9 At the request of GAIL GAS LIMITED, we hereby amend above mentioned Bank Guarantee as
- 10 follows:
- 11 \*Expiry date of the Bank guarantee has been amended to 15/06/2026
- 12 \*Claim expiry date of the Bank guarantee has been amended to 15/06/2026.
- 13 All other terms and conditions of the original Bank guarantee remain unchanged. This letter
- 14 forms an integral part of the original guarantee referred above and may be kept attached
- 15 thereto
- 16 The liability of the Guarantor under this Guarantee shall not exceed INR 16000.00 ( Sixteen
- 17 Thousand Rupee Only) (the "Guaranteed Amounts").
- 18 This Guarantee shall be valid up to 15/06/2026 (the "Expiry Date").
- 19 Notwithstanding anything to the contrary contained herein, no obligation of the Guarantor to
- 20 pay any amount under this Guarantee shall arise prior to the fulfillment of the following
- 21 conditions precedent:
- 22 (a) written claim/demand(s) in terms of this Guarantee of an aggregate amount less than or

SIDDHANT DAS Manager-II: 426168

Transaction Canking, SA, C.P., N.D.-1

For ICIGI Bank Limited

YASH SHARMA Deputy Manager-II: 466230


The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking confirmation of its issuance from a branch of ICICI Bank other than the issuing branch.

Begd. Office: ICICI Bank Ltd., ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Pin code- 390 007, Gujarat Phone: +91-265-6722286, CIN L65190GJ1994PLC021012

BG Number: 0007NDLG00112683No. 1295661 Amendment Date: December 11, 2023

### BANK GUARANTEE ICICI Bank Limited

(Incorporated in India)



- egual to the Guaranteed Amounts is/are made by the Beneficiary hereunder; and
- (b) such written claim/demand(s) is/are delivered to the Guarantor on or before the 24
- 25 15/06/2026 at the ICICI Bank branch located at ICICI BANK LIMITED, Delhi, 9A PHELPS
- BUILDING CONNAUGHT CIRCUS NEW DELHI.110001. 26
- Date:11/12/2023
- 28 Place:Delhi
- FOR ICICI BANK LIMITED
- Authorised Signatories
- Signature: For ICICI Bank Signature: For ICICI F 31
- 32
- Signature Code: A Signature Code: Transaction Banking, 9A, C.P., N.D. Transaction Banking, NA, C.P., N.D.-1

SIDDHANT DAS Manager-II: 426168

YASH SHARMA Deputy Manager-II: 486230

The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking confirmation of its issuance from a branch of ICICI Bank other than the issuing branch.

MICHELESSI PACICI BUILD

Regd. Office: ICICI Bank Ltd., ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Pin code- 390 007, Gujarat Phone: +91-265-6722286, CIN L65190GJ1994PLC021012

Preserve Property



(भारत सरकार का उपक्रम) (एक महारत्न कंपनी -गेल (इंडिया) लिमिटेड की पूर्णतः स्वामित अनुषंगी कम्पनी)

### Gas Limited

(A Govt, of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

स्थानीय कार्यालय: प्लॉट नं. सी-1, सेक्टर-ए. औद्योगिक क्षेत्र, मण्डीदीप-462046. रायसेन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A, Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

No.: GGL/MANDIDEEP/MPRDC/OBE/NH-46/VINDHYANCHAL

Date: 03.01.2023

To, Divisional Manager MPRDC, Bhopal



Subject: Submission of License Fee, BG, corrected drawing, check list, agreement and undertaking for permission of Gas pipeline laying along and across NH-46 at Obedullaganj bypass.

Ref: 1. GAIL Gas letter no GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 dated 30.08.2022. MPRDC demand letter no. 995/MPRDC/DM-2 BPL/2022 dated 16.11.2022.

Dear Sir,

In reference to above, GAIL GAS LTD. has already been submitted the License fee of Rs. 1,04,646/- (One Lakh Four Thousand Six Hundred Forty-Six Only) through online for pipeline laying permission of Natural Gas Carbon Steel Pipeline of Dia-4" at NH-46 (Old NH-12) at road Chainage No. Ch. 2+230 to Ch. 2+330 and 1 no. of crossing at 2+230 of NH-46 (Old NH-12).

GAIL Gas Ltd is submitting BG amount of Rs. Rs. 16,000/- (BG No. 0007NDLG00112623 dated 12.12.2022), corrected drawing, Check list, Agreement, Undertaking, Certificate, Challan and license fee transaction receipt along with this letter.

It is requested to kindly acknowledge the payment and issue the receipt of the same.

Thanking you.

Yours sincerely

DGM (CGD Projects) OA Ceneral Waysel GAIL Gas Limited. Farra Mandideep

Mandideep

गेल भवन, 15. भीकाएजी कामा प्लेस, आर के. पुरम, नई दिल्ली - 110066, इंडिया REGD, OFFICE:

GAIL BHAWAN, 16, BHIKAIJI CAMA PLACE, R.K. PURAM, NEW DELHI- 110066, INDIA निगमित कार्यालय

पंजीकृत कार्यालय


13वीं और 14वीं मंजिल, मेल जुंबली टावर, बी 35व 36, सेक्टर-1, नोएडा-201301 (यू.पी.)

CORPORATE OFFICE

13<sup>™</sup> &14<sup>™</sup> FLOOR, GAIL JUBILEE TOWER, B 35 &36, SECTOR-1 NOIDA - 201301 (U.P.)



140200DI 2008GON/86



Date: 12-12-2022 Ref: 0007NDLG00113623

THE MANAGING DIRECTOR MADHYA PRADESH ROAD DEVELOPMENT CORPORATION LIMITED 45-A, ARERA HILLS

BHOPAL MADHYA PRADESH INDIA 462011

Sub: Issuance of Bank Guarantee

Dear Sir/Madam,

Please find enclosed Bank Guarantee issued by ICICI Bank Limited ("ICICI Bank") favoring yourself on behalf of: GAIL GAS LIMITED, PLOT. B35&36,13&14 FLR, SECTOR-1, GAIL JUBILEE TOWER, NOIDA, UTTAR PRADESH, INDIA, 201301 ("Bank Guarantee") with the tenor and claim period as requested by you. For ease of reference the details have been reproduced as below:

Bank Guarantee No. & Date of Issue	Expiry Date	Claim Expiry Date	Currency	Amount of Bank Guarantee
0007NDLG00112623 12-12-2022	15-12-2023	15-12-2023	INR	16,000.00

We confirm that the officials who have signed the above Bank Guarantee are authorized to sign such documents on behalf of ICICI Bank. You may verify genuineness of the Bank Guarantee from any branch of ICICI Bank in your own interest.

In the event of invocation, we request you to please ensure compliance with the terms and conditions of the Bank Guarantee in order to ensure timely payment. You are requested to ensure special care inter alia with respect to the following in the invocation claim letter -

- · Bank Guarantee Number
- · Expiry/Claim Expiry date
- Claim Amount
- Designated Bank branch for submission of invocation claim
- Any declaration / certification that may be required as part of the guarantee text.
- Any other requisite document including the original Bank Guarantee.

Please note that ICICI Bank shall not be liable under the Bank Guarantee post expiry of the claim period as requested by you.

Thanking you.

Yours faithfull

For ICICI Bank Limited Authorized Signatory

> SHREY SHARMA Deputy Manager-II: 872260


> > **ICICI Bank Limited** 9A, Phelps Building, 2nd Floor, . Connaught Place, New Delhi - 110 001, Delhi, India.

Website www.icicibank.com CIN:L65190GJ1994PLC021012 Regd. Office : ICICI Bank Tower, Near Chakli Circle

Old Padra Road, Vadodara 390 007

Corp. Office : ICICI Bank Towers, Bandro-Kurla

Complex, Mumbai 400051, India.





### INDIA NON JUDICIAL

### **Government of National Capital Territory of Delhi**

₹100

### e-Stamp

Certificate No.

Certificate Issued Date

Account Reference

Unique Doc. Reference

Purchased by

Description of Document

Property Description

Consideration Price (Rs.)

First Party

Second Party

Stamp Duty Paid By

Stamp Duty Amount(Rs.)

IN-DL27395631350336U

07-Dec-2022 12:00 PM

IMPACC (IV) di736003/ DELHI/ DL-DLH

SUBIN-DLDL73600329795978732547U

ICICI BANK

: Article Bank Guarantee

Not Applicable

: 0

(Zero)

: ICICI BANK

: Not Applicable

ICICI BANK

100

(One Hundred only)

सत्यमेव जयते



This ? . . . . Pener \* . . . s en Integral Part c.

0007NDLG00112623

Dated 12-12-2022

Amoust INR 16000.00

For ICICI Bank Limited

Authorised Signatory

Tohanetton Banking, NA, Conn. Place, New Delhi

VIYOM MITTAL DM-1 466237 SIDDHANT DAS Manager-1: 426168


Statutory Aleri

 The authenticity of this Stamp certificate should be verified at www.shollestamp.com or using a Stamp Mobile App of Stock Holding Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
 The onus of checking the legitimacy is on the users of the certificate.

Presci Bank BANK GUARANTEE ICICI Bank Limited BG Number: 0007NDLG00112623 (Incorporated in India) Issuance Date: 12 December, 2022 Effective Date: 16 December, 2022 13 The Managing Director 4 Madhya Pradesh Road Development Corporation Limited CICI 5 9145-A, Arera Hills, Bhopal - 462011 1610h consideration of agreement for gas pipeline crossing/laying on Bhopal-Jabalpur Road NH-12 (New NH-46) between The Managing Director Madhya Pradesh Road Development Corporation (CAC) B CC 8 Limited Bhopal (hereinafter called Principal) & "(GAIL Gas Limited, Plot No. C-1, Sector-A, Industrial 9 Area Mandideep, Dist. Raisen, MP-462046) Thereinance Consultation Symptotics of the Property of the Consultation of the Property of the Property of the Consultation of the Property of the Prop Area Mandideep, Dist. Raisen, MP-462046)" Thereinafter called Contractor). We ICICI Bank New Delhi 110001 and having its registered office at ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Gujarat, Pin - 390 007 (hereinafter referred to as "The Bank"/ Guarantor") hereby undertake to pay the principal an amount not exceeding Rs. 16,000/-Runges Sixteen 14 Thousand Only) against any loss or damage or conditions contained in the soic derement. We, ICICI Bank Ltd do hereby undertake to pay the amount of and payable under this guarantee without any demur, merely on a demand from the printipal stating that amount claimed is on account of not making good and executed trench or vaying of underground cable of proper filling and compaction, as to restore the land in the some condition as it was before digging the trench, debris/loose earth produced due to execution of trenching. However, our liability under this guarantee shall be restricted as 16,000/. (Rupees Sixteen Thousand Only). We undertake to pay the principal day money so demanded notwithstanding any dispute or dispute raised by the contractor Sin and suit or proceeding pending before any court or tribunal relating there our 101128 liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the contractor(s) shall 25 have no claim against us for making such payments. 26 We, ICICI Bank Ltd further agree that the guarantee here in contained shall remain in full force and effect during the period would be taken for the performance of said agreement and that it shall be 28 continued to be enforceable till all the dues of the principal or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till the principal, certify that the terms and conditions of the said agreement have been fully and property carried out by the said contractor and accordingly discharges this guarantee or till 15.12.2023 whichever is earlier we shall be 32 discharged from our liabilities under this guarantee thereafter. 10133 O The guarantee will not be discharged due to the charge in the constitution of the bank on of the AF WORDFROME 34 contractor. For IGICI\Bank Limited 10101 Cani Signatory 1 Authorised sidon Banking, 9A, Conn. Place, New Delhi
SIDDHANT DAS HTICH House Picician Manager-1: 426168 VIYOM MITTAL DM-1 466237 C C BBIA The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking confirmation of its issuance from a branch of ICICI Bank other than the issuing branch. STACH Burns Regd. Office: ICICI Bank Ltd., ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Pin code- 390 007, Gujarat Phone: +91-265-6722286, CIN L65190GJ1994PLC021012

fficiel Ban Freici Bank CICI Bank Limited BG Number: 0007NDLG00112623 (Incorporated in India) Issuance Date: 12 December, 2022 Effective Date: 16 December, 2022 35. We ICICI Bank Ltd lastly undertakes not to revoke this guarantee during its currency except with 36 previous consent of the principal in writing. FICICIBANK FICICIBANK FICICIBANK This bank guarantee is valid until 15.12.2023 The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking 39 confirmation of its issuance from a branch of ICICI Bank Ltd. Upper Ground Floor, Gapaldas Bhawan Connaught Place, New Delhi other than the issuing branch. Picici Bank Ficici Bank The liability of the guarantor under this guarantee shall not exceed Rs 16,000/- (Rupees Sixteen Thousand Only), (the "Guaranteed Amount"). Bank MICICIBANK PICIOSERIA This Guarantee shall be valid up to 15.12.2023 FICICIBANK FICICIBANK THORON BOOK Notwithstanding anything to the contrary contained herein, no obligation of the Gugrantor to pay any amount under this Guarantee shall arise prior to the fulfillment of the totowing conditions precedent: (a) Written claim/demand(s) in terms of this Guarantee of an aggregate and ount less than or equal to the Guaranteed Amounts Is/are made by the Beneficiery Hereunder and (b) Such written claim/demand(s) is/are delivered to the Sugrantor on or before 15.12.2023 at at ICICI Bank Limited. 9A, Phelps Building Company of Place, New Delhi-110001 For ICICI Bank Ltd Authorised signatoria For ICICI Bank Limited Signature Code Prosection Henting, DA, Corn. P.L.C. New Bel SIDDHANT DAS VIYOM MITTAL Manager-1: 426168 PROVET ISSUE A ICIGITATION The beneficiary may, in its own interest, verify the genuineness of the bank guarantee by seeking confirmation of its issuance from a branch of ICICI Bank other than the issuing branch. Froid Sank Regd, Office: ICICI Bank Ltd., ICICI Bank Tower, Near Chakli Circle, Old Padra Road, Vadodara, Pin code- 390 007, Gujarat Phone: +91-265-6722286, CIN L65190GJ1994PLC021012 A MANUEL BOOK

Challan No. :	2039901312220000	02434	Challan Identification No. (CIN) by Bank: 20399013122200002434				
Transaction Ref No.	1312220002431						
Challan of money paid	d into <u>CANARA BAN</u>	K (bank), RAIPUR	(brand	ch).			
To be filled in by the	remitter		To be filled in by th	e Departmenta	l Officer or at	his instance	
designation) and address of the party	Department/ Office from whose books the demand emanated	Full particulars of the nature of remittance and/or authority (if any)	Head of Account	Amount (INR)	Accounts Officer by whom adjustable	Order to the bank	Remarks
M/S. GAIL Gas LimitedPlot No. C-1, Sector-A, industrial Area Mandideeo -	ROAD TRANSPORT & HIGHWAYS - 024/PAO, National Highways, Bhopal [203990]	License fee for laying of utility services,	105400800010000	10,4646.00	Regional Pay & Accounts Office, (NH), Bhopal [002192]		
Date: 13/12/2022			Total :	INR 104,646 , Six Hundred			Thousar





# bharatkosh.gov.in

Government of India Receipt Portal

### RECEIPT

Transaction Ref.No. 1312220002431

Dated: Dec 13 2022 10:28AM

Received from M/S. GAIL GAS LIMITED with Transaction Ref.No. 1312220002431

<u>Dated Dec 13 2022 10:28AM</u> the sum of <u>INR 104646 (One Lakhs Four Thousand Six Hundred Forty-Six Only )</u> through Internet based Online payment in the account of

<u>License fee for laying of utility services</u>, <u>GAIL Gas Mandideep</u>, <u>Demand Letter no.995 dtd 16/11/2022</u>.

Disclaimer:- This is a system generated electronic receipt, hence no physical signature is required for the purpose of authentication

Printed On: 20-12-2022 07:45:17

Courtesy: - Controller General of Accounts



THE PURCH SER PRICH SEASON कार्य भी पूर्वत प्रवास अनुस्ता अस्ति।

### L Gas Limited

and the state of Antique or season to the Total AMahautra Company

कार्याह कामान्य gate a in it, nact-y offether dis mister ecross स्थान स्थापित

### SHEDFILL

Partie La Secol-A bidostra della Mondicher di 1926 Raisen Wall to Prade it

Date: 30.08.2022

Rel No-GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18

To.

The Divisional Manager, Madhya Prodesh Road Development Corporation, 15-A. Arena Hills, Bhopal. Machya Pradesh 462016

Subject: - Perhaission for laying of GAH, Gas Ltd Natural Gas Carbon Steel Pipeline of Dia-4" along NH-46 at road Chainage No. Ch. 2+230 to Ch. 2+128 at Right Hand Side (RHS) of total length 98 meter and one no of crossing at road channels No. Chr. 24230 from Left hand side to Right Hand Side.



### Dew Sir.

As per the directives of Government of India to switch over to Green Fuel, Petroleum & Natural Gas Regulatory board (PNGRB) has nutherized M/S GAIL Gas trimited for development of City Gas Distribution (COD) in Raisen, Schore & Shajapur districts in Madhya Pradesh (copy of authorization enclosed as Annexure II M/s. GAH. Cras Limited is a 100 % subsidiary company of Mrs. GAIL (India) Limited (a Maharatna PSU Company of Govt of India under the ministry of Petroleum and Natural gas)

for supply of gas to various Domestic, Commercial & Industrial customers, Steel/MDPL pipeline network is require to be laid in this line, GAIL Gas Limited requires permission to lay Natural Gas Carbon Steet Pipeline of Din a "along NID 46 at road Chainage No. Ch. 24230 to Ch 2+328 at Right Hand Side (RHS) of total 98 meter and one no of crossing at chaininge No. Ch. 21230 from Left hand side to Right Hand Side as per applicable construction methodology.

The route map to cross the pipeline, pipeline laying guidelines, methodology to lay the pipeline & power of atomey are enclosed as Annexure 2.3.4 & 5 respectively. It may please be informed that offer crossing the pipeline, the loads will be restored in its original shape (whenever &

routed l'eswari @ gail .co. in 9910123

AHHEXURE . 2

Azadi Ka

Amrit Mahotsav

CIN: U45203MP2004SGC016758



### M.P. Road Development Corporation Ltd. 7

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

雷: 0755-2597290 / 2765205 Fax: 0755-2572643, Website: mprdc.gov.in

No. 99.5.../MPRDC/DM-2 BPL/2022

Bhopal, dated: 16/11/2022

To.

Shri S.M.L. Shrivastava, Deputy General Manager (CGD), M/s GAIL Gas Ltd., C-1, Sector-A, Industrial Area, Mandideep, Dist.- Raisen (MP)-462046

Sub: Permission for laying of Gas pipeline from Ch. 2+230 to Ch. 2+330 (RHS) and 01 nos. crossing at 2+230 (LHS) for a length of 160 mtr on Bhopal-Jabalpur road NH-46 (Old NH-12).

Ref: Your letter no. GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18 30.08.2022.

In reference to above cited subject, the site inspected by Shri A.A. Khan, Manager, MPRDC, Bhopal with representative of M/s GAIL Gas Ltd. The Following documents to be submitted in this office with proposal:-

- 1. Receipt of License fee Rs. 1,04,646/- on Bharatkosh.gov.in (Govt. of India)
- 2. Bank Guarantee amounting to Rs. 16,000/-
- 3. Checklist
- 4. Undertaking
- 5. Methodology
- 6. Working Drawing for laying/Crossing of Gas Pipeline.
- Draft Agreement.

So, please deposit the License fee of Rs. 1,04,646/- on NTRP Portal and Bank Guarantee/FDR Rs. 16000/- (Rs. Sixteen Thousand Only) deposit in favor of MD, MPRDC, Bhopal. Then case will be forwarded to C.E- R.O., MoRT&H, Bhopal for necessary action.

Permission for Gas Pipeline laying/crossing for open trench shall not given by the MoRT&H and MPRDC, only laying by HDD method shall be given.

Encl: calculation sheet.

Divisional Manager MPRDC, Div-2,

Dewarton

Bhopal

CIN: U45203MP2004SGC016758



# M.P. Road Development Corporation Ltd.

(M.P. State Highway Authority)

(Govt. of M.P. Undertaking)

45-A, Arera Hills, Bhopal-462011

雷: 0755-2597290 / 2765205 Fax: 0755-2572643, Website: mprdc.gov..ln ----- MPROOFINGE

Bhopal, dated 10.06.2021

To,

GAIL Gas Limited Third Floor, Hotel Shiv Vilas, Hoshangabad Road, Mahaveer Nagar, Mandideep -462045

Sub: Permission for Gas Pipeline crossing on Bhopal -Jahalpur road -Regarding No Tax Deduction at Source (TDS) on Road crossing charges/License Fee etc.

Ref: - Your letter No. GAIL-GAS/MPRDC/Mandideep/002 dated 22.03.2021

With reference to the abovementioned subject, it hereby informed that Marhya Pradesh Road Development Corporation Ltd. (MPRDC) is a wholly owned government company. MPRDC has been notified as State Highway Authority by Government of Madhya Pradesh with the prime responsibility of developing entire network of State Highways. MPRDC grants permission for lying of OFC cable! Pipeline! Sign Board or any other permission along the State Highways/ Major District Road after site verification by its officials on behalf of Public Works Department, Government of Madhya Pradesh. MPRDC collects the charges i.e. license fee, land use and road cutting charges etc. These charges are not in nature of Rent. Basically, these are compensation collected which will be used for restoration work of ROW. Hence, TDS is not applicable on the same.

Further, MPRDC collects these charges and thereafter credit the same to the Government Fund Account. These are not income of MPRDC. Hence, TDS should not be deducted on road crossing charges/ license fee etc. As per the provision of Income Tax Act, 1961, no TDS is deducted on amount payable to Government. In view of above, road crossing chargest license fee payable to MPRDC is not liable for any Tax deducted at Source,

Chief Accounts Officer



# गेल गैस लिमिटेड

(इस तरका का उपक्रम) (एक पहारल क्यांती) क्त (इंडिया) तिमिटेंड की पूर्णत स्थापित अनुवर्गी सम्पनी)

### **GAIL Gas Limited**

(A Gort of India Undertaking) (A wholly awned subsidiary of (Lipida) Limited A Maharatha Company)

रधानीय ननर्यालगः प्नाट न सी-1, रोक्टर-ए. आयोपिक क्षेत्र, मण्डीदीय-462046. रायशेन गणप्रदेश

### SITE OFFICE:

Plot No . C-1, Sector-A. Industrial Area, Mandideep-462046. Raisen Madhya Pradesh

Date: 30.08.2022

### Ref No- GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE/18

To.

The Divisional Manager, Madhya Pradesh Road Development Corporation, 45-A. Arera Hills, Bhopal, Madhya Pradesh 462016

Subject: - Permission for laying of GAIL Gas Ltd. Natural Gas Carbon Steel Pipeline of Dia-4" along NH-46 at road Chainage No. Ch. 2+230 to Ch. 2+328 at Right Hand Side (RHS) of total length 98 meter and one no of crossing at road chainage No. Ch. 2+230 from Left hand side to Right Hand Side.

### Dear Sir.

As per the directives of Government of India to switch over to Green Fuel, Petroleum & Natural Gas Regulatory board (PNGRB) has authorized M/S GAIL Gas Limited for development of City Gas Distribution (CGD) in Raisen, Schore & Shajapur districts in Mudhya Pradesh (copy of authorization enclosed as Annexure-1). M/s. GAIL Gas Limited is a 100 % subsidiary company of M/s. GAIL (India) Limited (a Maharatna PSU Company of Govt. of India under the ministry of Petroleum and Natural gas).

For supply of gas to various Domestic, Commercial & Industrial customers, Steel/MDPE pipeline network is require to be faid. In this line, GAIL Gas Limited requires permission to lay Natural Gas Carbon Steel Pipeline of Dia 4" along NH-46 at road Chainage No. Ch. 2+230 to Ch. 2+328 at Right Hand Side (RHS) of total 98 meter and one no of crossing at chainage No. Ch. 2+230 from Left hand side to Right Hand Side as per applicable construction methodology.

The route map to cross the pipeline, pipeline laying guidelines, methodology to lay the pipeline & power of attorney are enclosed as Annexure-2,3,4 & 5 respectively. It may please be informed that after crossing the pipeline, the roads will be restored in its original shape (whenever & wherever required).

the attrices

े राजन असेका एको काम व्यस अस्ता मुखा ग्रह हिस्सी आठठाउँ सेरिया

SAMBLE BUCKLICA ARPERCE R R DURATE REWIDELLE HOORS HIDIA

Red Money of the grant state of a supplication of the control of the state of the s

COLLECTIVE VICORITATION OF STREET

As this project is of national importance for providing safe, reliable and clean natural gas supply to its customers to improve their quality of life and deliver a cheaper and more efficient energy supply to them, it is requested to kindly accord your permission for execution of underground gas pipeline at the mentioned locations.

Thanking you.

Yours sincerely

DGM (CGD Projects)
GAIL Gas Limited.

Mandideep

Control of the contro

### Enclosures:

Annexure-1: PNGRB Authorization letter

Annexure-2: Route Map to Lay the Pipeline

Annexure-3: Pipeline laying guidelines.

Annexure-4: Construction Methodology to lay the pipeline.

Annexure-5: Power of attorney





# गेल गैस लिमिटेड

(भारत सरकार का उपक्रम) (एक महारत्न कंपनी · गेल (इंडिया) लिमिटेड की पूर्णत: स्वामित अनुषंगी कम्पनी)

## **GAIL Gas Limited**

(A Govt. of India Undertaking) (A wholly owned subsidiary of GAIL (India) Limited - A Maharatna Company)

स्थानीय कार्यालय : प्लॉट नं. सी–1, सेक्टर–ए. औद्योगिक क्षेत्र, गण्डीदीप-462046, रायसेन, मध्यप्रदेश

SITE OFFICE:

Plot No.: C-1, Sector-A. Industrial Area, Mandideep-462046, Raisen, Madhya Pradesh

Date: 30.08.2022



## Ref No- GAIL-GAS/MANDIDEEP/22-23/MPRDC/OBE / 18

To.

The Divisional Manager,
Madhya Pradesh Road Development Corporation,
45-A, Arera Hills, Bhopal,
Madhya Pradesh 462016

Subject: - Permission for laying of GAIL Gas Ltd. Natural Gas Carbon Steel Pipeline of Dia-4" along NH-46 at road Chainage No. Ch. 2+230 to Ch. 2+328 at Right Hand Side (RHS) of total length 98 meter and one no of crossing at road chainage No. Ch. 2+230 from Left hand side to Right Hand Side.



Dear Sir,

As per the directives of Government of India to switch over to Green Fuel, Petroleum & Natural Gas Regulatory board (PNGRB) has authorized M/S GAIL Gas Limited for development of City Gas Distribution (CGD) in Raisen, Sehore & Shajapur districts in Madhya Pradesh (copy of authorization enclosed as Annexure-1). M/s. GAIL Gas Limited is a 100 % subsidiary company of M/s. GAIL (India) Limited (a Maharatna PSU Company of Govt. of India under the ministry of Petroleum and Natural gas).

For supply of gas to various Domestic, Commercial & Industrial customers, Steel/MDPE pipeline network is require to be laid. In this line, GAIL Gas Limited requires permission to lay Natural Gas Carbon Steel Pipeline of Dia-4" along NH-46 at road Chainage No. Ch. 2+230 to Ch. 2+328 at Right Hand Side (RHS) of total 98 meter and one no of crossing at chainage No. Ch. 2+230 from Left hand side to Right Hand Side as per applicable construction methodology.

The route map to cross the pipeline, pipeline laying guidelines, methodology to lay the pipeline & power of attorney are enclosed as Annexure-2,3,4 & 5 respectively. It may please be informed that after crossing the pipeline, the roads will be restored in its original shape (whenever & wherever required).

पजीकृत कार्यालयः



## पेट्रोलियम एवं प्राकृतिक गैस विनियामक बोर्ड Petroleum and Natural Gas Regulatory Board प्रथम-तल, वर्ल्ड ट्रेंड सेंटर, बाबर रोड, नयी दिल्ली - 110001 1st Floor, World Trade Centre, Babar Road, New Delhi - 110001

PNGRB/CGD/BID/10/2018/GA/10.25/Schedule-D

29th March 2019

To. GAIL Gas Limited, GAIL Jubilee Tower. 13th & 14th Floor, B-35 & 36, Sector 1, Noida - 20301, Gautam Buddh Nagar, U.P.

(Kind Attn: Shri Asit Kumar Jana, Chief Executive Officer)

Subject: Grant of Authorisation to GAIL Gas Limited for development of City Gas Distribution Network in the Geographical Area of Raisen, Shajapur and Sehore Districts (GA 10.25).

Sir.

With reference to submission of Performance Bank Guarantee for Rs. 33 crore vide your letter dated 29.03.2019, as per the requirement under Regulation 10 (1) of the Petroleum and Natural Gas Regulatory Board (Authorizing Entities to Lay, Build, Operate or Expand City or Local Natural Gas Distribution Networks) Regulations, 2008, please find enclosed authorization in Schedule D for the GA of Raisen, Shajapur and Sehore Districts in duplicate.

- The tariff applicability is as per the Judgement of Hon'ble Supreme Court of India in the SLP No. 22273 of 2012.
- You are requested to put your stamp & signature on each page of the document and return one copy, within 7 days of receipt of this communication, to the PNGRB for records.
- 4. The enclosed authorization issues with the approval of the Board.

Yours faithfully,

Enel: As above

Arvind Kumar (Additional Adviser)

ARVIND KUMAR arra stantara Additional Adviser chara silv amplie he filhame del rum & Natural Gas Regulatory Board प्रधान रास, यस्टी ट्रेट: शैन्टर मिलिश कर्मा कार्य हैं। सेन्द्र हैं। सेन्द्र

Kamlesh Keswani तप महाप्रबंधक (क्षीजीवी) UY. General Mishager मंडीदीय मेल नेस लिमिटेड, GAIL Gas Limited, Mandideep

### Schedule D

Grant of authorisation for laying, building, operating or expanding CGD network

To. GAIL: Gas Limited. GAIL Jubilee Tower, 13th & 14th Floor, B-35 & 36, Sector 1, Noida - 20301, Gautam Buddh Nagar, U.P.

(Kind Attn: Shri Asit Kumar Jana, Chief Executive Officer)

Subject: Grant of Authorization for laying, building, operating or expanding CGD network in the authorized area of Raisen, Shajapur and Sehore Districts in the State of Madhya Pradesh under the Petroleum and Natural Gas Regulatory Board (Authorising Entities to Lay, Build, Operate or Expand City or Local Natural Gas Distribution Networks) Regulations, 2008

Sir.

With reference to your application-cum-bid for grant of authorisation for laying, building, operating or expanding the City Gas Distribution (CGD) network in GA-10.25 Raisen, Shajapur and Sehore Districts in the State of Madhya Pradesh, it has been decided to grant you the authorisation subject to the Petroleum and Natural Gas Regulatory Board (Authorising Entities to Lay, Build, Operate or Expand City or Local Natural Gas Distribution Networks) Regulations, 2008 and the following terms and conditions, namely:-

- The Authorised Area for laying, building, operating or expanding the proposed CGD Network shall cover an area of 21239 square kilometer and as depicted in the enclosed drawing or map,
- The activities of laying, building, operating or expansion of the CGD Network shall commence immediately after the issuance of this authorisation.
- The activities permitted above shall have to be completed as per the 3. work programme mentioned below, namely: -

SAME KUWAK Additional Adviser
Additional Adviser
(Heart old stayles for fill furge shid
strokeim & Natural Gas Regulatory Board
spert Gat, used Sat 31-24
1st Floor, World Trade Contre
may stay the fill feeth 110001

एके जाना / A.K.JANA ाख्य कार्राक्ती अधिकारी / Chief Executive Officer 常 / GAIL Gas Limited स्ता केंग्रहर-१. शेश्या (रा.ए.)

Serial Number	Description of work	Numbers	
1	Number of CNG Stations (Online and Daughter Booster stations) to be installed within 8 contract years from the date of authorisation  Number of domestic Piped Natural Gas connections to be achieved within 8 contract years from the date of authorisation		
- 2			
3	Inch-km of steel pipeline to be laid within 8 contract years from the date of authorisation	551	

The entity shall be required to achieve the year-wise work programme within 8 contract years as per details given below:

PNG Connections (cumulative)		CNG Stations (cumulative)		Inch-km of steel pipelin (cumulative)	
By the end of contract year	% of work program	By the end of contract year	% of work program	By the end of contract year	% of work program
151	Nil	1 <sup>st</sup>	Nil	1 <sup>st</sup>	. 5
2 <sup>nd</sup>	10	2nd	15	2 <sup>nd</sup>	20
3rd	20	3rd	30	3rd	40
4th	30	4 <sup>th</sup>	45	4111	60
5 <sup>th</sup>	40	5 <sup>th</sup>	60	5111	7()
6 <sup>th</sup>	60	6 <sup>th</sup>	75	6 <sup>th</sup>	80
7 <sup>th</sup>	80	7th	90	7th	90
S <sup>th</sup>	100	S <sup>th</sup>	100	8 <sup>th</sup>	100

Note - In case derived numbers are in fraction, the same shall be rounded off to the nearest whole number and 0.5 shall be rounded off to next higher whole number.

- Any failure on the part of the entity in complying with the milestones prescribed in the work programme shall lead to consequences as specified under regulation 16.
- The entity shall design and install an optimal size of the infrastructure in terms of pipelines of various types including steel belting of the authorised area, online compressors of adequate capacity for compressing of natural gas into CNG, allied equipment and facilities in the CGD network depending upon the potential demand for natural gas. The infrastructure in the CGD network should be adequate to maintain uninterrupted flow of natural gas in the pipelines and be also able to maintain supplies at adequate pressure to online CNG stations.

SIR FOR STATE ARVIND KUMAR SING STORES OF A CONTROL OF A

Q.W. WITT / A.K. JANA agit / Chief Executive Officer Fall Mandideed

- 6. The entity shall maintain an uninterrupted supply of natural gas to all categories of customers in the CGD network. In the event of any disruption in the supply of natural gas in the CGD Network, first priority shall be accorded to restoration of supplies to domestic PNG customers. In case of disruption of supply to domestic PNG customers for more than twelve hours, the entity shall compensate the domestic customer on the following manner, namely:
  - (a) the normative volume of natural gas consumption for the first domestic PNG connection for cooking requirements based on last three months weighted average consumption per day to be applied for each day's disruption and multiplied by ten;
  - (b) normative value of natural gas consumption shall be based on last three months' weighted average billing price of natural gas for supplies to the first domestic PNG connection for cooking requirements; and
  - (c) the value of compensation shall be equal to normative volume of natural gas consumption as per clause (a) above multiplied by normative value as per clause (b) and shall be adjusted by allowing a credit to the domestic PNG Customer in the next billing cycle or in the next pre-paid smart card in case of smart card metering.

In case the disruption of supplies is attributed to any fault of the domestic PNG customer, no compensation shall be payable by the entity.

- 7. The entity is allowed an exclusivity period under the Petroleum and Natural Gas Regulatory Board (Exclusivity for City or Local Natural Gas Distribution Networks) Regulations, 2008, in respect of the following, namely:
  - (a) 300 months from the date of issue of this communication for laying, building and expansion of the CGD network; and
  - (b) 96 months from the date of issue of this communication in terms of an exemption from the purview of common carrier or contract carrier for the CGD network:

Provided that the entity meets the obligations in line with the Petroleum and Natural Gas Regulatory Board (Exclusivity for City or Local Natural Gas

ए.के.जाना / A.K.JANA पूछा आपंकारी विशेषाचे /Chief Executive Officer पूछा कार्यकारी (GAIL Gas Limited कार्यकारी के किन्द्र के क्टन, नाएड (स्प्र) महार्थिक के किन्द्र के कर्नक (SZ-1, Middall P.)

Strone Printed N

Provided further that the period of exclusivity allowed under sub-clause (a) or sub-clause (b) may be terminated before the expiry of the period mentioned above in line with the provisions under Petroleum and Natural Gas Regulatory Board (Exclusivity for City or Local Natural Gas Distribution Networks) Regulations, 2008.

- 8. The authorised entity shall be required to take prior approval from the Board for creation of any lien, charge or hypothecation of the CGD network to secure finances for the project and furnish details of utilisation of funds. And, in case of raising funds from any financial institution or bank, the entity will be required to only inform the Board of the sanction of the funds within a period of seven days.
- 9. The entity shall submit a detailed and clear financial closure report to the Board within a period of two hundred and seventy days from the date of authorisation issued by the Board under regulation 10.
- 10. The entity shall publish on its website the transportation rate for CGD and transportation rate for CNG in the authorised area as per the following table namely: -

Serial Number	Description	Rate
1	Transportation rate for CGD - in rupees per million British Thermal Unit (Rs/MMBTU) for the first contract year	30
2	Transportation rate for CNG - in rupees per kilogram (Rs. /kg) for the first contract year	2

Note - Annual escalation shall be considered from the second contract year and onwards based on the "Wholesale Price Index (WPI) Data (2011-12 = 100)" for "All Group / Commodity", as normally available on the website of the Office of the Economic Adviser, Government of India, Ministry of Commerce and Industry, Department of Industrial Policy and Promotion (DIPP) on the link "http://eaindustry.nic.in/home.asp."

- 11. The entity shall publish the applicable retail selling price of PNG for all categories of customers and also for the purpose of invoicing in Rs. / MMBTU.
- 12. The entity shall publish and display the retail selling price of natural gas for the purpose of invoicing to CNG customers in Rs. / Kg at all natural gas dispensing stations.

ARVIND KUMAR
SHIP WHITE WAR
Addesonal Adviser
Lift in shy highes the fiftures the
second a stand Ges Regulatory Book DAL CO,
second a stand Ges Regulatory Book DAL CO,
second a result of St. St. Co.
1st Floor, World trade Control
Share the st. Inf. Res. 8-11005
Bribar Rose, New Beshi-1105
Bribar Rose, New Beshi-1105

THE COS LINE PHON GAIL LINE TOWN B-15-% Sec 1 North RUP.)

- 13. The furnishing of performance bond of Rs. 330 Million is a guarantee for timely commissioning of the project as per the prescribed work programme in the bid and for meeting the service obligations during the operating phase of the project.
- 14. The entity shall comply with the applicable provisions under the Petroleum and Natural Gas Regulatory Board (Authorising Entities to Lay, Build, Operate or Expand City or Local Natural Gas Distribution Networks) Regulations, 2008, the Petroleum and Natural Gas Regulatory Board (Exclusivity for City or Local Natural Gas Distribution Networks) Regulations, 2008, relevant regulations for technical standards and specifications, including safety standards, any other regulations as may be applicable and the provisions of the Act.
- 15. In case the authorisation of the entity is terminated, the Board may assign the rights and obligations of the entity to any agency or another entity on such terms and conditions, as it may deem fit. Further, the entity may be required, as per the directions of the Board, to continue the operations of the CGD network at the same level till another agency or entity appointed by the Board takes over the full control of the CGD network.
- 16. The entity shall comply with any other term or condition which may be notified by the Board in public interest from time to time.

You are requested to confirm your acceptance by filling-in the acceptance of the grant of authorisation provided below and return the same in original.

Yours faithfully,

Dated: 15/4/19

29/26/2019

On behalf of the PNGRB

Name and Designation of Officer

Chit

ए.के.जाना / A.K JANA उन्न कर्यकरी भीतारी / Chiaf Executive, Office गेल गेस शिनिटेड / GAIL Gas Limited बर्गात, गेल पुपती टीम केन्द्रक, मैसर-१, गेएव (रह) 14° Floor, GAIL Advise Tower BASS के, Sec-1, Noice (U.F.) Official Seal

अस्तिन्द कुम्बर ARVIND KUMAR अपना प्रताहकार Auditional Adviser प्रतीवनम और प्राकृतिक मैग विभिन्नक दोई Peroleum है Notard Gas Regulatery Board प्राथम तुन्न मुक्ट हैंड सेन्द्रर प्राथम तुन्न मुक्ट हैंड सेन्द्रर प्राथम तुन्न मुक्ट हैंड सेन्द्रर

Warniesh Warniesh Mandidee 1001



### Acceptance of the Grant of Authorisation

I/ We hereby accept the grant of authorisation issued by the PNGRB vide letter ref. PNGRB/CGD/BID/10/2018/GA/10.25/Schedule-D dated 29 03 2019 and agree to comply with all the terms and conditions subject to which I/ We have been granted the authorisation for laying, building, operating or expanding city or local natural gas distribution network in the authorised area of GA - 10.25 (Raisen, Shajapur and Sehore Districts) in the State of Madhya Pradesh.

Date: 15/4/19

Place: NOIDA

Signature of the Entity of Authorised Signatory Name and Official Seal

> पूर्व कार्यकारी आधिक में Family Executive (unicar मेल मेल शिमिटेड / GAIL Gas Limited क्षत्र के मेल पुरुष शिवर के 55-क स्थायर । नेपूर शिवर भार Flox GAIL littlet Town B-35-35, Sep-1, Nobel (U.F.)

not


SIVIDE TO MAR

SIVIDE KUMAR


SIVIDENT TO SIVIDENT ACCIDENT ACCIDEN



De Standard Control Co



## STEEL/MDPE PIPELINE NETWORK LAYING PROCEDURE/GUIDELINES



TRENCH IN NORMAL SOE, / CONSOLIDATED ROCK

#### NOTES:

- 1. ALL DIMENSIONS ARE IN MM. UNLESS SPECIFIED OTHERWISE.
- 2. FOR ALL PIPELINES TO BE CONSTRUCTED IN THE LAND UNDER JURISDITION OF GOVT. OF INDIA

THE MINIMUM COVER ADOPTED SHALL BE 1000 MM IN ACCORDANCE WITH GOVT, OF INDIA PETROLEUM PIPELINES (AQUISITION OF ROV IN LAND) ACT NO. S0,1962 AND AMENDMENT ACT NO. 13,1977 ANY EXTRA REQUIRMENT SHALL BE IN ACCORDANCE WITH SPECIFICATIONS

- 3. THE MINIMUM COVER SHALL BE SUBJECTED TO APPROVAL OF CONCERNED AUTHORITIES.
- 4. THE MINIMUM COVER IS FOR STRAIGHT PIPE RUNS, EXTRA COVER REQUIRMENTS TO BE ESTABLISED AT

ALL OVER BENDS, SAG BENDS AND HORIZONTAL BENDS.

5. FOR MINIMUM COVER REQUIRMENT AT PIPELINES CROSSING ROADS, RAILWAY TRACKS, RIVERS, MARSHY AREAS ETC, REFER RELEVEAT STANDARDS.
6. DIMENSION 'A' FOR MORE THAN TWO PIPELINES IN SAME TRENCH SHALL BE DETERMINED USING FORMULA

A= (DI+D2+...Dn) +(n-1) x 300. WHERE D1, D2....Dn ARE DIAMETER OF PIPELINES AND 'n' IS NUMBER OF PIPELINES IN SAME TRENCH.


7. DIMENSION 'D' SHALL BE LARGEST OF DIMENSIONS DI, D2, .... Dn

B. CLEAR SPACING BETWEEN PIPELINES SHOWN IS ONLY FOR STRAIGHT LENGTHS. SPACING BETWEEN PIPELINES AT BENDS, RAILWAY CROSSINGS, ROAD CROSSINGS, CHANNEL CROSSING, OTHER WATER WAY CROSSING AND MARSHY LAND ETC SHALL BE AS PER APPROVED DRAWINGS/ SPECIFIC ATION.

9. FOR P/L LAYING-

a) WITH OFC: X=200 b) WITHOUT OFC X=200







#### GAIL GAS LIMITED MANDIDEEP

#### CONSTRUCTION METHODOLOGY

For laying underground gas pipeline for Crossing Railway lines/NH/Roads by

#### Horizontal Boring Method

	Clause No.	Description:
	1.0	PURPOSE
	2.0	PREPARATION OF BORING PIT AND RECEIVING PIT
-	2.1	CASING PIPE PREPARION
	2.2	CARRIER PIPE PREPARION
	3.0	EQUIPMENTS
	4.0	BORING INSTALLATION
	5.0	INSTALLATION OF VENT/DRAIN ASSEMBLY
	6.0	CARRIER PIPE INSERTION
	7.0	COMPACTION, FINAL CLEAN -UP_AND.RESTORATION
	8.0	INSTALLATION OF STEEL/MDPE PIPES.

Laying if Gas Pipeline across Railway line/NH/Road

#### 1.0 PURPOSE

The Horizontal Boring methodology is adopted for laying underground gas pipeline across utility Crossings where open cut is not feasible. Utility Crossing may be Railway lines, National Highways (With large traffic Volumes) and perennial canals.

In this Method, the carrier pipe is inserted inside a casing pipe installed by horizontal boring technique. The casing pipe increases the safety of the carrier pipe by shielding of from greater load stress from the traffic. The advantage of this method is that, the gas pipeline laying work is carried oul without disturbing the activity of the existing system.

The work under such crossing shall include – preparation of boring pit, Casing pipe installation Carrier pipe insertion restoration to the original condition.

#### 2.0 PREPARATION OF BORING AND RECEIVING PIT

- 2.0.1 Prior to start of work a leveling and alignment of ROW for installation of boring Equipment and marking of boring line shall be done.
- 2.0.2 Boring and receiving pit (LxBxD\_ min of 6M X 2.5MX 3M however depth will vary as per side condition) shall be excavated to require depth and width facilitate smooth boring operation with pit





sides having sufficient slopes to avoid collapse/sliding slopes. Bottom of trench or pit at the launching and receiving ends shall be properly graded.

2.0.3 During the execution of boring, the ground water table over the length of boring shall be lower by up to at least 0.5m below bottom of pipeline to the safeguard the stability of boring pit Wherever water is encountered in the boring pit and if the soil condition is bad, chances of collapse are increased, To safe guard the stability of boring pit, sheet pilling or any other means shall be provided till the boring operation is complete, and shall extend at least 50% of the crossing length, into undisturbed ground if pit is less than 7 meters deep, trench boxes or shoring can be used. The casing pipe and boring shall extend a minimum of 0.6 meter on either side of the crossing.

#### 2.1.0 CASING PIPE PREPARATION

2.1.1 Size for carrier pipe for proposed gas pipeline as per OD and casing pipe is 2X OD.

The carrier pipeline and casing would be of Carbon steel conforming to API5 L.

- 2.1.2 Visual checking of casing pipe shall be made in order to check out of roundness and that no dents are present if such defects are noticed, these may be rectified / removed.
- 2.1.3 The outside surface of the casing pipe shall be coated with coal tar primer or PE before installation as per design consideration of the cathodic protection system.
- 2.1.4 Welding of casing pipes will be made in the open trench as stated above after first length is thrust into the bore hole crossing in according to API 5L


#### 2.2 CARRIER PIPE PREPARATION

- 2.2.1 Carrier Pipes shall be welded to the required length of crossing. All joints shall be 100% radio graphed tested.
- 2.2.2 After NDT clearance the carrier pipe section shall be pre-hydro-tested prior to joint coating at pressure resulting in hoop stress corresponding to 90% or SMYS of the pipe.

Material, The pressure shall be retained in pipe for minimum period of 04 hours. The section under test shall be retained for any leak/defect.

- 2.2.3 After completion of pre-testing joint coating shall be carried out. Holiday Detector for any coating damage shall check pipe section. Any damage to coating should be repaired as per approved procedure.
- 3.0 MAJOR EQIPMENT
- a. Boring Machine
- b. Side Boom
- c. Backhoe





- d. Auger
- e. Header
- f. Sprit Level

#### 4.0 BORING INSTALLATION

- 4.1 After leveling the rails for the Boring Machine shall be fixed in the pit and then the Boring Machine shall be lowered & alignment shall be done. The M/C shall be traversed on the rails to & fro several times for insertion/pushing and the alignment shall be checked & rectified, if required.
- 4.2 Boring shall be carried out at low speed initially and after inspecting the soil which is cut by the boring machine/manual, the speed shall be increased or decreased. Insertion of casing pipe and auger shall be carried out simultaneously so that at no point Of time gap between bored hole and casing pipe exists, liminating any chance of collapse while boring,

The diameter of the hole bored shall be as practicable to the outer diameter of the casing pipe Level shall be checked at both end of the casing pipe to confirm the slope as per Approved drawing.

- 4.3 For Welding of casing pipes, only normal visual checks shall be carried shall be carried out & internal High or Low is not allowed. Care shall be taken the lead auger remains in the front, which Facilitates easy insertion of the casing pipe.
- 4.4 After insertion of the first pipe the pipe and the auger are disengaged from the boring machine. The second pipe is placed in position and the auger of the first and the second pipe are firmly connected, Then both the casing pipes are aligned and welded together. The auger and the casing pipe are again coupled to the boring machine and the boring operation is repeated till the casing pipe is installed and casing pipe exists in the receiving pit on the other side of the crossing, Calculating are made before and during to maintain the alignment necessary to guide casing under the crossing.
- 4.5 The casing & the boring shall extend minimum 0.6mm on either side of crossing.
- 4.6 After completion of casing pipe insertion, the machine is de-coupled and taken out, The augers are pulled back and the casing pipe is then thoroughly cleaned to remove any moisture and debris.

#### 5.0 INSTALLATION OF VENT/DRAIN ASSEMBLY

- 5.1 The installation of vent pipe shall be carried out by direct insertion and welding to the end of the casing pipe before introducing the carrier pipe.
- 5.2 While welding of vent pipe, internal high/low is not allowed. Welding of vent pipe need not be radio graphed and only visual checks can be carried out.



The state of Mandideer

7.2 The complete area shall be cleared up cleared up of all scattered materials.

#### 8.0 INSTALLATION OF STEEL & MOPE PIPE

8.1 Change as per Gas requirement.

### 9.0 PROVISIONS FOR TRAFIC MANAGEMENT DURING CONSTRUCTION

- 9.1 It is proposed to lay underground actual size od natural gas pipeline by horizontal boring method through casing pipe 2X OD, crossing national highway NH as per the cross-sectional plan.
- 9.2 The construction will be done by horizontal boring method which will commence from outside the right of way (row) and thus no way will affect the traffic movement of national Highway, during the construction operation. The machinery & excavation of boring pit and Receiving pits shall be conducted. Outside the right of way (row) of National Highway the pipeline laying process will satisfy/all the requisite Indian/international regulatory standards.

9.3 necessary – barricading with red tape shall be done with proper signage & direction Markers for traffic & public movement.

MECON LIMI MANDIDEEP-RAISEN



