

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

National Highways Authority of India

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार) (Ministry of Road Transport & Highways, Government of India)

परियोजना क्रियान्वयन इकाई – बागपत Project Implementation Unit, Baghpat

फ्रेन्डस कॉलोनी, निकट पी.डब्लू.डी गेस्ट हाउस, बड़ौत रोड़, जिला-बागपत - 250609 Friend Colony, Near PWD Guest House, Baraut Road, District Baghpat - 250609 टेलीफोन: 0121-2222971, ई-मेल : piu.baghpat@gmail.com, piubaghpat@nhai.org Web.: www.nhai.gov.in



NHAI/PIU-BPT/1041/2025-26/D-16863

Date: 08.05.2025

Invitation for Public Comments

Sub: Request for the permission to lay pipeline of dia 4" steel pipeline along NH-709A (Meerut to Karnal Road) from road ch. 0+000 to ch. 2+850 km and across at ch. 2+850 km to develop CGD network in Meerut distance in the state of UP.

M/s Gail Gas Limited for the permission to lay pipeline of dia 4" steel pipeline along NH-709A(Meerut to Karnal Road) from road ch. 0+000 to ch. 2+850 km and across at ch. 2+850 km to develop CGD network in Meerut distance in the state of UP.

- 2. From the submitted proposal, it is seen that the laying of underground Gas Pipeline is proposed at the extreme edge of ROW of NH-709A
- 3. Applicant has proposed underground Gas Pipeline. The Work will be carried through HDD Methodology and through HDD method only with the condition that embankment of the Highway should not be damaged and laying will be done at the edge of ROW. Further, the agency while laying/maintenance of pipeline shall not cause any disruption to the traffic on the Highway. If there is cross road/approach road connecting Highway, then at that particular location laying will done only through HDD method. In case of crossings, work should be executed strictly through HDD method.
- 4. As per the guidelines, issued by the Ministry vide OM no. RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 5. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach this office within 30 days from the date of publication beyond which no comments shall be entertained.

The Project Director,
National Highway Authority of India
Project Implementation Unit-Baghpat
Friends Colony, Near PWD Guest House, Baraut Road,
District Baghpat-250609

Project Director PIU-Baghpat

Copy to-

1. The Regional Officer, Delhi for kind information.

2. Web Admin, NHAI HQ-with request to uploading on NHAI website.

3. The Technical Director, NIC Transport Bhawan, New Delhi- with request for uploading on Ministry's website.

4. M/S Gail Gas Ltd. - for information.

CHECK - LIST

Check list for getting approval for laying of Gas pipeline on NH Land

Sr. No.	Item	Information / Status	Ren
1	General Information		
1.1	Name and Address of the Applicant / Agency	GAIL Gas Limited C67/5, First Floor Jagriti Vihar, Sector-5, Garh Road, Meerut- 250004, U.P.	The state of the s
1.2	National Highway Number	NH-709A	-
1.3	State	Uttar Pradesh	
1.4	Location	Meerut	-
1.5	(Chainage in Km)	Along the Road: Along with NH-709A Between Km Stone 0.000 to 2.850 Km Across the Road: Across NH-709A At Km Stone 2.850 Km	
1.6	Length in Meters	Along the Road: Between Km Stone 0.000 m and	
		2850 m (Length = 2850 m) Across the Road: Across NH-709A At Km Stone 2850 m	
		(Length=28 M)	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage / km direction	13 — 17 (AME) 14 M to 16 M(Variable)	
	(b) Right side from center line towards increasing chainage / km direction	13 - 17 () 4 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 / 6 /	
1.8	Proposal to lay underground Gas pipeline		
	(a) Left side from center line towards increasing chainage / km direction	Project Director National Highway	Author Author
	(b) Right side from center line towards increasing chainage / km direction	Project Director National Highway Authority of India National Highway India Nati	
1.9	Proposal to acquire Land	N/A Profit MANISH GOEL	
	(a) Left side from center line	उप महापूर्वपक (सीजोही)/DGM (CGD)	
- 1	(b) Right side from center line	गेल गैस मिनिट्ड Kokil Ses Aimited	
	The state of the s	C-67/5, प्राप्त तत, जामित विहार, गठ रोड C-67/5, First Floor, Jagriti Viñar, Garh Road	

1.10 1.11 1.12 1.13 1.14	Whether proposal is in the same side where land is not to be acquired. If not then where to lay the cable. Details of already laid services, if any, along the proposed route. Number of lanes (2/4 /6/8 lanes) existing. Proposed Number of lanes (2 lane with paved shoulders/4 / 6/8 lanes).	N/A. N/A. 4 Lane
1.12	Details of already laid services, if any, along the proposed route Number of lanes (2/4 /6/8 lanes) existing Proposed Number of lanes (2 lane with paved shoulders/4 / 6/8 lanes)	
1.12	Along the proposed route Number of lanes (2/4 /6/8 lanes) existing Proposed Number of lanes (2 lane with paved shoulders/4 / 6/8 lanes)	
1.13	Number of lanes (2/4 /6/8 lanes) existing Proposed Number of lanes (2 lane with paved shoulders/4 / 6/8 lanes)	4 Lane
	Proposed Number of lanes (2 lane with paved shoulders/4 / 6/8 lanes)	
1.14	with paved shoulders/4 / 6/8 lanes)	
1.14		N/A
	Service Road existing or not If yes then which side	No
1	(a) Left side from center line	
	(b) Right side from center line	
1.15	Proposed Service Road	
1.15	(a) Left side from center line	, No
	(b) Right side from center line	
1.16		
	Whether proposal to lay Gas pipeline is after the service road or between the service road and main carriageway	N/A.
	The permission for laying of Gas pipeline shall be considered for approval / rejection based on the Ministry Circulars mentioned as above.	Yes
	(a) Carrying of sewage / Gas pipelines on highway bridges shall not be permitted as Fumes / Gas pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of Gas.	For Natural Gas pipeline
	(b) Carrying of Gas pipelines on bridges shall not be discouraged. However, if the Gas authorities seem to have no other viable alternative and approach the highway authority well in time before the design of the bridge is finalized, they may be permitted to carry the pipeline on independent superstructure, supported on extended portions of piers and abutments in such a manner that in the final arrangement enough free spade around the superstructure of the bridge remains available for inspection and repairs etc. (c) Cost of required extension of the	Manager (Tecn.) Manager (Tecn.) Manager (Tecn.) Authority of India Project Director Project Director C-67/5, प्रथम तल, जागृति C-67/5, First Floor, Jagriti Vihar, G-67/5, First Floor, Jagriti Vihar, G-67/5, First Floor, Jagriti Vihar, G-67/5, G-6
	MAN THE STATE OF T	Agreea

•		substructure as well as that of the supporting superstructure shall be borne by the agency-in- charge of the utilities.	
	(d)	indiscriminately on the parapet /	
		any part of the bridges; Safety of the bridges has to be kept in view while permitting various services along bridge. Approvals are to be accorded in this regard with the concurrence of the Ministry's Project Chief	Agreed
		Engineers only.	
1.18	Yes pipe spe	rossings of the road involved If , it shall be either encased in es or through structure or conduits cially built for that purpose at the enses of the agency owning the	Yes (Crossing will be done by HDD Method)
	(a)	Existing drainage structures shall not be allowed to carry the lines.	Agreed
	(b)	The utility services shall cross the National Highway preferably on a line normal to it or as nearly show as practicable. GAIL Gas Limited shall be permitted to cross the National Highway either through structure or conduits specially built for that	
		purpose. The casing / conduit pipe should, as minimum,	Agreed
		extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry.	
7	(c)	The casing pipe may be installed under the route embankment either by boring or digging a trench. Installation by boring method shall prefer.	Manager (स्विधि) of India Manager (स्विधि) of India Manager (स्विधि) of India Manager (स्विधि) अप महाप्रवेषक (सीजीडी)/DGN (CGL) वेस वैस सिमिटेड /GAIL GAS Limite
-	(d)	The casing pipe (or conduit pipe	प्रदेशिका प्रमाणक (सीनीडी)/DGM (CGL गेल गैस लिमिटेड/GAIL GAS Limite
4		in the case of electric cable)	C-67/5, प्रथम तल, जागृति विहरि, गढ़
	recommendation of the process pate and as due of distinctions of the contraction of the c	carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and the large	C-67/5, प्रथम तल, जागृति विवर, गढ़ A67/5e dist Floor, Jagriti Vihat, Gari (उठार) 250004/Meerut (J.P.) 2 Project Director Project Director Project Director Project Director Project Director Project Director Project Director

CHE

Nations bln-pag

	enough to permit ready withdrawal of the carrier pipe / cable.		
	(e) Ends of the casing / conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Agreed	
	(f) The casing / conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in the fills.	Agreed	
	(g) The top of the casing / conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 meter below the drain inverts.	Agreed	
	(h) Crossing shall be by boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type.	Agreed	
	(i) The casing / conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a Gas way along it.	Agreed	
2	Document / Drawings enclosed with the proposal	Enclosed	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2-meter-deep X 0.6 meter wide)		
	(i) Should not be greater than 60 cm wider than the outer diameter of the pipe		
	(ii) Located as close to the extreme edge of the right-of-way as possible but the utility services shall cross the National Highway preferably on a line normal to it or	Malional Highway Authority अधीकार्वा Highway Authority मनीय गीयल /MANISH GOE उप महाप्रवंपक (सीजीडी) /DGM (प	
e a	as nearly so as practicable. (iii) The casing pipe shall be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred. (iv) These should be so laid that their	मनीय गोयल/MANISH GOE उप महाप्रबंधक (सीजीडी)/DGM (र गेल गैस लिमिटेड/GAIL GAS Lin C-67/5, प्रथम तल, जागृति विहार, C-67/5, First Floor, Jagriti Vihar, C भेरड (उ०प्र०) 250004/Meerut (U.F	CGD mited गढ़ Garh

Vital (AHE) National Highway Authorit PIU-Baghpat

	top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	
2.2	Cross section showing the size of pit and location of cable for HDD method	Enclosed
2.3	Strip plan / Route plan showing Gas pipeline, Chainage, width of ROW, distance of proposed cable from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed
2.4	Methodology for laying of Gas pipeline	Enclosed
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Agree
NATE MARKET AND PROPERTY AND ADDRESS OF THE ADDRESS	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Agree
	(b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value.	Agree
	Unsuitable soil and rock edged should be excavated and replaced by selected material.	Agreed
	(c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Agreed
	(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that	Manager (Tecn.) Manager (Tecn.) Mational Highway Authority of India Participation (मीजीडी) / Compared (मी
A second	had been removed. Consolidation by saturation or	मनीय गोयल/MANISH GOEL अप महाप्रयंगक (सीजीडी)/DGM (CGD) Project Director Project Director Project Director Of In सिंह शैस शिमिटेड/GAIL GAS Limited C-67/5, प्रथम तत, जागृति विहार, गढ़ र C-67/5, First Floor, Jagriti V har, Garh

	ponding will not be permitted.	
	(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Agreed
	(f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours.	Agreed
	(g) If required, a diversion shall be constructed at the expense of agency owning the utility line	Agreed
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes (if required at Site)
2.4.3	Laying of Gas pipeline through CD works and method of laying	
	(a) The utility services shall cross the National Highway preferably on a line normal to it for as nearly so as practicable and subject to all other stipulations contained in this Ministry's guidelines issued with letter No. RW/NH-33044/29/ 2015/S&R(R) – Dtd. 22nd November, 2016	Yes
3	Draft License Agreement signed by two witnesses	Enclosed
4	Performance Bank Guarantee in favour of NHAI has to be obtained @	
4		Will obtain at the time of receipt of
4	favour of NHAI has to be obtained @ Rs per running meter (parallel to NH) and Rs per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables / ducts by proper filling and compaction, clearing debris / loose earth produced due to execution of trenching at least 50 meters away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing	at the time of receipt of permission Manager (Tecn.) Ma
	favour of NHAI has to be obtained @ Rs per running meter (parallel to NH) and Rs per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables / ducts by proper filling and compaction, clearing debris / loose earth produced due to execution of trenching at least 50 meters away from the edge of the right of way. No payment shall be payable by the	at the time of receipt of permission Manager (Tecn.) Ma
4.1	favour of NHAI has to be obtained @ Rs per running meter (parallel to NH) and Rs per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables / ducts by proper filling and compaction, clearing debris / loose earth produced due to execution of trenching at least 50 meters away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris / loose earth. Performance BG as per above is to be obtained.	at the time of receipt of permission Manager (Tecn.) Ma
4.1	favour of NHAI has to be obtained @ Rs per running meter (parallel to NH) and Rs per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables / ducts by proper filling and compaction, clearing debris / loose earth produced due to execution of trenching at least 50 meters away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris / loose earth. Performance BG as per above is to	at the time of receipt of permission Manager (Tecn.) Manager (Tecn.) Manager (Tecn.) Manager (Tecn.) PIU-Baghpal PIU-Baghpal PIU-Baghpal अनीय गोवल/MANIGH GOE

5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned	Enclosed
FO	agency	
5.2	Renewal of Bank Guarantee Confirming all standard condition of	Enclosed Enclosed
	NHAI guideline	Eliciosed
5.4	Shifting of Gas Pipeline as and when required by NHAI at their own cost	Enclosed
5.5	Shifting due to 6 lanning / widening of NH	Enclosed
5.6	Indemnity against all damages and claims clause (xxiv)	Enclosed
5.7	Traffic movement during laying of Gas pipeline to be managed by the applicant	Enclosed
5.8	If any claim is raised by the Concessionaire, then the same has to be paid by the applicant	Enclosed
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs or alterations to the showing Gas Pipeline located in the National Highway right-of-ways.	Enclosed
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas Pipeline will be borne by the agency owning the line.	Enclosed
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Enclosed
5.12	Certificate from the applicant in the following format	Manager (and the state of India
A	(i) Laying of Gas Pipeline will not have any deleterious effects on any of the bridge components and roadway safety for traffic.	Halianal Highway Aughpal PIU-Baghpal PIU-Baghpal Comical Comical Andrew Treet MANISH GOEL
1.	(ii) for 6 – lanning "We do undertake that I will relocate service road / approach road / utilities at my own cost notwithstanding the	National Highway Author (शिजीडी)/DGM (CSD) PUU-Baghm शैस लिमिरेड /GAIL GAS Limited कर् C-67/5, प्रथम नल, जागृति बिहार, वह रोड C-67/5, First Floor, Jagniti Vihar, Gaith Roa (शेरठ (उ०प्र०) 256004/Meerot (१२२) 271 abj
	11.1	WM .

Willed,

	permission granted within such time as will be stipulated by NHAI" for future Six – lanning or any other development."	1
6	Who will sign the agreement on behalf of Gas Pipeline agency Power of attorney to sign agreement available or not	(Dy. General Manager, CGD)
7	Certificate from the Project Director	
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. – NH-41(58)/68 dated – 31.1.1969, Ministry Circular No. – NH-III/P/66/76 dated–18/19.11.1976, Ministry Circular No. – NH-RW/NH-III/P/66/76 dated – 11.5.1982, Ministry Circular No. – RW / NH-11037 / 1 / 86 – DOI (ii) dated – 28.7.1993, Ministry Circular No. – RW / NH-11037 / 1 / 86/DOI dated – 19.1.1995, Ministry Circular No. – RW / NH-34066 / 2 / 95 S&R dated – 25.10.1999, Ministry Circular No. – RW / NH-34066 / 7 / 2003 S&R (B) dated – 17.9.2003 and RW/NH-33044/29/2015/S&R(R) –	Yes
7.2	Dated 22nd November, 2016 Certificate from PD in the following	Yes
	(i) "It is certified that any other location of the Gas Pipeline would be extremely difficult and unreasonable costly and the installation of Gas Pipeline within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc".	Manager (Tecn.) of India Manager (Tecn.) Manager (Tecn.
4	(ii) for 6 – lanning (a) Where feasibility is available "I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the said location".	Highway Authorit प्रहायबंधक (नीर्जाडी)/DGM (CGD) National Highway Authorit प्रहायबंधक (नीर्जाडी)/DGM (CGD) (CGD) प्रहाय के प्रहायबंधक (नीर्जाडी)/DGM (CGD) (निर्वाय के प्रहायबंधक (नीर्जाडी)/DGM (CGD) (निर्वय के प्रहायबंधक (निर्यय के प्रहायबंधक (निर्यय के प्रहायबंधक (निर्यय के प्रहायबंधक (निर्यय के प्रहायबं

Visid (AMA)

	(b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning".		
8	If NH section proposed to be taken up by NHAI on BOT basis – a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of lay cable / duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of [section from Km to Km of NH No – on Build, Operate and Transfer Basis] and therefore, the licensee shall honour the same."	Enclosed	
9	Who will supervise the work of laying of Gas Pipeline?	GAIL Gas Limited.	
10	Who will ensure that the defects in road portion after laying of Gas Pipeline are corrected and if not corrected then what action will be taken.	NHAI	ten i des de respecto de la companion de la co
. 11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire	GAIL Gas Limited.	
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed).		The second secon
13	If any previous approval is accorded for laying of underground Gas Pipeline then Photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed		and of the state o

Any

For GAIL Gas Limited.

Date:

Place: Meerut

Manager (Tecn.)
Manager (Tecn