



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष /Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल /Eail : rojaipur@nhai.org

No: NHAI/18013/1/2021-ROJ/Permission-Laying Gas Pipeline/94/NH-79km 162.50 to 170.53/305 Date: 12.05.2021

INVITATION OF PUBLIC COMMENTS

- Sub.:** Proposal for grant of permission for laying proposed 8" dia MS, 125mm MDPE Gas pipeline & its allied service underground and along & across NH-79 [Km. 162.50 to 170.53 (LHS) & 163.77 to 167.12 (RHS) and 4 nos. crossings] (Ajmer-Chittorgarh) to develop city gas distribution network in Bhilwara City & its surrounding areas under Bhilwara & Bundi GA in the state of Rajasthan by M/s. Adani Gas Ltd. - reg.
- Ref.:** (i) M/s. Adani Gas letter no. AGL/Bhilwara & Bundi/GA/NHAI/2020/02, dt. 07.01.2021.
(ii) PD, PIU-Chittorgarh letter no. NHAI/SO-BHL/NH-79/NOC-ROW/Adani/2020-21/2268 dated 31.03.2021.

Sir,

It is to inform all concern that M/s. Adani Gas Ltd., Ahmedabad (Guj.) vide letter under reference (i) has submitted a proposal to PD, PIU-Chittorgarh for the subjected work and PD, NHAI, PIU, Chittorgarh has forwarded the above proposal to this office vide letter under reference (ii) for approval of the Competent Authority, Highway Administrator.

2. The proposal is regarding permission for laying proposed 8" dia MS, 125mm MDPE Gas pipeline & its allied service underground and along & across NH-79 [Km. 162.50 to 170.53 (LHS) & 163.77 to 167.12 (RHS) and 4 nos. crossings] (Ajmer-Chittorgarh) to develop city gas distribution network in Bhilwara City & its surrounding areas under Bhilwara & Bundi GA in the state of Rajasthan by M/s. Adani Gas Ltd.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to proposed 8" dia MS, 125mm MDPE Gas pipeline & its allied service underground and along & across NH-79 [Km. 162.50 to 170.53 (LHS) & 163.77 to 167.12 (RHS) and 4 nos. crossings] (Ajmer-Chittorgarh) to develop city gas distribution network in Bhilwara City & its surrounding areas under Bhilwara & Bundi GA in the state of Rajasthan by M/s. Adani Gas Ltd. The objections/comments may be addressed to the below mentioned address upto 11.06.2021, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur

National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,

(Kuldeep Songara)
DGM (Tech.)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Jaipur: for information.
(iv) M/s. Adani Gas Ltd., 1st Floor, 7-SR-1 & 7-SR-8 Next to BoB Regional Office, CS Azad

Nagar,, Bhilwara (Raj.)-311001: for information.



सड़के ही नहीं, राष्ट्र का निर्माण भी



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

Project Implementation Unit - Chittorgarh (Site Office Bhilwara)

परियोजना कार्यान्वयन इकाई - चित्तौड़गढ़ (साईट ऑफिस भीलवाड़ा)

A-8, Subhash Nagar, Behind UIT Office, Bhilwara - 311 001 (Raj)


ए-8, सुभाष नगर, यू.आई.टी कार्यालय के पीछे, भीलवाड़ा-311 001 (राज.)



+91-1472-246474

+91-1482-230611 (Bhilwara)

Email: chit@nhai.org




भारतमाला
प्रगति के पथ पर अग्रसर

NHA/ISO-BHL/NH-79/NOC-ROW/Adani/2020-21/ 2268

Date: 31.03.2021

To,
The Chief General Manager (T) / Regional Officer
National Highways Authority of India,
Regional Office - Jaipur
F-120, Shyam Nagar, Janpath,
Jaipur (Raj.)



29/03/21
AD

Sub.: Proposal for grant of Permission for laying proposed 8" MS, 125mm Ø MDPE Gas pipeline & its allied service underground and along & across NH-79 (Ajmer-Chittorgarh) to develop City Gas Distribution Network in Bhilwara City & its surrounding areas under Bhilwara & Bundi GA in the state of Rajasthan.

- Ref.: 1) M/s. Adani Gas Limited letter no. AGL/Bhilwara & Bundi/GA/NHA/2020/02 dated 07.01.2021
2) This office letter no. NHA/PIU-Chit/NH-79/NOC-ROW/2021/1692 dated 14.01.2021.
3) M/s TPF Getinsa-Euroestudios S.L. in association with M/s Theme Engineering Services Pvt. Ltd. letter no. TPFGE-TES/Dir/NH-79/NHA/1566 dated 22.01.2021
4) This office letter no. NHA/PIU-Chit/NH-79/NOC-ROW/Adani/2020-21/1845 dated 03.02.2021
5) M/s. Adani Gas Limited letter no. nil dated 24.02.2021
6) This office letter no. NHA/PIU-Chit/NH-79/NOC ROW/Adani/2020-21/1997 dated 25.02.2021
7) Canara Bank, Chittorgarh email dated 24.03.2021

Sir,

The applicant M/s Adani Gas Limited vide letter under reference (1) has submitted a revised proposal for grant of Permission for laying proposed 8" MS, 125mm Ø MDPE Gas pipeline & its allied service underground and along & across NH-79 (Ajmer-Chittorgarh) to develop City Gas Distribution Network in Bhilwara City & its surrounding areas under Bhilwara & Bundi GA in the state of Rajasthan.

2] Subsequently, the same vide this office letter under reference (2) was sent to the Independent Engineer M/s. TPF Getinsa-Euroestudios S.L. in association with Theme Engineering Services Pvt. Ltd. to examine in light of MORTH Guidelines RW/Dir/33044/29/2015/S&R(R), dated 22.11.2016.

3] Independent Engineer vide above referred letter (3) submitted their recommendation along with the calculation of License Fee and Bank Guarantee.

4] This office vide above referred letter (4) directed the applicant for furnishing the Performance Security in form of Bank Guarantee for an amount of Rs. 22,70,000/- **Project Director, National Highways Authority of India, PIU - Chittorgarh** with a initially validity for one year and operatable at Chittorgarh. The License Fee for an amount of Rs. 22,66,311/- against use of NH Land, may be deposited in favour of Regional Pay and Accounts Officer (RPAO), MORTH Jaipur through Bharat Kosh Portal (www.Bharatkosh.gov.in).

31/3

5] M/s. Adani Gas Limited vide above referred letter (5) submitted has submitted the performance security in the form of Bank Guarantee for an amount of Rs. 22,70,000/- as requested by this office vide above referred letter (4) alongwith the receipt of License Fee for an amount of Rs. 22,66,311/- (Transaction No. 2002210004612). Issuance of Bank Guarantee has been confirmed by Canara Bank vide mail dated 24.03.2021 as per NHAI's extant guidelines and found the genuineness.

6] The following are submitted with the proposal:-

- a] Two nos. Files
- b] Photocopy of Bank Guarantee with confirmation
- c] Receipt of License Fee

7] In view of the above, and upon recommendation of the Independent Engineer, the proposal for grant of Permission for laying proposed 8"Ø MS, 125mm Ø MDPE Gas pipeline & its allied service underground and along & across NH-79 (Ajmer-Chittorgarh) to develop City Gas Distribution Network in Bhilwara City & its surrounding areas under Bhilwara & Bundi GA in the state of Rajasthan is recommended for issuance of In-principle approval.

Yours Faithfully,



(Harish Chandra)
Project Director

Copy to:-

- 1- The Team Leader, M/s. TPF Getinsa-Eurostudious in association with Theme Engineering Consultants Pvt. Ltd., for information and necessary action please.
- 2- The Authorised Signatory, M/s Adani Gas Ltd, Udaipur for information please.

CHECK- LIST

Guidelines for processing the proposal for laying of Utility line in the land along/across National Highways vested with NHAI.

Ministry Circular No-RW/NH 330044/29/2015/S&R® Dated 22/11/2016.

General Information

Sr. No.	Description	Information /Status
1	Name and Address of the Applicant/Agency	Adani Gas Limited, 1 st Floor BMD Building, Opp. Aadhar Supermarket, Main Road, CS Azad Nagar, Bhilwara -311001 Rajasthan.
2	National Highway Number	NH 79
3	State	Rajasthan
4	Location	Ajmer - Chittorgarh
5	Chainage in KM	For Along NH Chainage From 162.50 km to 163.45 km (LHS) From 163.45 km to 170.53 km (LHS) From 163.77 km to 167.12 km (RHS) For Across NH Chainage @ 162.50 km @ 164.08 km @ 166.48 km @ 170.53 km
6	Length in Meters	For Along 11380 m For Across 240 m Total = 11620 m
7	Width of available ROW in both side	60 m
8	Side of NH (left or right side of NH towards increasing chainage/Km direction)	From 162.50 km to 163.45 km (LHS) From 163.45 km to 170.53 km (LHS) From 163.77 km to 167.12 km (RHS)

Abhishek
Asst. Highway Engineer
Eurostudios S.L./Thema
Engineering Services Pvt. Ltd.
BHILWARA

gaur
Project Director
National Highway Authority of India
P.I.U. Chittorgarh (Raj.)

9	Name of Highway Authority of NHAI	The Chief Engineer cum Regional Officer Ministry of Road Transport & Highways, Regional Office, Ajmer Road, Uma Colony, Shanti Nagar, DCM Jaipur - 302019 Rajasthan
10	Highway Administration address	Project Director NHAI

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	NO	Enclosed	Complying
2	Whether up gradation of the stretch in near future is proposed or not	NO		N/A
	(a) If yes, provision of utility adversely affect the plan of up-gradation	Will not affect the up gradation. Proposed Structures are shown in Plan Drawing.	Not affect plan of up-gradation	N/A
3	Laying of the utility service along the National Highways.			
3.1	Location of proposed utility service along the stretch	At extreme edge of the RoW.	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	
3.2	Depth of top of utility service from ground level	Minimum 1.0 m	0.6 meter	complying
3.3	Mechanism for crossing water channel	Beneath the bed of Water Channel	Through utility duct(if provision exists) or beneath the bed of water channel	Complying
3.4	Whether ROW is restricted in this stretch?	NO		N/A

Phowdhury
Asst. Engineer
Euroestudios S.L./Theme
Services Pvt. Ltd.

Project Director
Euroestudios S.L./Theme
Services Pvt. Ltd.
79, BHILWARA
P.O. (Raj.)

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
3.4. 1	If yes, whether provision of land acquisition is required to lay utility	N/A		N/A
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	N/A		N/A
3.4. 2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NO	Not to be allowed	N/A
4.2	Proposed crossing of utility service	NO	Perpendicular to NH	Complying
4.3	Type of casing pipe/conduit carrying the utility line.	STEEL	Steel, cast iron, or reinforced cement concrete and have adequate strength	Complying
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	Complying
4.5	Length of casing/conduit pipe crossing NH.	60 m Length 8" Dia	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing/conduit pipe.	Minimum 2.5 M	At least 1.2 m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement.	HDD	Only boring method (HDD)	Complying

Ashwini
Asst. Highway Engineer
Euroestudios S.L./Theme
Engineering Services Pvt. Ltd.
KUA-NH-79, BHILWARA

[Signature]
Resident Engineer
Euroestudios S.L./Theme
Engineering Services Pvt. Ltd.
KUA-NH-79, BHILWARA


[Signature]
Project Director
National Highways Authority of India
P.O. Chittorgarh (Raj.)



Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	N/A (Underground Only)	In accordance with IRC codes.	N/A
5	Document I Drawings enclosed with the proposal	Yes Enclosed		
5.1	Cross-Section showing the size of trench for open trenching method		Enclosed, if applicable	
	(a) Trench width	600 mm	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	
	(b) Filling of trench	As per Ministry Guidelines.	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	
	(c) location of trench	Extreme edge of available ROW Space.	extreme edge of the ROW	
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes Enclosed	Enclosed, if applicable	Complying
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes Enclosed	Enclosed	Complying
6	Methodology for laying of utility line	Yes Enclosed	Enclosed	Complying
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Yes Enclosed	Enclosed	Complying

Phowdhury
 Asst. Highway Engineer
 Eurostudios S.L./Theme
 Engineering Services Pvt. Ltd.
 KHA. NH-79, BHILWARA

ansu
 Project Director
 National Highways Authority of India
 P.O. P.I.U. Chittorgarh (Raj.)
 Eurostudios S.L./Theme
 Engineering Services Pvt. Ltd.
 KHA-79, BHILWARA

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
8	License fees in Favor of MoRTH RPAO Jaipur	Will be submitted	As per Ministry vide circular no. RE/NH-33044/29/2015/S& (R)dated 22.11.2016	
9	Whether Bank Guarantee has been obtained	Will be obtained at the time of permission.	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R)dated 22.11.2016	
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines			
10	Affidavit / Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	Enclosed	Enclosed	Complying
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	Complying
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant	Enclosed	Enclosed	Complying


 Asst. Highway Engineer
 Eurostudios S.L./Theme
 Engineering Services Pvt. Ltd.
 KUA-NH-79, BHILWARA


 Project Director
 National Highways Authority of India
 P.I.U. Chittorgarh (Raj.)


Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	NA. As our Project falls under PNGRB. PNGRB Authorization letter Attached.	Enclosed	Complying


The above particulars with the drawings and documents have been verified and certified as correct as per prevailing site conditions.




Name, Designation & Signature of the Authorized representative of Applicant


Project Director
National Highways Authority of India
P.I.U. Chittorgarh (Raj.)

Name, Designation & Signature of the Authorized representative of NHAI


Asst. Highway Engineer
Euroestudios S.L./Theme
Engineering Services Pvt. Ltd.
KUA-NH-79, BHILWARA



Asst. Highway Engineer
Euroestudios S.L./Theme
Engineering Services Pvt. Ltd.
KUA-NH-79, BHILWARA

CERTIFICATE

1. Undersigned has examined the proposal of the applicant for laying of proposed 8"Ø MS, 4" MS, 125 mm Ø MDPE Natural Gas Pipeline & allied service Along NH-79 (Ajmer-Chittorgarh) to develop city gas distribution network in Bhilwara District en-route National Highway under Bhilwara GA and confirm that the all standard conditions issued vide Ministry circular No: RW/NH-33044/29/2015/S&(R) dated 22.11.2016 has been followed.
2. It is certified that any other location of utility line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc.
3. I will ensure supervision of the work of laying of utility and ensure that the defects in road portion after laying of utility are corrected.
4. I will notify/forfeit the BG for claims for damages done/disruption in working, if any.
5. I will ensure that proposed permission is entered in the register of records
6. The record of previous approval, if any has been considered and copy of same is enclosed with the proposal.


Asst. Highway Engineer
Euroestudios S.L./Theme
Engineering Services Pvt. Ltd.
KUA-NH-79, BHILWARA


Resident Engineer
Euroestudios S.L./Theme
Engineering Services Pvt. Ltd.
KUA-NH-79, BHILWARA


परियोजना निदेशक
राजमार्ग प्राधिकरण
[Name Designation and signature
of concerned field authority of
NHAI/PWD/BRO]