



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष /Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल /Eail : rojaipur@nhai.org

No: NHAI/18013/1/2020-ROJ/Permission-Laying /OFC/95/NH-123 km 3.15 to 10.00/307 Date: 12.05.2021

13

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying OFC from NH-123, MS-3.150 to 10.00 for total section length of 6.850 Km. (LHS) (Dholpur Bypass) WWOR applied in the State of Rajasthan by M/s. Telesonic Network Ltd (Airtel). – reg.

Ref.: (i) M/s. Telesonic Network Ltd. letter dated 29.09.2020 and dated 01.03.2021.

(ii) PD, PIU-Dausa letter no.23011/20/PIU/DAU/NOC/OFC/8512 dt. 12.04.2021.

Sir,

It is to inform all concern that M/s. Telesonic Network Ltd., Jaipur vide letter under reference (i) has submitted a proposal for grant of grant of permission for laying of OFC from NH-123, MS-3.150 to 10.00 for total section length of 6.850 Km. (LHS) (Dholpur Bypass) WWOR applied in the State of Rajasthan by M/s. Telesonic Network Ltd (Airtel) to this office vide letter under reference (ii) for approval of the Competent Authority.

2. The proposal is regarding permission for grant of grant of permission for laying of OFC from NH-123, MS-3.150 to 10.00 for total section length of 6.850 Km. (LHS) (Dholpur Bypass) WWOR applied in the State of Rajasthan by M/s. Telesonic Network Ltd (Airtel).

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to lay grant of permission for laying of OFC from NH-123, MS-3.150 to 10.00 for total section length of 6.850 Km. (LHS) (Dholpur Bypass) WWOR applied in the State of Rajasthan by M/s. Telesonic Network Ltd (Airtel). The objections/comments may be addressed to the below mentioned address upto 11.06.2021, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur


National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,


(Kuldeep Songara)
DGM (Tech.)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Dausa: for information.

(iv) M/s. Telesonic Network Ltd., Jaipur: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, दौसा

87, गंगा विहार कोलोनी, होटल रावत पैलेस के पीछे, दौसा - 303303 (राज.)

Project Implementation Unit Dausa

87, Ganga Vihar Colony, Behind Hotel Rawat Palace, Dausa-303303 (Raj.)

No. 23011/20/PIU/DAU/NOC/OFC/8512

Chief General Manager (Tech.)

Regional Officer

National Highways Authority of India

F - 120, Jan Path, Shyam Nagar,

Jaipur-Raj.

दूरभाष / Phone : 01427-224918


ई-मेल / E-mail : dausa@nhai.org



भारतमाला

प्रगति के चक्र पर अग्रसर

Date: 12.04.2021



Handwritten signature and initials: Dera, Myr, etc.

Sub.: Permission of Laying Optical fiber cable from NH-123, MS-3.150 to MS-10.000 for Total section of 6.850 Kms.(Dholpur by pass) ROW applied in the state of Rajasthan.

- Ref.:**
1. M/s Telesonic letter dated 01.03.2021
 2. This office letter no. 7509 dated 11.02.2021
 3. AE letter no. TES/NH-123/NHAI/1091 dated 20.01.2021
 4. M/s Telesonic network Ltd letter no. TNL/OFC/ROW/ dated 29.09.2021

Sir,

with reference to subject matter kindly refer letter under ref (1) vide which M/s Telesonic Network Ltd. submitted the subject proposal for Laying of Optical fiber cable along NH-123, from MS-3.150 to MS-10.000 for Total section of 6.850 Kms.(Dholpur by pass) in the state of Rajasthan.

The said proposal was examined through Authority Engineer of the project in light of Ministry's Guideline issued vide no. RW/NH-33044/29/2015/S&S(R) dated 22.11.2016 & Ministry' letter no. RW/JAI/RJ/PS/2017/UTILITYGENL/1161-1189 dated 16.03.2017 and 26.06.2020.

Authority Engineer vide ref (3) recommended the proposal for issuance of necessary permission subject to deposition of requisite license fee and BG amount conveyed by AE vide ref (3). The same was conveyed to the applicant vide this office letter ref (2) for necessary compliances.

The applicant M/s Telesonic Network Ltd. vide ref (1) submitted the appropriate proof for deposition of license fee amounting to Rs Rs. 1,83,593.85/- and Bank Guarantee of Rs. 6,85,000/-. further the applicant vide said letter submitted the desired undertaking regarding submission of any kind of additional license fee, demanded if any in future and also submitted the copy of applicable DLC rate.

Further to submit that the above submitted compliances found in order.

In view of above, the subject proposal is recommended for necessary approval of Competent Authority.

Encl.: As above.

Yours sincerely

Handwritten signature: Sahi Ram

(Sahi Ram)

Project Director
NHAI, PIU-Dausa

Copy to:- M/s Telesonic Network Ltd. Jaipur for information.



bharatkosh.gov.in

Government of India Receipt Portal

PROVISIONAL RECEIPT FOR NEFT TRANSACTION

Dear Telesonic Networks Limited ,

Thank you for making a payment of Rs. 183,594.00 with reference to Transaction Reference Number: 1802210010990 and Challan Number: 23497718022100010964 in favour of Ministry: ROAD TRANSPORT & HIGHWAYS (024), PAO Name: PAO(NH),Jaipur (034975), DDO Name: SE, Civil (234977), for Purpose License fee for laying of utility services and Payment type .

Please note that this is a provisional receipt subject to the validity of the UTR Number N057211419834249 entered by you at 18/02/2021. In case of mismatch of the UTR Number the validity of this provisional receipt stands cancelled.

Printed On: 01-03-2021 07:33:42

Courtesy: Controller General of Accounts

CHECK -LIST

Guidelines for processing the proposal for laying of Utility line in the land along National Highways vested with NHAI/PWD/BRO.

Information

1	Name and Address of the Applicant/ Agency	:	Telesonic Networks Limited, having its registered office at Bharti Crescent, 1, Nelson Mandela Road, Vasant Kunj, New Delhi-110070
2	National Highway No.	:	NH-123
3	State	:	Rajasthan
4	Location	:	Dholpur By pass
5	Chainage in KM	:	MS-3.150 To MS-10.000
6	Length in mtrs	:	6850
7	Width of available ROW in both Side (M)	:	30
8	Side of NH (left or right side of NH towards increasing chainage/Km direction)	:	LHS
9	Name of Highway Authority of NH-PWD	:	Project Director, NHAI PIU-Dausa
10	Highway Administration address	:	Regional officer National Highway Authority of India F-120, Janpath, Shyam Nagar, Jaipur (Raj.)- 302019


RESIDENT ENGINEER
 Authority's Engineer
 N.H.-123, Bharatpur (Raj.)

For Telesonic Networks Limited


 Authorised Signatory



 Manager (Tech.)
 NHAI, PI U-Dausa

S.No.	Item	Measurement. Observation as per site conditions	MORTH Norms	Whether Complying with MORTH Norms
1	Details of already laid utility service, if any	NO	Enclosed	NA
2	Whether up gradation of the stretch in near future is proposed or not	NO		
	(a) if yes, provision of utility adversely affect the plan of up-gradation	NO	Not affect plan of Up-gradation	NA
3	Laying of the utility service along the National Highways			YES
3.1	Location of proposed utility service along the stretch	Yes, At the Extreme sdge of ROW.	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of th RoW	Yes
3.2	Depth of top of utility service from ground level	1.650 M	0.6 meter	YES
3.3	Mechanism for crossing water channel	Beneath the bed of water channel	Through utility duct (if provision exists) or beneath the bed of water channel	YES
3.4	Whether ROW is restricted in this stretch	NA		NA
3.4.1	if yes, whether provision of land acquisition is required to lay utility	NA		NA
	(a) if yes, whether undertaking for land acquisition along with relevant L.A.details has been furnished	NA		NA
3.4.2	Width of concrete duct,if utility services are proposed to be laid in concrete ducts	NA	Not less than one lane	NA
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NA	Not to be allowed	NA
4.2	Proposed crossing of utility service	NA	Prependicular to NH	NA
4.3	Type of casing pipe/conduit carrying the utility line.	NA	Steel, cast iron, or reinforced cement concrete and have adequate strength	NA
4.4	Whether ends of the casing/conduit Pipe are sealed from the outside	NA	Sealed	NA
4.5	Length of casing/conduit pipe crossing NH.	NA	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing/conduit pipe.	NA	At least 1.2 m below the top of subgrade	NA
4.7	Crossing method in case of CC Pavement.	NA	Only boring method(HDD)	NA
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	NA	In accordance with IRC codes	NA
5	Document/Drawings enclosed with the proposal			YES
5.1	Cross-Section showing the size of trench for open trenching method	NA	Enclosed if applicable	NA


RESIDENT ENGINEER
 Authority's Engineer
 N.H.-123, Bharatpur (Raj.)

For Telesonic Networks Limited


 Authorised Signatory



 Manager
 NHAI PI II-Dausa

	(a) Trench width	HDD/Open Trench Method	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	YES
	(b) Filling of trench	Yes, As per MORTH Norms	as per Ministry guidelines vide letter No. RW/NH-33032/01/2017/S&R (R) dated 26.06.2020	YES
	(c) location of trench	Drawing Enclosed	extreme edge of the ROW	YES
5.2	Cross section showing the size of pit and location of conduit for HDD method	Enclosed	Enclosed ,if applicable	YES
5.3	Strip plan/Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	Enclosed	YES
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Enclosed	Enclosed	YES
6	Methodology for laying of utility line	HDD/Open Trench Method	Enclosed	YES
7	Draft License Agreement is as per Ministry guidelines vide letter No.	Yes	Enclosed	YES
8	License fees in favor of MoRTH RPAO Jaipur		as per Ministry guidelines vide letter No. RW/NH-33032/01/2017/S&R (R) dated 26.06.2020	YES
9	Whether Bank Guarantee has been obtained		as per Ministry guidelines vide letter No. RW/NH-33032/01/2017/S&R (R) dated 26.06.2020	YES
	(a) if yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines			YES
10	Affidavit/Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged than to pay the losses to either to MoRTH/NHAI or to the concerned agency	Yes	Enclosed	YES
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/MoRTH	Yes	Enclosed	YES
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Yes	Enclosed	YES
10.4	Undertaking for Shifting of Utility as and when asked by MoRTH/NHAI within a month at their own cost	Yes	Enclosed	YES
10.5	Undertaking for Indemnity against all damages and claims.	Yes	Enclosed	YES


RESIDENT ENGINEER
Authority's Engineer
N.H.-123, Bharatpur (Raj.)

For Telesonic Networks Limited


Authorised Signatory


Manager (Tech.)

6

10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic	Yes	Enclosed	YES
10.7	Undertaking that if any claim is raised by the Concessionaire/ contractor then the same has to be paid by the applicant	Yes	Enclosed	YES
10.8	Undertaking that the applicant has obtained Various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Yes	Enclosed	YES

The Right of the Way (ROW) of the National Highway available at the proposed location from the Center line of divided carriageway is (.....) m (from center of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

For Teleonic Networks Limited

[Name Designation and signature of the authorized representative of applicant]

Authorized Signatory

Project Director

[Name Designation and signature of concerned field authority of NHAI]

Manager (Tech.)
NHAI, PI U-Dausa

RESIDENT ENGINEER
Authority's Engineer
N.H.-123, Bharatpur (Raj.)