



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport and Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O.)/ फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



No:NHAI/18013/1/2020-ROJ/Permission-33KVElectricLine/AVVNL/124/NH-758km67.10to70.10/3153Date: 07.02.2022

INVITATION OF PUBLIC COMMENTS

- Sub.:** Proposal for grant of permission for erection of 33KV line on tower along NH-758 (from Km. 67.100 to 70.00, RHS) for connection Executive Engineer (PHED) Chambal Pump Karoi from under construction 132 KV GSS (Near Karoi Bypass Bridge) by AVVNL- reg.
- Ref.:** (i) Ex. En (Project), AVVNL, Bhilwara letter no. AVVNL/XEN(DDUGJY/ IPDS)/BHILWARA/ Works20-21/D/160 dated 06.12.2021.
(ii) PD, PIU-Chittorgarh letter no. NHAI/CHIT/NH-758/NOC-ROW/ AVVNL/2021/1691 dt. 13.01.2022.

Sir,

It is to inform all concern that Ex. En (Project), AVVNL, Bhilwara vide letter under reference (i) has submitted a proposal to NHAI for the subjected work and PD, NHAI, PIU, Chittorgarh has forwarded the above proposal to this office vide letter under reference (ii) for approval of the Competent Authority, Highway Administrator.

2. The proposal is regarding permission for erection of 33KV line on tower along NH-758 (from Km. 67.100 to 70.00, RHS) for connection Executive Engineer (PHED) Chambal Pump Karoi from under construction 132 KV GSS (Near Karoi Bypass Bridge) by AVVNL.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to erection of 33KV line on tower along NH-758 (from Km. 67.100 to 70.00, RHS) for connection Executive Engineer (PHED) Chambal Pump Karoi from under construction 132 KV GSS (Near Karoi Bypass Bridge) by AVVNL. The objections/comments may be addressed to the below mentioned address upto 06.03.2022, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur


National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,


(K R Chouhan)

Dy. General Manager (T)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Chittorgarh: for information.
(iv) Ex. En (Project), AVVNL, Bhilwara: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

(Ministry of Road Transport & Highways, Government of India)

परियोजना कार्यान्वयन इकाई, चित्तौड़गढ़ (साईट ऑफिस भीलवाड़ा)

Project Implementation Unit-Chittorgarh (Site Office Bhilwara)

ए-8, सुभाष नगर, यू. आई. टी. कार्यालय के पीछे, भीलवाड़ा-311001 (राज.)

A-8, Subhash Nagar, Behind UIT Office, Bhilwara-311001 (Raj.)

Phone : +91-1472-294637, +91-1482-230611 (Bhilwara), Email : chit@nhai.org



(2)

NHAI/CHIT/NH-758/NOC-ROW/AVVNL/2021/1691

Date: 13.01.2022

To,

The CGM(T) cum Regional Officer,
National Highways Authority of India,
Regional Office - Jaipur
F-120, Shyam Nagar, Janpath,
Jaipur (Raj.)



Handwritten notes:
M K
Please process the file for approval the propose
or

Sub: Permission for erection of 33 KV line on tower along National Highway 758 for connection Executive Engineer (PHED) Chambal Pump Karoi from under construction 132 KV GSS (Near Karoi bypass Bridge).

- Ref.: 1. AVVNL Office letter no. AVVNL/XEN(DDUGJY/IPDS)/BHILWARA/Works20-21/D/160 dated 06.12.2021
2. This office letter no. 1539 dated 13.12.2021
3. IE office letter no. FPI/Raj-Bhl/NH758/IE-O&M/2021-22/1261 dated 03.01.2022

Sir,

A proposal for erection of 33 KV line on tower along National Highway 758 for connection Executive Engineer (PHED) Chambal Pump Karoi from under construction 132 KV GSS (Near Karoi bypass Bridge) at Karoi, Distt-Bhilwara in the state Rajasthan, was submitted by the EE (Project), Ajmer Vidyut Vitran Nigam Limited, Bhilwara vide letter under reference (1).

2] The proposal was sent to the Independent Engineer M/s FP India Project Management for its examination in light of MoRTH's Guidelines RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 and subsequently, IE vide letter under reference (3) conveyed their comments with recommendation for approval.

3] The proposal has been examined at site by PIU Chittorgarh. The checklist, undertaking as per MORTH Guideline dated 22.11.2016 is appended with the proposal.


4] This office vide letter under reference (4) has asked the applicant to submit the Bank Guarantee amounting to Rs. 4,50,000/- in favor of National Highways Authority of India, PIU Chittorgarh, consequent upon confirmation of which the agreement will be entered into.

Handwritten signature and date:
12/1
13/1

5] The license fee has been calculated as per MoRTH guideline 22.11.2016 considering it as public utility which comes out to Rs 15,389/- and the Bank Guarantee amounting to Rs. 4,50,000/- in favor of National Highways Authority of India, PIU Chittorgarh shall be asked prior to signing of the agreement and grant of provisional NOC.

In view of the above, the proposal for erection of 33 KV line on tower along National Highway 758 for connection Executive Engineer (PHED) Chambal Pump Karoi from under construction 132 KV GSS (Near Karoi bypass Bridge) at Karoi, Distt-Bhilwara in the state Rajasthan, is herewith recommended for approval of the Competent Authority.

Encl: As above.

Yours Faithfully,

(Harish Chandra)
Project Director

CERTIFICATE

- 1- Undersigned has examined the Proposal for erection of 33 KV line on tower along National Highway 758 for connection Executive Engineer (PHED) Chambal Pump Karoi from under construction 132 KV GSS (Near Karoi bypass Bridge) at Karoi, Distt- Bhilwara in the state Rajasthan and confirmed that all the standard conditions issued vide Ministry Circular NO. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 has been followed.
- 2- It is certified that any other location of utility line would be extremely difficult and unreasonable costly and installation of utility line within RoW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc.
- 3- I will ensure supervision of work of laying of utility and ensure that the defects in road portion after laying of utility are corrected.
- 4- I will notify/ forfeit the BG for claims for damages done/ disruption in working, if any.
- 5- I will ensure that proposed permission is entered in the register of records.
- 6- The record of previous approval, if any has been considered and copy of same is enclosed with the proposal.




Project Director
National Highways Authority of India
PROJECT DIRECTOR
NHAI PIU CHITTORGARH

CHECK - LIST

Guidelines for processing the proposal for lying of utility line in the land along National Highways vested with NHAI/PWD/BRO

GENERAL INFORMATION :-

- 1- Name and address of the Applicant/Agency : SE (O&M) AVVNL Bhilwara,
- 2- National Highways No. : 758
- 3- State : Rajasthan
- 4- Location : Karoi
132 KV Karoi to XEN PHED
Chambal Pump Karoi
- 5- Chainage in KM : 67/1 to 70/1 - RHS
- 6- Length in M. : 3 km.
- 7- Width of available ROW in both side : 60 mtr.
- 8- Side of NH (Left or right side of NH towards:
Increasing change/KM direction) : RHS
- 9- Name of Highways Authority of NHAI/PWD/BRO: The PD(NHAI) PIU
Chittorgarh
- 10- Highway Administration address : Behind UIT Bhilwara

Superintending Engineer (O&M)
A.V.V.N.L. BHILWARA

Executive Engineer (DDUGJY)
A.V.V.N.L. Bhilwara

Assistant Engineer (IPDS)
A.V.V.N.L. Bhilwara



CHECK-LIST

Sr.No.	Item	Measurement Observation as per site conditions	Morth Norms
1	Details of already laid utility service, if any	CHAMBAL WATER PIPE LINE	###
2	Whether up gradation of the stretch in near future is proposed or not	NO	
	(a) If yes, provision of utility adversely affect the plan of up-gradation	NA	Not affect plan of up-gradation.
3	Laying of the utility service along the National Highways		
3.1	Location of proposed utility service along the stretch	67+100 to 70+100 - RHS	
3.2	Dept of top of utility service from ground level.	NA	
3.3	Mechanism for crossing water channel	NA.	Through utility duct (if provision exists) or beneath the bed of water channel
3.4	Whether ROW is restricted in this stretch?	NO	
3.4.1	If yes, whether provision of land acquisition is required to lay utility	NA	
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	NA	
3.4.2	Width of concrete duct, if utility service are proposed to be laid in concrete ducts.		
4	Laying of Utility service across the NA	NA (Overhead Power line alongwith road.	
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NA	Not to be allowed
4.2	Proposed crossing of utility service	Overhead power line at Utility area for Chambal Pump	
4.3	Type of casing pipe/conduit carrying the utility line	N.A.	
4.4	Whether ends of the casing/ conduit pipe are sealed from the outside.	NA	

Project Director
National Highways Authority of India
P.I.U. Chittorgarh (Raj.)



[Signature]
Executive Engineer (DDUGJY)
A.V.V.N.L. Bhilwara

[Signature]
Assistant Engineer (IPDS)
A.V.V.N.L. Bhilwara

[Signature]
Superintending Engineer (O&M)
A.V.V.N.L. BHILWARA

4.5	Length of casing / conduit pipe crossing NH	NA	
4.6	Dept of top of the casing/ conduit pipe	NA	
4.7	Crossing method in case of CC Pavement	NA	
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	In accordance with IRC codes	In accordance with IRC codes.
5	Document/Drawing enclosed with the proposal	NA (Overhead Power line along with road) Enclosed	
5.1	Cross section showing the size of trench for open trenching method	N.A.	
	(a) Trench width	N.A.	
	(b) Filling of trench	N.A.	
	© Location of trench	NA	
5.2	Cross section showing the size of pit and location of conduit for HDD method	NA	Enclosed, if applicable
5.3	Strip plan/Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, Important mile stone, intersections, cross drainage works etc.,	Enclosed	Enclosed
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance alongwith ROW and proposed utility	Enclosed	Enclosed
6	Methodology for laying of utility line	NA (Overhead) Enclosed	Enclosed
7	Draft license agreements is as per Ministry guidelines vide letter No. RW/N-34044 /29/ 2015 / S&R* DATED 22-11-2016 and signed by two witness	Enclosed	Enclosed
8	License fees in favour of Morth RPAO Jaipur		As PER Ministry vide circular No. RE/NH-34044/ 29/2015/S&R) dated 22-11-2016

02m
Project Director
National Highways Authority of India
P.U. Chittorgarh (Raj.)



Executive Engineer (DDUGJY)

Assistant Engineer (IPDS)
A.V.N.L. Bhilwara

Assistant Engineer (O&M)
A.V.N.L. BHILWARA

9	Whether Bank Guarantee has been obtained		As PER Ministry vide circular No. RE/NH-34044/29/2015/S&R) dated 22-11-2016
	(a) If yes, whether confirmation of BG has been obtained as per MORTH/NHAI guidelines	Enclosed	
10.1	Undertaking for not to damage other existing utility, if damages then to pay the losses to either to MORTH/NHAI or to the concerned agency	Enclosed	Enclosed
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/MORTH	Enclosed	Enclosed
10.3	Undertaking for confirming all standard condition of MORTH/NHAI guidelines.	Enclosed	Enclosed
10.4	Undertaking for shifting of utility as and when asked by MORTH / NHAI within a month at their own cost	Enclosed	Enclosed
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic	Enclosed	Enclosed
10.7	Undertaking that if any claim is raised by the concessionaire/ contractor then the same has to be paid by the applicant	Enclosed	Enclosed
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of electricity, Chief controller of explosive safety organization, oil industry safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway administration.	Enclosed	Enclosed

02M
Project Director
National Highways Authority of India
P.U. Chittorgarh (Raj.)



The Right of the Way (ROW) of the National Highway available at the proposed location from the center line of divided carriage way is 40 Mtrs from center of ROW to edge of ROW towards proposed utility)

Executive Engineer (DDUGJY)
A.V.V.N.L. Bhilwara

Assistant Engineer (IPDS)
A.V.V.N.L. Bhilwara

Superintending Engineer (O&M)
A.V.V.N.L. BHILWARA


The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

Name Designation & Signature of
A.V.V.N.L. Bhilwara

The authorized representative of applicant

02/08
Project Director
National Highways Authority of India
Name Designation
Raj Chittorgarh (Raj.)

Concerned field authority



Executive Engineer (DOUGJY)
A.V.V.N.L. Bhilwara

Assistant Engineer (IPDS)
A.V.V.N.L. Bhilwara