



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलिस (नागपुर शहर) कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-४४० ००१ महाराष्ट्र
Regional Office : "Narang Tower", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur-440 001 Maharashtra
Tel/Fax : 0712-2520091, 0712-2980554 ई-मेल/ Email : ronagpur@nhai.org



भारतमाला
प्रगति के पथ पर अग्रसर

NHAI/RO-NAG/Ut.66/NH-52/OFC/2021/3348

Date: 10.03.2021

11

Invitation of Public Comments

Sub: Proposal for grant of permission for laying Optical Fiber Cable (OFC) along with Ducts (2 ducts) on NH-52 (old NH-211) from km. 333+000 to km. 334+000 and crossing at km. 333+000 District Aurangabad - Reg.

Ref.: (i) PD, PIU Aurangabad Lr.No.NHAI/PIU/AUR/K-T/OFC/2021/424 dated 20.02.2021.

(ii) Telesonic Networks Limited Mumbai office Ltr. No. ROW/Khuldabad-Phulambri/NHAI/01 Dt. 01.10.2020.

* * *

It is to inform all concern that M/s Telesonic Networks Limited Mumbai vide letter under reference (ii) has submitted a proposal for the subjected work and PD, NHAI, PIU, Aurangabad has recommended the above proposal vide letter under reference (i) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that M/s Telesonic Networks Limited Mumbai along Khuldabad bypass to Khultabad T point from Km. 333+00 to Km. 334+00 of NH-52 District Aurangabad in the State of Maharashtra is as follows:

- Underground Optical Fiber Cable from km. 333+00 to km. 334+00
- Alignment of the cable is along Khutabad-Phulambri Section of NH-52
- Cable to be laid in Duct 1.65m below ground level.
- Cable to be laid by HDD method

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to above underground line on the subjected stretch. The objections / comments may be addressed to the below mentioned address upto 27.02.2021, beyond due date, no comments/ objections will be accepted.

मुख्यालय : जी-5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075

Head Office : G-5 & 6, Sector-10, Dwarka, New Delhi - 110 075

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091
Email : ronagpur@nhai.org

N. Wadetwar
11.03.21

(Naresh Y. Wadetwar)
General Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website
[mansoor@nic.in]