



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

## National Highways Authority of India

(Ministry of Road, Transport and Highways, Government of India)

Project Implementation Unit, Solapur (Maharashtra)

परियोजना कार्यान्वयन, इकाई, सोलापूर (महाराष्ट्र)

कार्यालय : प्लॉट नं. ई-२, जय जलाराम नगर, शिवदारे कॉलेजच्या मागे, जुळे सोलापूर, सोलापूर-४१३००४ (महाराष्ट्र)

Office : Plot No. E- 2, Jai Jalaram Nagar, Behind Shivdare College, Jule Solapur, Solapur - 413 004. Tel/Fax - 0217 2303379

ई-मेल/Email : solapur@nhai.org; piusolapur@gmail.com वेब/Web : www.nhai.gov.in



No. : NHAI/PIU/SLP/SY/NH 211/ ETC/16016-1/22/3377

Date: 27/10/2022.

### INVITATION OF PUBLIC COMMENTS

Sub: Four laning of Solapur - Yedshi Section of NH-211 from Km. 0.00 to Km. 100.00 (Design length 98.717 km.) in the State of Maharashtra to be executed as BOT (Toll) on DBFOT pattern under NHDP Phase IVB -**Permission to carry out push pipe incasing work (HDD) for laying of underground 11 KV Electric Cable for industrial use across NH-52 (four laning) of Dhule - Solapur Highway crossing at Ch.53/700 near village Wadgaon (S.), Tal. Osmanabad - Reg.**

Sir,

1. Executive Engineer, MSEDCL, O & M Division, Osmanabad has submitted proposal for permission to carry out push pipe incasing work (HDD) for laying of underground 11 KV Electric Cable for industrial use across NH-52 (four laning) of Dhule - Solapur Highway crossing at Ch.53/700 near village Wadgaon (S.), Tal. Osmanabad on Solapur Yedshi Section of NH-211.
2. As per the guidelines, issued by the Ministry vide OM No. RW /NH-33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach to this office within 30 days from the date of publication beyond which no comments shall be entertained.

**The GM (Tech.) & Project Director,**  
**National Highways Authority of India**  
**Project Implementation Unit, Solapur**  
**Plot No. E-2, Jalaram Nagar, Solapur,**  
**Maharashtra, Pin - 413004.**

Thanking you,

भवदीय  
  
 27.10.2022

(एस. डी. चिटणीस),

महाप्रबंधक (तकनीकी) तथा परियोजना निदेशक  
 भा.रा.रा.प्रा. प.का.ई, सोलापूर

Encl. As above.

Copy to:-

- i. CGM (Tech) RO Mumbai for information please.
- ii. Executive Engineer, MSEDCL, O & M Division, Osmanabad for information.
- iii. M/s. SAICPL-DCSPL, Solapur - for information.
- iv. M/s. SYTL, Osmanabad for information.
- v. Master files.



D:\Solapur-Yedshi All Files\Electrical Tower Crossing\16016-1-ETC\Electrical Tower Crossing.Docx

BHARATMALA  
ROAD TO PROSPERITY

प्रधान कार्यालय : नं. जी. 5 एवं 6, सेक्टर-10, द्वारका, नई दिल्ली - 110 075. दूरभाष : 91-11-25074100 / 25074200 वेबसाईट : <http://www.nhai.org>

Corporate Office : No. G 5 & 6, Sector 10, Dwarka, New Delhi-110 075 Tel. No.: 91-11-25074100 / 25074200 Web Site : <http://www.nhai.org>



# Solapur Yedeshi Tollway Limited

## Corporate Office :

3rd Floor, IRB Complex, Chandivali Farm, Chandivali Village, Andheri (E), Mumbai - 400 072.

Tel: 91 - 22 - 6640 4220 / 4880 4200 • Fax: 91 - 22 - 2857 3441 • e-mail: info@irb.co.in

irbinfrastructuretrust@irb.co.in • www.irb.co.in

CIN : U45400MH2014PLC251983



Ref No.: SYBOT/O&M/NHAI/2022/1368

Date: 23.08.2022

To,

Project Director,

National Highway Authority of India,

PIU Solapur, Plot No. E-2,

Jai Jalaram Nagar,

Behind Shivdare College,

Jule Solapur – 413 004.

Maharashtra.

**Sub:** Four laning of Solapur to Yedshi section of NH-211 from Km 0.000 to Km 100.000 (Design length – 98.717 Km) in the state of Maharashtra to be executed as BOT (Toll) on DBFOT pattern under NHDP Phase – IV: – **Consent for permission to carry out push pipe incasing work (HDD) for laying of underground 11 KV electric cable for industrial use across NH-52 (four laning) of Dhule – Solapur Highway crossing at ch. 53+700 near village Wadgaon (S.), Tal. Osmanabad - Regd.**

**Ref:** Your office letter no. NHAI/PIU/SLP/SY/IE/16027/22/2268 dated 18.06.2022 addressed to M/s. SAICPL-DCPL, Solapur.

Dear Sir,

With reference to the above subject, the copy of the letter under ref. has marked to us and requested for submission of the Consent for permission for carrying out the push pipe incasing work for laying of 11 KV underground Electric cable by HDD method at Km. 53+700 near Wadgaon (S.) village. The comments of the concessionaire are as below:

1	Nature of permission applied for	Permission for laying of 11 KV underground Electric cable by HDD Method.
2	Name of Village; Survey No etc.	Village- Wadgaon (S.)
3	NH Chainage with RHS/LHS	At Km. 53+700 across the road.
4	Ground status of the spot to be given by the Concessionaire. (a) ROW availability (b) Service lane availability (c) Any existing structure (d) Electric line if any (e) Any other objection-ability	(a) Total ROW 50mtr. (b) From Km. 53+180 to 54+170 BHS. (c) Approach of PUP at Km. 53+480 & Service Road. (d) Nil (e) Vide above referred letter, the Authority has requested to the IE for verifying the proposal of carrying out push pipe incasing work for laying of 11 KV underground Electric cable through HDD and for submission of the comments of IE to the PIU office. (f) The said crossing should be laid at Km. 53+700 by HDD method only. (g) All debris arising during the construction should be cleared by the Agency.


- |  |  |
|--|--|
|  | <ul style="list-style-type: none"><li>(h) The agency has solely responsible for any mishap while working /carrying /laying underground electrical cable.</li><li>(i) Any incidents happen at the said locations during the work/ after the completion of proposed cable laying, the concessionaire will not be held responsible.</li><li>(j) Agency should re-plant the damaged plants after execution with the same age of the plants. In the absence of that the reimbursement shall be made to the Concessionaire based on estimate which will be submitted by us.</li><li>(k) The earthen drain shall be cleared after Execution of work and agency should ensure that there shall not be any water stagnation along highway in future.</li><li>(l) The work shall commence only after prior information to the Concessionaire / the IE.</li></ul> |
|--|--|

In view of above care must be taken to avoid any damage / loss of assets of the NHAI and also of other service providers. The cost for any damages whatsoever; to be made up by Concerned Agency as mentioned in the MoRT&H Guidelines or shall be reimbursed to the concessionaire based on the estimate which will be submitted by us.

This is submitted for your information and further action please.

Thanking you and assuring you of our best services at all the times.

For Solapur Yedeshi Tollway Limited



Authorized Signatory

Cc – The Team Leader, M/s. SA Infrastructure Consultants Pvt. Ltd. – for information please.



**SAICPL-DCPL/NH-211/SYBOT/NHAI/2022/954**

**Date:-07/10/2022**

**To**

**The Project Director**

National Highways Authority of India  
Project Implementation Unit, Solapur  
Pin- 413004 Maharashtra

**Sub:-** : Independent Engineer Services for Four laning of Solapur to Yedeshi Section of NH-211 from Km 0+000 to 100+000(Design Length-98.717 km) in the state of Maharashtra to be executed as BOT (Toll) on DBFOT pattern under NHDP Phase-IV.-Reg.- **Permission to carry out push pipe incasing work(HDD) for laying of underground 11KV Electric Cable for industrial use across NH-52 (four laning) of Dhule-Solapur Highway crossing at Ch. 53+700 near village Wadgaon (s.), Tal. Osmanabad-Reg**

**Reference:**

1. NHAI Letter No NHAI/PIU/SLP/SY/IE/16027/22/2268 dated 18/08/2022
2. EE MSEDCL, O&M Division, Osmanabad office letter no. KA/3388 dated 18/08/2022
3. Ministry Circular No. No RW/NH-33044/29/2015/S&R(R) dated 22/11/2016.

Dear Sir,

With reference to the above letter cited under ref. 1), the Independent Engineer has verified the site as per norms of ministry circular cited under ref. 03 and observations are as follow.

1. Nearest Structure from the proposed location is at Ch. 53+892 which is 192 m away from the said location.
2. Applicant has submitted all the necessary undertaking with the proposal.
3. Applicant need to cross the project highway by HDD method throughout ROW that is 60m.
4. Applicant has solely responsible in the event of any miss happening/Accident while carrying, laying and in working condition of underground electric cable.
5. The top of the casing pipe should be minimum 1.2 meter from top of subgrade as per ministry circular cited under ref.03 which is missing with proposal.
6. The proposal has satisfied the checklist requirement and norms of Ministry Circular No. RW/NH-33044/17/2000/S&R, dated 29/09/2000) dated 23/07/2003 and F. No RW/NH-33044/29/2015/S&R(R) dated 22/11/2016.
7. Applicant need to inform IE and concessionaire at the time of execution of the work.

In view of the above and the IE recommended Permission to carry out push pipe incasing work(HDD) for laying of underground 11KV Electric Cable for industrial use across NH-52 (four laning) at Ch. 53+700 .

Submitted for your information and necessary action.

Thanking you assuring our best attention at all the times.

Yours faithfully,



**(C D Fakir)**  
**Team Leader**

**M/S SAICPL in Association with DCSPL.**

भा.रा.स.प्रा. पकाई, सोलापूर	
आवक क्र.	3382
दिनांक	11/10/22
इ. पी.	
लेखासल	
साईट इंजिनिअर-१	
साईट इंजिनिअर-२	
साईट इंजिनिअर-३	
साईट इंजिनिअर-४	
एल. ए.	
स्टेनोग्राफर	

A 11/10



**भारतीय राष्ट्रीय राजमार्ग प्राधिकरण**  
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)  
**National Highways Authority of India**  
(Ministry of Road, Transport & Highway, Government of India)  
Project Implementation Unit, Solapur (Maharashtra)  
परियोजना कार्यान्वयन, इकाई. सोलापूर (महाराष्ट्र)



कार्यालय : प्लॉट नं. ई-२, जय जलाराम नगर, शिवदारे कॉलेजच्या मागे, जुळे सोलापूर, सोलापूर-४१३००४ (महाराष्ट्र)  
Office : Plot No. E- 2, Jai Jalaram Nagar, Behind Shivdare College, Jule Solapur, Solapur - 413 004. Tel/Fax - 0217 2303379  
ई-मेल/Email : solapur@nhai.org; piusolapur@gmail.com वेब/ Web : www.nhai.gov.in

No.:NHAI/PIU/SLP/SY/IE/16027/22/ 2268

Date: - 18/08/2022

प्रति,

मे. एस.ए. इन्फ्रास्ट्रक्चर कन्सल्टंट प्रा.लि.,  
के सहयोग से मे. ध्रुव कन्सल्टंसी प्रा.लि.,  
प्लॉट नं. २६, वसंत विहार, सर्व्हे नं. ५००,  
कसबे सोलापूर, सोलापूर - ४१३ ००१.


**Sub. :** Four laning of Solapur - Yedshi Section of NH-211 from Km. 0.00 to Km. 100.00 (Design length 98.717 km.) in the State of Maharashtra to be executed as BOT (Toll) on DBFOT pattern under NHDP Phase IVB - Permission to carry out push pipe incasing work (HDD) for laying of underground 11 KV Electric Cable for industrial use across NH-52 (four laning) of Dhule - Solapur Highway crossing at Ch.53/700 near village Wadgaon (S.), Tal. Osmanabad - Reg.

**Ref.:** (i) Executive Engineer, MSEDCL, O & M Division, Osmanabad letter no. KA/3388 dated 18<sup>th</sup> August, 2022.

Sir,

1. With reference to above cited subject, this office is in receipt of letter from Executive Engineer, MSEDCL, O & M Division, Osmanabad regarding permission to carry out push pipe incasing work (HDD) for laying of underground 11 KV Electric Cable for industrial use across NH-52 (four laning) of Dhule - Solapur Highway crossing at Ch.53/700 near village Wadgaon (S.), Tal. Osmanabad vide reference no.(i). The copy of the same is enclosed herewith.
2. In this regard, it is requested to verify the same on site and submit your comments to this office at an earliest.
3. This is for your information.

Thanking you,

भवदीय,  
  
18.08.2022

(एस. डी. चिटणीस),

महाप्रबंधक (तकनीकी) तथा परियोजना निदेशक,  
भा.रा.रा.प्रा., इकाई. सोलापूर.

संलग्न :- उपरोक्त.

Copy:-

- i. CGM (Tech.) & RO, Mumbai for information please.
- ii. M/s. SYTL, Osmanabad for information & submit your consent at the earliest please.
- iii. Executive Engineer, MSEDCL, O & M Division, Osmanabad for information.
- iv. Master file.



 <p>महाविद्युत महाराष्ट्र विद्युत वितरण कंपनी महाराष्ट्र (महाराष्ट्र वित्तिकाय प्रकल्प) CIN: U40109MH2005SCG153645</p> <p>Mobile No :- 7875762185 e-mail : Sdo2615@ho.mahadiscom Website: <a href="http://www.mahadiscom.in">www.mahadiscom.in</a></p>	 <p>स्वातंत्र्याचा अमृत महोत्सव</p>	<p>उप.कार्यकारी अभियंता, म.रा.वि.वि.कं.म, उस्मानाबाद ग्रामीण उपविभाग, उस्मानाबाद, ४१३५०१</p>
<p>जा.क्र./म.काअ/समीक्षा/ 3388</p>		<p>दि- 11 8 AUG 2022</p>


To,  
The Project Director(NHAI).  
Project Implementation Unit,  
Plot No- E-2, Jule Solapur  
Solapur Division  
Solapur-413004

Sub:-Permission to carry out push pipe incasing work(HDD) for laying of underground 11KV ELECTRIC CABLE for industrial use across NH-52 (four lanning) of Dhule-Solapur Highway crossing at CH. 53/700 near Village Wadgaon (s) Tal.- Osmanabad.

With reference to above cited subject and as per MSEDCL sanction letter we are going to provide 11 kV under ground cable on NH-65 CH NO. 53/700 by pushing pipe method (HDD) to give supply to M/s Siddheshwar Stone Crusher. The work is under supervision of and by MSEDCL for Express line work.

The detailed sketch of the proposed work and Sanction letter is attached herewith. Hence it is kindly requested to accord approval to carry out the work because there is acute shortage of voltage which hampering the business of existing consumer M/s Siddheshwar Stone Crusher

Thanking you.

  
Executive Engineer  
M.S.E.D.C.L. O&M Division,  
Osmanabad

- Encl.1. Annexure-I & II, 5.1 to 5.12  
2. Check List  
3. Undertaking  
4. Sketch  
5. Sanction Copy

SSSS DUA 8.11

7875762185

राष्ट्र एम्. डिंदे

उपकर्मचारी अधिकारी,  
महानगर, उन्नाव

 महाविद्युत (अहमदनगर जिल्हा) महाराष्ट्र CIN: U40109MH2005SCG153645 Mobile No :- 7875762185 e-mail : Sdo2615@ho.mahadiscom Website: <a href="http://www.mahadiscom.in">www.mahadiscom.in</a>	 स्वातंत्र्याचा अमृत महोत्सव	उप.कार्यकारी अभियंता, म.रा.वि.वि.कं.म, उस्मानाबाद ग्रामीण उपविभाग, उस्मानाबाद, ४१३५०१
जा.क्र./म.काअ/ग्रामीण/ 3388		दि- 18 AUG 2022


To,  
The Project Director(NHAI).  
Project Implementation Unit,  
Plot No- E-2, Jule Solapur  
Solapur Division  
Solapur-413004

Sub:-Permission to carry out push pipe incasing work(HDD) for laying of underground 11KV ELECTRIC CABLE for industrial use across NH-52 (four lanning) of Dhule-Solapur Highway crossing at CH. 53/700 near Village Wadgaon (s) Tal.- Osmanabad.

With reference to above cited subject and as per MSEDCL sanction letter we are going to provide 11 kV under ground cable on NH-65 CH NO. 53/700 by pushing pipe method (HDD) to give supply to M/s Siddheshwar Stone Crusher. The work is under supervision of and by MSEDCL for Express line work.

The detailed sketch of the proposed work and Sanction letter is attached herewith. Hence it is kindly requested to accord approval to carry out the work because there is acute shortage of voltage which hampering the business of existing consumer M/s Siddheshwar Stone Crusher

Thanking you.

  
Executive Engineer  
M.S.E.D.C.L. O&M Division,  
Osmanabad

- Encl.1. Annexure-I & II, 5.1 to 5.12  
2. Check List  
3. Undertaking  
4. Sketch  
5. Sanction Copy

SSSS QUA 8 11

7875762185

राष्ट्र एव. डि. दि.

उपक. एव. दि. दि.  
महामि. दि. दि.



 महाविद्युत (महाराष्ट्र शासकीय उपकरण) CIN: U40109MH2005SCG133643 Mobile No :- 7875762185 e-mail : Sdo2615@ho.mahadiscom Website: <a href="http://www.mahadiscom.in">www.mahadiscom.in</a>	 स्वातंत्र्याचा अमृत महोत्सव	उप.कार्यकारी अभियंता, म.रा.वि.वि.कं.म, उस्मानाबाद ग्रामीण उपविभाग, उस्मानाबाद, ४१३५०१
जा.क्र./म.काअ/म.वि./ 3388		दि- 18 AUG 2022


To,  
The Project Director(NHAI).  
Project Implementation Unit,  
Plot No- E-2, Jule Solapur  
Solapur Division  
Solapur-413004

Sub:-Permission to carry out push pipe incasing work(HDD) for laying of underground 11KV ELECTRIC CABLE for industrial use across NH-52 (four lanning) of Dhule-Solapur Highway crossing at CH. 53/700 near Village Wadgaon (s) Tal.- Osmanabad.

With reference to above cited subject and as per MSEDCL sanction letter we are going to provide 11 kV under ground cable on NH-65 CH NO. 53/700 by pushing pipe method (HDD) to give supply to M/s Siddheshwar Stone Crusher. The work is under supervision of and by MSEDCL for Express line work.

The detailed sketch of the proposed work and Sanction letter is attached herewith. Hence it is kindly requested to accord approval to carry out the work because there is acute shortage of voltage which hampering the business of existing consumer M/s Siddheshwar Stone Crusher

Thanking you.

  
Executive Engineer  
M.S.E.D.C.L. O&M Division,  
Osmanabad

Encl.1. Annexure-I & II, 5.1 to 5.12

2. Check List
3. Undertaking
4. Sketch
5. Sanction Copy

SSSS DUA 8 11

7875762185

राष्ट्र. ए. डि. डि. डि.

उपक. ए. डि. डि. डि.  
महानि. डि. डि. डि.

## **Annexure I**

### **Public Utility provider and Industrial infrastructure**

#### **A. Public Utility Provider**

A Public Utility Provider in context of this Guideline shall mean any organization that provides and maintains the infrastructure for a public service like electricity, gas, water supply, telecom cables and sewage disposal subject to applicable regulation.

#### **B. Eligible activities for Industrial Units or 'Industrial Infrastructure**

**Industrial Infrastructure** in context of this Guideline shall mean any physical infrastructure that is required to facilitate industrial operations and is constructed, operated and maintained along/across Right of Way of National Highways. Such infrastructure shall include the following:

- a. Underground & above ground pipelines including provisions for booster pumping facilities, maintenance bays and other required support infrastructure for transport of legally permitted materials for industrial usage by a business entity having valid license for industrial operations.
- b. Conveyor Belts including provisions for maintenance bays and other required support infrastructure for transport of legally permitted materials, by a business entity having valid license for industrial operations. .
- c. Power cables/wires etc. meant for industrial usage by a business entity having valid license for industrial operations.
- d. Any other such associated industrial infrastructure facility

  
**Executive Engineer**  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD  
Osmanabad



## Annexure - II

(Enclosure to Ministry Circular No. RW/NH-33044/17/2000/S & R, dated 29.09.2000 ) dated 23/07/2003 and

F No. RW/NH-33044/29/2015/S & R(R) dated 22 nd Nov. 2016.

**Format for Maintaining Records of Right of Way permission granted for laying Underground cable.**

(To be maintained separately for every NH and State )


1. Name of State : Maharashtra

2. Name of Agency (NHAI): NHAI

3. NH Number: NH-52

Sr. No	Left or right side of NH (towards increasing chainage Km. direction)	Location(Chainage in Km.)	Kind of service	Name of Licensee and contact address	Date signing Of Agreement	Date validity Of Agreement	Date of Last inspection Of site	Any deviation from most standard norms	Remarks
1	Across the NH-52 at CH. 53/700 M.	Push pipe encasing work for Laying Underground 11 KV electric cable across the NH on NH-52 four laning of Dhule- Solapur Highway crossings at CH. 53/700. Total length 60.00 meter in the state of Maharashtra	Industrial power supply to Stone crusher	The Executive Engineer , O & m division Osmanabad				No	



  
**Executive Engineer**  
**MSEED, O & M Division,**  
**OSMANABAD**



## Check List

Guidelines for Project Directors for processing the proposal for laying of Underground 11 kv Electric Cable in the land across National Highway vested with NHA


### Relevant Circulars

- 1) Ministry Circular No. NH-41 (58)68 dated 31.01.1969.
- 2) Ministry Circular No. NH-III/P/66/76 dated 1-/19.11.19776
- 3) Ministry Circular No. RWINH-111/P/66/76 dated 11.5.1982
- 4) Ministry Circular No. RWINH-11017/1/86-DOI (ii) dated 28.7.1993
- 5) Ministry Circular No. RW/NH-11037/1/86iDOI dated 19.1.1995
- 6) Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999
- 7) Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003

Check list for getting approval for laying of underground 11KV electric cable on NH land

Sr. No	Item	Information/Status	Remarks
1	General information	Laying of 11KV underground cable at chainage no 53/700	
1.1	Name and Address of the Applicant	The Executive Engineer , O & m division , osmanabd	
1.2	National Highway Number	NH-52	
1.3	State	Maharashtra	
1.4	Location	Dhule-Solapur highway @ CH.NO. 53/700@ wadgaon (s)	
1.5	(Chainage in Km)		
1.6	Length in Meters	60M	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage /km direction	-	
	(b) Right side center from line towards increasing chainage/Km direction	-	
1.8	Proposal to lay underground 11KV electric cable		
	(a) Left side from center line towards increasing chainage /km direction	-	
	(b) Right side center from line towards increasing chainage/Km direction	-	
1.9	Proposal to acquire land		
	(a) Left side from center line	No	
	(b) Right side from center line	No	
1.10	Whether proposal is in the same side where land is not to be acquired. If not then where to lay the underground 11KV electric cable	Across the NH-52 at CH. 53/700	
1.11	Details of already laid services, if any, along the proposed	No	
1.12	Number of lanes (2/4/6/8 lane) existing	4 Lane	
1.13	Proposed number of lanes (2 lanes with paved NA shoulders/4/6/8 lanes)	NA	
1.14	Service road existing or not	NA	
	If yes then which side	NA	
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.15	Proposed Service road	NA	
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.16	Whether proposal to lay underground 11KV electric cable is Across the road after service road or between the service road and main carriageway	Across the road	



  
**Executive Engineer**  
**M.S.E.D.C.L (O & M) DIVISION**  
**SOLAPUR ROAD.**





Sr. No	Item	Information/Status	Remarks
1.17	The permission for laying of underground 11KV electric cable shall be considered for approval/rejection based on and method of laying	Yes	
2.0	(a) On approaches, the water mains/cables shall be NA carried along a line as close to the edge of the right of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulations contained in this Ministry's guideline issued with letter No. NH-HI/P/66/76 dated 19.11.1976.	Yes	
3.0	Draft license Agreement signed by two witnesses.	Yes	
4.0	Performance Bank Guarantee in favour of NHAI has Will be given after to be obtained @ Rs.50/- per running meter (parallel receiving demand note to NH) and rs.1,00,000/- per crossing"of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction clearing debris/ loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris/ loose earth	Will be given after receiving demand note	
4.1	Performance BG as per above is to be obtained.	Yes	
4.2	Conformation of BG has been obtained as per NHAI Guidelines	Yes	
5.0	Affidavit / Undertaking form the Applicant for		
5.1	Not to damage to other utility, if damaged then to pay losses either to NHAI or to the concerned agency	Yes, undertaking enclosed	
5.2	Renewal of Bank Guarantee	Will be done when necessary	
5.3	Conforming all standard condition of NHAI's guideline	Yes, undertaking enclosed	
5.4	Shifting of underground 11KV electric cables and when required by NHAI at their own cost.	Yes	
5.5	Shifting due to laning/widening of NH	Yes	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes	
5.7	Traffic movement during laying of underground 11KV electric cable to be managed by the applicant	Yes	
5.8	If any claims is raised by the Concessionaire then the same has to be paid by the applicant	Yes	
5.9	Prior approval of the NHAI shall be obtained before Yes undertaking any work of installation, shifting or repairs, or alteration to the showing underground 11Kv electric cable located in the National highway right-of ways	Yes	
5.10	Expenditure, if any, incurred by NHAI for repairing Yes any damage caused to the National Highway by the laying, maintenance or shifting of the underground 11Kv electric cablewill be borne by the agency owning the line.	Yes	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.		
5.12	Certificate from the applicant in the following format (1)Laying of underground 11Kv electric cable will not have any, deleterious effect on any of the bridge components and roadway safety for traffic,  (2) for 6-lanning "We do undertaking that, I will relocate service road/approach road/utilities at my own cost not		



10/11/17  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD




	withstanding the perinission granted within such time as will be stipulated by NHAI" for future six-lanning or any other development"		
6.0	Who will sign the agreement on behalf of underground electric cable agency.	The Executive Engineer , O & m division , Osmanabad	
7	Certificate from the Project Director		
7.1	Certificate for conforming of all standard condition issued vide Ministry Circular No. Ministry Circular No.NH-41'(58) 68 dated 31.1.1969, Ministry Circular No. NHIII/ P/66/76 dated 18/19.11.1976, Ministry Circular No. RWINH-III/P/66/76 dated 11.5.1982, Ministry Circular No. RW/NH 11037/1/86-DOI (ii) dated 28.7.1993, Ministry Circular No. RW/NH-11037/1/861DOI dated 19.1.1995 Ministry Circular No. RW/NH 34066/2/95/ S&R dated 25.10.1999 and Ministry Circular No.RW/NH-34066/7/2003 S&R (B) dated 17.9.2003		
7.2	Certificate from PD in the following format (1) "It is certified that any other location of the Water Supply pipe line would be extremely difficult and unreasonable costly and the installation of Water Supply pipe line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc". (ii) for 6-lanning (a) Where feasibility is available" I do certify that there' will be no hindrance to proposed six-laning based on the feasibility report considering proposed structure at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROWV is available at site for accommodating proposed six-laning".		
8	If NH Section proposed to be taken up by NHAI on Yes BOT basis a clause to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of -----section from Km- -to km----- of NH No. --- on Build. Operate and Transfer Basis) and there of, the licensee shall honour the same".		
9	Who will supervise the work of laying of underground electric cable .	The Executive Engineer , O & m division , Osmanabad	
10	Who will ensure that the defects in road portion after laying of underground 11 KV electric cable are corrected and if not corrected then what action will be taken.	The Executive Engineer , O & m division , Osmanabad	
11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire	The Executive Engineer , O & m division , Osmanabad	
12	A certificate from PD that, he will enfer the proposed permission in the register of records of Hon.		



Weg  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 398684

उस्मानाबाद अ.क. १२५२९ दिनांक १६/८/२२


श्री. कोषागार कार्यालय कोषागार कार्यालय

हस्ता. नि. १०१/२२

यांना उद्देश्येने रु. १०० चे वागीतलेवरून

हस स्टॅम्प रु. १०० चा व भरतीस रु. १००

चा स्टॅम्प दिवस १२/८/२२



मो.नि.वि.स. बा.बा.क.  
मुद्रांक विप्रेक्षा, उस्मानाबाद  
ए.क. 3501018

### AGREEMENT REGARDING GRANTING OF RIGHT OF WAY PERMISSIONS FOR LAYING UTILITY SERVICES ON NATIONAL HIGHWAYS

Agreement to lay push pipe incasing work for laying of underground 11 KV electric cable of The Executive Engineer across NH on NH-52 four laning of Dhule-Solapur Highway crossing at CH. 53/700 Total length 60 meter, in the state of Maharashtra.

This Agreement made this day of (month) of (year) between acting in his executive capacity through (hereinafter referred to as the "Authority" which expression shall unless excluded by or repugnant to the context, include his successors in office and assigns) on the one part, and The Executive Engineer, O&M Division, Osmanabad having its Registered Office located at (hereinafter called the "Licensee") Near Taj Mahal Tailkies, Solapur Road, Osmanabad which expression shall unless excluded by repugnant to the context, include his successors/administrator assignees on the second part.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापन/शपथपत्र/इ.कारणासाठीचे कारण कारण:Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री वारंवारची वेळ वही अनुक्रमांक/दिनांक

:Serial No./Date

मुद्रांक विकत घेणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक विक्रेत्याची सही

परवाना धारक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता

3501018 भारवाडी नल्ली, उस्मानाबाद

कार्यकारी अभियंता विस E  
DCL ची उतर,

10/05/2018  
De

Whereas the Authority is responsible, inter-alia, for development and maintenance of lands in Km.to of NH No.52RoW.

Whereas the Licensee proposes to lay Telecom cable / OFC cable / electrical cable / pipe line / ducts etc. referred to as utility services in subsequent paras.

Whereas the Licensee has applied to the Authority for permission to lay push pipe incasing works for laying of underground 11 KV electric cable of The Executive Engineer, O&M Division, Osmanabad across NH on NH-52 four laning of Dhule-Solapur Highway crossing at Ch.53/700.Total length 60 meter.in the state of Maharashtra.

And whereas the Authority has agreed to grant such permission for way leave on the NH ROW as per terms and conditions hereinafter mentioned,

Now this agreement witnesseth that in consideration of the conditions hereinafter contained and on the part of the Licensee to be observed and performed, the Authority hereby grants to the Licensee permission to lay utility services as per the approved drawing attached hereto subject to the following conditions, namely.

1. ROW permissions are only enabling in nature. The purpose of extending the way leave facility on the National Highway RoW is not for enhancing the scope of activity of a utility service provider, either by content or by intent. Further, enforceability of the permission so granted shall be restricted only to the extent of provisions/scope of activities defined in the license agreement & for the purpose for which it is granted.
2. No Licensee shall claim exclusive right on the RoW and any subsequent user will be permitted to use the Row, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled. Decision of the Authority in relation to fulfilment of technical requirements shall be final and binding on all concerned parties. In case any disruption damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.
3. The Licensee shall be responsible for undertaking all activities including, but not limited to site identification, survey, design, engineering, arranging finance, project management, obtaining regulatory approvals & necessary clearances, supply of equipment, material, construction, erection, testing and commissioning, maintenance and operation and all other activities essential or required for efficient functioning of their own utility/ industrial infrastructure facilities.

Executive Engineer  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD






महाराष्ट्र MAHARASHTRA

2022

उस्मानाबाद ज.क. १२२९९ दिनांक १६/८/२२  
मी. १२२९९  
हस्ता. १२२९९  
याना जनसंख्या १२२९९ के वाणिज्यिक  
हा स्टैम्प १२२९९ वा धर्तीस रु. १२२९९  
वा स्टैम्प दिनांक १२२९९

मुद्रांक विभाग, उस्मानाबाद  
प.क. ३५०१०१८



4. The Licensee shall pay license fees @ Rs. /sq m/month to the Authority. The License fee shall become payable from the date of handing over of RoW land to the Licensee, for laying of utilities/cables/conduits/pipelines for infrastructure service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.
5. Fee shall have to be paid in advance for the period for which permission is granted into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charo in deposition of fee shall attract interest @ 15% per annum compounded annually.
6. Present policy of the MoRT&H is to provide a 2.00 m wide utility corridor on either side of the extreme edge of RoW. In cases where utility ducts with sufficient space are already available along NH, the utility services shall be laid in such ducts subject to technical requirements being fulfilled.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापन/शपथपत्र/प्रमाणपत्रासाठी कारण कारण:Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री यंत्रणेची नोंद घेई अद्ययावत/दिनांक

:Serial No./Date

मुद्रांक विकत घेणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक विक्रेत्याची सही

परवाना क्रमांक तसेच मुद्रांक विक्री कार्यावाही पत्ता

२५०१०१८ मारवाडी बरती, उस्मानाबाद

929017

929017 1096101200

7. The utility services shall be laid at the edge of the Row. In case of restricted width of Row. which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other road side furniture etc; the utility services shall be laid beyond the toe line of the embankments and clear of the drain.

8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed. In case, this is not feasible, the utility services may be carried outside the railings/parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the Authority shall be payable by the Licensee.

9. In exceptional cases, where Row is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, it also needs to ensure that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee.

10. It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 metre below the ground level. However, any structure above ground shall be aesthetically provided for / landscaped with required safety measures as directed by the concerned Authority;

11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRe and executed following the Specifications of the Ministry,

12. Existing drainage structures shall not be allowed to carry the lines across.

13. The top of the casing conduit pipe containing the utility services to cross the road shall be at least 1.2m below the top of the sub grade or the existing ground level whichever is lower, subject to being at least 0.3m below the drain inverts. A typical sketch showing the clearances is given in Attachment-I.

14. The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.

15. The casing/conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD





3501018 मास्वाडी यवली, उस्मानाबाद

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.




महाराष्ट्र MAHARASHTRA

0 2022 0

02AA 398687

उत्पादक उ.स. 9075 दिनांक 9/6/21  
गी. 1000  
उत्प्रे. 1000  
वांता उ.स.स. स्टैप रु. 1000  
उ.स. स्टैप रु. 1000  
वा स्टैप दिनांक



महाराष्ट्र  
मुद्रांक विभाग, उस्मानाबाद  
प.स. 3501018

22. The Licensee shall be responsible to ascertain from the respective agency in coordination with Authority, regarding the location of other utilities /underground installations/ facilities etc. The Licensee shall ensure the safety and security of already existing underground installations/utilities/facilities etc. before commencement of the excavation/using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company against damages to already existing under installations/utilities/facilities etc.

23. The Licensee shall be solely responsible/ liable for full compensation/indemnification or concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them/claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in coordination with Authority shall also have a right make good such damages/ recover the claims by forfeiture of Bank Guarantee.

24. If the Licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापक/शपथपत्र/कारण/इतर कारणांसाठी सादर करावयाचे  
प्रतिज्ञापक/शपथपत्र/कारण/इतर कारणांसाठी सादर करावयाचे  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाधकची नोंद घेई अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची मदी  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रेत्याची मदी  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
3501018 मारवाडी मल्ली, उस्मानाबाद

Handwritten signature and date: 10/02/2019

25. Grant of License is subject to the Licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the work by trenchless technology, In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

26. The Licensee shall inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches, ... for fresh or maintenance/repair works. A separate performance Bank Guarantee for maintenance/repair works shall have to be furnished by the Licensee.

27. Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the concerned agency designated by the Authority.

28. The licensee shall indemnify the concerned agency in co-ordination with Authority, against all damages and claims, if any due to the digging of trenches for laying cables/ducts.

29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.

30. The permission shall be valid only for the period it is issued and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.

31. That the Licensee shall not undertake any work of shifting, repairs or alterations to the utility services without prior written permission of the concerned agency in coordination with the Authority.

32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway land /property, other than what is herein expressly granted. No use of NH ROW will be permitted for any purpose other than that specified in the Agreement,

33. During the subsistence of this Agreement, the utility services located in highway land / property shall be deemed to have been constructed and continued only by the consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and infeasible by lapse of time.

34. The Licensee shall bear the Stamp Duty charged on this Agreement.

35. Three copies of 'as laid drawings' of utilities (hard and soft copies) with geotagged photographs and geotagged video recordings of laying of cables in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.

Handwritten signature  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.





महाराष्ट्र MAHARASHTRA

2022

उत्तमानाबाद अ.प्र. १००९ दिनांक १६/८/२०२२  
भी.....  
हस्ता.....  
यांना जमना स्टॅम्प रु.....  
हा स्टॅम्प रु.....  
चा स्टॅम्प दिवस.....

02AA 398688

कोबागार कार्यालय  
उत्तमानाबाद

11 AUG 2022

म.प्र.लि./उप को.अ.  
उत्तमानाबाद

म.प्र.लि. बागड  
मुद्रांक विवेका, उत्तमानाबाद  
म.प्र.लि. 3501018

3. 36. The Licensee shall allow free access to the Site at all times to the authorised representatives of Authority to inspect the Project Facilities and to investigate any matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective duties and functions.

37. The utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co ordination with the Authority has been obtained. Notwithstanding anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellation nor shall it be absolved from any liability already incurred.

38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation, repair and maintenance of any part of the utility lines/industrial infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of a. operation, repair and maintenance guidelines given by the manufacturers, b. the requirements of Law, c. the physical conditions at the Site, and d. The safety of operating personnel and human beings.

Wag  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

मुद्रांक विक्रेता घेणाऱ्याचे नांव व रहिवासी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/ दिनांक

:Serial No./Date

मुद्रांक विक्रेता घेणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक विक्रेताला Licensee shall have to provide safety measures like barricading, danger lighting and other measures like construction boards while executing the work.

परवाना धारक तसेच मुद्रांक विक्री करणारा पत्ता 40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case of single lane roads, a diversion shall be constructed. If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Licensee.

41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90 days and the site shall be brought back to the original condition failing which the Licensee will lose the right to remove the utility services. However before taking up the work of removal of utility services the Licensee shall furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50 m away from the edge of the Row.

42. Any disputes in interpretation of the terms and conditions of this Agreement or their implementation shall be referred to the redress mechanism prevailing in the Ministry and the decision of the redress mechanism shall be final and binding on all.

43. For PPP Projects, in case of any financial loss incurred by the respective project concessionaires due to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne by the Licensee in mutual agreement with the respective project concessionaires. MORT &H/ NHAI implementing authorities for the project shall not be liable to the concessionaire in any way in this regard.

This agreement has been made in duplicate, each on a Stamp Paper, Each party to this Agreement has retained one stamped copy each.

IN WITNESS WHERE OF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVES THE DAY AND THE YEAR FIRST ABOVE WRITTEN.

SIGNED SEALED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY,  
BY SHRI -----

(Signature, name & address with stamp)

SIGNED ON BEHALF OF M/S-----

BY SHRI -----

(Signature, name & address with stamp)

HOLDER OF GENERAL POWER OF ATTORNEY ..... Dated  
ACCORDANCE WITH THE RESOLUTION NO.-----  
BOARD OF DIRECTORS IN THE MEETING HELD ON

EXECUTED IN  
DATED PASSED BY HTE

IN THE PRESENCE OF (WITNESSES):

1.

2.

Executive Engineer  
M.S.E.D.C.L. (T & M) DIVISION  
OSMANABAD.



प्रातःपत्र/अपवाद/इ. कारण/Reason for Affidavit

मुद्रांक विक्रेता के नाम व रहिवासी पता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्रेता के नाम वही अनुमति/दिनांक

:Serial No./Date

मुद्रांक विक्रेता के नाम वही

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक विक्रेता वही

परवाना क्रमांक वही मुद्रांक विक्रेता के नाम वही

3501018, मारवाडी बल्ली, उस्मानाबाद

कार्यकारी अभियंता MSEED  
CL 283A,  
92200 10961420


2. In the event of any mis happening/accidents etc. while carrying, laying of underground electric cable The Executive Engineer, Osmanabad shall be liable to pay the any type of compensation so claimed.
3. The Executive Engineer, Osmanabad shall not cause any damage to the carriage way of the highway and structure like bridges, culverts, drains, building etc. and in case of failure The Executive Engineer osmanabad .will be liable to make good the loss caused to the department.
4. The Executive Engineer ,Osmanabad .shall lay the Underground electric cable under the guidance of the department.
5. The department shall not responsible in case the pipe line comes in the area under development in future at any time in such an eventuality shifting of the underground electric cable etc. shall be the liability of The Executive Engineer osmanabad
- 6 The Executive Engineer osmanabad shall be responsible for any damage caused to the trees in the NHAI boundary it will be responsibility of The Executive Engineer osmanabad obtain permission for such likely foreseen/unforeseen damage from the competent authentic.
7. In case of some unavailable circumstances if The Executive Engineer osmanabad desires to across the carriage way, the same shall be done under the guidance of the department and under no circumstances, the carriageway shall be allowed to get damaged. The crossing of carriageway shall be allowed with pressure angle, only.
8. While crossing the bridge/culverts, no additional dead load shall be allowed to be added to the existing structure.
9. In case of difficulty anywhere in the stretch, The Executive Engineer osmanabad Division contact the concerned engineer of the department.
10. We hereby undertake to submit a performance bank guarantee of any amount as may be demanded by NHAI.
11. The Executive Engineer osmanabad Division shall be solely responsible/liable for full comensation/indemnification of concerned agency aggrieved owners for at our cost and risk.:
12. Underground electric cable would be laid keeping in mind future expansion 4/6 laning of the NH. However, we also agree that we shall shift the Underground electric cable within 30 days for as specified by the respective agency lowner from the date of issue of notice by the concerned owner to shift/relocate the underground electric cable in case it is required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at our own cost and risk.
13. We will not violate the instruction of MORT & H (Ministry of Road Transport & Highways), New Delhi.
14. It is undertaken that the Underground electric cable will be laid out by push method.
15. The agency will notify the concerned PD/Concessionnaire at least 15 days in advance before digging trenches across the road.
16. Adequate arrangement for cautioning the traffic by way of caution board during daytime and danger light at night will be provided by the agency.
17. Each day the extant of digging trenches should be strictly regulated so that the Underground electric cable are laid and trenches filled up before the close of work that day, the filling should be completed to the satisfaction of engineer in charge.
18. The agency shall indemnify the road all the damages, if any, due to the digging of trenches for the laying of Underground electric cable .

The Executive Engineer  
M. S. E. D. C. L. (O & M) Division Osmanabad  
OSMANABAD.





प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाबाह्य कारणः Reason for Affidavit  
 मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक किती बाबतची नोंद वही अनुक्रमांक/दिनांक  
 :Serial No./Date  
 मुद्रांक विकत घेणाराची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 प्रपत्राधारक मुद्रांक विक्रेत्याची सही  
 परवाना क्रमांक तसेच मुद्रांक विक्री करणाराचा पत्ता  
 3501018 मंगळाडी गल्ली, अस्मानाबाद



कल २५/७/१८

कार्यकारी अभियंता/ MSE  
 DCL २०३०१,  
 १९२४९ १८९५१८२२


We , The Executive Engineer osmanabad Division . Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700 Total length 60.00 meter in the state of Maharashtra.

We are agree not to damage to other utility if damaged then to pay the losses either to NHAI or to the concerned agency.

The Executive Engineer  
 M.S.E.D.C.L. O & M Division Osmanabad  
 M.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD.



प्रतिज्ञापत्र/अपवादपत्र/इ.कारण/Reason for Affidavit  
मुद्रांक विक्रेता घेणान्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्रीचा तारीख/दिनांक  
:Serial No./Date  
मुद्रांक विक्रेता घेणाराची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रेत्याची सही  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाराचा पत्ता  
3501018 मारवाडी गल्ली, लखानाबाद




0212471

कार्यकारी अभियंता/मसई  
DCL 1638,  
9 एप्रिल 1994/4 रम

We, The Executive Engineer ,Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

We shall furnish a bank guarantee as per NHAI norms for the period of 1 year initially before execution of work will renew timely if required.

  
The Executive Engineer  
M.S.E.D. O & M Division Osmanabad  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



महाराष्ट्र MAHARASHTRA

2022

02AA 398693

कोशमनार कायदा  
उत्तमानाबाद

11 AUG 2022

मु.पति / उप को.अ.  
उत्तमानाबाद

उत्तमानाबाद का.अ. 4/2/22  
भी. 02/08/22  
हस्त. 02/08/22  
यांना उत्तमानार कायदा  
हा स्टॅम्प रु. 100  
या स्टॅम्प किंवा 100 रु.


श्रीनिवास बागल  
मुद्रांक अधिकारी, उत्तमानाबाद  
पिन. 413501018

Annexure No. 5.3

### UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From  
The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin – 413501

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापत्र/शपथपत्र/कारणपत्र/इतर कायदासाठी वापर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.कायदासाठी वापर करणे Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री दिनांक/वारी अथवा दिनांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
पुण्यानाधारक मुद्रांक विक्रीसाठी सही  
परवाना क्रमांक संकेत मुद्रांक विक्री करणाऱ्या पत्ता  
3501018-महाराष्ट्र महसूल, उस्मानाबाद

क०१५५७१

कार्यकारी अभियंता MSED  
एल ए डी,

१९२०४ ०१०१०२५

We The Executive Engineer Osmanabad O & M Division .Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

We shall follow and abide by all standard conditions of Ministry circular and NHAI's guidelines regarding laying of the Underground 11 KV Electric Cable in NHAI land.

The Executive Engineer  
M.S.E.D.C.L., O & M Division  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 398694

उत्सवानाबाद... दिनांक...  
मी... रा...  
हसने...  
वांना...  
हा स्टॅम्प...  
वा स्टॅम्प...

कोवामार कार्यालय  
उत्सवानाबाद

11 AUG 2022

मु.प्रति/उप.को.अ.  
उत्सवानाबाद

ms EDC L  
10 30

प्रतिनिधित्व बागद  
पुर्वांग विवेका, उत्सवानाबाद  
पिन-413004

Annexure No. 5.4

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.  
From  
The Executive Engineer Osmanabad O & M Division, Pin - 413501

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

કચ્છ ૨૫/૭/૨૦૨૦

કચ્છી સમાચાર વિદ્યે  
૨૮ નવ ૩૦,

૧૯૨૦ ૧૭/૭/૨૦૨૦

The Executive Engineer  
M.S.E.D.O. Executive Engineer, Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.





महाराष्ट्र MAHARASHTRA

2022

02AA 398695

उत्मानाबाद अ.क. १८२८६ १८४१८२८६  
सी. १८४१८२८६ १८४१८२८६  
हस्ता. १८४१८२८६ १८४१८२८६  
बाना. १८४१८२८६ १८४१८२८६  
हा. १८४१८२८६ १८४१८२८६  
वा. १८४१८२८६ १८४१८२८६

कमलपुत्र २०३८५  
DCL

कोबागार कायालय  
उत्मानाबाद

11 AUG 2022

मु. लि. / उप को. अ.  
उत्मानाबाद

पुढाक धिरेता, उत्मानाबाद  
पिन ४१३००४

Annexure No. 5.5

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer osmanabad O & M Division Dist. Osmanabad, Pin - 413501

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापत्र/शपथपत्र/कारणपत्र/इतर कायदासंगत साक्षर परामर्शपत्र  
 प्रतिज्ञापत्र/शपथपत्र/इ.कारणपत्रादीचे कारण कारण:Reason for Affidavit  
 मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री बाबताची नोंद वही क्रमांक/दिनांक  
 :Serial No./Date  
 मुद्रांक विकत घेणाऱ्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विक्रीबाबतीची सही  
 बरवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
 3501018 मारवाडी मारवाडी, उस्मानाबाद

काल १५/८

*(Signature)*

कार्यकारी अभियंता मसि  
 एल. ए. ३५१,  
 १८२४६ १०९५१५

We , The Executive Engineer Osmanabad O & M Division .Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

The Executive Engineer Osmanabad ,O & M Division, have to shift Underground 11-KV Electric Cable in future due to 4/6 laning / widening is in process of NH.

*(Signature)*  
 Executive Engineer  
 M.S.E.D.O. & M Division Osmanabad  
 OSMANABAD.



महाराष्ट्र MAHARASHTRA

2022

02AA 398696

उस्मानाबाद म.क्र. 98286 दिनांक 9/11/22  
श्री. 12/11/22 को. अ. य. न. म. स. ए. ड. सी.  
हस्त. वि. न. 12/11/22  
यांगी उस्मानाबाद स्टेशन क. वि. न. 12/11/22  
हा स्टेशन क. वि. न. 12/11/22  
वा स्टेशन क. वि. न. 12/11/22

कोषागार कार्यालय  
उस्मानाबाद  
11 AUG 2022  
मु. म. लि. / उप को. अ.  
उस्मानाबाद

Annexure No. 5.6

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer, Osmanabad O & M Division Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापत्र/अपत्यपत्र/करारपत्र/इतर कागजाती सादर करावयाचे  
प्रतिज्ञापत्र/अपत्यपत्र/इ. कागजातीचे कारण कारण: Reason for Affidavit  
मुद्रांक दिवत घेणाऱ्याचे नांव व राहिवारी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची सोद यही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक दिवत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परमानाधारक मुद्रांक विक्रेत्याची सही  
पुरवना क्रमांक तसेच मुद्रांक विक्री कारणाचा पत्र  
3501018-मारवाडी, गल्लो, उस्मानाबाद

३४१५८१

कार्यकारी अभियंता/मि. ई.  
DCL & R. B. A.,  
१९२४६ ०९५१५२२

We, The Executive Engineer, Osmanabad Division, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

Indemnity against all damages and claims during work is of The Executive Engineer Osmanabad division

The Executive Engineer  
M.S. Executive Engineer Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.




महाराष्ट्र MAHARASHTRA

2022

02AA 398697

१९२८८ १८१८ २२२  
०१/०८/२०२२  
हस्त...  
यांना जनरल स्टॅम्प...  
हा स्टॅम्प रु. १०० दे भरला आहे.  
चा स्टॅम्प दिला.



श्रीनिवास बांगड  
मुद्रांक अधिकारी, उस्मानाबाद  
प.क्र.3501018

Annexure No. 5.7

### UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division, Dist. Osmanabad, Pin - 413405.

*Wag*  
Executive Engineer  
S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

9402471

ଅଧିକାଂଶ ଅଗ୍ନିଧରୀ ନାହିଁ  
DCL ୭୦ ଡିଗ୍ରୀ

97281 0941922

**Traffic movement during laying of Underground 11 KV Electric Cable will be managed by The Executive Engineer Osmanabad Division**

Executive Engineer  
M.S.E.D.C.P. (G & M) DIVISION  
OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 398698

उत्तमानाबाद ज.अ. १९७७ दिनांक १९/०५/२०२२  
श्री. १२/०५/२०२२ अ. भि. यं. / M.S.E.D.  
हस्त. दिनांक १९/०५/२०२२  
यांना जमरता स्टॅम्प रु. १००  
हा स्टॅम्प रु. १०० काय भरलाय रु. १००  
वा स्टॅम्प दिनांक १९/०५/२०२२

कोषागार कार्यालय  
उत्तमानाबाद

11 APR 2022

गु. प्र. लि. / उप को. अ.  
उत्तमानाबाद

पु. प्र. लि. / उप को. अ.  
उत्तमानाबाद  
प.अ. 3501018

Annexure No. 5.8

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

आतज्ञापत्र/शपथपत्र/इ.करारासाठीचे कारण कारण:Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विकत घेणाऱ्याची मालकी ठिकाण/पत्ता

:Serial No./Date

मुद्रांक विकत घेणाऱ्याची मालकी

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक विकत घेणाऱ्याची मालकी

परवाना क्रमांक तसेच मुद्रांक विकत घेणाऱ्याची मालकी

3501018-परवाना क्रमांक तसेच मुद्रांक विकत घेणाऱ्याची मालकी

काल (५७)

कार्यकारी अभियंता म.स.क.  
D.L. विभाग

१८२०९ विभाग

We , The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

If any claim is raised by the concessionaire then the same will be paid by The Executive Engineer Osmanabad O & M Division .

Executive Engineer  
M.S. E. & M. Division  
OSMANABAD.






महाराष्ट्र MAHARASHTRA

2022

02AA 398699

उस्मानाबाद अ.क. १९२५० १७/८/२२  
श्री. कार्यकारी अभियंता MSEDCL  
हस्त. दिनेश कोरे  
यांना महाराष्ट्र स्टॅम्प रु. १००/००  
हा स्टॅम्प रु. १००/००  
या स्टॅम्प रु. १००/००



श्री. निरंजन बागड  
मुद्रांक अधिकारी, उस्मानाबाद  
पिन-४१३०१०१८

Annexure No. 5.9

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/द्वारा कायदासाठी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/द्वारा कायदासाठी सादर करावयाचे Reason for Affidavit  
मुद्रांक विभाग घेण्याच्या नावा व रहिवासी पत्ता  
Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची पंजी मदी अनुक्रमणिका/दिनांक  
Serial No./Date  
मुद्रांक विक्री घेण्याची सही  
Stamp Purchaser's Sign/Data  
दिनांक  
स्वीकारावयाचे मुद्रांक विक्रीच्यासाठी सही  
स्वीकारावयाचे मुद्रांक विक्री करणाऱ्या पत्ता  
3501018 मारवाडी बल्लरी, उस्तालाबाव

७५१८५८१

कार्यकारी अभियंता MSE  
DCL १६३८१,  
९९२५० १६९६१५२२

We , The Executive Engineer Osmanabad O & M Division . opposite LIC Office MSEDCL Maharashtra, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

We will obtain prior approval of the NH before undertaking any work of installation, shifting or repairs or alternations to the under ground 11 KV Electric Cable located in the National Highway right of ways.

MSE  
The Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD



प्रतिज्ञापत्र/शपथपत्र/ह. करारासाठीचे कारण कारण: Reason for Affidavit  
मुद्रांक विक्रेता घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विक्रेता घेणाऱ्याची स्वाक्षरी  
:Stamp Purchaser's Sign/Date  
दिनांक  
करदानाधारक मुद्रांक विक्रेत्याची सध्या  
पत्त्याना समान वसेल मुद्रांक विक्री घेणाऱ्याचा पत्ता  
3501018 माखाडी पल्ली, उस्मानाबाद

मुद्रांक २५७१

कार्यकारा अभियंता, मा. स. ए.  
O & L २४/०८/१९,  
१९२५१ १०३६१५२२

We , The Executive Engineer Osmanabad O & M Division .

, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

Expenditure if any incurred by NHA for repairing any damage caused to the national highway by the laying, maintenance or shifting of the Underground 11 KV Electric Cable will be borne by The Executive Engineer Osmanabad O & M Division Owning the line.

Executive Engineer  
N.S.E.D.C.L. (O & M) Division Osmanabad  
OSMANABAD



प्रतिज्ञापत्र/शपथपत्र/इ.कारासाठीचे कारण कारण:Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री झाल्याची मीत वही अंक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची स्वाक्षरी  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रीसाठी सक्षम  
परवाना क्रमांक नसेव:मुद्रांक विक्री करणाऱ्याचा पत्ता  
1501018 मारवाडी नवरी, उस्मानाबाद

महाराष्ट्र

कार्यकारी अभियंता म.स.ए.  
DCL ऑडीटर  
30.242 169614 22

We , The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

If NHAI considers it necessary in future to move the utility line for any work of improvement or repair to the road, it will be carried out as desired by NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.

Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.





महाराष्ट्र MAHARASHTRA

2022

02AA 398809

उस्मानाबाद अ.क. १९५५६ १५/८/२२  
श्री. १९५५६ १५/८/२२  
हस्ता. १९५५६ १५/८/२२  
यांना जनरल स्टॅम्प म. १९५५६ १५/८/२२  
हा स्टॅम्प रु. १०० वाच घेतला रु. १००  
का स्टॅम्प दिला.

१९५५६ १५/८/२२  
१९५५६ १५/८/२२



कोषागार कार्यालय  
उस्मानाबाद

11 AUG 2022

मु.प्र.सि. / उपको.अ.  
उस्मानाबाद

मुद्रांक विवेका, उस्मानाबाद  
प.क्र. 3501018

Annexure No. 5.12

UNDERTAKING

To,

The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

मतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कामासाठी सादर करावयाचे  
मतिज्ञापत्र/शपथपत्र/इ.करारासाठीचे कारण कारण:Reason for Affidavit  
द्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
Stamp Purchaser's Name/Place of Residence  
द्रांक विक्री बाबतची मीची अनुक्रमांक/दिनांक  
Serial No./Date  
द्रांक विकत घेणाऱ्याची सही  
Stamp Purchaser's Sign/Date  
नांक


रवानाधारक मुद्रांक विक्रीसाठी मही  
रवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
501018 मारवाडी गल्ली, उस्मानाबाद



कचि २५२१  
कार्यकारी अभियंता, M.S.E.D  
L २७७६  
१९५९ १०३६/५२२२

We, The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

- 1.Laying of underground 11KV electric cable will not have any deleterious effect on any of the bridge components and roadways safety for traffic. :
- 2.For 6 laning The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad do undertake that I will relocate service road/approach road / utilities at our own cost not withstanding the permission granted within such time as will be stipulated by NHAI for future six laning or any other development.

  
Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

\*\*\*\*\*



DRAWING FOR HDD METHOD CHINO 53/700

TOP VIEW


11KV CABLE  
STRUCTURE

EXISTING  
EXPRESS FEEDER

CH/NO 53/700

NH-52

11KV CABLE  
STRUCTURE



Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD



## WORK ORDER

Ref : R&M/BM/R-HT&LT/WO/4780174390  
2022

Date: 18-08-

To,

VIVEK POWER SOLUTION (100026518)  
21 PRIYADARSHAN BEHIND GANESH NAGAR  
SOLAPUR 413002

Email : vivekpowersolution@gmail.com

Contact : 9422458934/9422458934

Sub: Work Order for Breakdown Maintenance of HT / LT RECTIFICATION in  
OSMANABAD (R) S/DN for OSMANABAD (R) S/DN ( Work Order No : 4780174390 )

Ref : 1.Letter of Empanelment No. 26711 Dt.01-11-2021

2.MO no. '400001750569'

Dear Sir/Madam,

With reference to the above, we are pleased to place an Order with you for Breakdown Maintenance of HT / LT RECTIFICATION in OSMANABAD (R) S/DN for OSMANABAD (R) S/DN at the price and terms and conditions stipulated here underalong with Contract conditions as per above references:-

Sr. No.	Description of Activity	Location	Unit	Qty	Unit Price (INR)	Total Amount (INR)
Services Supplied by Empanelled agency						
1	Laying cables in trench, refill with soil	2615 194047 203-11 KV BAVI FEEDER	LS	2320.0	125.0	290000.0
2	Excavation of road Cement Concrete	2615 194047 203-11 KV BAVI FEEDER	RMT	2670.0	150.0	400500.0
3	Fixing of end terminations	2615 194047 203-11 KV BAVI FEEDER	RMT	4.0	1200.0	4800.0
	Rate quoted by Agency 4.75% Above	Above	4.75			33026.75



**Total Amount (Rs INR) 728326.75** (Excluding applicable Taxes plus MSEDCL Materials transportation charges (1%))

**Total ERP Amount (Rs INR) 859425.57** (Including applicable Taxes plus MSEDCL Materials transportation charges (1%))

**Total Amount In words: SEVEN LAKH TWENTY EIGHT THOUSAND THREE HUNDRED AND TWENTY SIX RUPEES AND SEVENTY FIVE PAISE** (Excluding applicable Taxes plus MSEDCL Materials transportation charges (1%))

#### **TERMS AND CONDITIONS**

1. You have to complete the above said work from 18-Aug-22 to 02-Sep-22. Take photographs of work site before starting the work & after completion of work and upload on MSEDCL website intended for this purpose.
2. You are now instructed to proceed for the above said works now awarded to you, in accordance with the terms and conditions set forth in the Tender Documents.
3. For any assistance, query during execution of the said work, you are directed to contact the concern Addl. Executive Engineer of Division office.
4. This Work Award is issued subject to the terms and conditions of the Bid Documents, clarification and Addendums issued and Contract agreement.

Yours faithfully, for and on behalf of ....



(Authorized Signatory)

.....  
Mr. Mahendra Shivajirao Waghmare  
Executive Engineer(Distribution)

OSMANABAD DIVISION

e/c Approved by Ep-Engr - O'dad



 <p>महाराष्ट्र साहस्र गाव प्रकल्प (MAHARASHTRA SAHASRA GAVS PROJECT) CIN: U40109MH2005SCC123645</p> <p>Mobile No :- 7875762185 e-mail : sdo2615@gmail.com Website: www.mahadiscom.in</p>	 <p>स्वातंत्र्याचा अमृत महोत्सव</p>	<p>उप कार्यकारी अभियंता , म.रा.वि.वि.कं.म, उस्मानाबाद विभाग, उस्मानाबाद, ४१३५०१</p>
<p>का.अ.वि.वि.कं.म.   ३३४४</p>		<p>Dt- 18 AUG 2022</p>

To,

The Project Director(NHAI).

Project Implementation Unit,

Plot No- E-2, Jule Solapur

Solapur Division

Solapur-413004


Sub:-Permission to carry out push pipe incasing work(HDD) for laying of underground 11KV ELECTRIC CABLE for industrial use across NH-52 (four lanning) of Dhule-Solapur Highway crossing at CH. 53/700 near Village Wadgaon (s) Tal.- Osmanabad.

Ref.-

With reference to above cited subject and as per MSEDCL sanction letter we are going to provide 11 kV underground cable on NH-65 CH NO. 53/700 by pushing pipe method (HDD) to give supply to M/s Siddheshwar Stone Crusher, Wadgaon. The work is under supervision of and by MSEDCL for Express line work.

The detailed sketch of the proposed work and Sanction letter is attached herewith. Hence it is kindly requested to accord approval to carry out the work because there is acute shortage of voltage which hampering the business of existing consumer, M/s Siddheshwar Stone Crusher, Wadgaon

Thanking you.

  
Executive Engineer  
M.S.E.D.C.L. O&M Division,  
Osmanabad  
OSMANABAD

Encl.1. Annexure-I & II, 5.1 to 5.12

2. Check List

3. Undertaking

4. Sketch

5. Sanction Copy



11 AUG 1971

DEMANABAD  
108210 (0800) DIVISION  
EXECUTIVE ENGINEER  
11 AUG 1971

## **Annexure I**

### **Public Utility provider and Industrial infrastructure**


#### **A. Public Utility Provider**

A Public Utility Provider in context of this Guideline shall mean any organization that provides and maintains the infrastructure for a public service like electricity, gas, water supply, telecom cables and sewage disposal subject to applicable regulation.

#### **B. Eligible activities for Industrial Units or 'Industrial Infrastructure**

**Industrial Infrastructure** in context of this Guideline shall mean any physical infrastructure that is required to facilitate industrial operations and is constructed, operated and maintained along/across Right of Way of National Highways. Such infrastructure shall include the following:

- a. Underground & above ground pipelines including provisions for booster pumping facilities, maintenance bays and other required support infrastructure for transport of legally permitted materials for industrial usage by a business entity having valid license for industrial operations.
- b. Conveyor Belts including provisions for maintenance bays and other required support infrastructure for transport of legally permitted materials, by a business entity having valid license for industrial operations. .
- c. Power cables/wires etc. meant for industrial usage by a business entity having valid license for industrial operations.
- d. Any other such associated industrial infrastructure facility

  
Executive Engineer  
M.S.E.D.C.L. O&M Division  
Osmanabad





Annexure II

(Enclosure to Ministry Circular No. RW/NH-33044/17/2000/S & R, dated 29.09.2000 ) dated 23/07/2003 and  
F No. RW/NH-33044/29/2015/S & R(R) dated 22 nd Nov. 2016.

**Format for Maintaining Records of Right of Way permission granted for laying Underground cable.**  
(To be maintained separately for every NH and State )

1. Name of State : Maharashtra
2. Name of Agency (NHAI): NHAI
3. NH Number: NH-52

Sr. No	Left or right side of NH (towards increasing chainage Km. direction)	Location(Chainage in Km.)	Kind of service	Name of Licensee and contact address	Date signing Of Agree ment	Date validity Of Agree mentnt	Date of Last inspec tion Of site	Any deviatio n from most standar d norms	Remarks
1	Across the NH-52 at CH. 53/700 M.	Push pipe encasing work for Laying Underground 11 KV electric cable across the NH on NH-52 four laning of Dhule- Solapur Highway crossings at CH. 53/700.Total length 60.00 meter in the state of Maharashtra	Industria l power supply to Stone crusher	The Executive Engineer , O & m division Osmanaba d				No	



*Wdg*  
**Executive Engineer**  
M.S.E.D.C.L. O&M Division,  
OSMANABAD



## Check List

Guidelines for Project Directors for processing the proposal for laying of Underground 11 kv Electric Cable in the land across National Highway vested with NHAI

### Relevant Circulars

- 1) Ministry Circular No. NH-41 (58)68 dated 31.01.1969.
- 2) Ministry Circular No. NH-III/P/66/76 dated 1-/19.11.19776
- 3) Ministry Circular No. RWINH-111/P/66/76 dated 11.5.1982
- 4) Ministry Circular No. RWINH-11017/1/86-DOI (ii) dated 28.7;1993
- 5) Ministry Circular No. RW/NH-11037/1/86IDOI dated 19.1.1995
- 6) Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999
- 7) Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003

Check list for getting approval for laying of underground 11KV electric cable on NH land

Sr. No	Item	Information/Status	Remarks
1	General information	Laying of 11KV underground cable at chainage no 53/700	
1.1	Name and Address of the Applicant	The Executive Engineer , O & m division , osmanabd	
1.2	National Highway Number	NH-52	
1.3	State	Maharashtra	
1.4	Location	Dhule-Solapur highway @ CH.NO. 53/700@ wadgaon (s)	
1.5	(Chainage in Km)		
1.6	Length in Meters	60M	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage /km direction	-	
	(b) Right side center from line towards increasing chainage/Km direction	-	
1.8	Proposal to lay underground 11KV electric cable		
	(a) Left side from center line towards increasing chainage /km direction	-	
	(b) Right side center from line towards increasing chainage/Km direction	-	
1.9	Proposal to acquire land		
	(a) Left side from center line	No	
	(b) Right side from center line	No	
1.10	Whether proposal is in the same side where land is not to be acquired. If not then where to lay the underground 11KV electric cable	Across the NH-52 at CH. 53/700	
1.11	Details of already laid services, if any, along the proposed	No	
1.12	Number of lanes (2/4/6/8 lane) existing	4 Lane	
1.13	Proposed number of lanes (2 lanes with paved NA shoulders/4/6/8 lanes)	NA	
1.14	Service road existing or not	NA	
	If yes then which side	NA	
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.15	Proposed Service road	NA	
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.16	Whether proposal to lay underground 11KV electric cable is Across the road after service road or between the service road and main carriageway	Across the road	



Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

THE UNIVERSITY OF CHICAGO  
LIBRARY  
540 EAST 57TH STREET  
CHICAGO, ILL. 60637





Sr. No	Item	Information/Status	Remarks
1.17	The permission for laying of underground 11KV electric cable shall be considered for approval/rejection based on and method of laying	Yes	
2.0	(a) On approaches, the water mains/cables shall be NA carried along a line as close to the edge of the right of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulations contained in this Ministry's guideline issued with letter No. NH-HI/P/66/76 dated 19.11.1976.	Yes	
3.0	Draft license Agreement signed by two witnesses.	Yes	
4.0	Performance Bank Guarantee in favour of NHAI has Will be given after to be obtained @ Rs.50/- per running meter (parallel receiving demand note to NH) and rs.1,00,000/- per crossing"of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction clearing debris loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris loose earth	Will be given after receiving demand note	
4.1	Performance BG as per above is to be obtained.	Yes	
4.2	Conformation of BG has been obtained as per NHAI Guidelines	Yes	
5.0	Affidavit / Undertaking form the Applicant for		
5.1	Not to damage to other utility, if damaged then to pay losses either to NHAI or to the concerned agency	Yes, undertaking enclosed	
5.2	Renewal of Bank Guarantee	Will be done when necessary	
5.3	Conforming all standard condition of NHAI's guideline	Yes, undertaking enclosed	
5.4	Shifting of underground 11KV electric cables and when required by NHAI at their own cost.	Yes	
5.5	Shifting due to laning/widening of NH	Yes	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes	
5.7	Traffic movement during laying of underground 11KV electric cable to be managed by the applicant	Yes	
5.8	If any claims is raised by the Concessionaire then the same has to be paid by the applicant	Yes	
5.9	Prior approval of the NHAI shall be obtained before Yes undertaking any work of installation, shifting or repairs, or alteration to the showing underground 11Kv electric cable located in the National highway right-of ways	Yes	
5.10	Expenditure, if any, incurred by NHAI for repairing Yes any damage caused to the National Highway by the laying, maintenance or shifting of the underground 11Kv electric cable will be borne by the agency owning the line.	Yes	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.		
5.12	Certificate from the applicant in the following format (1)Laying of underground 11Kv electric cable will not have any, deleterious effect on any of the bridge components and roadway safety for traffic,  (2) for 6-laning "We do undertaking that, I will relocate service road/approach road/utilities at my own cost not		



Wag  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.




	withstanding the perinission granted within such time as will be stipulated by NHA" for future six-lanning or any other development"		
6.0	Who will sign the agreement on behalf of underground electric cable agency.	The Executive Engineer , O & m division , Osmanabad	
7	Certificate from the Project Director		
7.1	Certificate for conforming of all standard condition issued vide Ministry Circular No. Ministry Circular No.NH-41'(58) 68 dated 31.1.1969, Ministry Circular No. NHIII/ P/66/76 dated 18/19.11.1976, Ministry Circular No. RWINH-III/P/66/76 dated 11.5.1982, Ministry Circular No. RW/NH 11037/1/86-DOI (ii) dated 28.7.1993, Ministry Circular No. RW/NH-11037/1/861DOI dated 19.1.1995 Ministry Circular No. RW/NH 34066/2/95/ S&R dated 25.10.1999 and Ministry Circular No.RW/NH-34066/7/2003 S&R (B) dated 17.9.2003		
7.2	Certificate from PD in the following format (1) "It is certified that any other location of the Water Supply pipe line would be extremely difficult and unreasonable costly and the installation of Water Supply pipe line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc". (ii) for 6-lanning (a) Where feasibility is available"   do certify that there' will be no hindrance to proposed six-laning based on the feasibility report considering proposed structure at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning".		
8	If NH Section proposed to be taken up by NHA on Yes BOT basis a clause to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of -----section from Km- -to km----- of NH No. ---- on Build. Operate and Transfer Basis) and there of, the licensee shall honour the same".		
9	Who will supervise the work of laying of underground electric cable .	The Executive Engineer , O & m division , Osmanabad	
10	Who will ensure that the defects in road portion after laying of underground 11 KV electric cable are corrected and if not corrected then what action will be taken.	The Executive Engineer , O & m division , Osmanabad	
11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire	The Executive Engineer , O & m division , Osmanabad	
12	A certificate from PD that, he will enter the proposed permission in the register of records of Hon.		



Wap  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.







महाराष्ट्र MAHARASHTRA

2022

02AA 145166

उस्मानाबाद ज.प्र. दिनांक  
श्री. का. यु. क. 12/1/2022  
हस्त. वि. 10/1/2022  
यांना जनरल स्टॅम्प रु. 100 मागितले वरून  
हा स्टॅम्प रु. 100 ची भरतीस रु. 100  
चा स्टॅम्प दिला.

श्रीनिवासी बांगड  
मुद्रांक विक्रेता, उस्मानाबाद  
प.क्र. 3501018




### UNDERTAKING

We, The Executive Engineer, O&M Division, Osmanabad having its Registered Office located at (hereinafter called the "Licensee") Near Taj Mahal Taikies, Solapur Road, Osmanabad We have applied to lay push pipe method work for laying of underground 11 KV electric cable of The Executive Engineer Osmanabad across NH on NH-52 four lanning of Dhule- Solapur Highway crossings at Ch.53/700 Total length 60.00 meter in the state of Maharashtra.

We hereby do undertake that - In reference to our application for the route on NH-52 four laning of Dhule - Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

1. The department shall not be responsible for any loss or damage to the pipe etc. that may on to any reason during/after laying the same.

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर दस्तावेजी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इतर दस्तावेजी सादर करावयाचे/Reason for Affidavit  
मुद्रांक विक्रेता घेणाऱ्याचे नांव व राहिल्याची पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विक्रेता घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक

परवानाधारक मुद्रांक विक्रेत्याची सही  
परवाना क्रमांक नसेल मुद्रांक विक्री करणाऱ्याचा पत्ता  
१६०१०१६ मारवाडी गल्ली, उस्मानाबाद

३४१५८१

कार्यकारी अभियंता M.S.E.D.C.

०६ ३००१

१९ ६५९

१०९८११११

२५

2. In the event of any mis happening/accidents etc. while carrying, laying of underground electric cable The Executive Engineer, Osmanabad shall be liable to pay the any type of compensation so claimed.
3. The Executive Engineer, Osmanabad shall not cause any damage to the carriage way of the highway and structure like bridges, culverts, drains, building etc. and in case of failure The Executive Engineer osmanabad .will be liable to make good the loss caused to the department.
4. The Executive Engineer ,Osmanabad .shall lay the Underground electric cab'e under the guidance of the department.
5. The department shall not responsible in case the pipe line comes in the area under development in future at any time in such an eventuality shifting of the underground electric cable etc. shall be the liability of The Executive Engineer osmanabad
- 6 The Executive Engineer osmanabad shall be responsible for any damage caused to the trees in the NHAI boundary it will be responsibility of The Executive Engineer osmanabad obtain permission for such likely foreseen/unforeseen damage from the competent authentic.
7. In case of some unavailable circumstances if The Executive Engineer osmanabad desires to across the carriage way, the same shall be done under the guidance of the department and under no circumstances, the carriageway shall be allowed to get damaged. The crossing of carriageway shall be allowed with pressure angle only.
8. While crossing the bridge/culverts, no additional dead load shall be allowed to be added to the existing structure.
9. In case of difficulty anywhere in the stretch, The Executive Engineer osmanabad Division contact the concerned engineer of the department.
10. We hereby undertake to submit a performance bank guarantee of any amount as may be demanded by NHAI.
11. The Executive Engineer osmanabad Division shall be solely responsible/liable for full comensation/indemnification of concerned agency aggrieved owners for at our cost and risk.:
12. Underground electric cable would be laid keeping in mind future expansion/6 turning of the NH. However we also agree that we shall shift the Underground electric cable within 30 days for as specified by the respective agency lowner from the date of issue of notice by the concerned owner to shift/relocate the underground electric cable in case it is required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at our own cost and risk.
13. We will not violate the instruction of MORT & H (Ministry of Road Transport & Highways), New Delhi.
14. It is undertaken that the Underground electric cable will be laid out by push method.
15. The agency will notify the concerned PD/Concessionnaire at least 15 days in advance before digging trenches across the road.
16. Adequate arrangement for cautioning the traffic by way of caution board during daytime and danger light at night will be provided by the agency.
17. Each day the extant of digging trenches should be strictly regulated so that the Underground electric cable are laid and trenches filled up before the close of work that day, the filling should be completed to the satisfaction of engineer in charge.
18. The agency shall indemnify the road all the damages, if any, due to the digging of trenches for the laying of Underground electric cable .

The Executive Engineer  
M.S.E.D.C. (O & M) Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD






महाराष्ट्र MAHARASHTRA

2022

02AA 145165

उस्मानाबाद ज.क. १९५५११ दिनांक १८/८/२२  
श्री. १८/८/२२ स. ३३३३३३३३ M S E D C  
हस्त. १८/८/२२ को. ३३३३३३३३  
यांना जन्म रॉम्प रु. ३३३३३३३३ चे मरणासवेकून  
हा स्टॅम्प रु. ३३३३३३३३ च्या भरतीस रु. ३३३३३३३३  
या स्टॅम्प दिनांक ३३३३३३३३



श्री. १८/८/२२  
मुद्रांक विक्रेता, उस्मानाबाद  
प.क्र. 3501018


Annexure No. 5.1

### UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division, Dist. Osmanabad, Pin - 413501

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाद्वारे सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ. करारासाठीचे कारण कारण/Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक

परवानाधारक मुद्रांक विक्रेत्याची सही  
पुरवाना क्रमांक तसेच मुद्रांक विक्री करणार्या पत्ता  
3501018 मारवाडी मस्की, उस्मानाबाद

७४१२५७

कार्यकारी अभियंता M.S.E.D.C.L.

10/06/18

१२६५८

१०१८१५२२

Dem

We , The Executive Engineer osmanabad Division . Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700 Total length 60.00 meter in the state of Maharashtra.

We are agree not to damage to other utility if damaged then to pay the losses either to NHAI or to the concerned agency.

The Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.




प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाबाही सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.कारासाहीचे कारण कारण:Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विकत घेण्याची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रेत्याची सही  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्या पत्ता  
3501018 मारवाडी मल्ली, उस्मानाबाद




0321247/  
03/03/21 अजिंठे/म.स.ए.ड.सी.  
-10301,

32676 10901012020




We, The Executive Engineer ,Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

We shall furnish a bank guarantee as per NHA norms for the period of 1 year initially before execution of work will renew timely if required.

  
The Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 145163

उस्मानाबाद ज.क. १९६५९ दिनांक १८/८/२०२२  
श्री. १२/८/२०२२ रा. ३५०१०१८ M.S.E.D.C.L.  
हस्त. दिनेश  
यांना जमरा स्टॅम्प रु. ३०० चे बागीसलेपसून  
हा स्टॅम्प रु. ३०० चा द भरतीस रु. ३००  
चा स्टॅम्प पिला.




श्री. नि. व. बागड  
मुद्रांक विक्रेता, उस्मानाबाद  
प.अ. 3501018

Annexure No. 5.3

### UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From  
The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin – 413501

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कोणत्याही शब्द करारपत्र  
प्रतिज्ञापत्र/शपथपत्र/इतर कोणत्याही कारण कारण:Reason for Affidavit  
मुद्रांक विक्रेता घेणाऱ्याचे नांव व राहिवसी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विक्रेता घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रेत्याची सही  
परवाना क्रमांक तसेच मुद्रांक विक्री कराराच्या पत्रा  
3501018 पारवाडी मल्ली, उस्मानाबाद



कार्यकारी अभियंता M.S.E.D.C.

16/3/21,


१८६४६

109010120



We The Executive Engineer Osmanabad O & M Division .Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

We shall follow and abide by all standard conditions of Ministry circular and NHAI's guidelines regarding laying of the Underground 11 KV Electric Cable in NHAI land.

  
The Executive Engineer  
M.S.E.D.C.L., O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.





प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कानूनांसाठी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ. करारपत्रासाठीचे कारण कारण: Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रेत्याची सही  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाराचा पत्ता  
3501018 मारवाडी गल्ली, उस्मानाबाद

21/7/1

कार्यकारि अश्विनी म. स. ए. ड. सी.  
L 26 35  
976 88 169 11 11 11  
De

We , The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700.Total length 60.00 meter in the state of Maharashtra.

The expenditure if any, incurred by NHAI for repairing any damage caused to the national highway by the laying, maintenance or shifting of the Underground-11 KV Electric Cable will be done The Executive Engineer osmanabad O & M Division ,

The Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.






महाराष्ट्र MAHARASHTRA

2022

02AA 145172

उस्मानाबाद अ.क. १९६६ दिनांक १८/८/२२  
भी ०१/०९/२०२२ को.प्र.लि. न.स.ए.ड.स.ल.  
हस्तो १९६६ को.प्र.लि. न.स.ए.ड.स.ल.  
यांना जनरल स्टॅम्प रु. १०० चे मागितलेले रु. १००  
हा स्टॅम्प रु. १०० ची भरतीस रु. १००  
वा स्टॅम्प दिला.




श्रीनिवास बागड  
मुद्रांक विक्रेता, उस्मानाबाद  
प.क. 3501018

Annexure No. 5.5

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.  
From

The Executive Engineer osmanabad O & M Division Dist. Osmanabad, Pin – 413501

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/कतर कामगारांनी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.करारासाठीचे कारण कारण:Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक

:Serial No./Date

मुद्रांक विकत घेणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक



पटवर्तनाधारक मुद्रांक विक्रेत्याची सही

कमाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता

3501018 मारवाडी गल्ली, उस्मानाबाद

22/2/2017


कार्यकारी अभियंता M.S.E.D.C.  
L 16 09/17

92664 09/1/17




We , The Executive Engineer Osmanabad O & M Division .Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

The Executive Engineer Osmanabad ,O & M Division, have to shift Underground 11 KV Electric Cable in future due to 4/6 laning / widening is in process of NH.

  
The Executive Engineer  
M.S.E.D.C.L O&M Division Osmanabad  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 145171

उस्मानाबाद ज. १९६६ दिनांक १८/८/२२  
श्री. ०१२१२१ आभयनान्तर्सेद  
हस्त. १०२१ को. १६३०  
ग्रामा जमरत स्टॅम्प को. १०२१ को. १६३०  
हा स्टॅम्प रु. १०० को. १०२१ को. १६३०  
वा स्टॅम्प दिला.



श्री. नि. बा. बागड  
मुद्रांक विभाग, उस्मानाबाद  
प. ३५०१०१८

Annexure No. 5.6

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer, Osmanabad O & M Division Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कारणासाठी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.कारणासाठीचे कारण करण:Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व राहत्यासी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री बाबतची नोंद येथी अनुक्रमांक/दिनांक

:Serial No./Date

मुद्रांक विकत घेणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक-विक्रेत्याची सही

परवाना क्रमांक तसेच मुद्रांक विक्री करमाराचा पत्र

3501018 मारवाडी गल्ली, उस्मानाबाद

0212-171


कार्यकारा अभियंता, म.स.ई.ई.  
ए.ए. 16 08/11

१९६६४ १०९८८१२२


Dm

We , The Executive Engineer, Osmanabad Division, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

Indemnity against all damages and claims during work is Of The Executive Engineer  
Osmanabad division

  
The Executive Engineer  
M.S.E.D.C. O & M Division Osmanabad  
Executive Engineer  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD.





महाराष्ट्र MAHARASHTRA

2022

02AA 145170

उस्मानाबाद अ. १२/०८/२२ दिनांक  
श्री. १२/०८/२२ कोषागार/नसेडसी  
हस्त... १२/०८/२२  
घांता जल-रस स्टॅम्प रु. १२/०८/२२ पाणीतलेवरून  
हा स्टॅम्प रु. १२/०८/२२ बाद भरतीस रु. १२/०८/२२  
वा स्टॅम्प दिला.

१२/०८/२२



श्रीनिवास बागड  
मुद्रांक विक्रेता, उस्मानाबाद  
पञ्ज. 3501018


Annexure No. 5.7

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413405.

  
Executive Engineer  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाबाहीबादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.करारपत्रादीचे कारण कारण: Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व राहिवारी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक

:Serial No./Date

मुद्रांक विकत घेणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक

मुद्रांनाधारक/मुद्रांक विक्रेत्याची सही

वरवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता

3501018-मारवाडी गल्ली, उस्मानाबाद

अ.प्र. 1721

कार्यकारी अभियंता M.S.E.O.C.  
L 10 365

१२५६३

109C1421

We , The Executive Engineer Osmanabad division, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

Traffic movement during laying of Underground 11 KV Electric Cable will be managed by The Executive Engineer Osmanabad Division

The Executive Engineer  
M.S.E.D.C. Osmanabad  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD







प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदासाठी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इतर कायदासाठी सादर करावयाचे Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व राहियेची पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रीसाठी सही  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
3501018-भारवाडी बस्ती, उस्मानाबाद


0212471

कार्यकारी अभियंता MSED  
CL 16 30  
96682 0901018

connection with laying push pipe method work for. Underground 11 KV Electric Cable across  
NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length  
60.00 meter in the state of Maharashtra.

If any claim is raised by the concessionaire then the same will be paid by The  
Executive Engineer Osmanabad O & M Division .

The Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD




महाराष्ट्र MAHARASHTRA

2022

02AA 145168

उस्मानाबाद अ. नं. १४६६९ दिनांक १८/८/२०२२  
श्री. ०५५५१२१ आय. नं. १५६८८  
हस्त. १५६८८  
यांना जनरल स्टॅम्प रु. १०० चे नोंदित करून  
हा स्टॅम्प रु. १०० चा भरतीस रु. १००  
वा-स्टॅम्प दिला.



अभिनीत शिंदे  
अधिकारी, उस्मानाबाद  
पिन. ४१३५०१


Annexure No. 5.9

### UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501.

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाची सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इतर कायदाची कारण दाखल/Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व राहिल्याची पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री बाबतची सोंद वही अनुक्रमांक/दिनांक

:Serial No./Date

मुद्रांक विकत घेणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक विक्रेत्याची सही

परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता

3501018 मास्वाडी गल्ली, उस्मानाबाद

0212471

कार्यकारी अभियंता MSE  
DCL 26 Bk 3

३६६९

10901422

De

We , The Executive Engineer Osmanabad O & M Division . opposite LIC Office MSEDCL Maharashtra, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

We will obtain prior approval of the NH before undertaking any work of installation, shifting or repairs or alternations to the under ground 11 KV Electric Cable located in the National Highway right of ways.

The Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD





प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कोणत्याही नावाने करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इतर कोणत्याही नावाने करावयाचे Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नाव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची मॉल वडी अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रेत्याची सही  
परवाना क्रमांक नसेल मुद्रांक विक्री करणाऱ्याचा पत्ता  
3501018 आरवली गावठी, अहमदनगर

0212471

कार्यकार अ. वि. नं. / MSKD  
L 26 34 ;

9 26 40


169 C 1 C / 2020

De


We , The Executive Engineer Osmanabad O & M Division .

, Do hereby Undertake that in connection with laying push pipe method work for. Underground  
11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at  
Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

Expenditure if any incurred by NHAI for repairing any damage caused to the  
national highway by the laying, maintenance or shifting of the Underground 11  
KV Electric Cable will be borne by The Executive Engineer Osmanabad O & M Division  
Owning the line.

  
The Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.






महाराष्ट्र MAHARASHTRA

2022

02AA 145174

उस्मानाबाद अ.क्र. १९५६ दिनांक १८/८/२०२२  
भी. १९५६ र. १८/८/२०२२  
हस्त. १९५६ अ.क्र. १८/८/२०२२  
बांना जगस स्टॅम्प रु. १०० चे भागीतलेवकून  
हा स्टॅम्प रु. १०० चा व भरतीस रु. १००  
वा स्टॅम्प दिला.

श्रीनिवास बांगड  
मुद्रांक विवेका, उस्मानाबाद  
प.क्र. 3501018



Annexure No. 5.11

### UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalarnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division Dist. Osmanabad, Pin - 413501.

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कागजाती सावर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.करारपत्रादीचे कारण कारण:Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री जाबतुची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाराची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
पुरवठाधारक मुद्रांक विक्रेत्याची सही  
क्रमांक तसेच मुद्रांक विक्री करणाराचा पत्ता  
3501018 मारवाडी गल्ली, उस्मानाबाद


9212471

कार्यकार अजिथ'न/1475EC  
CL 16 34;  
92444 10701C12en

2

We , The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

If NHAI considers it necessary in future to move the utility line for any work of improvement or repair to the road, it will be carried out as desired by NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.

  
The Executive Engineer  
M.S.E.D.C.L. O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD






महाराष्ट्र MAHARASHTRA

2022

02AA 145175

उस्मानाबाद अ.क. दिनांक  
श्री. कोषागार कार्यालय उस्मानाबाद  
हस्त. कोषागार कार्यालय उस्मानाबाद  
यांना ऊनरल स्टॅम्प रु. 100 चा द भरतीस रु. 100  
हा स्टॅम्प रु. 100 चा द भरतीस रु. 100  
चा स्टॅम्प दिला



श्री. नि. वि. बांगड  
मुद्रांक विक्रेता, उस्मानाबाद  
प.अ. 35010


Annexure No. 5.12

### UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501.

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदासाठी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.करारपत्रातील कारण कारण:Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची राहणी  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रेत्याची नाही  
परवानाधारक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
3501018, मारवाडी गल्ली, उस्मानाबाद

03212471




कार्यकारण अजिंठा/MS EDC  
L H BH,

9th Feb 10 5 1 4 am



We, The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

- 1.Laying of underground 11KV electric cable will not have any deleterious effect on any of the bridge components and roadways safety for traffic.
- 2.For 6 laning The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad do undertake that I will relocate service road/approach road /utilities at our own cost not withstanding the permission granted within such time as will be stipulated by NHAI for future six laning or any other development.

  
The Executive Engineer  
M.S.E.D.C.L., O & M Division Osmanabad  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD

\*\*\*\*\*





प्रतिज्ञापत्र / शपथपत्र / कसबापत्र / इतर कागजाती सादर करावयाचे  
 प्रतिज्ञापत्र / शपथपत्र / इ. कागजातीचे कारण कारण: Reason for Affidavit  
 मुद्रांक विक्रेता घेणाऱ्याचे नांव व रहिवासी पत्ता  
 : Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री बाबतची नोंद वही अमुकमांक / दिनांक  
 : Serial No./Date  
 मुद्रांक विक्रेता घेणाऱ्याची सही  
 : Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विक्रेत्याची सही  
 प्रस्तावित लष्कांक तसेच मुद्रांक विक्री करणाऱ्या पत्र  
 3501018 मारवाडी गल्ली, उस्मानाबाद

असु  
 कापिले वारिपुन एम एनडीए  
 १२/०४/१९  
 २९/०४/१९

Whereas the Authority is responsible, inter-alia, for development and maintenance of lands in Km.to of NH .No.52RoW.

Whereas the Licensee proposes to lay Telecom cable / OFC cable / electrical cable / pipe line / ducts etc. referred to as utility services in subsequent paras.

Whereas the Licensee has applied to the Authority for permission to lay push pipe incasing works for laying of underground 11 KV electric cable of **The Executive Engineer, O&M Division, Osmanabad** across NH on NH-52 four laning of Dhule-Solapur Highway crossing at Ch.53/700.Total length 60 meter.in the state of Maharashtra.


And whereas the Authority has agreed to grant such permission for way leave on the NH ROW as per terms and conditions hereinafter mentioned,

Now this agreement witnesseth that in consideration of the conditions hereinafter contained and on the part of the Licensee to be observed and performed, the Authority hereby grants to the Licensee permission to lay utility services as per the approved drawing attached hereto subject to the following conditions, namely.

1. ROW permissions are only enabling in nature. The purpose of extending the way leave facility on the National Highway RoW is not for enhancing the scope of activity of a utility service provider, either by content or by intent. Further, enforceability of the permission so granted shall be restricted only to the extent of provisions/scope of activities defined in the license agreement & for the purpose for which it is granted.
2. No Licensee shall claim exclusive right on the RoW and any subsequent user will be permitted to use the Row, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled. Decision of the Authority in relation to fulfilment of technical requirements shall be final and binding on all concerned parties. In case any disruption damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.
3. The Licensee shall be responsible for undertaking all activities including, but not limited to site identification, survey, design, engineering, arranging finance, project management, obtaining regulatory approvals & necessary clearances, supply of equipment, material, construction, erection, testing and commissioning, maintenance and operation and all other activities essential or required for efficient functioning of their own utility/ industrial infrastructure facilities.

  
 Executive Engineer  
 M.S.E.D.C. (O & M) DIVISION  
 OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 145159

उस्मानाबाद श.क्र. 96647 दिनांक. 9/11/22

श्री. रा.


हस्तो.

यांना जमरल टॅम्प रु. चे पाणीतलेवळन

हा स्टॅम्प रु. चा द भरतीस रु.

चा स्टॅम्प दिनांक.

श्रीनिवास बांगड  
मुद्रांक विक्रेता, उस्मानाबाद  
प.क्र. 3501018



4. The Licensee shall pay license fees @ Rs. /sq m/month to the Authority, The License fee shall become payable from the date of handing over of RoW land to the Licensee, for laying of utilities/cables/conduits/pipelines for infrastructure service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.

5. Fee shall have to be paid in advance for the period for which permission is granted into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charo in deposition of fee shall attract interest @ 15% per annum compounded annually.

6. Present policy of the MoRT&H is to provide a 2.00 m wide utility corridor on either side of the extreme edge of RoW. In cases where utility ducts with sufficient space are already available along NH, the utility services shall be laid in such ducts subject to technical requirements being fulfilled.

Executive Engineer  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाद्वारे सादर करावयाचे  
 प्रतिज्ञापत्र/शपथपत्र/इ.करारपत्रादीचे कारण कारण:Reason for Affidavit  
 मुद्रांक विक्रेता घेणाऱ्याचे नांव व राहिल्याची पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री बाबतची नोंद वही अनुक्रमांक/दिनांक  
 :Serial No./Date  
 मुद्रांक विक्रेता घेणाऱ्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विक्रेत्याची सही  
 परवाना क्रमांक तसेच मुद्रांक विक्री करवायला पत्ता  
 3501018 मारवाडी गल्ली, उस्मानाबाद

any  
 7/11/18 9/11/18

7. The utility services shall be laid at the edge of the Row. In case of restricted width of Row, which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other road side furniture etc; the utility services shall be laid beyond the toe line of the embankments and clear of the drain.

8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed. In case, this is not feasible, the utility services may be carried outside the railings/parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the Authority shall be payable by the Licensee.

9. In exceptional cases, where Row is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, it also needs to ensure that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee.

10. It is to be ensured that at no time there is interference with the drainage of the road and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 metre below the ground level. However, any structure above ground shall be aesthetically provided for / landscaped with required safety measures as directed by the concerned Authority;


11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRe and executed following the Specifications of the Ministry,

12.Existing drainage structures shall not be allowed to carry the lines across.

13.The top of the casing conduit pipe containing the utility services to cross the road shall be at least 1.2m below the top of the sub grade or the existing ground level whichever is lower, subject to being at least 0.3m below the drain inverts. A typical sketch showing the clearances is given in Attachment-I.

14.The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.

15.The casing/conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.

  
 Executive Engineer  
 M.S.E.D.C.I. (O & M) DIVISION  
 OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 145160

उस्मानाबाद अ.क. 9/11/22 दिनांक.....  
श्री.....  
हस्त.....  
यांना जनरल स्टॅम्प रु.....चे मागील लेखून  
हा स्टॅम्प रु.....चा व भरतीस रु.....  
चा स्टॅम्प दिला.

श्री. निवास बंगड  
मुद्रांक विक्रेता, उस्मानाबाद  
प.क्र. 3501018



16. In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30 cm. but not more than 60 cms wider than the outer diameter of the pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority

- Bedding shall be to a depth not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.
- The backfill shall be completed in two stages (i) Side-fill to the level of the top of the pipe (ii) Overfill to the bottom of the road crust.

  
Executive Engineer  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदासाठी सादर करावयाचे  
 प्रतिज्ञापत्र/शपथपत्र/इ.करारपत्राची कारण कारण: Reason for Affidavit  
 मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री बाबतची नोंद वही अनुक्रमंक/दिनांक  
 :Serial No./Date  
 मुद्रांक विकत घेणाऱ्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 परवान्याधारक मुद्रांक विक्रेत्याची सही  
 परवाना क्रमांक तसेच मुद्रांक विक्री कराराचा पत्ता  
 3501018 मारवाडी गल्ली, उस्मानाबाद

dry  
 926/11 14/11/11

c. The side fill shall consist of granular material laid in 15 cm. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.

d. The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the Highway Authority.

17. The Licensee shall ensure making good the excavated trench for laying utility services by proper filling and compaction, so as to restore the land in to the same condition as it was before digging the trench, clearing debris/loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way;

18. All required restoration work subsequent to laying of the cable shall be required to be undertaken by the Licensee at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards.

19. Prior to commencement of any work on the ground, a performance Bank Guarantee @ Rs. per route metre / Rs. per sq m with a validity of one year initially (extendable if required till satisfactory completion of work) shall have to be furnished by the Licensee to the Authority/its designated agency as a security against improper restoration of ground in terms of filling/unsatisfactory compaction damages caused to other underground installations/utility services & interference, interruption, disruption or failure caused thereof to any services etc. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

20. In case, the Performance Bank Guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking. In case the work contemplated herein is not completed to the satisfaction of the Authority, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, the Licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority, its designated agency for any damage sustained by them by reason of the exercise of the Row facility;

21. The Licensee shall shift the utility services within 90 days (or as specified by the respective Authority) from the date of issue of the notice by the concerned Authority to shift/relocate the utility services, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at his own cost and risk,

Executive Engineer  
 M.S.E.D.C.L (O & M) DIVISION  
 OSMANABAD.



महाराष्ट्र MAHARASHTRA

2022

02AA 145161

उस्मानाबाद अ.क्र. 96644 दिनांक. 9/6/2022  
श्री. ....  
हस्त. ....  
याना उस्मानाबाद स्टॅम्प क. .... चे मागील लेखरून  
हा स्टॅम्प क. .... चा व भरतीस क. ....  
चा स्टॅम्प दिला.

श्री. निविश बांगड  
मुद्रांक विक्रेता, उस्मानाबाद  
प.क्र. 3501018



22. The Licensee shall be responsible to ascertain from the respective agency in coordination with Authority, regarding the location of other utilities /underground installations/ facilities etc. The Licensee shall ensure the safety and security of already existing underground installations/utilities/facilities etc. before commencement of the excavation/using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company against damages to already existing under installations/utilities/facilities etc.

23. The Licensee shall be solely responsible/ liable for full compensation/indemnification or concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them/claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in coordination with Authority shall also have a right make good such damages/ recover the claims by forfeiture of Bank Guarantee.

24. If the Licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.

Executive Engineer  
M.S.E.D.C.L (O & M) DIVISION  
USMANABAD.



प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदातील सादर करावयाचे  
 प्रतिज्ञापत्र/शपथपत्र/इ.करारपत्रातील कारण कारण: Reason for Affidavit  
 मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री बाबतची तोंद वही अनुक्रमांक/दिनांक  
 :Serial No./Date  
 मुद्रांक विकत घेणाऱ्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विक्रेत्याची सही  
 परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
 3501018 मारवाडी गल्ली, उस्मानाबाद

Buy  
 Buy  
 9/11/2019 < 1/1/20

25. Grant of License is subject to the Licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the work by trenchless technology. In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

26. The Licensee shall inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches, ... for fresh or maintenance/repair works. A separate performance Bank Guarantee for maintenance/repair works shall have to be furnished by the Licensee.

27. Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the concerned agency designated by the Authority.

28. The licensee shall indemnify the concerned agency in co-ordination with Authority, against all damages and claims, if any due to the digging of trenches for laying cables/ducts.

29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.

30. The permission shall be valid only for the period it is issued and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.


31. That the Licensee shall not undertake any work of shifting, repairs or alterations to the utility services without prior written permission of the concerned agency in coordination with the Authority.


32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway land /property, other than what is herein expressly granted. No use of NH ROW will be permitted for any purpose other than that specified in the Agreement.

33. During the subsistence of this Agreement, the utility services located in highway land / property shall be deemed to have been constructed and continued only by the consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and indefeasible by lapse of time.

34. The Licensee shall bear the Stamp Duty charged on this Agreement.

35. Three copies of 'as laid drawings' of utilities (hard and soft copies) with geotagged photographs and geotagged video recordings of laying of cables in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.

  
 Executive Engineer  
 M.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD.




महाराष्ट्र MAHARASHTRA

2022

02AA 145162

उस्मानाबाद अ. १९८४१ दिनांक १८/८/२०२२  
श्री. ....  
हस्त. ....  
माना जनरल स्टॅम्प रु. ....  
हा स्टॅम्प रु. ....  
वा स्टॅम्प बिला.


मुद्रांक विक्रेता, उस्मानाबाद  
प.क्र. 3501018



3. 36. The Licensee shall allow free access to the Site at all times to the authorised representatives of Authority to inspect the Project Facilities and to investigate any matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective duties and functions.

37. The utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co ordination with the Authority has been obtained. Notwithstanding anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellation nor shall it be absolved from any liability already incurred.

38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation, repair and maintenance of any part of the utility lines/industrial infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of a. operation, repair and maintenance guidelines given by the manufacturers, b. the requirements of Law, c. the physical conditions at the Site, and d. The safety of operating personnel and human beings.

  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाबाही वादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ. करारपत्रादीचे कारण कारण: Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक दिवशी वास्तवी नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची नही

:Stamp Purchaser's Sign/Date  
दिनांक

रवानाधारक मुद्रांक विक्रेत्याची सही  
रवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
1501018 मारवाडी गल्ली, उस्मानाबाद

39. The Licensee shall have to provide safety measures like barricading, danger lighting and other necessary caution boards while executing the work.

40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case of emergency, a diversion shall be constructed. If any traffic diversion works are found necessary during the working period such diversion shall be provided at the cost of Licensee.

41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90 days and the site shall be brought back to the original condition failing which the Licensee will lose the right to remove the utility services. However before taking up the work of removal of utility services the Licensee shall furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth produced due to excavation of trenching at least 50 m away from the edge of the Row.

42. Any disputes in interpretation of the terms and conditions of this Agreement or their implementation shall be referred to the redress mechanism prevailing in the Ministry and the decision of the redress mechanism shall be final and binding on all.

43. For PPP Projects, in case of any financial loss incurred by the respective project concessionaires due to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne by the Licensee in mutual agreement with the respective project concessionaires. MORT &H/ NHAI implementing authorities for the project shall not be liable to the concessionaire in any way in this regard.

This agreement has been made in duplicate, each on a Stamp Paper, Each party to this Agreement has retained one stamped copy each.

IN WITNESS WHERE OF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVES THE DAY AND THE YEAR FIRST ABOVE WRITTEN.

SIGNED SEALED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY,  
BY SHRI -----

(Signature, name & address with stamp)

SIGNED ON BEHALF OF M/S-----

BY SHRI -----

(Signature, name & address with stamp)


HOLDER OF GENERAL POWER OF ATTORNEY ..... Dated  
ACCORDANCE WITH THE RESOLUTION NO.-----  
BOARD OF DIRECTORS IN THE MEETING HELD ON

EXECUTED IN  
DATED PASSED BY HTE

IN THE PRESENCE OF (WITNESSES):

1.



2.

  
Executive Engineer  
M.S.E.D.C.L (O & M) DIVISION  
OSMANABAD



# DRAWING FOR HDD METHOD CHNO 53/700

TOP VIEW



Executive Engineer  
MSEDCL (O&M) DIVISION



**WORK ORDER**

Ref : R&M/BM/R-HT&LT/WO/4780174390  
2022

Date: 18-08-

To,

VIVEK POWER SOLUTION (100026518)  
21 PRIYADARSHAN BEHIND GANESH NAGAR  
SOLAPUR 413002

Email : vivekpowersolution@gmail.com

Contact : 9422458934/9422458934

Sub: Work Order for Breakdown Maintenance of HT / LT RECTIFICATION in  
OSMANABAD (R) S/DN for OSMANABAD (R) S/DN ( Work Order No : 4780174390 )

Ref : 1.Letter of Empanelment No. 26711 Dt.01-11-2021

2.MO no. '400001750569'

Dear Sir/Madam,

With reference to the above, we are pleased to place an Order with you for Breakdown Maintenance of HT / LT RECTIFICATION in OSMANABAD (R) S/DN for OSMANABAD (R) S/DN at the price and terms and conditions stipulated here underalong with Contract conditions as per above references:-

Sr. No.	Description of Activity	Location	Unit	Qty	Unit Price (INR)	Total Amount (INR)
Services Supplied by Empanelled agency						
1	Laying cables in trench, refill with soil	2615 194047 203-11 KV BAVI FEEDER	LS	2320.0	125.0	290000.0
2	Excavation of road Cement Concrete	2615 194047 203-11 KV BAVI FEEDER	RMT	2670.0	150.0	400500.0
3	Fixing of end terminations	2615 194047 203-11 KV BAVI FEEDER	RMT	4.0	1200.0	4800.0
	Rate quoted by Agency 4.75% Above	Above	4.75			33026.75





Total Amount (Rs INR) 728326.75 (Excluding applicable Taxes plus MSEDCL Materials transportation charges (1%))

Total ERP Amount (Rs INR) 859425.57 (Including applicable Taxes plus MSEDCL Materials transportation charges (1%))

Total Amount In words: SEVEN LAKH TWENTY EIGHT THOUSAND THREE HUNDRED AND TWENTY SIX RUPEES AND SEVENTY FIVE PAISE (Excluding applicable Taxes plus MSEDCL Materials transportation charges (1%))

#### TERMS AND CONDITIONS

1. You have to complete the above said work from 18-Aug-22 to 02-Sep-22. Take photographs of work site before starting the work & after completion of work and upload on MSEDCL website intended for this purpose.
2. You are now instructed to proceed for the above said works now awarded to you, in accordance with the terms and conditions set forth in the Tender Documents.
3. For any assistance, query during execution of the said work, you are directed to contact the concern Addl. Executive Engineer of Division office.
4. This Work Award is issued subject to the terms and conditions of the Bid Documents, clarification and Addendums issued and Contract agreement.

Yours faithfully, for and on behalf of ....

(Authorized Signatory)

.....  
Mr. Mahendra Shivajirao Waghmare  
Executive Engineer(Distribution)

OSMANABAD DIVISION

e/c Approved by Ep-Engr - O'sbad.



2430

 <p>महाराष्ट्र विद्युत वितरण कंपनी लि. (महाराष्ट्र शासनाच्या अधीन) CIN: U40309MH2005SCG153645</p> <p>Mobile No :- 7875762185 e-mail : Sdo2615@ho.mahadiscom Website: www.mahadiscom.in</p>	 <p>स्वातंत्र्याचा अमृत महान्सव</p>	<p>उप.कार्यकारी अभियंता, म.रा.वि.वि.कं.म., उस्मानाबाद ग्रामीण उपविभाग, उस्मानाबाद, ४१३५०१</p>
<p>जा.क्र./स.काअ/स.वि.स/ 3388</p>		<p>दि- 18 AUG 2022</p>


To,  
The Project Director(NHAI).  
Project Implementation Unit,  
Plot No- E-2,Jule Solapur  
Solapur Division  
Solapur-413004

Sub:-Permission to carry out push pipe incasing work(HDD) for laying of underground 11KV ELECTRIC CABLE for industrial use across NH-52 (four lanning) of Dhule-Solapur Highway crossing at CH. 53/700 near Village Wadgaon (s) Tal.- Osmanabad.

With reference to above cited subject and as per MSEDCL sanction letter we are going to provide 11 kV under ground cable on NH-65 CH NO. 53/700 by pushing pipe method (HDD) to give supply to M/s Siddheshwar Stone Crusher. The work is under supervision of and by MSEDCL for Express line work.

The detailed sketch of the proposed work and Sanction letter is attached herewith. Hence it is kindly requested to accord approval to carry out the work because there is acute shortage of voltage which hampering the business of existing consumer M/s Siddheshwar Stone Crusher

Thanking you.

  
Executive Engineer  
M.S.E.D.C.L. O&M Division,  
Osmanabad

Encl.1.Annexure-I & II, 5.1 to 5.12

- 2.Check List
- 3.Undertaking
- 4.Sketch
- 5.Sanction Copy

भा.प्र.रा.प्रा. पकाई, सोलापूर	
भा.प्र.रा.प्रा.	2430
दिनांक	22/08/2022
प. जी.	
ट. जी.	
साईट इन्वेंटरी-१	
साईट इन्वेंटरी-२	
साईट इन्वेंटरी-३	
साईट इन्वेंटरी-४	
दल. ए.	
स्टेनोग्राफर	

## **Annexure I**

### **Public Utility provider and Industrial infrastructure**

#### **A. Public Utility Provider**

A Public Utility Provider in context of this Guideline shall mean any organization that provides and maintains the infrastructure for a public service like electricity, gas, water supply, telecom cables and sewage disposal subject to applicable regulation.

#### **B. Eligible activities for Industrial Units or 'Industrial Infrastructure**

**Industrial Infrastructure** in context of this Guideline shall mean any physical infrastructure that is required to facilitate industrial operations and is constructed, operated and maintained along/across Right of Way of National Highways. Such infrastructure shall include the following:

- a. Underground & above ground pipelines including provisions for booster pumping facilities, maintenance bays and other required support infrastructure for transport of legally permitted materials for industrial usage by a business entity having valid license for industrial operations.
- b. Conveyor Belts including provisions for maintenance bays and other required support infrastructure for transport of legally permitted materials, by a business entity having valid license for industrial operations. .
- c. Power cables/wires etc. meant for industrial usage by a business entity having valid license for industrial operations.
- d. Any other such associated industrial infrastructure facility

  
**Executive Engineer**  
M.S.E.D.C.L. (O & M) Division,  
OSMANABAD  
Osmanabad





## Annexure II

(Enclosure to Ministry Circular No. RW/NH-33044/17/2000/S & R, dated 29.09.2000 ) dated 23/07/2003 and

F No. RW/NH-33044/29/2015/S & R(R) dated 22 nd Nov. 2016.


**Format for Maintaining Records of Right of Way permission granted for laying Underground cable.**

(To be maintained separately for every NH and State )

1. Name of State : Maharashtra
2. Name of Agency (NHAI): NHAI
3. NH Number: NH-52

Sr. No	Left or right side of NH (towards increasing chainage Km. direction)	Location(Chainage in Km.)	Kind of service	Name of Licensee and contact address	Date signing Of Agreement	Date validity Of Agreement	Date of Last inspection Of site	Any deviation from most standard norms	Remarks
1	Across the NH-52 at CH. 53/700 M.	Push pipe encasing work for Laying Underground 11 KV electric cable across the NH on NH-52 four laning of Dhule- Solapur Highway crossings at CH. 53/700.Total length 60.00 meter in the state of Maharashtra	Industrial power supply to Stone crusher	The Executive Engineer , O & m division Osmanabad				No	



  
**Executive Engineer**  
 M.S.E.D.C.L. O & M Division,  
 OSMAHABAD

RECEIVED  
MAY 10 1960  
U.S. AIR FORCE  
OSMA/BAQ



## Check List

Guidelines for Project Directors for processing the proposal for laying of Underground 11 kv Electric Cable in the land across National Highway vested with NHA

### Relevant Circulars

- 1) Ministry Circular No. NH-41 (58)68 dated 31.01.1969.
- 2) Ministry Circular No. NH-III/P/66/76 dated 1-/19.11.19776
- 3) Ministry Circular No. RWINH-111/P/66/76 dated 11.5.1982
- 4) Ministry Circular No. RWINH-11017/1/86-DOI (ii) dated 28.7;1993
- 5) Ministry Circular No. RW/NH-11037/1/86DOI dated 19.1.1995
- 6) Ministry Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999
- 7) Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003

Check list for getting approval for laying of underground 11KV electric cable on NH land

Sr. No	Item	Information/Status	Remarks
1	General information	Laying of 11KV underground cable at chainage no 53/700	
1.1	Name and Address of the Applicant	The Executive Engineer , O & m division , osmanabd	
1.2	National Highway Number	NH-52	
1.3	State	Maharashtra	
1.4	Location	Dhule-Solapur highway @ CH.NO. 53/700@ wadgaon (s)	
1.5	(Chainage in Km)		
1.6	Length in Meters	60M	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage /km direction	-	
	(b) Right side center from line towards increasing chainage/Km direction	-	
1.8	Proposal to lay underground 11KV electric cable		
	(a) Left side from center line towards increasing chainage /km direction	-	
	(b) Right side center from line towards increasing chainage/Km direction	-	
1.9	Proposal to acquire land		
	(a) Left side from center line	No	
	(b) Right side from center line	No	
1.10	Whether proposal is in the same side where land is not to be acquired. If not then where to lay the underground 11KV electric cable	Across the NH-52 at CH. 53/700	
1.11	Details of already laid services, if any, along the proposed	No	
1.12	Number of lanes (2/4/6/8 lane) existing	4 Lane	
1.13	Proposed number of lanes (2 lanes with paved NA shoulders/4/6/8 lanes)	NA	
1.14	Service road existing or not	NA	
	If yes then which side	NA	
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.15	Proposed Service road	NA	
	(a) Left side from center line	NA	
	(b) Right side from center line	NA	
1.16	Whether proposal to lay underground 11KV electric cable is Across the road after service road or between the service road and main carriageway	Across the road	



**Executive Engineer**  
**M.S.E.D.C.L. (O & M) DIVISION**  
**OSMANABAD.**



Executive Engineer  
M.S.E.D.C. (O & M) DIVISION  
COLUMBIA, MD



Sr. No	Item	Information/Status	Remarks
1.17	The permission for laying of underground 11KV electric cable shall be considered for approval/rejection based on and method of laying	Yes	
2.0	(a) On approaches, the water mains/cables shall be NA carried along a line as close to the edge of the right of way as possible up-to a distance of 30 m from the bridge and subject to all other stipulations contained in this Ministry's guideline issued with letter No. NH-HI/P/66/76 dated 19.11.1976.	Yes	
3.0	Draft license Agreement signed by two witnesses.	Yes	
4.0	Performance Bank Guarantee in favour of NHAI has Will be given after to be obtained @ Rs.50/- per running meter (parallel receiving demand note to NH) and rs.1,00,000/- per crossing"of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction clearing debris/ loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris/ loose earth	Will be given after receiving demand note	
4.1	Performance BG as per above is to be obtained.	Yes	
4.2	Conformation of BG has been obtained as per NHAI Guidelines	Yes	
5.0	Affidavit / Undertaking form the Applicant for		
5.1	Not to damage to other utility, if damaged then to pay losses either to NHAI or to the concerned agency	Yes, undertaking enclosed	
5.2	Renewal of Bank Guarantee	Will be done when necessary	
5.3	Conforming all standard condition of NHAI's guideline	Yes, undertaking enclosed	
5.4	Shifting of underground 11KV electric cables and when required by NHAI at their own cost.	Yes	
5.5	Shifting due to laning/widening of NH	Yes	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes	
5.7	Traffic movement during laying of underground 11KV electric cable to be managed by the applicant	Yes	
5.8	If any claims is raised by the Concessionaire then the same has to be paid by the applicant	Yes	
5.9	Prior approval of the NHAI shall be obtained before Yes undertaking any work of installation, shifting or repairs, or alteration to the showing underground 11Kv electric cable located in the National highway right-of ways	Yes	
5.10	Expenditure, if any, incurred by NHAI for repairing Yes any damage caused to the National Highway by the laying, maintenance or shifting of the underground 11Kv electric cable will be borne by the agency owning the line.	Yes	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.		
5.12	Certificate from the applicant in the following format (1)Laying of underground 11Kv electric cable will not have any, deleterious effect on any of the bridge components and roadway safety for traffic,  (2) for 6-lanning "We do undertaking that, I will relocate service road/approach road/utilities at my own cost not		



10/10  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



	withstanding the perinission granted within such time as will be stipulated by NHA!" for future six-lanning or any other development"		
6.0	Who will sign the agreement on behalf of underground electric cable agency.	The Executive Engineer , O & m division , Osmanabad	
7	Certificate from the Project Director		
7.1	Certificate for conforming of all standard condition issued vide Ministry Circular No. Ministry Circular No.NH-41'(58) 68 dated 31.1.1969, Ministry Circular No. NHIII/ P/66/76 dated 18/19.11.1976, Ministry Circular No. RWINH-III/P/66/76 dated 11.5.1982, Ministry Circular No. RW/NH 11037/1/86-DOI (ii) dated 28.7.1993, Ministry Circular No. RW/NH-11037/1/861DOI dated 19.1.1995 Ministry Circular No. RW/NH 34066/2/95/ S&R dated 25.10.1999 and Ministry Circular No.RW/NH-34066/7/2003 S&R (B) dated 17.9.2003		
7.2	Certificate from PD in the following format (1) "It is certified that any other location of the Water Supply pipe line would be extremely difficult and unreasonable costly and the installation of Water Supply pipe line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc". (ii) for 6-lanning (a) Where feasibility is available"   do certify that there' will be no hindrance to proposed six-laning based on the feasibility report considering proposed structure at the said location". (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed six-laning".		
8	If NH Section proposed to be taken up by NHA! on Yes BOT basis a clause to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of -----section from Km- -to km----- of NH No. ---- on Build. Operate and Transfer Basis) and there of, the licensee shall honour the same".		
9	Who will supervise the work of laying of underground electric cable .	The Executive Engineer , O & m division , Osmanabad	
10	Who will ensure that the defects in road portion after laying of underground 11 KV electric cable are corrected and if not corrected then what action will be taken.	The Executive Engineer , O & m division , Osmanabad	
11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire	The Executive Engineer , O & m division , Osmanabad	
12	A certificate from PD that, he will enfer the proposed permission in the register of records of Hon.		



*Weg*  
**Executive Engineer**  
**M.S.E.D.C.L. (O & M) DIVISION**  
**OSMANABAD**

Executive Engineer  
M.S.E.D. & M. DIVISION  
OSMAWARAD







महाराष्ट्र MAHARASHTRA

2022

02AA 398684

उत्मानाबाद अ.क्र. १०५९ दिनांक १६/८/२२  
श्री. कृष्णकांत शिंदे  
हस्त. १०५९  
यांना उत्तम स्वरूप रु. १०० यांनी वागीतलेवरून  
हस्त. रु. १०० या व भरतील रु. १००  
वा स्वरूप दिनांक १०/८/२२



मोनितास बागड  
मुद्रांक विभागा, उत्मानाबाद  
प.क्र. 3501018

### AGREEMENT REGARDING GRANTING OF RIGHT OF WAY PERMISSIONS FOR LAYING UTILITY SERVICES ON NATIONAL HIGHWAYS

Agreement to lay push pipe incasing work, for laying of underground 11 KV electric cable of The Executive Engineer across NH on NH-52 four laning of Dhule-Solapur Highway crossing at CH. 53/700 Total length 60 meter, in the state of Maharashtra.

This Agreement made this day of (month) of (year) between acting in his executive capacity through (hereinafter referred to as the "Authority" which expression shall unless excluded by or repugnant to the context, include his successors in office and assigns) on the one part, and The Executive Engineer, O&M Division, Osmanabad having its Registered Office located at (hereinafter called the "Licensee") Near Taj Mahal Tailkies, Solapur Road, Osmanabad which expression shall unless excluded by repugnant to the context, include his successors/administrator assignees on the second part.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD



प्रतिज्ञापत्र/अभियंता/कारण/इतर कारणासाठी सादर करावयाचे  
 प्रतिज्ञापत्र/अभियंता/इतर कारणासाठी कारण: Reason for Affidavit  
 मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री करतानाची तारीख वही अमुकनांक / दिनांक  
 :Serial No./Date  
 मुद्रांक विकत घेणाऱ्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 पट्टाधारक मुद्रांक विक्री करतानाची सही  
 पट्टाधारक मुद्रांक विक्री करतानाचा पत्ता  
 3501018 मारवाडी नवरी, उस्मानाबाद

*(Signature)*

कार्यकारी अभियंता MISE  
 DCL ये ठर,

10/05/2018  
 10/05/2018  
 De

Whereas the Authority is responsible, inter-alia, for development and maintenance of lands in Km.to of NH No.52RoW.

Whereas the Licensee proposes to lay Telecom cable / OFC cable / electrical cable / pipe line / ducts etc. referred to as utility services in subsequent paras.

Whereas the Licensee has applied to the Authority for permission to lay push pipe incasing works for laying of underground 11 KV electric cable of **The Executive Engineer, O&M Division, Osmanabad** across NH on NH-52 four laning of Dhule-Solapur Highway crossing at Ch.53/700.Total length 60 meter in the state of Maharashtra.


And whereas the Authority has agreed to grant such permission for way leave on the NH ROW as per terms and conditions hereinafter mentioned,

Now this agreement witnesseth that in consideration of the conditions hereinafter contained and on the part of the Licensee to be observed and performed, the Authority hereby grants to the Licensee permission to lay utility services as per the approved drawing attached hereto subject to the following conditions, namely.

1. ROW permissions are only enabling in nature. The purpose of extending the way leave facility on the National Highway RoW is not for enhancing the scope of activity of a utility service provider, either by content or by intent. Further, enforceability of the permission so granted shall be restricted only to the extent of provisions/scope of activities defined in the license agreement & for the purpose for which it is granted.
2. No Licensee shall claim exclusive right on the RoW and any subsequent user will be permitted to use the Row, either above or below, or by the side of the utilities laid by the first user, subject to technical requirements being fulfilled. Decision of the Authority in relation to fulfilment of technical requirements shall be final and binding on all concerned parties. In case any disruption damage is caused to any existing user by the subsequent user, the Authority shall not be held accountable or liable in any manner.
3. The Licensee shall be responsible for undertaking all activities including, but not limited to site identification, survey, design, engineering, arranging finance, project management, obtaining regulatory approvals & necessary clearances, supply of equipment, material, construction, erection, testing and commissioning, maintenance and operation and all other activities essential or required for efficient functioning of their own utility/ industrial infrastructure facilities.

Executive Engineer  
 M.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD

Executive Engineer  
 M.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD



महाराष्ट्र MAHARASHTRA

2022

उस्मानाबाद ज.क. १२२९ दिनांक १६/८/२२

श्री. यशवंत

हस्त. यशवंत


यांना जनसहकार संस्थेचे वाणिज्यलोकसुख

हा स्टॅम्प रु. चा द भरतील रु.

चा स्टॅम्प दिनांक

श्री. विमल बांगड  
मुद्रांक क्लोता, उस्मानाबाद  
प.क. 3501018

02AA 398685



4. The Licensee shall pay license fees @ Rs. /sq m/month to the Authority, The License fee shall become payable from the date of handing over of RoW land to the Licensee, for laying of utilities/cables/conduits/pipelines for infrastructural service provider. As regards Tariff and Terms and conditions for providing common utility ducts along National Highways, there shall be a separate agreement regime.

5. Fee shall have to be paid in advance for the period for which permission is granted into a license agreement. In case of renewal, rate prevailing at the time of renewal shall be charo in deposition of fee shall attract interest @ 15% per annum compounded annually.

6. Present policy of the MoRT&H is to provide a 2.00 m wide utility corridor on either side of the extreme edge of RoW. In cases where utility ducts with sufficient space are already available along NH, the utility services shall be laid in such ducts subject to technical requirements being fulfilled.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापन/शपथपत्र/कारणपत्र/इतर कागजाती सादर करावयाचे  
 प्रतिज्ञापन/शपथपत्र/इ. कागजातीचे कारण कारण: Reason for Affidavit  
 मुद्रांक विक्रेता घेणाऱ्याचे नांव व रहिवासी पत्ता  
 : Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री वखलची नोंद वही अमुक/दिनांक  
 : Serial No./Date  
 मुद्रांक विक्रेता घेणाऱ्याची सही  
 : Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विक्रेत्याची सही  
 परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
 १५०१०१८ मारवाडी गल्ली, उस्मानाबाद

Yaqub  
 १००९ १०९६१८१२००

7. The utility services shall be laid at the edge of the Row. In case of restricted width of Row. which may be adequate only to accommodate the carriageway, central verge, shoulders, slopes of embankment, drains, other road side furniture etc; the utility services shall be laid beyond the toe line of the embankments and clear of the drain.

8. The Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed. In case, this is not feasible, the utility services may be carried outside the railings/parapets and the bridge superstructure. The fixing and supporting arrangement with all details shall be required to be approved in advance from the concerned Highway Administration. Additional cost on account of fixing and supporting arrangement as assessed by the Authority shall be payable by the Licensee.

9. In exceptional cases, where Row is restricted the utility services can be allowed beneath the carriageway of service road, if available, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct shall not be less than one lane. In such cases, it also needs to ensure that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee.

10. It is to be ensured that at no time there is interference with the drainage of the road land and maintenance of the National Highways. Towards this, the top of the utility services shall be at least 0.6 metre below the ground level. However, any structure above ground shall be aesthetically provided for / landscaped with required safety measures as directed by the concerned Authority;

11. The utility services shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope to toe of slope in the fills and shall be designed in accordance with the provision of IRE and executed following the Specifications of the Ministry,

12. Existing drainage structures shall not be allowed to carry the lines across.


13. The top of the casing conduit pipe containing the utility services to cross the road shall be at least 1.2m below the top of the sub grade or the existing ground level whichever is lower, subject to being at least 0.3m below the drain inverts. A typical sketch showing the clearances is given in Attachment-I.

14. The utility services shall cross the National Highway preferable on a line normal to it or as nearly so as practicable.

15. The casing/conduit pipe for crossing the road may be installed under the road embankment either by boring or digging a trench. Installation by boring method shall be preferred.

RECEIVED  
 10/01/2018  
 DIVISION (O & M)  
 U.S.E.D.C.L.

Executive Engineer  
 U.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD.



महाराष्ट्र MAHARASHTRA

2022

02AA 398686

उस्मानाबाद अ.क्र. 9. 10/11 दिनांक 9/6/21  
श्री. यशवंत  
हस्त. यशवंत  
यांना जनरल स्टॅम्प रु. १०० चे मालीतलेय करून  
हा स्टॅम्प रु. १०० वाचवण्यात आला.  
आ स्टॅम्प दिव्या

कोषागार कार्यालय  
उस्मानाबाद

11 AUG 2022

मु. न. वि. को. अ.  
उस्मानाबाद

श्री. यशवंत  
मुद्रांक विक्रेता, उस्मानाबाद  
प.क्र. 3501018

16. In case of trenching, the sides of the trench should be done as nearly vertical as possible. The trench width should be at least 30 cm. but not more than 60 cms wider than the outer diameter of the pipe. Filling of the trench shall conform to the specifications contained here-in-below or as supplied by the Highway Authority

- Bedding shall be to a depth not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles, and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edges should be excavated and replaced by selected material.
- The backfill shall be completed in two stages (i) Side-fill to the level of the top of the pipe (ii) Overfill to the bottom of the road crust.

RECEIVED (O & M) DIVISION  
OSMANABAD

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD



प्रतिज्ञापत्र/शपथपत्र/कथारपत्र/इतर कम्प्लेसारी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.कम्प्लेसारीचे कारण करणः Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री वाढवाची नोंद वही अनुक्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रीवाची सही  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
3501018 भारताची गल्ली, उस्मानाबाद

c. The side fill shall consist of granular material laid in 15 cm. Layers each consolidated by mechanical tamping and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.

d. The road crust shall be built to the same strength as the existing crust on either side of the trench or to thickness and specifications stipulated by the Highway Authority.

17. The Licensee shall ensure making good the excavated trench for laying utility services by proper filling and compaction, so as to restore the land in to the same condition as it was before digging the trench, clearing debris/loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way;

18. All required restoration work subsequent to laying of the cable shall be required to be undertaken by the Licensee at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards.

19. Prior to commencement of any work on the ground, a performance Bank Guarantee @ Rs. per route metre / Rs. per sq m with a validity of one year initially (extendable if required till satisfactory completion of work) shall have to be furnished by the Licensee to the Authority/its designated agency as a security against improper restoration of ground in terms of filling/unsatisfactory compaction damages caused to other underground installations/utility services & interference, interruption, disruption or failure caused thereof to any services etc. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.


20. In case, the Performance Bank Guarantee is invoked as mentioned above, the Licensee shall be required to replenish and reinstate the required Performance Bank Guarantee within one month of such invoking. In case the work contemplated herein is not completed to the satisfaction of the Authority, which has granted the permission, within a period of 11 months from the date of issue of the Bank Guarantee, the Licensee shall either furnish a fresh guarantee or extend the guarantee for a further period of one year. Notwithstanding this, the Licensee shall be liable to pay full compensation to the aggrieved Authority, its designated agency for any damage sustained by them by reason of the exercise of the Row facility;

21. The Licensee shall shift the utility services within 90 days (or as specified by the respective Authority) from the date of issue of the notice by the concerned Authority to shift/relocate the utility services, in case it is so required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at his own cost and risk,

Wag  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 398687

उत्पत्ति/उप को.अ. 961/1/2022  
दिनांक 11 AUG 2022  
कोषागार कार्यालय  
उस्मानाबाद  
मुद्रांक/उप को.अ.  
उस्मानाबाद

श्री. वि. वि. वि.  
मुद्रांक विभाग, उस्मानाबाद  
प.अ. 3501018

22. The Licensee shall be responsible to ascertain from the respective agency in coordination with Authority, regarding the location of other utilities /underground installations/ facilities etc. The Licensee shall ensure the safety and security of already existing underground installations/utilities/facilities etc. before commencement of the excavation/using the existing cable ducts. The Licensee shall procure insurance from a reputed insurance company against damages to already existing under installations/utilities/facilities etc.

23. The Licensee shall be solely responsible/ liable for full compensation/indemnification or concerned agency / aggrieved Authority for any direct, indirect or consequential damage caused to them/claims or replacements sought for, at the cost and risk of the Licensee. The concerned agency in coordination with Authority shall also have a right make good such damages/ recover the claims by forfeiture of Bank Guarantee.

24. If the Licensee fails to comply with any condition to the satisfaction of the Authority, the same shall be executed by the Authority at the cost and risk of the Licensee.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापत्र/शपथपत्र/कसतपत्र/इतर कामासाठी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इतर कामासाठीचे कारण/Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री क्रमांक/मोड/परी अमुकमार्ग/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची मदी  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रीसाठी राखी  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
3501018 मारवाडी गल्ली, उस्मानाबाद

Handwritten signature and text: "Jey" and "Jey" with a large handwritten signature "Jey" below it.

25. Grant of License is subject to the Licensee satisfying (a) minimum disruption of traffic and (b) no damage to the highways. As far as possible, the Licensee should avoid cutting of the road for crossing highway, and other roads and try to carry out the work by trenchless technology. In case any damage is caused to the road pavement in this process, the Licensee will be required to restore the road to the original condition at its cost. If due to unavoidable reasons the road needs to be cut for crossing or laying utility services, the Licensee has to execute the restoration work in a time bound manner at its cost either by itself or through its authorized representative in consultation with the Authority as per predetermined time schedule and quality standards. In case of the Licensee failing to discharge the obligation of making good of the excavated trench/other restoration work, the Authority shall have a right to make good the damages caused by excavation, at the cost of the Licensee and recover the amount by forfeiture of the Bank Guarantee.

26. The Licensee shall inform/give a notice to the concerned agency designated by the Authority at least 15 day in advance with route details prior to digging trenches, ... for fresh or maintenance/repair works. A separate performance Bank Guarantee for maintenance/repair works shall have to be furnished by the Licensee.

27. Each day, the extent of digging the trenches should be strictly regulated so that utility services is laid and trenches filled up before the close of the work that day. Filling should be completed to the satisfaction of the concerned agency designated by the Authority.

28. The licensee shall indemnify the concerned agency in co-ordination with Authority, against all damages and claims, if any due to the digging of trenches for laying cables/ducts.

29. The permission for laying utility services is granted maximum for 5 years at a time, which can thereafter be considered for renewal. On payment of additional fee at the time of renewal, the permission shall automatically be renewed, unless defaults exist. In case of renewal, rate prevailing at the time of renewal shall be charged. Delay in deposition of fee shall attract interest @ 15% per annum compounded annually.

30. The permission shall be valid only for the period it is issued and fee deposited. However, the Authority also has a right to terminate the permission or to extend the period of Agreement.

31. That the Licensee shall not undertake any work of shifting, repairs or alterations to the utility services without prior written permission of the concerned agency in coordination with the Authority.

32. The permission granted shall not in any way be deemed to convey to the Licensee any ownership right or any interest in route/road/highway land /property, other than what is herein expressly granted. No use of NH ROW will be permitted for any purpose other than that specified in the Agreement.


33. During the subsistence of this Agreement, the utility services located in highway land / property shall be deemed to have been constructed and continued only by the consent and permission of the Authority so that the right of the Licensee to the use thereof shall not become absolute and indefeasible by lapse of time.

34. The Licensee shall bear the Stamp Duty charged on this Agreement.

35. Three copies of 'as laid drawings' of utilities (hard and soft copies) with geotagged photographs and geotagged video recordings of laying of cables in the trench (with respect to the NH) and after complete restoration shall be submitted to the Authority for verification and record within a month of completion of works.

Handwritten signature and stamp: "Executive Engineer" and "M.S.E.D.C.L. (O & M) DIVISION, U.S.M.A.B.A.D." with a date stamp "20.10.2018".





महाराष्ट्र MAHARASHTRA

2022

02AA 398688

उस्मानाबाद अ.प्र. १०५९ दिनांक १०/८/२०२२  
भी.....  
हस्त.....  
यांचा उजवाडा स्टॅम्प रु.....  
हा स्टॅम्प रु.....  
वा स्टॅम्प दिला.



मु.लि. / उप को.अ.  
उस्मानाबाद  
३५०१०१८

36. The Licensee shall allow free access to the Site at all times to the authorised representatives of Authority to inspect the Project Facilities and to investigate any matter within their Authority, and upon reasonable notice, shall provide reasonable assistance necessary to carry out their respective duties and functions.

37. The utility services shall not be made operational by the Licensee unless a completion certificate to the effect that the utility services has been laid in accordance with the approved specifications and drawings and the trenches have been filled up to the satisfaction of the concerned agency in co ordination with the Authority has been obtained. Notwithstanding anything contained herein, this Agreement may be cancelled at any time by Authority for breach of any condition of the same and the Licensee shall neither be entitled to any compensation for any loss caused to it by such cancellation not shall it be absolved from any liability already incurred.

38. The Licensee shall ensure adherence to relevant Indian standards and follow best industry practices, methods and standards for the purpose of ensuring the safe, efficient and economic design, construction, commissioning, operation, repair and maintenance of any part of the utility lines/industrial infrastructure facilities and which practices, methods and standards shall be adjusted as necessary, to take account of a. operation, repair and maintenance guidelines given by the manufacturers, b. the requirements of Law, c. the physical conditions at the Site, and d. The safety of operating personnel and human beings.

Executive Engineer  
M.S.E.P.C.L. (O & M) DIVISION  
OSMANABAD

प्रतिज्ञापत्र/कार्यपत्र/करारपत्र/इतर कागजाती सादर करावयाचे  
प्रतिज्ञापत्र/कार्यपत्र/इतर कागजातीचे कारण कारण: Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री बाबतची नोंद वही क्र.मुद्रांक/दिनांक

:Serial No./Date

मुद्रांक विकत देणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक विक्रीद्वारे Licensee shall have to provide safety measures like barricading, danger lighting and other  
परवाना प्रमाण तसेच construction boards while executing the work.

3501018 40. While laying utility services, at least one lane of road shall be kept open to traffic at all times. In case  
of single lane roads, a diversion shall be constructed. If any traffic diversion works are found necessary during the  
working period such diversion shall be provided at the cost of Licensee.

41. After the termination/expiry of the agreement, the Licensee shall remove the utility services within 90  
days and the site shall be brought back to the original condition failing which the Licensee will lose the right to  
remove the utility services. However before taking up the work of removal of utility services the Licensee shall  
furnish a Bank Guarantee to the Authority for a period of one year for an amount assessed by the Authority as a  
security for making good the excavated trench by proper filling and compaction, clearing debris, loose earth  
produced due to excavation of trenching at least 50 m away from the edge of the Row.

42. Any disputes in interpretation of the terms and conditions of this Agreement or their implementation  
shall be referred to the redress mechanism prevailing in the Ministry and the decision of the redress mechanism  
shall be final and binding on all.

43. For PPP Projects, in case of any financial loss incurred by the respective project concessionaires due  
to such laying/shifting of utility services by the Licensee, compensation for the same shall be required to be borne  
by the Licensee in mutual agreement with the respective project concessionaires. MORT &H/ NHAI implementing  
authorities for the project shall not be liable to the concessionaire in any way in this regard.

This agreement has been made in duplicate, each on a Stamp Paper, Each party to this Agreement has  
retained one stamped copy each.

IN WITNESS WHERE OF THE PARTIES HERETO HAVE CAUSED THIS AGREEMENT TO BE  
EXECUTED THROUGH THEIR RESPECTIVE AUTHORISED REPRESENTATIVES THE DAY AND THE YEAR  
FIRST ABOVE WRITTEN.

SIGNED SEALED AND DELIVERED FOR AND ON BEHALF OF AUTHORITY,  
BY SHRI -----

(Signature, name & address with stamp)

SIGNED ON BEHALF OF M/S-----

BY SHRI -----

(Signature, name & address with stamp)

HOLDER OF GENERAL POWER OF ATTORNEY ..... Dated  
ACCORDANCE WITH THE RESOLUTION NO.-----  
BOARD OF DIRECTORS IN THE MEETING HELD ON

EXECUTED IN  
DATED PASSED BY HTE

IN THE PRESENCE OF (WITNESSES):

1.

2.


  
Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.







प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कानूनी साक्षर करारपत्रावे  
 प्रतिज्ञापत्र/शपथपत्र/इ. करारपत्रातीचे कारण कारण:Reason for Affidavit  
 मुद्रांक विक्रेता घेणान्याचे नांव व रहिवासी पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री करतारीची तारीख वही क्रमांक/दिनांक  
 :Serial No./Date  
 मुद्रांक विक्रेता घेणान्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विक्रेत्याची सही  
 परवाना क्रमांक तारीख मुद्रांक विक्री करतारीचा पत्ता  
 3501018, मारवाडी पल्ली, कल्याणाबाद




कार्यकारी अभियंता MSE  
 CL 2830,  
 92280 10961 City

2. In the event of any mis happening/accidents etc. while carrying, laying of underground electric cable The Executive Engineer, Osmanabad shall be liable to pay the any type of compensation so claimed.
3. The Executive Engineer, Osmanabad shall not cause any damage to the carriage way of the highway and structure like bridges, culverts, drains, building etc. and in case of failure The Executive Engineer osmanabad .will be liable to make good the loss caused to the department.
4. The Executive Engineer ,Osmanabad .shall lay the Underground electric cable under the guidance of the department.
5. The department shall not responsible in case the pipe line comes in the area under development in future at any time in such an eventuality shifting of the underground electric cable etc. shall be the liability of The Executive Engineer osmanabad
- 6 The Executive Engineer osmanabad shall be responsible for any damage caused to the trees in the NHAI boundary it will be responsibility of The Executive Engineer osmanabad obtain permission for such likely foreseen/unforeseen damage from the competent authentic.
7. In case of some unavailable circumstances if The Executive Engineer osmanabad desires to across the carriage way, the same shall be done under the guidance of the department and under no circumstances, the carriageway shall be allowed to get damaged. The crossing of carriageway shall be allowed with pressure angle, only.
8. While crossing the bridge/culverts, no additional dead load shall be allowed to be added to the existing structure.
9. In case of difficulty anywhere in the stretch, The Executive Engineer osmanabad Division contact the concerned engineer of the department.
10. We hereby undertake to submit a performance bank guarantee of any amount as may be demanded by NHAI.
11. The Executive Engineer osmanabad Division shall be solely responsible/liable for full comensation/indemnification of concerned agency aggrieved owners for at our cost and risk.:
12. Underground electric cable would be laid keeping in mind future expansion 4/6 laning of the NH. However, we also agree that we shall shift the Underground electric cable within 30 days for as specified by the respective agency lowner from the date of issue of notice by the concerned owner to shift/relocate the underground electric cable in case it is required for the purpose of improvement/widening of the road/route/highway or construction of flyover/bridge and restore the road/land to its original condition at our own cost and risk.
13. We will not violate the instruction of MORT & H (Ministry of Road Transport & Highways), New Delhi.
14. It is undertaken that theUnderground electric cable will be laid out by push method.
15. The agency will notify the concerned PD/Concessionnaire at least 15 days in advance before digging trenches across the road.
16. Adequate arrangement for cautioning the traffic by way of caution board during daytime and danger light at night will be provided by the agency.
17. Each day the extant of digging trenches should be strictly regulated so that the Underground electric cable are laid and trenches filled up before the close of work that day, the filling should be completed to the satisfaction of engineer in charge.
18. The agency shall indemnify the road all the damages, if any, due to the digging of trenches for the laying of Underground electric cable .

The Executive Engineer  
 M. E. D. C. L. O & M Division Osmanabad

M. E. D. C. L. (O & M) DIVISION  
 OSMANABAD.

Executive Engineer  
 M. E. D. C. L. (O & M) DIVISION  
 OSMANABAD.



महाराष्ट्र MAHARASHTRA

2022

02AA 398690

उस्मानाबाद अ.प्र. १९२४९ १६/८/२२  
श्री. १६/८/२२ आ.प्र. १६/८/२२  
हस्ता. १६/८/२२  
बा.प्र. १६/८/२२  
हा.प्र. १६/८/२२  
बा.प्र. १६/८/२२

कोनागर कार्यालय  
उस्मानाबाद  
11 AUG 2022  
मु.प्र.सि/उप.को.अ.  
उस्मानाबाद

श्री.नि.प्र.सि बागड  
मु.प्र.सि वि.प्र.सि, उस्मानाबाद  
प.प्र. 3501018

Annexure No. 5.1

UNDERTAKING



To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD


प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदासाठी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/इ.करारसाठीचे कारण कारण:Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक किती कायतरी नोंद वही अनुक्रम/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
प्रधानाधारक मुद्रांक विक्रेत्याची सही  
परवाना क्रमांक, तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
3501018 मालवाडी गल्ली, उस्मानाबाद


  


७२६५७१  
कार्यकारी अभियंता म.स.ए.  
DCL ४७३५१  
१९२०११ १०१५/१२०१


We , The Executive Engineer osmanabad Division . Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700 Total length 60.00 meter in the state of Maharashtra.

We are agree not to damage to other utility if damaged then to pay the losses either to NHAI or to the concerned agency.

  
The Executive Engineer  
M.S.E.D.C.L., O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

  
The Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.





महाराष्ट्र MAHARASHTRA

2022

02AA 398692

उत्मानाबाद अ.क. 9/8/2022 दिनांक 9/8/22  
श्री. 9/8/22 अ.क. 9/8/22  
हस्ता. 9/8/22  
यांना जमवून रक्कम 9/8/22  
हा रक्कम 9/8/22  
या रक्कम 9/8/22

कोयामगार कार्यालय  
उत्मानाबाद  
11 AUG 2022  
मु.प्र.अ. / उप को.अ.  
उत्मानाबाद

श्री. नि.दास बांगर  
मुख्यांक विभाग, उत्मानाबाद  
प.क. 41301018

Annexure No. 5.2

### UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From  
The Executive Engineer, Osmanabad O & M Division, Dist. Osmanabad, Pin – 413501

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापत्र/अपणपत्र/कारपत्र/इतर कायदातील सादर करावयाचे  
 प्रतिज्ञापत्र/अपणपत्र/इ. कायदातील कारण कारण: Reason for Affidavit  
 मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री घडवलेली तारीख वही अनुक्रमांक/दिनांक  
 :Serial No./Date  
 मुद्रांक विकत घेणाऱ्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विक्रीघ्याची सही  
 परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
 3501018 मारवाडी गल्ली, तस्मानाबाद

0212471

कार्यकारी अभियंता NHSE  
 DCL 1634,  
 9/2/2019 10:41 AM

We, The Executive Engineer ,Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

We shall furnish a bank guarantee as per NHA norms for the period of 1 year initially before execution of work will renew timely if required.

The Executive Engineer  
 M.S.E.D.C.L. O & M Division Osmanabad  
 Executive Engineer  
 M.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD.

Executive Engineer  
 M.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD.




தலைமுறை

ଆମାନ୍ତରୀ ଅଭିଧାନୀ MISSED  
 ଟିଏ ଆମାନ୍ତରୀ,  
 ଗୁରୁତ୍ୱପୂର୍ଣ୍ଣ ବିଶେଷତା

Executive Engineer  
Water & Power Division  
D. J. K. R. A. D.





महाराष्ट्र MAHARASHTRA

2022

02AA 398694

उस्मानाबाद ज.क. दिनांक १०/८/२२  
श्री. क. ज. क. रा. का. भि. ये. र. MSEDCL  
हस्तो. दिनेश को. र.  
शाना. कनरव. र. को. य. ग. त. स. व. र. न.  
हा. र. ट. म. क. वा. व. भ. र. त. स. क.  
वा. र. ट. म. क.

malayp 10/8/22  
Den

कोबागार कार्यालय  
उस्मानाबाद  
11 AUG 2022  
मु. प्र. लि. / उ. य. को. अ.  
उस्मानाबाद

श्री. दिनेश बागल  
मुख्यालय, उस्मानाबाद  
पिन. 413018

Annexure No. 5.4

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.  
From  
The Executive Engineer Osmanabad O & M Division, Pin – 413501

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD



प्रतिज्ञापन/शपथपत्र/करारपत्र/इतर कामासाठी सादर करावयाचे  
प्रतिज्ञापन/शपथपत्र/इ.करारपत्राचे कारण/Reason for Affidavit  
मुद्रांक तिकट घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री वापराची तारीख वही अचुकताळ/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रेत्याची सही  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
१५०१०१८ मारवाडी बस्ती, रत्नानाबाद

७२१५४७

कार्यकारी अभियंता, NHSE  
CL NR 301,

१६२०४ १०९०१८१२०

We , The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700.Total length 60.00 meter in the state of Maharashtra.

The expenditure if any, incurred by NHAI for repairing any damage caused to the national highway by the laying, maintenance or shifting of the Underground 11 KV Electric Cable will be done The Executive Engineer osmanabad O & M Division ,

The Executive Engineer  
M.S.E.D.C.L. O & M Division, Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापक/अपक्षपत्र/कारणपत्र/कारण कायदा/कारण कायदा  
प्रतिज्ञापक/अपक्षपत्र/कारणपत्र/कारण कायदा: Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नाव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री बाबतची नोंद वही क्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्रीसाठी सही  
परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्याचा पत्ता  
3501018 मारवाडी मस्की, अहमदनगर

कारणपत्र

कार्यकारी अभियंता, म.स.ए.ए.  
एल. व. 341,  
5/2/88 10/1/14 2014


We , The Executive Engineer Osmanabad O & M Division .Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

The Executive Engineer Osmanabad ,O & M Division, have to shift Underground 11-KV Electric Cable in future due to 4/6 laning / widening is in process of NH.

Executive Engineer  
M.S.E.D.C.L. O&M Division Osmanabad  
OSMANABAD.

Executive Engineer  
M.S.E.D.C.L. O&M Division  
OSMANABAD.






महाराष्ट्र MAHARASHTRA

2022

02AA 398696

उत्समानाबाद श.क्र. 95286 दिनांक 95/11/22  
श्री. 12/12/22 अ. वि. य. न. म. स. ए. ड. सी.  
हस्ता. वि. न. 2/12/22  
बांगला जलान स्टेशन क. वि. न. 2/12/22  
हा स्टेशन क. वि. न. 2/12/22  
वा स्टेशन क. वि. न. 2/12/22



मु. वि. लि. बांगड  
मु. वि. लि. बांगड, उत्समानाबाद  
पिन 413501

Annexure No. 5.6

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer, Osmanabad O & M Division Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD



प्रतिज्ञापत्र/अपत्यपत्र/करारपत्र/इतर कणासाठी राखर करावयाचे  
प्रतिज्ञापत्र/अपत्यपत्र/इतर कणासाठीचे कारण कारण: Reason for Affidavit  
मुद्रांक दिकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक दिनांक/दिनांक  
:Serial No./Date  
मुद्रांक दिकत घेणाऱ्याची सही  
:Stamp Purchaser's Sign/Date  
दिनांक  
परमानाधारक मुद्रांक विक्रेत्याची सही  
परमाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्या पत्ता  
3501018 मारवाडी, मल्लो, उस्मानाबाद

३५१५८१

कार्यकारी अभियंता/ NISE  
DCC अर्बुद,  
१९२४८ ०९५१५२५

We , The Executive Engineer, Osmanabad Division, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

Indemnity against all damages and claims during work is of The Executive Engineer Osmanabad division

The Executive Engineer  
M.S.E.D.C.L. O&M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापत्र/शपथपत्र/कारणावकाश/कारण कारण:Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व.प.स्थिती पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विकत घेणाऱ्याचे नांव व.प.स्थिती पत्ता  
:Stamp Purchaser's Name/Place of Residence  
दिनांक  
:Serial No./Date  
मुद्रांक विकत घेणाऱ्याचे नांव व.प.स्थिती पत्ता  
:Stamp Purchaser's Name/Place of Residence  
दिनांक  
:Serial No./Date  
परवानाधारक मुद्रांक विकत घेणाऱ्याचे नांव व.प.स्थिती पत्ता  
परवाना क्रमांक तसेच मुद्रांक विकत घेणाऱ्याचे नांव व.प.स्थिती पत्ता  
3501018 मारवाडी मल्ली,जयभानुनाथ

कडलपत्र

SEDM


कार्यकारी अभियंता, M.S.E.  
DCL 6000,  
97280 0961422

We , The Executive Engineer Osmanabad division, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

Traffic movement during laying of Underground 11 KV Electric Cable will be managed by The Executive Engineer Osmanabad Division

Executive Engineer  
M.S.E.D.C.L. O&M Division Osmanabad  
OSMANABAD.





महाराष्ट्र MAHARASHTRA

2022

02AA 398698

उत्प्रेषणार्थ नं. १२२४१ दिनांक १६/०९/२०२२  
श्री. १२/२४/२०२२ अ. वि. यं. १ - M S E D C L  
हरने. दिनेश कोर  
यांना जमवत रक्कम रु. १००००/-  
हा स्टॅम्प रु. १००००/- याच भरतीला रु. १००००/-  
वा स्टॅम्प दिला.

१००००/-  
१००००/-

कोषागार कार्यालय  
उस्मानाबाद

11 AUG 2022

मु.प्र.लि / उप को.अ.  
उस्मानाबाद

भोलिपंत बागड  
मुख्य विवेक, उस्मानाबाद  
प.अ. 3501018

Annexure No. 5.8

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalarnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाबादी सादर करावयाचे  
 प्रतिज्ञापत्र/शपथपत्र/इ.करारपत्राचे कारण करार: Reason for Affidavit  
 मुद्रांक विकत घेणाऱ्याचे नाव व पत्तिवारी परत  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विकत घेणाऱ्याची मंडी वारी अनुक्रमणिका/दिनांक  
 :Serial No./Date  
 मुद्रांक विकत घेणाऱ्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विकत घेणाऱ्याची सही  
 दुरुवाना क्रमांक तसेच मुद्रांक विकत घेणाऱ्याची सही  
 3501018 नारयाडी सली, तरा-महाराष्ट्र

काल (५७)


कार्यकारी अभियंता मंडी  
 DCL फंडा  
 १८२०८ ७१७०१८२०८

We , The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

If any claim is raised by the concessionaire then the same will be paid by The Executive Engineer Osmanabad O & M Division .

Executive Engineer  
 M.S.E.D.C.L. O&M Division Osmanabad  
 OSMANABAD.

Executive Engineer  
 M.S.E.D.C.L. O&M Division  
 OSMANABAD.




महाराष्ट्र MAHARASHTRA

2022

02AA 398699

उत्मानाबाद अ.क. दिनांक ११/०८/२०२२  
श्री. कार्यकारी अभियंता, MS E D C L  
हस्त. दिनेश कोरे  
यांना याच ठिकाणी येथील निवासस्थानावर  
हा स्टॅम्प रु. १०० या दराने भरला आहे.  
वा स्टॅम्प दिला.



श्री. निरंजन बांगड  
मुद्रांक विक्रेता, उत्मानाबाद  
पिन. 413501

Annexure No. 5.9

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

प्रतिज्ञापत्र/शपथपत्र/करारपत्र/द्वारा कर्मागारी सादर करावयाचे  
प्रतिज्ञापत्र/शपथपत्र/द्व.करमागारीचे कारण:Reason for Affidavit  
मुद्रांक विनाश घेण्याबाबत नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक किती वापरली गेली आहे अनुक्रमणिका/दिनांक  
:Serial No./Date  
मुद्रांक किती वापरली गेली  
:Stamp Purchaser's Sign/Date  
दिनांक  
प्रवाणाधारक मुद्रांक विक्रेत्याची सही  
प्रवाणा क्रमांक नसेच मुद्रांक किती करणार्या पत्रा  
3501018-महाराष्ट्र राज्य,उत्तमप्रादेश

अधिकृत

कार्यकारी अभियंता MSEDCL  
DCL 16301,  
98240 16961422


We , The Executive Engineer Osmanabad O & M Division . opposite LIC Office MSEDCL Maharashtra, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

We will obtain prior approval of the NH before undertaking any work of installation, shifting or repairs or alternations to the under ground 11 KV Electric Cable located in the National Highway right of ways.

The Executive Engineer  
M.S.E.D.C.L., O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD





महाराष्ट्र MAHARASHTRA

2022

02AA 398700

उत्मानाबाद ज.क. दिनांक १६/८/२०२२  
श्री. मा. य. का. री. शा. अभियंता, M.S.E.D.C.L.  
हस्त. दिनांक १६/८/२०२२  
वांग. जलरस स्टेशन क. मा. य. का. री. शा. अभियंता  
हा. स्टेशन क. मा. य. का. री. शा. अभियंता  
वा स्टेशन क. मा. य. का. री. शा. अभियंता

कोबागार कार्यालय  
उत्मानाबाद

11 AUG 2022

चु. नि. / ज. य. को. अ.  
उत्मानाबाद

का. य. का. री. शा. अभियंता, M.S.E.D.C.L.  
मा. य. का. री. शा. अभियंता

श्री. नि. वा. बा. बा. बा.  
मु. का. री. शा. अभियंता, उत्मानाबाद  
प. नं. 3501018

Annexure No. 5.10

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD



प्रतिज्ञापक/अपक्ष/करारपत्र/इतर कामासाठी सादर करावयाचे  
प्रतिज्ञापक/अपक्ष/इतरासाठीचे कारण कारण:Reason for Affidavit  
मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
:Stamp Purchaser's Name/Place of Residence  
मुद्रांक विक्री घड्याची मालिका क्रमांक/दिनांक  
:Serial No./Date  
मुद्रांक विक्री घड्याची मालिका क्रमांक/दिनांक  
:Stamp Purchaser's Sign/Date  
दिनांक  
परवानाधारक मुद्रांक विक्री घड्याची मालिका क्रमांक  
परवाना क्रमांक तसेच मुद्रांक विक्री घड्याची मालिका क्रमांक  
3501018 मारवाडी गल्ली, उस्मानाबाद

2021/271

कार्यकारी अभियंता, पी. ई.  
O & M, 10361420


We , The Executive Engineer Osmanabad O & M Division .

, Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

Expenditure if any incurred by NHAI for repairing any damage caused to the national highway by the laying, maintenance or shifting of the Underground 11. KV Electric Cable will be borne by The Executive Engineer Osmanabad O & M Division Owning the line.

  
The Executive Engineer  
M.S.E.D.C.L., O & M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



महाराष्ट्र MAHARASHTRA

2022

02AA 398701

उस्मानाबाद अ.क. १२/०८/२०२२ दिनांक  
श्री. ३६/१५/२०२२  
हरतः ३६/१५/२०२२  
याना जमावून स्टॅम्प रु. ३६/१५/२०२२  
हा स्टॅम्प रु. ३६/१५/२०२२  
या स्टॅम्प रु. ३६/१५/२०२२

३६/१५/२०२२  
३६/१५/२०२२  
३६/१५/२०२२

कोषामार कार्यालय  
उस्मानाबाद  
11 AUG. 2022  
मु.प्र.स. / उप को.अ.  
उस्मानाबाद

३६/१५/२०२२  
३६/१५/२०२२  
३६/१५/२०२२

Annexure No. 5.11

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From  
The Executive Engineer Osmanabad O & M Division Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD


प्रतिज्ञापत्र/शपथपत्र/करारपत्र/इतर कायदाद्वारे साधर करावयाचे  
 प्रतिज्ञापत्र/शपथपत्र/इ.कारणासाठीचे कारण कारण:Reason for Affidavit  
 मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता  
 :Stamp Purchaser's Name/Place of Residence  
 मुद्रांक विक्री क्रमांकी वीस वीस अक्षर/दिनांक  
 :Serial No./Date  
 मुद्रांक विकत घेणाऱ्याची सही  
 :Stamp Purchaser's Sign/Date  
 दिनांक  
 परवानाधारक मुद्रांक विक्रीसाठीची सही  
 परवाना क्रमांक वसेव/मुद्रांक विक्री करणाऱ्याचा पत्ता  
 1501019 मारवाडी बसती, उस्मानाबाद

महाराष्ट्र

कार्यकारी अभियंता मस ई  
 DCL मस ई  
 37.242 169414


We , The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

If NHAI considers it necessary in future to move the utility line for any work of improvement or repair to the road, it will be carried out as desired by NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.

  
 Executive Engineer  
 M.S.E.D.C.L. O & M Division Osmanabad  
 M.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD.

Executive Engineer  
 M.S.E.D.C.L. (O & M) DIVISION  
 OSMANABAD.





महाराष्ट्र MAHARASHTRA

2022

02AA 398809

उस्मानाबाद अ.क. १२५५६ १६/८/२२  
श्री. ७५५६/२१ अ.क. १६/८/२२ MS EDC L  
हस्ता. दिने २१ को २२  
वांगी जमरले स्टॅम्प के. १० को २२  
हा स्टॅम्प क. १० को २२  
वा स्टॅम्प दिला.

७५५६/२१  
MS EDC L  
१६/८/२२

कोषागार कार्यालय  
उस्मानाबाद  
11 AUG 2022  
मु.प्र.सि. / उ.प्र.को.अ.  
उस्मानाबाद

श्री. ७५५६/२१  
मुद्रांक दिने २१, उस्मानाबाद  
प.अ. ३५०१०१८

Annexure No. 5.12

UNDERTAKING

To,  
The Project Director, NHAI,  
Project Implementation Unit,  
Solapur, Plot No. E-2,  
Jai Jalaramnagar,  
Solapur-413004.

From

The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad, Pin - 413501.

Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.



प्रतिज्ञापत्र/शपथपत्र/कारणपत्र/इतर कामासाठी सादर करावयाचे

प्रतिज्ञापत्र/शपथपत्र/इतर कामासाठी कारण कारण:Reason for Affidavit

मुद्रांक विकत घेणाऱ्याचे नांव व रहिवासी पत्ता

:Stamp Purchaser's Name/Place of Residence

मुद्रांक विक्री करणाऱ्याचे नांव वही अनुक्रमांक/दिनांक

:Serial No./Date

मुद्रांक विकत घेणाऱ्याची सही

:Stamp Purchaser's Sign/Date

दिनांक

परवानाधारक मुद्रांक विक्रीसाठी सही

परवाना क्रमांक तसेच मुद्रांक विक्री करणाऱ्या पत्ता

3501018 मारवाडी गल्ली, उस्मानाबाद

3501247

कार्यक्रमाच्या अखिरीत M.S.E.D  
L 2600

ग्रेस 1636/4

We, The Executive Engineer Osmanabad O & M Division , Do hereby Undertake that in connection with laying push pipe method work for. Underground 11 KV Electric Cable across NH on NH-52 four laning of Dhule- Solapur Highway crossings at Ch.53/700. Total length 60.00 meter in the state of Maharashtra.

1.Laying of underground 11KV electric cable will not have any deleterious effect on any of the bridge components and roadways safety for traffic. :

2.For 6 laning The Executive Engineer Osmanabad O & M Division , Dist. Osmanabad do undertake that I will relocate service road/approach road / utilities at our own cost not withstanding the permission granted within such time as will be stipulated by NHAI for future six laning or any other development.

\*\*\*\*\*  
The Executive Engineer  
M.S.E.D.C.L. O&M Division Osmanabad  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD.

DRAWING FOR HDD METHOD CHNO 53/700

TOP VIEW


11KV CABLE  
STRUCTURE

EXISTING  
EXPRESS FEEDER

CH/NO 53/700

NH-52

11KV CABLE  
STRUCTURE



Executive Engineer  
M.S.E.D.C.L. (O & M) DIVISION  
OSMANABAD



# WORK ORDER

Ref : R&M/BM/R-HT&LTWO/4780174390

Date: 18-08-

20.2

To,

VIVEK POWER SOLUTION (100026518)  
21 PRIYADARSHAN BEHIND GANESH NAGAR  
SOLAPUR 413002

Email : vivekpowersolution@gmail.com

Contact : 9422458934/9422458934

Sub: Work Order for Breakdown Maintenance of HT / LT RECTIFICATION in  
OSMANABAD (R) S/DN for OSMANABAD (R) S/DN ( Work Order No : 4780174390 )

Ref : 1.Letter of Empanelment No. 26711 Dt.01-11-2021

2.MO no. '400001750569'

Dear Sir/Madam,

With reference to the above, we are pleased to place an Order with you for Breakdown Maintenance of HT / LT RECTIFICATION in OSMANABAD (R) S/DN for OSMANABAD (R) S/DN at the price and terms and conditions stipulated here underalong with Contract conditions as per above references:-

Sr. No.	Description of Activity	Location	Unit	Qty	Unit Price (INR)	Total Amount (INR)
Services Supplied by Empanelled agency						
1	Laying cables in trench, refill with soil	2615 194047 203-11 KV BAVI FEEDER	LS	2320.0	125.0	290000.0
2	Excavation of road Cement Concrete	2615 194047 203-11 KV BAVI FEEDER	RMT	2670.0	150.0	400500.0
3	Fixing of end terminations	2615 194047 203-11 KV BAVI FEEDER	RMT	4.0	1200.0	4800.0
	Rate quoted by Agency 4.75% Above	Above	4.75			33026.75





**Total Amount (Rs INR) 728326.75** (Excluding applicable Taxes plus MSEDCL Materials transportation charges (1%))

**Total ERP Amount (Rs INR) 859425.57** (Including applicable Taxes plus MSEDCL Materials transportation charges (1%))

**Total Amount In words: SEVEN LAKH TWENTY EIGHT THOUSAND THREE HUNDRED AND TWENTY SIX RUPEES AND SEVENTY FIVE PAISE** (Excluding applicable Taxes plus MSEDCL Materials transportation charges (1%))

#### **TERMS AND CONDITIONS**

1. You have to complete the above said work from 18-Aug-22 to 02-Sep-22. Take photographs of work site before starting the work & after completion of work and upload on MSEDCL website intended for this purpose.
2. You are now instructed to proceed for the above said works now awarded to you, in accordance with the terms and conditions set forth in the Tender Documents.
3. For any assistance, query during execution of the said work, you are directed to contact the concern Addl. Executive Engineer of Division office.
4. This Work Award is issued subject to the terms and conditions of the Bid Documents, clarification and Addendums issued and Contract agreement.

Yours faithfully, for and on behalf of ....

(Authorized Signatory)

.....  
Mr. Mahendra Shivajirao Waghmare  
Executive Engineer(Distribution)

OSMANABAD DIVISION

e/c. Approved by Ep-Engr - O'sbad

