

राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय,भारत सरकार))

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओड़िशा /Regional Office, Odisha 301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर - 751013. ओड़िशा 301-A. 3rd Floor. Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubaneswar- 751013. Odisha द्राभाष /Ph.: 0674 - 2361470/ 570/670 (का/O) ई-मेल/e-mail : roodisha@nhai.org. ronhaiodisha@gmail.com. वेबसाइट/Web : www.nhal.gov.in



सत्यमेव जयते

NHAI/13011/54/RO/OD/ 689 /2023

26.05.2023

To

The Sr. Technical Director, NIC Centre at MoRTH, Transport Bhawan, New Delhi 110001

Sub: Six laning of Chandikhole- Jagatpur- Bhubaneswar section of NH-5 from Km.414+000 to Km.419+000 and Km.0+000 to Km.62+000 in the State of Odisha- Permission for laying of 8" dia carrier steel gas pipeline for supply of gas to various consumers / customers in route of steel gas pipeline, along with 40 mm dia HDPE duct for OFC across NH-16 at Km.1+360 Km. (Satsang Vihar Chowk) for crossing and along NH-16 from Km.0+710 to Km.1+360 (Vani Vihar to Satsang Vihar) on LHS and from Km.1+360 to Km.418+700 (Acharya Vihar Chowk) on RHS for Bhubaneswar CGD project - Reg

Ref: PD, PIU- Bhubaneswar letter No. 648 dated 24.04.2023

Sir.

Please find enclosed herewith a proposal of M/s GAIL India Ltd for laying of 8" dia carrier steel gas pipeline for supply of gas to various consumers / customers in route of steel gas pipeline, along with 40 mm dia HDPE duct for OFC across NH-16 at Km.1+360 Km. (Satsang Vihar Chowk) for crossing and along NH-16 from Km.0+710 to Km.1+360 (Vani Vihar to Satsanf Vihar) on LHS and from Km.1+360 to Km.418+700 (Acharya Vihar Chowk) on RHS. The details are as under:

SI	Description	Cha	inage	Lengt	Cida	Type of	Length of		
No.	Description	From	To	h (m)	Side	Pipeline	crossing	Remark	
1.	Along (Vani Vihar to Satsang Vihar)	0+710	1+360	650	LHS			Lâying of 8" dia carrier steel gas	
2.	Crossing (Satsang Vihar)	1+	360			Steel 8"	60	pipeline for cuppl of gas to variou	
3.	Along (Satsang Vihar to Acharya Viliar)	1+360	418+700	1550	RHS	2		consumers / customers in route of steel gas pipeline, along with 40 mm dia HDPE duct for OFC across NH- 16.	

Accordingly, as per guidelines issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dt. 22.11.2016, 2 the application along with the recommendations of concerned PD/Consultants are enclosed herewith with request to hoist the same in the Ministry's Website for public comments within 30 days of uploading on the website.

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswar.

Yours faithfully,

(Sunil Kumar) General Manager (Tech)



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार))

National Highways Authority of India (Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओड़िशा / Regional Office, Odisha 301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर - 751013. ओड़िशा 301-A. 3rd Floor, Pal Heights, Plot No: J/7, Jayadev Vihar, Bhubaneswar- 751013. Odisha grum /Ph.: 0674 - 2361470/ 570/670 (का/O) ई-मेल/e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in



NHAI/13011/54/RO/OD/ /688 /2023

26.05.2023

INVITATION OF PUBLIC COMMENTS

Sub: Six laning of Chandikhole- Jagatpur- Bhubaneswar section of NH-5 from Km.414+000 to Km.419+000 and Km.0+000 to Km.62+000 in the State of Odisha- Permission for laying of 8" dia carrier steel gas pipeline for supply of gas to various consumers / customers in route of steel gas pipeline, along with 40 mm dia HDPE duct for OFC across NH-16 at Km.1+360 Km. (Satsang Vihar Chowk) for crossing and along NH-16 from Km.0+710 to Km.1+360 (Vani Vihar to Satsang Vihar) on LHS and from Km.1+360 to Km.418+700 (Acharya Vihar Chowk) on RHS for Bhubaneswar CGD project - Reg

M/s GAIL India Ltd has submitted a proposal for laying of 8" dia carrier steel gas pipeline for supply of gas to various consumers / customers in route of steel gas pipeline, along with 40 mm dia HDPE duct for OFC across NH-16 at Km.1+360 Km. (Satsang Vihar Chowk) for crossing and along NH-16 from Km.0+710 to Km.1+360 (Vani Vihar to Satsanf Vihar) on LHS and from Km.1+360 to Km.418+700 (Acharya Vihar Chowk) on RHS. The details are as under:

SI	Description	Cha	inage	Lengt	Cida	Type of	Length of	-	
Nu.	Description	From	10	n (m)	Side	Pipeline	crossing	Remark	
1.	Along (Vani Vihar to Satsang Vihar)	0:710	1:300	050	LHS	2	-	Laying of 8" dia carrier steel gas	
2.	Crossing (Satsang Vihar)	1+	360	-		Steel 8"	60	pipeline for supply of gas to various	
3.	Along (Satsang Vihar to Acharya Vihar)	1+360	418+700	1550	RHS		-	consumers // customers in route of steel gas pipeline, along with 40 mm dia HDPE duct for OFC across NH- 16.	

 As per guidelines issued by MoRT&H vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections on grounds of public inconvenience, safety and general public interest.

3. In view of the above, the comments of public, if any, on the above mentioned proposal are invited on below mentioned address:

> The Regional Officer, National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, JI7, Jayadev Vihar, Bhubaneswar 751013, Odisha e-mail : <u>roodisha@nhai.org</u>

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswar".

General Manager (Tech) National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013

ow

CHECK – LIST

Guidelines for Project Directors for processing the proposal for laying of Natural Gas pipeline & OFC in the land across National Highways vested with NHAI.

Relevant circulars

- 1) Ministry Circular No. NH-41 (58)/68 dated 31.01.1969
- 2) Ministry Circular No. NH-III/P/88/76 dated 18/19.11.1976
- Ministry Circular No. RW/NH-III-P/66/76 dated 11.05.1982
- Ministry Circular No. RW/NH-11037/1/186-DOI (ii) dated 28.07.1993
- 5) Ministry Circular No. RW/NH-11037/1/186-DOI dated 19.01.1995
- Ministry Circular No. RW/NH-34066/2/95/S&R dated 25.10.1999
- 7) Ministry Circular No. RW/NH-34066/7/2003/S&R (B) dated 17.09.2003

Check list for getting approval for laying of Natural Gas pipeline along with OFC on NH land.

Proposal for laying of 14" Diameter Natural Gas (NG) Casing Pipeline with 8" Dia Carrier Pipe for supplying Gas to various consumers/ customers in route of Gas Pipeline for Bhubaneswar CGD project along with 40mm Dia HDPE OFC duct within 168 MM dia MS casing Pipe across National Highway No. 16 (old NH-5) at Ch. 1.360 Km (Satsang Vihar Chowk) for crossing and along NH-16 from Ch. +0.710 Km (Vani Vihar Chowk) to Ch. 1.360 Km (Satsang Vihar Chowk) for 650 meter (On left hand side) and from Ch. 1.360 Km to Ch. 418.7 Km (Acharya Vihar Chowk) for 1550 meter parallel (On right hand side).

	Item	Information/Status	Remarks
1	General Information	GAIL (India) Limited has taken up a project of laying of 14" Diameter Natural Gas (NG) Casing Pipeline with 8" Dia Carrier Pipe for supplying Gas to various consumers/ customers in route of Gas Pipeline for Bhubaneswar CGD project along with 40mm Dia HDPE OFC duct within 168 MM dia MS casing Pipe across National Highway No. 16 (old NH-5) at Chainage 1.360 Km (Satsang Vihar Chowk) for crossing and along NH-16 from Ch. +0.710 Km (Vani Vihar Chowk) to Ch. 1.360 Km (Satsang Vihar Chowk) for 650 meter (On left hand side) and	GAIL (India) Limited has taken up a project of laying of 14" Diameter Natural Gas (NG) Casing Pipeline with 8" Dia Carrier Pipe for supplying Gas to various consumers/ customers in route of Gas Pipeline for Bhubaneswar CGD project along with 40mm Dia HDPE OFC duct within 168 MM dia MS casing Pipe across National Highway No. 16 (old NH-5) at Chainage 1.360 Km (Satsang Vihar Chowk) for crossing and along NH-16 from Ch. +0.710 Km (Vani Vihar Chowk) to Ch. 1.360 Km (Satsang Vihar Chowk) for 650 meter (On left hand side) and

		from Ch. 1.360 Km to Ch. 4 Km (Acharya Vihar Chowk) 1550 meter parallel (On rigi hand side).	for Km (A)
1.	Applicant/Agency	Hotel Suraj Palace, F-100, Infocity Road, Patia, Bhubaneswar (Odisha)-	GAIL India Limited,
1.2	Number	NH-16	751024.
1.3	State Location	Odisha	NH-16
1.4	(Chainage in km)	Crossing of NH -16 at Ch. 1.360 Km and along NH-16 from Ch. 0.710 Km (Vani Vihar Chowk, Mouza: Bhoi Nagar, Tahasil: Bhubaneswar, Dist: Khurda) to Ch. 1.360 Km (Satsang Vihar Chowk) for 650 meter (On left hand side) and from Ch. 1.360 Km (Satsang Vihar Chowk) to Ch. 418.700 Km (Acharya Vihar Chwok, Mouza: Bhoi Nagar, Tahasil: Bhubaneswar, Dist: Khurda) for 1550 meter parallel (On right hand side) of Odisha State. Crossing of NH -16 at Ch.	from Ch. 0.710 Km (Vani Vihar Chowk, Mouza: Bhoi Nagar, Tahasil: Bhubaneswar, Dist: Khurda) to Ch. 1.360 Km (Satsang Vihar Chowk) for 650 meter (On left hand side) and from Ch. 1.360 Km (Satsang Vihar Chowk) to Ch. 418.700 Km (Acharya Vihar Chwok, Mouza: Bhoi Nagar, Tahasil: Bhubaneswar, Dist: Khurda) for 1550 meter parallel (On right hand side) of Odisha State.
		1.360 Km and along NH-16 from Ch. 0.710 Km to Ch. 1.360 Km for 650 meter (On left hand side) and from Ch. 1.360 Km to Ch. 418.700 Km for 1550 meter (On right hand side).	Crossing of NH -16 at Ch. 1.360 Km and along NH-16 from Ch. 0.710 Km to Ch. 1.360 Km for 650 meter (On left hand side) and from Ch. 1.360 Km to Ch. 418.700 Km for 1550 meter (On right hand side).
	Length in Meters	650 mtrs parallel portion in ROW (On left hand side) and 1550 mtrs parallel portion in	650 mtrs parallel portion in ROW (On left hand side) and 1550 mtrs parallel portion in
7 \	Width of available ROW	ROW (On right hand side).	ROW (On right hand side).
(a) Left side from center line	60Mtr.	60Mtr.

s 🔒



0

CRepathy चिन्मय त्रिपाठी /Character Tripathy उप महाप्रबंधक (सोनीडी) Deputy General Manager (CGD) गेल (इंडिया) लिमिटेड/Gail India Ltd. भुवनेश्वर/Bhubaneswar

14

.

	chainage/km direction		
	 (b) Right side from center line towards increasingchainage/km direction 	e 30Mtr.	30Mtr.
1.8	Proposal to lay underground steel gas pipeline		
	(a) Left side from center line towards increasing chainage/km direction	From 26 meter to 29 meter	From 26 meter to 29 meter
10	(a) Right side from center line towards increasing chainage/km direction	NA	NA
1.9	Proposal to Acquire land	N/A	N/A
	(a) Left side from center line	N/A	N/A N/A
	(b) Right side from center line	N/A	
1.10	Whether proposal is in the same side where land is not to be acquired	N/A Only 650 mts secold 1	
	If not then where to lay the cable	N/A	N/A
1.11	Details of already laid services, if any, along the proposed route	N/A	N/A
1.12	Number of lanes(2/4/6/8 lanes) existing	6 lanes	6 lanes
1.13	Proposed Number of lanes (2 lane with paved shoulders/4/6/8 lanes)	N/A	N/A
.14	Service road existing or not	Yes	
	If yes then which side		Yes
	(a) Left side from center line towards increasing chainage/km direction	From 16.15 meter to 23.15 meter	From 16.15 meter to 23.15 meter
		From 16.15 meter to 23.15 meter	From 16.15 meter to 23.15 meter
15	(b) Right side from center line Proposed Service road		1515500000
	a) Loft side f		
1	b) Right side from center line	N/A	N/A
1	A/hothen		
16	Natural Gas (NG) Pipeline is	After the service road, On the extreme edge of ROW of NHAI	After the service road, On the extreme edge of ROW of



जिन्मय त्रिपाठी /Chinaga Tripathy उप महाप्रबंधक (सीनीडी) Deputy General Manager (CGD) गेल (इंडिया) लिमिटेड/Gail India Ltd. भुवनेश्वर/Bhubaneswar

15

for laying of NG e considered for tion based on rculars. sewage/gas thway bridges mitted as pes can process of y cause to being much than leakage of vater pipelines also be wever if the thorities seem r viable approach the ty well in time a of the bridge		No highway bridges shall be involved in laying the proposed Pipeline
thway bridges mitted as pes can process of y cause being much than leakage of vater pipelines also be wever if the thorities seem r viable approach the ty well in time	involved in laying the proposed Pipeline	
also be wever if the thorities seem r viable approach the ty well in time	N/A	N/A
ty well in time		N/A
n of the bridge may be		
ry the pipeline supported on ns of piers and	N/A	
It a manner prrangement de around the f the bridge e for		N/A
pair etc.	NI/A	
ed extension	N/A	
re as well as		
charge of the		
E	CRApothy	Jour int
	E	all be borne

1.0	T T	A REAL PROPERTY AND A REAL
(d) Services are not being		
If crossing of the road involved- If yes, it shall be either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency owning the line	Horizontal Pushing/ Drilling Technique shall be adopted for NH-316 crossing where in a depth of 3.5m at the centre of Road Level shall be maintained.	
(a) Existing drainage structures shall not be allowed to carry the lines.	No Drainage Structure involved in laying of Natural Gas Pipeline.	YES
(b) Is it on a line normal to NH	Yes	YES
(C) Crossing shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter.	Agreed	Minimum distance 15 mt from centre line
(d) The casing pipe (or conduit pipe in the case of electrical cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.	Agreed	Agreed
(e) Ends of the casing/conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Agreed	Agreed
(t) The casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope in the fills.	Agreed	Agreed
(g)The top of casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 m below the drain inverts.	Agreed, shall be followed as per guidelines of NHAI	YES
(h) Crossing shall be Horizontal Thrust boring method specially where the existing road pavement is of cement	Agreed	Agreed
	allowed indiscriminately on the If crossing of the road involved- If yes, it shall be either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency owning the line (a) Existing drainage structures shall not be allowed to carry the lines. (b) Is it on a line normal to NH (C) Crossing shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter. (d) The casing pipe (or conduit pipe in the case of electrical cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable. (e) Ends of the casing/conduit pipe shall be scaled from the outside, so that it does not act as a drainage path. (f) The casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope in the fills. (g)The top of casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 m below the drain inverts. (h) Crossing shall be Horizontal Thrust boring method specially where the existing road	allowed indiscriminately on theIf crossing of the road involved- If yes, it shall be either encased in pipes or through structure or conduits specially built for that purpose at the expenses of the agency owning the lineHorizontal Pushing/ Drilling Technique shall be adopted for NH-316 crossing where in a depth of 3.5m at the centre of Road Level shall be maintained.(a) Existing drainage structures shall not be allowed to carry the lines.No Drainage Structure involved in laying of Natural Gas Pipeline.(b) Is it on a line normal to NH (C) Crossing shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter.No Drainage Structure involved in laying of Natural Gas Pipeline.(d) The casing pipe (or conduit pipe in the case of electrical cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.Agreed(e) Ends of the casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 m below the drain inverts.Agreed, shall be followed as per guidelines of NHAI(h) Crossing shall be Horizontal Thrust boring method specially where the existing roadAgreed

	concrete or dense bituminous concrete type.	10	
	 (i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it. 	Agreed	Agreed
2	Document/Drawing enclosed with the proposal	YES	YES
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2 m deep x 0.6 m wide)	Agreed	Agreed
	(i) Should not be greater than60 cm wider than the outerdiameter of the pipe	Agreed	Agreed
	(ii) located as close to the extreme edge of the right-of- way as possible but not less than 15 meter from the center- lines of the nearest carriageway	Agreed	Agreed
	(iii) Shall not be permitted to run along the National Highways where the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges	∆greed	Agreed
	(iv) These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land	Agreed	Agreed
.2	Cross section showing the size of pit and location of pipe for Horizontal Thrust Boring method	Agreed	Agreed
.3	Strip plan/Route plan showing NG pipeline, Chainage, width of ROW, distance of proposed, NG pipeline from the edge of ROW,	Enclosed	Enclosed
X	ALT ANATIONY	िन्मिय त्रिपाठी /Chinggya Tripa उप महाप्रबंधक (सीजीडी) Deputy General Manager (CG गेल (इंडिया) लिमिटेड/Gail India L धुवनेश्वर/Bhubaneswar	D)

-

0

•

	important mile stone, intersections, cross drainage works etc.		
2.4	Methodology for laying NG pipeline	Open cut method & HDD method	Open cut method & HDD method
2.4.1	Open trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type. If yes, Methodology of refilling of trench	Agreed	Agreed
	(a) The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Agreed	Agreed
	(b) For filling of the trench, Bedding shall be to a depth of not loss than 30 cm. It shall consist of granular material, free of lumps, closed and cobbles and graded to yield a firm surface without sudden change in the bearing value.	Agreed	Agreed
	Unsuitable soil and rock edged should be excavated and replaced by selected material.	Agreed	Agreed
	(c) The backfill shall be completed in two stages (i) side-fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Agreed	Agreed
	(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's density. Overfill shall be compacted to the same density as the material that had been removed. Consolidated by saturation or ponding will not	N/A	N/A
À	alle Curthan + HO	िन्मय त्रिपाठी /Chinmaya Tripati उप महाप्रबंधक (सीजीडी) Deputy General Manager (CGD) गेल (इंडिया) लिमिटेड/Gail India Lto भुवनेश्वर/Bhubaneswar)

	be permitted.		
	 (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. (f) The excavation shall be protected by flagman, signs and barricades, and red lights 	N/A N/A	N/A N/A
	during night hours. (g) If required, a diversion shall be constructed at the expense of the agency owning the utility line.	N/A	N/A
2.4.2	Horizontal Thrust Boring Method	Enclosed	Enclosed
2.4.3	Laying of NG Pipeline through CD works and method of laying	N/A	N/A
	(a) On approaches, the water mains/cable shall be carried along a line as close to the edge of the right-of-way as possible up to a distance of 30 m from the bridge and subject to all other stipulations contained in this Ministry's guidelines issued with letter No.H1/P/66/76 dated 19.11.1976.	N/A	N/A
3	Draft License Agreement signed by two witnesses	Yes	Yes
	Performance Bank Guarantee in favor of Executive Engineer has to be obtained @ Rs.50/- per running meter (parallel to NH) and Rs. 1,00,000/- per	GAIL (India) Limited will	SALVES STORY



चिन्मय त्रिपाठी /Chimmaya Tripathy उप महाप्रबंधक (सीजीडी) Deputy General Manager (CGD) गेल (इंडिया) लिमिटेड/Gail India Ltd. भुवनेश्वर/Bhubaneswar

.....

4	crossing of NH, for a period of one initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payble by the NH/PWD to the licensee for clearing debris/loose earth.	submit Bank Guarantee as intimated by NHAI.	
4.1	Performance BG as per above is to be obtained	Will be submitted as intimated by NHAI.	YES
4.2	Confirmation of BG has been obtained as per NHAI guidelines	N/A	YES
5	Affidavit/Undertaking from the Applicant for		
5.1	Not to Damage to other utility, if damaged then to pay the loses either to NH/PWD or to the concerned agency		
5.2	Renewal of Bank Guarantee		
5.3	Confirming all standard condition of NHAI's/PWD guideline		
5.4	Shifting of NG pipeline as and when required by NHAI/PWD at our own cost		
5.5	Shifting due to planning/widening of NH		
5.6	Indemnity against all damages and claims clause(xxiv)		
5.7	Traffic movement during laying of NG supply pipeline to be managed by the applicant		
5.8	If any claims is raised by the Concessionaire then the same		
6	Add antiony	जिन्मय त्रिपाठी /Chimmeya Tripa उप महाप्रबंधक (सीजीडी) Deputy General Manager (CG गेल (इंडिया) लिमिटेड/Gail India I भुवनेश्वर/Bhubaneswar	D)

- . .

	has to be paid by the applicant		
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alternations to the showing NG supply pipeline located in the National Highway right-of- ways.	Affidavit is enclosed mentioning all these clauses/stipulations	
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the PHD LPG supply pipeline will be borne by the agency owning the line.		
5.11	If the NHAI/PWD considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.		
5.12	Certificate from the applicant in the following format (i) laying of NG supply pipeline will not have any deleterious effects on any of the bridge components and roadway safety for traffic. (ii) for 6 lanning "We do undertake that I will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI" for future six-lanning for any other development".	Certificate furnished as stated	YES
5	Low when the the	चिन्मय त्रिपाठी /Chonneya Tripa उप महाप्रबंधक (सीजीडी) Deputy General Manager (CG गेल (इंडिया) लिमिटेड/Gail India L भुवनेश्वर/Bhubaneswar	D)

•

6	Who will sign the agreement on behalf of NG supply pipeline agency	Chinmaya Tripathy DGM (CGD) GAIL India Limited, CGD Project Office, Hotel Suraj Palace, F-100, Infocity Road, Patia, Bhubaneswar (Odisha)- 751024.
7	Certificate from the Executive Engineer	
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. NH- 41(58)/68 dated 31.1.1969, Ministry Circular No. RW/NH- III/P/66/76 dated 11.05.1982, Ministry Circular No. RW/NH- 11037/1/86-DOI(ii) dated 28.7.1993, Ministry Circular No. RW/NH-11037/1/86DOI dated 19.1.1995, MINISTRY Circular NO. RW/NH-34066/2/95/S&R dated 25.10.1999 and Ministry Circulars No. RW/NH- 34066/7/2003 S&R(B) dated 17.9.2003	
7.2	Certificate from PD in the following format(i) "it is certified that any other location of the NG supply pipeline would be extremely difficult and unreasonable costly and the installation of NG supply pipeline within ROW will not adversely affect the design, stability and traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc." (ii) for 6- lanning (a) Where feasibility is available " I do certify that there will be no hindrance to proposed six-lanning based on	
0	AND KANATION PLAN	चिन्मय त्रिपाठी /Chamaya Tripathy उप महाप्रवेषक (सीजीडी) Deputy General Manager (CGD) गेल (इंडिया) लिमिटेड/Gail India Ltd. भुवनेश्वर/Bhubaneswar

	the feasibility report considering structures at the said location".(b) In case feasibility report is not available" I do certify that sufficient ROW is available at site accommodating proposed six-lanning".		
8	If NH section proposed to be taken up by NHAI/PWD, on BOT basis-a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted as a right of way to the concessionaire under the concession agreement for up- gradation of[section from KMto Kmof NH No on build, Operate and Transfer Basis] and therefore, the licensee shall honour the same".	Inserted in Agreement	
9	Who will supervise the work of laying of NG supply pipeline	Gail (India) Limited through its consultant, M/s Tractebel Engineering Pvt Ltd.	Gail (India) Limited through its consultant M/s Tractebel Engineering Pvt Ltd.
10	Who will ensure that the defects in road portion after laying of PHD LPG supply pipeline are corrected and if not corrected then what action will be taken.	Gail (India) Limited	Gail (India) Limited
11	Who will pay the claims for damages done/disruption in working of Concessionaire if asked by the Concessionaire.	Gail (India) Limited	Gail (India) Limited
12	A Certificate from PD that he will enter the proposed permission in the resister of records of the permissions in the prescribed perform		



0

CTripethy चिन्मय त्रिपाठी /Chinmaya Tripathy उप मंहाप्रबंधक (सीजीडी) Deputy General Manager (CGD) गेल (इंडिया) लिमिटेड/Gail India Ltd. भुवनेश्वर/Bhubaneswar er. 4

13	If any previous from approval is accorded for laying of underground NG pipeline then Photocopy of register of records of permissions	N/A	
	accorded as maintained by PD then copy be enclosed.		A ANTE STORE

0 UTTA HB

Cropath चिन्मय त्रिपाठी /Chineseya Tripathy उप महाप्रबंधक (सीजीडी) Deputy General M: mager (CGD) गेल (इंडिज) लिमिटेड-C. # India Ltd. Manager (Tech) भुवनेश्वर/C. # India Ltd. Manager (Tech)

2023 24

परियोजना निवेशक/Project Director भारतीय राज्यीय राजमार्ग प्राधिकरण National Highways Authority of India प.का.इ,शुबनेश्वर/PIU, Bhubaneswar

25