



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - नागपुर : "नारंग टावर", तिसरी मंजिल, उपआयुक्त यातायात पुलीस (नागपुर शहर)
कार्यालय के सामने, पाम रोड, सिविल लाईन्स नागपुर-440 001 महाराष्ट्र टेलि. 0712-2520091, 2980554
ई-मेल : ronagpur@nhai.org वेबसाइट : www.nhai.gov.in



National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Nagpur : "Narang Towers", 3rd Floor, Opp. to Office of Dy. Commissioner of Police Traffic (Nagpur City), Palm Road, Civil Lines, Nagpur- 440 001 Maharashtra. Tel. 0712-2520091, 2980554
e-mail : ronagpur@nhai.org website : www.nhai.gov.in

NHAI/RO/NAG/UT-371/NH-361/Water/2024/25/ 797

Date: 18.07.2024

Invitation of Public Comments

Sub: Operation & Maintenance of Wadner- Kelapur -Pimpalkutti section from km 94.000 to km 175.000 of NH-44 in the State of Maharashtra - Consultancy Package No. SC- O&M/NH-44/NAG-01-Pandharkawada Urban Water Supply Schem Under (Maharashtra Suwan Jayanti Nagarothan Mahaabhiyan) Ta. Kelapur, District Yavatmal Proposal for laying of Water Supply Pipeline along and across the road on section National Highway- Reg.

Ref.:

1. PD, PIU Yavatmal letter no. 936 dated 28.06.2024.
2. CO, Nagar Parishad Pandharkawada letter no. 115/2024 dated 29.04.2024.

It is to inform all concern that Nagar Parishad, Pandharkawada under reference (2) has submitted a proposal for the subjected work and PD, PIU Yavatmal has recommended the above proposal vide letter under reference (1) for approval of the Competent Authority / Highway Administrator.

2. The alignment proposed by that Municipal Corporation, Wardha is laying & across subject stretch is as follows:

- laying water supply pipeline along Ch. 143.440 to km 148.400 for the Total length of 4.960 kms.
- Crossings at km 143.460.

3. As per Para-4 of Ministry's Circular No.RW/NH-33044/29/2015/S&R(R), dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments / objections of affected public is hereby invited with reference to the Ministry's circular dated 28.01.2016 due to above transmission line on the subjected stretch. The objections / comments may be addressed to the below mentioned address within 30 days from issuance of public comments, beyond due date, no comments/ objections will be accepted.

The Regional Officer,
Regional Office - Nagpur
National Highways Authority of India,
"Narang Towers", 3rd Floor,
Opp.to Office of Dy. Commissioner of Police Traffic (Nagpur City),
Palm Road, Civil Lines, Nagpur-440 001, Maharashtra
Tel : 0712-2520091 Email : ronagpur@nhai.org

Akash
18/07/24
(Akash Chouksey)
Manager (Tech.)
NHAI, RO, Nagpur

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website

[web-admin@nhai.org]

(ii) Director, NIC, New Delhi

[mansoor@nic.in]

- for uploading in Ministry's website