



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)
National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

ई-26, सेक्टर-14, निकट ब्राइट स्टार हॉस्पिटल, दिल्ली रोड, नया मुरादाबाद - 244 001 (उ० प्र०)
E- 26, Sector-14 Near Bright Star Hospital, Delhi Road New Moradabad - 244 001 (U.P.)

Tel. : 0591-2453070
Fax : 0591-2453071
email : mor@nhai.org



14011/2/2023/IGL Gas-Km 79+650 to Km 93+400/NH-09/PIU-MBD/26890 Date: 06.09.2023

Invitation of Public Comments

Sub: Proposal for laying Natural Gas 8" ø Carbon Steel Pipe Line from Km 79+650 to Km 93+400 (13750m) LHS & 4" ø Carbon Steel Pipe Line from Km 87+100 to Km 87+400 (300m) RHS by HDD/Open Trench method & crossing by HDD method at Km 81+600, Km 83+400, Km 87+100, Km 87+600, Km 87+600, Km 88+800 & Km 89+500 on NH-09 (Delhi-Amroha Section), at District-Hapur in the State of Uttar Pradesh- reg.

The Authorised Signatory, M/s Indraprastha Gas Limited has submitted the Proposal for laying Natural Gas 8" ø Carbon Steel Pipe Line from Km 79+650 to Km 93+400 (13750m) LHS & 4" ø Carbon Steel Pipe Line from Km 87+100 to Km 87+400 (300m) RHS by HDD/Open Trench method & crossing by HDD method at Km 81+600, Km 83+400, Km 87+100, Km 87+600, Km 87+600, Km 88+800 & Km 89+500 on NH-09 (Delhi-Amroha Section), at District-Hapur in the State of Uttar Pradesh.

2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest). In this regard, RO-UP(West), NHAI, Lucknow vide letter no. 19001/1/RO-W-UP/Utility/19471 dated 21.03.2023 and no. 18001/1/RO-W-UP/H-M/NH-09/Ch. 142+440 to 144+300/OH/NOC/2154 dated 23.05.2023 has also issued directions to put out the application of Public and Industrial Utility Services along and across National Highway in the public domain for 30-days for seeking public comments at PIU Level.

3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

**The Project Director,
National Highways Authority of India
PIU-Moradabad
E-26, Sector-14, Near Bright Start Hospital,
New Moradabad (Delhi-Road)
Moradabad-244001**

Encl: As above.

(Anuj Kumar Jain)
GM (T) cum Project Director

Copy to:

1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.
2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.
3. RO-UP(West), NHAI, Lucknow for information.
4. The Authorised Signatory, M/s Indraprastha Gas Limited, New Delhi for information.

CHECK LIST

Guidelines for Project Director for processing the proposal of laying optical fiber/ HT cables/ Gas pipe line etc. by private parties in the land along National Highway with NHAI.


Relevant circulars

Ministry Circular No. RW/NH-33044/29/2015/S&R (R) Dated 22.11.2016.


Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) Dated 06.08.2013

Check-list for getting approval for laying/ crossing Gas pipe line on NH land

S. No.	Item	Information/Status	Remarks
1.	General Information		
1.1	Name and Address of the applicant/Agency	Indraprastha Gas Limited, Address: IGL Bhawan, Plot No. 4, Community Centre, Sector 9, R.K. Puram, New Delhi -110022.	
1.2	National Highway Number	NH-09	
1.3	State	Uttar Pradesh	
1.4	Location	District- Hapur	
1.5	(Chainages in KM)	Km.79+650 to Km.93+400 (13750m) LHS & 4" Ø CS Pipe line from Km.87+100 to Km.87+400 (300m) RHS & crossing by HDD method at Km.81.600, Km.83.400, Km.87.100, Km.87.600, Km.88.800 & Km.89.500	
1.6	Length in Meters	13750m + 300m = 14050m	
1.7.	Width of available ROW	60m both side	
	(a) Left side from centre line towards increasing chainage/km direction	30m	
	(b) Right side from centre line towards increasing chainage/km direction	30m	
1.8	Proposal to lay the Gas pipe line		
	(a) Left side from centre line towards increasing chainage/km direction	Km.79+650 to Km.93+400 (13750m)	


SATENDRA KUMAR PAL
HOD (Projects)
INDRAPRASTHA GAS LIMITED
"IGL BHAWAN", PLOT NO. 4,
COMMUNITY CENTRE, SECTOR-9, R.K. PURAM
NEW DELHI-110 022

	(b) Right side from centre line towards increasing chainage/km direction	Km.87+100 to Km.87+400 (300m)	
1.9	Proposal to acquire land		
	(a) Left side from centre line.	Not required	
	(b) Right side from centre line.	Not required	
1.10	Whether proposal is in the same side where land is not to be acquired	Not required	
	If not then where to lay the cable	Within available ROW	
1.11	Details of already laid services, if any, along the proposed route	No	
1.12	Number of lanes (2/4/6/8 lanes) existing	6-lanes	
1.13	Proposed Number of lanes (2 lanes with paved shoulder/4/6/8 lanes)	NA	
1.14	Service road existing or not		
	If yes then which side		
	(a) Left side from centre line.	Existing	
	(b) Right side from centre line.	Existing	
1.15	Proposed Service Road		
	(a) Left side from centre line.	Not proposed	
	(b) Right side from centre line.	Not proposed	
1.16	Whether proposal to lay Natural Gas pipe line is after the service road or between the service road and main carriageway	Extreme edge of RoW	
1.17	The permission for laying OFC / HT cables/ Natural Gas pipe line shall be considered for approval/rejection	For approval	
	(i) Where the ROW is more than 45m then the duct cable shall be laid at the edge of right of way within the utility corridor of 2m width, duly keeping in view the future widening.	Extreme edge of RoW	
	(ii) Where land is yet to be acquired for 4-laning and the position of new carriageway has been decided then the cable shall be laid at the edge of right of way within the utility corridor of 2m width, on that side of existing carriageway where extra land is not proposed to be acquired for 4-laning.	Not required	


SATENDRA KUMAR PAL
 HOD (Projects)
INDRAPRASTHA GAS LIMITED
 "IGL BHAWAN", PLOT NO. 4,
 COMMUNITY CENTRE, SECTOR-9, R.K. PURAM
 NEW DELHI-110 022

	(iii) Where the widening plan for 6-laning is not yet decided and available ROW is around 30m or less, a judicious decision would need to be taken for permitting the laying of cable/duct. This could be within 1.5m to 2 m of utility corridor at the edge of existing ROW, duly keeping in view the possible widening plans.	6-laning has been completed.	
	(iv) Where ROW is restricted and adequate only to accommodate the carriageway, central verge, shoulders and drains (e.g. Highways in currying through hilly, rolling terrain) the cable shall be laid clear of the drain.	Plain terrain (Edge of ROW)	
	(v) Where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment) for laying of cable/ducts, the permission may be refused.	available	
1.18	Number of applicants of the same stretch.	Single applicant	
1.19	Whether the case of multiple licenses.	Single	
1.20	If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame.	No	
1.21	If crossing of the road involved If yes, it shall only be through trench less technology	Yes, it shall only be through HDD method	
2.	Document/drawing enclosed with the proposal.		
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.65m deep x0.5m wide)	Shown in drawing	
2.2	Cross section showing the size of pit location of pipe line for HDD method	Shown in drawing	
2.3	Strip plan / Route Plan showing the Natural Gas pipe line, chainage,	Shown in drawing	

Satendra Kumar Pal

SATENDRA KUMAR PAL
HOD (Projects)
INDRAPRASTHA GAS LIMITED
"IGL BHAWAN" PLOT NO. 4,
COMMUNITY CENTRE SECTOR-3, R.K. PURAM
NEW DELHI-110 022

	width of ROW, important mile stone, intersections, cross drainage works etc.		
2.4	Methodology of laying of Gas pipe line	enclosed	
2.4.1	Open trenching method. If, yes, methodology of refilling of trench.	Yes, Enclosed	
2.4.2	Horizontal Directional Drilling (HDD) method	Yes, Enclosed	
2.4.3	Laying Natural Gas pipe line through CD works and method of laying (Whether to be hung outside parapet)	NA	
3.	Draft license agreement signed by two witnesses	Yes	
4.	Performance Bank Guarantee		
5.	Affidavit/ Undertaking/ from the Applicant for		
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Yes, enclosed	
5.2	Renewal of Bank Guarantee.	NA	
5.3	Confirmation all standard condition of NHAI guidelines.	Yes, enclosed	
5.4	Shifting of Natural Gas pipe line as and when required by NHAI.	Yes, enclosed	
5.5	Shifting due to 6-laning / widening of NH.	Yes, enclosed	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes, enclosed	
5.7	Traffic movement during laying of CS pipe line to be managed by the applicant	Yes, enclosed	
5.8	If any claim is raised by the Concessionaries then the same has to be paid by the applicant.	Yes, enclosed	
5.9	Certificate for 6-laning from the applicant in following format. "We do undertake that I will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for	Yes, enclosed	



SATENDRA KUMAR PAL
HOD (Projects)
INDRAPRASTHA GAS LIMITED
"IGL BHAWAN", PLOT NO. 4,
COMMUNITY CENTRE, SECTOR-9, R.K. PURAM
NEW DELHI-110 022

	future six-laning or any other development."		
6.	Affidavit /Power of Attorney in favor of authorized signatory.	Affidavit enclosed	
7.	Copy of DOT license	No, Natural Gas pipe line	
8.	Certificate from the Project Director	Yes, enclosed	
8.1	Certificate from confirming of all standard condition issued vide Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) dated 7/8/2013 & dated 22.11.2016	Yes	
8.2	Certificate for 4-laning from EE in the following format	Already 6-lane	
	(a) Where feasibility is available "I do certify that there will be no hindrance to proposed 6-laning base on the feasibility report considering proposed structure at the said location.	NA	
	(b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodate proposed 6-laning".	NA	
9	As per guidelines license fee shall be charged.	Department will pay fee after issuing demand note	
10	If NH section proposed to be taken up NHAI on BOT basis –a clause in para 17 to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of way to the concessionaire under the concession agreement for uo-gradation of [.... Section From Km.....to kmof NHAI No..... on Build, Operate and Transfer Basis]	NA	
11	Who will supervise the work of laying of Natural Gas pipe line	NHAI	
12	Who will ensure that the defects in road portion after lay of Natural Gas pipe line are corrected and if not corrected then what action will be taken.	Indraprastha Gas Limited	



SATENDRA KUMAR PAL
HOD (Projects)
INDRAPRASTHA GAS LIMITED
"IGL BHAWAN", PLOT NO. 4,
COMMUNITY CENTRE, SECTOR-9, R.K. PURAM
NEW DELHI-110 022

13	Who will pay the claims for damages' done/disruption in working of concessionaire if asked by the Concessionaire.	Indraprastha Gas Limited	
14	A Certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed Performa (copy enclosed) issued vide Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016	Yes	
15	If any previous approval is accorded for after lay of Natural Gas pipe line then photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016) as referred in para 13 above is enclosed or not.	NA	

S.P.P.

SATENDRA KUMAR PAL
INDRA HOD (Projects)
INDRAPRASTHA GAS LIMITED
COMMUNE DWIVANT, PLOT NO. 4, K.P. M.
COMMUNITY CENTRE SECTOR-9, R.K. PURAM
NEW DELHI-110 022