भारत सरकार

सडक परिवहन और राजमार्ग मंत्रालय

क्षेत्रीय कार्यालय, भुवनेश्वर

प्लट संख्या - 184 (फायार स्टेसन चौक के पास) वरमुन्डाँ, भुवनेश्वर-751003

दूरभाषा : (0674) 2960994 & 2952994 ई-मेल :robbsr.morth@gmail.com



Government of India Ministry of Road Transport & Highways

Regional Office, Bhubaneswar

Plot No. - 184 (Near Fire Station Square) Baramunda, Bhubaneswar-751003

Ph. No.: (0674) 2960994 & 2952994 E-mail: robbsr.morth@gmail.com

No. RO/BBSR/Utility Services/NH-26/KSNG/126/2025 - 11 71

Date: 02nd Sep, 2025

Invitation of Public Comments

Sub: Proposal for access permission to lay HPCL's proposed Visakha-Raipur Petroleum Product Pipeline (14" dia along with OFC in 20" dia casing) across NH-26 at km 142/042 at Kurlupada in Kalahandi district - reg.

1. The Superintending Engineer, National Highway Division, Kesinga vide letter dated 12.08.2025 has submitted a proposal on the mentioned subject as detailed below:

Across the NH:

SI. No.	NH No.	NH Chainage	Available RoW (in mt)	Dia of Pipe including casing (In mm)	Carriageway width (in m)	Depth of laying of utility from GL	Methodology
1	NH-26	142/042	26.32	500 mm	10.0	1.20	Jack pushing method

2. As per Ministry's OM No. RW/NH-33044/29/2015/S&R(R) dated 22nd November, 2016 the Highway Administrator will put out the application in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest, if any.

3. In view of above, comments of public for claims/objections, if any, on the above proposal are invited online as well as in hard copy. The strip plan/location details are enclosed herewith. The same should reach to the below mentioned address within 30 days from the date of uploading it in the website, beyond which no objection will be considered.

Address:


Regional Officer, Ministry of Road Transport & Highways, Plot No -184, Near Fire Station Sq., Baramunda, Bhubaneswar - 751003.

Yours faithfully,

(Sudhansu Sekhar Sahu) Senior Technical Assistant For Regional Officer

Copy to:

- 1) The Senior Technical Director, NIC, Transport Bhawan, New Delhi 110001- along with strip chart for uploading on the Ministry's website.
- 2) General public with request to furnish comments, if any, to the above mentioned address or by e-mail to "robbsr.morth@gmail.com



GOVERNMENT OF ODISHA.

OFFICE OF THE EXECUTIVE ENGINEER, NATIONAL HIGHWAY DIVISION, KESINGA.

At/Post: Kesinga, Dist: Kalahandi (Odisha), Pin-766012.E-mail: eenh.ksng@gmail.com

Letter No. NH/KSNG /HPCL/W-110(Misc). 1922 /Dated. 12-08-2025

To,

The Regional Officer, MoRT&H, Regional Office, Plot No.184 In front of C.R.P.F Stadium, Baramunda, Bhubaneswar - 751 003

Sub:-

Submission of Proposal for Access Permission to Lay HPCL's Proposed Visakha-Raipur Petroleum Product Pipeline across NH-26 at Km 142.042 (Village Kurlu Pada, Kalahandi District) Permission for laying HPCL's proposed Visakha - Raipur Petroleum Product Pipe line of 14" dia along with OFC in 20" dia casing pipe across NH - 26 (Bargarh - Bhawanipatna) at Km. 142.042 in illageKurlu Pada in Kalahandi District.

Ref:-

1. Letter no. HPCL/KHD/VRPL/OD/NH/EE/2025-12 Date. 26.05.2025

2. Memo No. 1412 Date. 23.06.2025 of NH. Division, Kesinga.

Sir,

In inviting a kind reference to the subject mentioned above, it is to intimate that the proposal as received from DGM Projects, Hindustan Petroleum Coporation Ltd, Visakh Raipur Pipeline Project, Visakhapatnam for grant of access permission for laying Hindustan Petroleum Corporation Limited's (HPCL) proposed Visakha-Raipur Petroleum Product Pipeline (14" diameter) along with Optical Fibre Cable (OFC) in a 20" diameter casing pipe across National Highway-26 (Bargarh-Bhawanipatna) at kilometer 142.042, within the limits of Village Kurlu Pada - 37, Kalahandi District with the enclosures (1)Site Inspection Report (2) Check List (3) Undertaking (4) Affidavit (5) Agreement (6) Power of Attorney (7) HPCL Board Resolution/Letter (8) Memorandum of Understanding (MoU) signed between NHAI & HPCL dated 30.11.2022 (9) Route Map (10) NH Cross - sectional drawing & (11) Methodology for Laying of Pipeline of the proposal is submitted for taking further necessary action at your end.

#Enclo: As above= (1) One Set

Yours Faithfully,

Superintending Engineer

N. H. Division, Kesinga

Memo-_____/Dtded______/Dtded______/

Copy to Assistant Executive Engineer, NH. Sub-Division, Kesinga forinformation & necessary action

with reference to his letter No. 27 Date. 31.072025.

Superintending Engineer N.H. Division, Kesinga

Memo-____/Dtded_______/2.02.5003

Copy to the DGM - Projects HindustanPetroleum Corporation Limited, 17, Jamshedji Tata Road, Mumbai for information & necessary action.

Superintending Engineer N.H. Division, Kesinga

5 2018/25



GOVERNMENT OF ODISHA

OFFICE OF THE EXECUTIVE ENGINEER, NATIONAL HIGHWAY DIVISION, KESINGA.

At/Po-Kesinga, Dist-Kalahandi (Odisha), Pin-7660012, E-mail-eenh.ksng@gmail.com.

Letter No. NH/KSNG/ Petrol Pump (HPCL)/ 14/1 / Dated 23/06/2025

To,

The Assistant Executive Engineer, NH Sub-Division, Kesinga.

Sub: -

Proposal for access permission for laying HPCL's proposed Visakh - Raipur Petroleum Product Pipeline of 14" dia along with OFC National Highway - 26 (Bargarh - Bhawanipatna) at Km. 142.042 in village Kurlu Pada- 142.042 in Kalahandi district.

Ref:-

(1) Your Ltr No. 165 Dated. 19.03.2025

(2) Ltr. No. HPCL/KHD/VRPL/OD/NH/EE/2025/ - 12 Date. 26.05.2025

Sir,

With reference to the letter and subject cited above, the Proposal for access permission for laying HPCL's proposed Visakh - Raipur Petroleum Product Pipeline of 14" dia along with OFC National Highway - 26 (Bargarh - Bhawanipatna) at Km. 142.042 in village Kurlu Pada- 142.042 in Kalahandi district has resubmitted by the agency vide letter u/r.2 after necessary rectification for provisional NOC.

Hence the instant proposal transmitted to you for site inspection as per MoRT&H norms, All the documents may be submitted to this office after due verification along with inspection note for taking necessary action at this end.

Yours faithfully,

Superintending Eng N.H. Division, Kesinga

Copy to Territory Manager (Retail), Hindustan Petroleum Corporation Limited, Visakh Raipur Pipeline Project , 43-29-54/8, 1st.floor, Balaji Metro Chambers, Akkavapalm, Viasakhapatnam-530016 email aaddress: - info Obharatpetroleum.in for information & needful action .

> Superintending Engineer, N.H. Division, Kesinga

Copy submitted to the R.O., MoRT&H., Bhubaneswar for favour of your kind information .

Superintending Enginee

N.H. Division, Kesinga

OFFICE OF THE ASSISTANT EXECUTIVE ENGINEER, N.H. SUB-DIVISION, KESINGA.

Letter No: 211 /Dtd: 31107-125

To,

The Superintending Engineer N.H. Division, Kesinga.

Sub:- Proposal for access permission for laying HPCL's proposed Visakh-Raipur Petroleum Product pipeline of 14" Dia along with OFC crossing the National Highway -26 (Bargarh-Bhawanipatna) at Km 142.042 in village Kurlupada in Kalahandi district.

Ref:- Your office letter No. 1411, dated- 23.06.2025

Sir,

In inviting a kind reference to the subject cited above, it is to state that a site inspection has been conducted in presence of AE, NH section, Kesinga and agency representative of Visakh Raipur pipeline project. The site inspection report is given below.

- 1) The proposed HPCL's pipeline 14" Dia along with OFC crossing at chainage Km 142.042 of N.H-26.
- 2) The ROW width at chainage Km 142.042 is 26.32 Mtr.
- 3) The BT width with shoulder at chainage Km 142.042 is (10.00+2.00+2.00) = 14.00 Mtr
- 4) The proposed HPCL's pipeline crossing on plot No.456 under Khata No.1 (Purta bibhag) of N.H-26 in Mouza- Kurlupada. It has demarcated by Amin.
- 5) Height of Embankment of proposed HPCL's pipeline at chainage Km 142.042 is 2.80 Mtr (Av.)
- 6) This is in sufficient depth between NH carriage way & proposed HPCL's pipeline crossing.

This is for favour of your kind information and necessary action.

Yours faithfully

Asst. Executive Engineer NH, Sub-Division, Kesinga

Asst. Engineer NH, Section, Kesinga



हिन्दुस्तान पेट्रोलियम कॉर्पोरेशन लिमिटेड

(भारत सरकार का उपक्रम) पंजीकृत कार्यालय -17, जमशेदजी टाटा रोड, मुम्बई -400020 HINDUSTAN PETROLEUM CORPORATION LIMITED

(A Government of India Enterprise)

REGISTERED OFFICE: 17, JAMSHEDJI TATA ROAD, MUMBAI-400020 सी. आई. एन/ C.I.N: M3201MH1952GO1008858

HPCL/KHD/VRPL/OD/NH/EE/2025/-12

Executive Engineer, National Highway Division, Kesinga, Odisha - 766 012



Date: 26.05.2025

Subject: Request Perwission for laying of HPCL's Visakha - Raipur Pipeline of 14"dia along with OFC (in 6" conduit) across National Highway-26 (Bargarh- Bhavanipatna) at Km 142+042, in Village Kurlu Pada-37 in Kalahandi District.

Reference: MOU signed between NHAI & HPCL dt: 30.11.2022 laying down obligations in case of crossing for expediting the permissions.

Dear Sir,

Hindustan Petroleum Corporation Limited (HPCL) is one of the major Central Public Sector " Maharatna " Oil Companies engaged in refining, Marketing & distribution of Petroleum Products in India with two refineries at Mumbai & Vishakhapatnam, over 5132 Km cross country petroleum products pipeline network and various marketing infrastructures in the country.

Now, HPCL is expanding its product pipeline network to cater to the growing demand of petroleum products namely Petrol, Diesel, Kerosene etc. in the Central State and parts of West Bengal, Madhya Pradesh, Chhattisgarh, Eastern Mahararstra and Odisha. The petroleum products will be imported from Visakhapatnam Refinery (Andhra Pradesh) and transported via a cross-country pipeline to Raipur (Chhattisgarh).

The Proposed Visakh - Raipur underground Product Pipeline of 14" dia along with OFC will be crossing NH-26 at NH Chainage 142+042 Km under your jurisdiction in Kalahandi District.

विशाख रायपुर पाइपलाइन प्रोजेक्ट, बी.बी.एस.पी.एल एडियन बिल्डिंग बीआर एटीपी स्थापन में (पोस्ट), विशाखापननम - 530014

Visakh Raipur Pipeline Project, VVSPL Admin Building, VR ATP Area Navai Base (Post) Visakhapatnam - 530014

Underground Product Pipeline will be laid as per the following details.

- 1. The carrier pipe will be of 14" NB Carbon steel confirming to API-5L specifications
- Crossing shall be undertaken by Horizontal Boring (with 20" casing pipe up to IS spec) or HDD-Method (trenchless).
- 3. Top of the pipeline will be laid at least 1.2 meters below the lowest Natural ground level.
- 4. Necessary fee in this regard, if any, shall be remitted upon receipt of advice from your side.
- 5. All works will be carried out as per the approved drawings.
- 6. During Execution of the work, all safety precaution will be ensured.
- 7. Location Area will be restored back to its original condition after execution.
- 8. All terms conditions mutually agreed with NH Department will be adhered while execution of the work.

The following Documents/Drawings are enclosed herewith for ready reference.

- 1. MOU signed between NHAI & HPCL dt: 30.11.2022.
- 2. Power of Attorney and Undertakings.
- 3. Check List.
- 4. Construction Methodology.
- 5. Pipeline Route Map.
- 6. Cross Section Drawing

The project is of National importance and the pipeline is being laid for meeting the overgrowing demand of petroleum products in the country.

We wish to submit, that the project is time bound with stiff completion target and hence request your approval on priority as per the respective obligations as laid down in the MOU for expediting the permissions.

Thanking you,

Very truly yours,

G.E. Naidu

Deputy General Manage GM-Projects

Hindustan Petrioleum Corporation cimited id.

Visakh Raipur Pipeline Project # 43-29 54/8, 1st Floor, Balaji Metro Chambers, Encl: As stated above palem, Visakhapatnam-530016.