



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

## National Highway Authority of India

(Ministry of Road Transport and Highways, Government of India)



परियोजना कार्यान्वयन इकाई: कृष्णागिरी  
Project Implementation Unit: Krishnagiri

#259/1, सेलम मेन रोड, केएकेसी पेट्रोल बंक के पास, कृष्णागिरी (तमिलनाडु) - 635 001.  
#259/1, Salem Main Road, Near KAKC Petrol Bunk, Krishnagiri (Tamil Nadu) - 635 001.  
दूरभाष / Tel: 04343 234250, ईमेल / Email: nhaikrishnagiri@gmail.com, kri@nhai.org वेबसाइट : www.nhai.gov.in

No. NHAI/11013/ TWAD/2025/PIU-K'giri/1120

08<sup>th</sup> April 2025

### Invitation of Public Comments

Sub: NHAI, PIU, Krishnagiri - Commissioner, Krishnagiri municipality requesting permission for laying of sewerage pipeline along the road from km.0/980 to km.01/275 (LHS & RHS) and across at km.0/980 on Krishnagiri Walajahpet section of NH-48 – Invitation of Public Comments - Reg.

The proposal is regarding permission for laying of sewerage pipeline along the road from km.0/980 to km.01/275 (LHS & RHS) and across at km.0/980 on Krishnagiri Walajahpet section of NH-48 by Commissioner, Krishnagiri Municipality submitted to this office on 29.03.2025.

2. Commissioner, Krishnagiri Municipality has proposed to laying of sewerage pipeline as under:

SI no.	Description			Pipe Dia	Length in mtrs	ROW in Meters		Distance of Water Pipeline from centreline of the Main Carriageway		Depth
	From	To	side			LHS	RHS	LHS	RHS	
1	000/980	01/275	LHS	150mm dia DI Pipe	295	35.40	23.50	33.40	-	Along the road by open trench method duly keeping the top of the casing at 2.5 m below the top of sub grade level
2	000/980	01/275	RHS	150mm dia DI Pipe	295	23.50	35.40	-	22.84	
Total length					590					
3	Road Crossing	000/980		150mm DI Pipe (600mm MS Casing Pipe)	57.57	Road crossing by HDD Method duly keeping the top of the pipe at 2.5 m from bottom of crust.				



3. As per the guidelines issued by the Ministry vide letter No.RW/NH33044/29/2015/ S&R(R) dated 22.11.2016, the proposal submitted by Commissioner, Krishnagiri Municipality will be made available for 30 days seeking public comments/objections and the comments shall be furnished within 30 days from the day of closure of public objections.

In view of the above, comments of the public on the above proposal are invited any may be sent to the below mentioned address:

The Project Director,  
National Highways Authority of India,  
Project Implementation Unit,  
No.259/1, Salem Main Road,  
Near KAKC Petrol Bunk,  
Krishnagiri (T.N) - 635 001.

Yours faithfully,

*In. Layan  
08/10/17*  
(G. Ramesh)

Project Director

Copy to:

1. Regional Officer, NHAI, Chennai Region, Chennai – for kind information.
2. NHAI website.
3. The NIC, New Delhi- for uploading in the Ministry's website.