



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष /Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल /Eail : rojaipur@nhai.org

No: NHAI/18013/1/2021-ROJ/Permission-Laying OFC-Jio Digital/68/NH-52 km 294.86to297.587/4058 Date: 16.02.2021

INVITATION OF PUBLIC COMMENTS

Sub.: Proposal for grant of permission for laying underground OFC along Jaipur-Sikar NH-52 from Ch. 294+860 (near Hotel Rajkamal) to Ch. 297+587 (RHS) total length 2.2727 km. in the State of Rajasthan by M/s. Jio Digital Fiber Pvt. Ltd. - reg.

Ref.: 1. RO, MoRTH, Jaipur letter no. RW/JAI/RJ/PS/UTILITY/2019/357/4773 dated 12.09.2019.
2. Jio Digital Fiber Pvt. Ltd. letter dated 27.07.2020 & 28.12.2020.
3. PD, PIU-Sikar letter no. NHAI/PIU/Sikar/2020/750 dated 20.01.2021.

Sir,

It is to inform all concern that M/s. Jio Digital Fiber Pvt. Ltd. vide letter under reference (i) has submitted a proposal to PD, PIU-Sikar for the subjected work and PD, NHAI, PIU, Sikar has forwarded the above proposal to this office vide letter under reference (ii) for approval of the Competent Authority, Highway Administrator.

2. The proposal is regarding permission for laying underground OFC along Jaipur-Sikar NH-52 from Ch. 294+860 (near Hotel Rajkamal) to Ch. 297+587 (RHS) total length 2.2727 km. in the State of Rajasthan by M/s. Jio Digital Fiber Pvt. Ltd.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying underground OFC along Jaipur-Sikar NH-52 from Ch. 294+860 (near Hotel Rajkamal) to Ch. 297+587 (RHS) total length 2.2727 km. in the State of Rajasthan by M/s. Jio Digital Fiber Pvt. Ltd. The objections/comments may be addressed to the below mentioned address upto 17.03.2021, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur


National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,

Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,


(Kuldeep Songara)

DGM (Tech.)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website
[web-admin@nhai.org]

(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]

(iii) PD, PIU-Sikar: for information.

(iv) Jio Digital Fiber Pvt. Ltd.: for information.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, सीकर

प्लॉट नं. 187 व 188, विनायक विहार, पिपराली सर्किल, जून्जुनू बाईपास, सीकर (राज.)

Project Implementation Unit, Sikar

Plot No. 187 & 188, Vinayak Vihar, Near Piprali Circle, Jhunjhunu Bypass, Sikar (Raj) 332001

दूरभाष/Phone : 91-1572-249090

फैक्स/Fax : 91-1572-249090

ई-मेल/E-mail : piurengus@nhai.org



भारतमाला

इसके बिना रास्ता अधूरा

Sh. Nandkish J
Sikar
01/01/2021

Mst. 22/1/2021

No. NHAI/PIU/Sikar/2020/750

Dated: 07.01.2020

Highway Administration-cum-Regional Officer,

National Highway Authority of India

F-120 Janpath Shyam Nagar

Jaipur-302019



Sub:- Permission for laying underground Optical Fiber Cable as pr enclosed drawings along Jaipur-Sikar route of NH-52 from Ch. 294+860 (Near Hotel Rajkamal) to Ch. 297+587 of NH-52 (RHS) total length 2.727 kms in the State of Rajasthan.Reg.

Ref:- [i] RO, MoRTH letter no:- RW/JAI/RJ/PS/Utility/2019/357/4773 dated 12.09.2019
[ii] This office letter no:- NHAI/PIU/Sikar/2019/848 dated 12.12.2019
[iii] IE letter no:- MSVLSI/PRJ/JPRRGS/2020/1108 dated 18.02.2020
[iv] Jio Digital Fiber Pvt.Ltd. letter no:- Nil dated 27.07.2020
[v] This office letter no:- NHAI/PIU/Sikar/2020-21/342 dated 27.08.2020
[vi] IE letter no:- MSVLSI/PRJ/JPRRGS/2020/1185 dated 28.08.2020
[vii] This office letter no:- NHAI/PIU/Sikar/2020-21/408 dated 15.09.2020
[viii] Jio Digital Life letter 01 dated 28.12.2020

Sir,

The subject mentioned proposal received from RO, MoRTH, Jaipur through vide reference (i) was forwarded to IE vide this Office letter No- 848 dated 12.12.2019 to submit detailed report /recommendation as per actual site condition.

IE vide referred letter ref. (ii) has raised some observation, hence the proposal was returned for necessary compliance. The Jio Digital Fiber Private Ltd. has re-submitted the proposal vide ref. (iv). The proposal was forwarded to IE vide this office letter no.342 dated 27.08.2020 to submit detailed report/recommendation as per actual site condition.

IE has examined the proposal in light of MoRTH guidelines and vide letter under ref. (vi) submitted that-

1. The proposal was submitted as per old MORTH circular 2005 vide letter at sr. no. (iii) which is resubmitted as per new MORTH letter no. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016 and letter no. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 for processing of proposal for grant of permission to accommodate public and industrial utility services along and across the National Highways.

The NOC is recommended subject to the condition that work should be carried out in the presence of representative of IE or Concessionaire with fortnight advance intimation before start of laying the OFC.

Further to submit that this office vide ref. (vii) has requested M/s Jio Digital Fiber Private Ltd to submit the BG and Licensee Fee as desired by RO, MoRTH vide ref. (i), in compliance of that M/s Jio Digital Fiber Private Ltd has deposited Licensee Fee to Bharat Kosh Portal (Copy enclosed) and submitted the BG amounting to Rs. 2,72,700/- in favour of NHAI as per above mentioned guidelines, the same has been verified by the Canara Bank Sikar.

The copy of BG and verification letter of Canara Bank Sikar is enclosed herewith and submitted for further necessary action.

In view of above, the proposal is hereby recommended for approval.

Yours Faithfully,



(Ajay Kumar Arya)
Project Director

Encl- As above

O/c
Aju



ISO 9001: 2008
Certified Company

MSV International Inc.
In Association with
LSI Engineering & Consultants Ltd.

Site Office:
A - 11, Eden Garden Society,
Near Angel Resort Gate
Jaipur - Sikar Road, Rajawaas,
Jaipur, Rajasthan
E-mail: msvlsi.jaipurreengus@gmail.com
lsi.jaipurreengus@gmail.com

Independent Consultancy Services during Operation & Maintenance stage of 4/6 laning of Jaipur-Reengus BOT project from Km. 246.300 to Km. 298.075 of NH-11/52 in the State of Rajasthan.

MSVLSU/PRJ/JPRRGS/2020/1108

18.02.2020

To,


The Project Director

National Highways Authority of India (PIU)

Plot No. 187 & 188, Vinayak Vihar

Near Piprali Circle, Jhunjhunu Bypass

Sikar - 332001, Rajasthan



3.20

Sub: Independent Engineer Services during Operation & Maintenance stage of 4/6 laning of Jaipur - Reengus BOT Project from Km 246.300 to Km 298.075 of NH-11/52 in the State of Rajasthan:- **Permission for laying underground Optical Fiber Cable as per enclosed drawings along Jaipur-Sikar route of NH-52 from Ch.294+860(Near Hotel Rajkamal) to Ch.297+587 of NH-52 (RHS) total length 2.727 kms in the state of Rajasthan - Reg.**

Ref. Your letter no. NHAI/PIU/Sikar/2019/848 dated 12.12.2019

Dear Sir,

The proposal for Permission for laying underground Optical Fiber Cable as per enclosed drawings along Jaipur-Sikar route of NH-52 from Ch.294+860(Near Hotel Rajkamal) to Ch.297+587 of NH-52 (RHS) total length 2.727 kms received vide your letter under reference, which was examined at site as per MoRTH Circular / Guidelines. The observations as below: -

1. The proposal was submitted as per old MoR&TH circular 2005 which should be resubmitted as per new MoRT&H letter No. RW/NH-33044/29/2015/S&R(R) dated 22.01.2016 and letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 for processing of proposals for grant of permission to accommodate public and industrial utility services along and across the National Highways.
2. The application submitted for grant of permission for laying of above subject utility is incomplete and not as per the new MoRT&H guidelines.

The case file is forwarded to your office for further necessary action

SP



ISO 9001: 2008
Certified Company



MSV International Inc.
In Association with
LSI Engineering & Consultants Ltd.

Site Office:

A – 11, Eden Garden Society,
Near Angel Resort Gate
Jaipur - Sikar Road, Rajawaas,
Jaipur, Rajasthan
E-mail: msvlsi.jaipurreengus@gmail.com
lsi.jaipurreengus@gmail.com

Independent Consultancy Services during Operation & Maintenance stage of 4/6 laning of Jaipur-Reengus BOT project from Km. 246.300 to Km. 298.075 of NH-11/52 in the State of Rajasthan.

Yours truly,
For **MSV International Inc.**
in association with
LSI Engineering & Consultants Ltd.

Rahul Sisodia
Acting Team Leader &
Highway Engineer

Encl. As Above (03 Files)

- CC: 1 Project Manager, JR Toll Road Pvt. Ltd., Tatiyawas.
3. Director/ Group Vice President, MSV International Inc., Gurgaon
4. CEO, LSI Engineering & Consultants Ltd., New Delhi



ISO 9001: 2008
Certified Company



MSV International Inc.
In Association with
LSI Engineering & Consultants Ltd.

Site Office:

A - 11, Eden Garden Society,
Near Angel Resort-Gate
Jaipur - Sikar Road, Rajawaas,
Jaipur, Rajasthan

E-mail: msvlsi.jaipurrengus@gmail.com
lsi.jaipurrengus@gmail.com

Independent Consultancy Services during Operation & Maintenance stage of 4/6 laning of Jaipur-Reengus BOT project from Km. 246.300 to Km. 298.075 of NH-11/52 in the State of Rajasthan.

MSVLSI/PRJ/JPRRGS/2020/1185

28.08.2020

To,

The Project Director
National Highways Authority of India (PIU)
Plot No. 187 & 188, Vinayak Vihar
Near Piprali Circle, Jhunjhunu Bypass
Sikar - 332001, Rajasthan

National Highways Authority of India	
Recpt. No.549.....	Date 31-8-20
PIU- SIKAR	

Sub: Independent Engineer Services during Operation & Maintenance stage of 4/6 laning of Jaipur - Reengus BOT Project from Km 246.300 to Km 298.075 of NH-11/52 in the State of Rajasthan:- **Permission for laying underground Optical Fiber Cable as per enclosed drawings along Jaipur-Sikar route of NH-52 from Ch.294+860(Near Hotel Rajkamal) to Ch.297+587 of NH-52 (RHS) total length 2.727 kms in the state of Rajasthan - Reg.**

Ref. (i) Your office letter no. NHAI/PIU/Sikar/2020-21/342 dated 27.08.2020
(ii) This Your letter no. MSVLSI/PRJ/JPRRGS/2020/1108 dated 18.02.2020
(iii) Your office letter no. NHAI/PIU/Sikar/2019/848 dated 12.12.2019

Dear Sir,

The proposal for Permission for laying underground Optical Fiber Cable as per enclosed drawings along Jaipur-Sikar route of NH-52 from Ch.294+860(Near Hotel Rajkamal) to Ch.297+587 of NH-52 (RHS) total length 2.727 kms received vide your letter under reference, which was re-examined at site as per MoRTH Circular / Guidelines. The observations as below: -


1. The proposal was submitted as per old MoR&TH circular 2005 vide letter at sr. no. (iii) which is resubmitted as per new MoR&TH letter No. RW/NH-33044/29/2015/S&R(R) dated 22.01.2016 and letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 for processing of proposals for grant of permission to accommodate public and industrial utility services along and across the National Highways.

The NOC is recommended subject to the condition that work should be carried out in the presence of representative of IE or Concessionaire with fortnight advance intimation before start of laying the OFC.

The case file is forwarded to your office for further necessary action

Yours truly,

For **MSV International Inc.**
in association with
LSI Engineering & Consultants Ltd.


Rahul Sisodia
Acting Team Leader &
Highway Engineer

Encl. As Above (03 Files)

CC: 1 Project Manager, JR Toll Road Pvt. Ltd., Tatiyawas.
3. Director/ Group Vice President, MSV International Inc., Gurgaon
4. CEO, LSI Engineering & Consultants Ltd., New Delhi



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई, सीकर

प्लॉट नं. 187 व 188, विनायक विहार, पिपराली सर्किल, झुंझुनू बाईपास, सीकर (राज.)

Project Implementation Unit, Sikar

Plot No. 187 & 188, Vinayak Vihar, Near Piprali Circle, Jhunjhunu Bypass, Sikar (Raj) 332001

दूरभाष/Phone : 91-1572-249090

फैक्स/Fax : 91-1572-249090

ई-मेल/E-mail : piureengus@nhai.org



भारतमाला

प्रगति के पथ पर अग्रसर

No. NHAI/PIU/Sikar/2020-21/342

Dated: 27.08.2020

Acting Team Leader

M/S MSV International Inc,

A-11, Edan Garden Society,

Near Angel Resort Gate Jaipur-Sikar Road

Rajawas, Jaipur-302032

Sub:- Independent Engineer Services during Operation & Maintenance stage of 4/6 laning of Jaipur-Reengus BOT Project from Km 246.300 to Km 298.075 of NH-11/52 in the State of Rajasthan:- **Permission for laying underground Optical Fiber Cable as per enclosed drawing along Jaipur-Sikar route of NH-52 from Ch. 294.860 (Near Hotel Rajkamal) to Ch. 297+587 of NH-52 (RHS) total length 2.727 kms in the state of Rajasthan-Reg.**

Ref:- (i) RO, MoRTH letter no:- RW/JAI/RJ/PS/ 2019/357/4773 dated 12.09.2019
(ii) This office letter no:- NHAI/PIU/Sikar/2020/848 dated 12.12.2019
(iii) IE letter no:- MSVLSI/PRJ/JPRRGS/2020/1108 dated 18.02.2020
(iv) Jio Digital Fibre Pvt.Ltd.- letter dated- 27.07.2020

Sir,

Kindly refer IE letter under ref. (iii) vide which some observations/comments were offered and conveyed to Jio Digital Fiber Pvt. Ltd., Jaipur.

- Now, Jio Digital Fiber Pvt. Ltd. vide ref. (iv) has submitted the revised proposal to this office.
- Therefore, you are **requested** for checking the proposal as per MoRTH Circular/Guidelines and submit your comments with duly signed & sealed on check list after checking of the subject proposal as per MoRTH Circular/Guidelines.

Thanking You.

Encl- As above

Yours Faithfully,


Dy. Manager (Tech.)

Copy to:- Project Manager, M/s JRTRPL for needful comments at the earliest.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India
(Ministry of Road Transport & Highways)

प्राधिकृत इकाई, सीकर

Plot No. 187 & 188, Vinayak Vihar, Near Piprali Circle, Jhunjhunu Bypass, Sikar (Raj.)

Project Implementation Unit, Sikar

दूरभाष/Phone : 91-1572-2491

फैक्स/Fax : 91-1572-2491

ई-मेल/E-mail : piureengus@nhai.co



भारतमाला

प्रगति के पथ पर अग्रसर

No. NHAI/PIU/Sikar/2019/848

Dated: 12.12.2019

Acting Team Leader

M/S MSV International Inc,

A-11, Edan Garden Society,

Near Angel Resort Gate Jaipur-Sikar Road

Rajawas, Jaipur-302032

Sub:- Permission for laying underground Optical Fiber Cable as per enclosed drawings along Jaipur-Sikar route of NH-52 from Ch. 294.860 (Near Hotel Rajkamal) to Ch. 297.587 of NH-52 (RHS) Total length 2.727 kms. in the State of Rajasthan-reg.

Ref:- RO MORTH letter no:- RW/JAI/RAJ/PS/ 2019/357/4773 dated 12.09.2019

Sir,

Kindly refer letter under reference vide which subject mentioned proposal received from MoRTH, RO, Jaipur, for checking as per MoRTH Circular/Guideline.

Therefore, you are requested for checking the proposal as per MoRTH Circular/Guidelines and submit your comments with duly signed & sealed on check list after checking of the subject proposal as per MoRTH Circular/Guidelines.

Thanking you,

Encl:- As above

Yours Sincerely

Ramesh
12.12.19

Project Director

Copy to:- Project Manager, M/s JRTRPL for needful comments at the earliest.





GOVERNMENT OF INDIA
MINISTRY OF ROAD TRANSPORT & HIGHWAYS

TELEFAX: 0141-2811776, 2811883

E-mail: ro.jaipur morth@gmail.com

O/o REGIONAL OFFICER,
DCM, AJMER ROAD, JAIPUR-302019


No. RW/JAI/RAJ/PS/UTILITY/2019/357/4773

Dated: 12.09.2019

To,

The Project Director, PIU, NHAI,
Plot no. 187&188, Vinayak Vihar,
Near Piprali Circle, Jhunjhunu Bypass,
Sikar(Raj)-332001.

Uam
Py



Sub:- Permission for laying underground Optical Fiber Cable as per enclosed drawings along Jaipur-Sikar route of NH-52 from Ch. 294.860(Near Hotel Rajkamal) to Ch. 297.587 of NH-52 (RHS) Total length 2.727 Kms. in the state of Rajasthan.

Ref:- Authorized Signatory of M/s Jio Digital Fiber Pvt. Ltd. vide letter no. RIJL/OFC/ROW/NLDII/NHAI/JAIPUR-Sikar/01, dated 05.09.2019 received in this office on 12.09.2019.

Sir,

A proposal on captioned subject has been received from Authorized Signatory of M/s Jio Digital Fiber Pvt. Ltd. vide letter under reference. You are requested to examine the proposal in accordance with Ministry's guidelines issued vide letter No. RW/NH33044/29/2015/S0&R(R) dated 22.11.2016 and furnish your comments along with recommendation.

2. Further, sample checklist and certificate as prescribed by this office letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL dated 16.03.2017, drawings and documents shall be certified as correctness as per the prevailing site condition by you on each page of Checklist and drawings. In this regard, instruction containing in the Ministry's guidelines issued vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 may strictly be adhered to. Further, specific observations, if any, may also be mentioned.

3. It is specifically requested to ensure the following, if proposal is in order:-

- The licensee fee, calculated as per Ministry guidelines issued vide circular No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 and entered in the checklist at Sl. No. 8.
- The Bank Guarantee calculated as per Ministry guidelines issued vide circular No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 and entered in the checklist at Sl. No. 9. Further, the BG shall be verified by PD PIU NHAI Sikar as per MoRTH guidelines and a copy of verified BG duly certified by him shall be submitted to this office.

4. Three copies of proposal are enclosed herewith.

Yours faithfully,

(Navin Kumar Nirala)

STA

for Highway Administration-cum-Regional Officer

Copy to- M/s Jio Digital Fiber Pvt. Ltd., 1st Floor, Anand Bhawan, SC Road, Jaipur-302001.

- sd -

(Navin Kumar Nirala)

STA

for Highway Administration-cum-Regional Officer

Sh. Vijay !

JIO DIGITAL FIBRE PRIVATE LIMITED

CIN: U64200GJ2018PTC105652

To
The Project Director
NHAI, Sikar

Dated - 27-7-20

National Highways Authority of India

Recpt. No. 312 Date 28-7-20

PIU- SIKAR

Subject - Submission of documents against our application reference no - RJH/OFC/ROW/NLD/
NHAI/JAIPUR-SIKAR/01 dated 19-4-19 regarding permission to lay OFC at Ch - 294.860
(Near Hotel Rajkamal) to Ch - 297.587 - NH-52 length is 2.727km.

Dear Sir

Herewith we are submitting the documents related to above sited subject. Detail of documents are as under-

1. CHECK LIST as per MORTH new Guide Line
2. CURRENT DLC RATE
3. CALCULATION OF LICENCE FEE with new DLC FOR CH - NO-294.860 to 297.587

You are requested to kindly grant us the permission at the earliest as we intend to take up the job immediately.

Thanking You

Yours Sincerely



Check List

Guideline for processing the proposal for laying of Utility Line in the Land along National Highways vested with NHAI / PWD / BRO.

General Information

1	Name and address of the Applicant	Jio Digital Fiber Private Limited
2	National Highway No	NH-52
3	State	Rajasthan
4	Location	Jaipur – Reengus
5	Chainage in KM	Ch -294.860 to 297.587 NH-52, Total Length – 2.727km (RHS)
6	Length in Meter	2727 mtrs
7	Width of available RoW in both side	20mtrs
8	Side of NH (Left or Right side of NH towards increasing Chainage / Km direction)	Ch -294.860 to 297.587 NH-52, Total Length – 2.727km
9	Name of Highway Authority of NHAI / PWD / BRO	NHAI
10	Highway Administrative Address	



अर्जुन सैनी
उप प्रबंधक
परियोजना इकाई, सीकर

PD, PIU-SIKAR

RAHUL SISODIA
ACTING TEAM LEADER
MSV International Inc. In Association With
LSI Engineering & Consultants Ltd.
Jaipur

S.No	Item	Measurement Observations as per site Conditions	MORTH Norms	Weather Complying with MORTH Norms
1	Details of already laying Utility Services, if any	BSNL OFC	Enclosed	NA
2	Weather upgradation of the stretch in near future is proposed or not			NA
	If yes, provision of utility adversely affect the plan of upgradation	NO	Not effect plan of upgradation	Yes
3	Laying of the Utility Services along the National Highways.			
3.1.	Location of proposed utility services along the stretch	Yes	Utility / Duct / beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW	
3.2	Depth of top of Utility Services from ground level	1.6m	0.6meter	Yes
3.3	Mechanism for crossing water Channel	NA	Through Utility Duct (If provision exists) or beneath the bed of water Channel	NA
3.4.	Weather RoW is restricted in this stretch?	No		No
3.4.1	If yes, weather provision of Land acquisition is			



अर्जुन सैनी
उप प्रबंधक
परियोजना इकाई, सीकर

PD, PIU-SIKAR

RAHUL SISODIA
ACTING TEAM LEADER
MSV International Inc. in Association With
L&T Engineering & Consultants Ltd.
Delhi

	required to lay Utility			
	If yes weather undertaking for Land acquisition along with relevant L.A. details has been furnished			
3.4.2	Width of Concrete duct, if any Utility services are proposed to be laid in concrete ducts	As per proved	Not less than one Lane	Yes
4.	Laying of Utility Services across the NH			
4.1.	Whether Existing drainage structures is allowed to carry the Utilities lines	As per Proved	Not to be allowed	Yes
4.2	Proposed Crossing of Utility Services	As per Proved	Perpendicular to NH	Yes
4.3.	Type of casing pipe / Conduit Carrying the Utility Line	PVC Casing	Steel, Cast Iron or reinforced cement concrete nad have adequate strength	Yes
4.4.	Weathers ends of the casing / Conduit pipe are sealed from the outside		Sealed	Yes
4.5.	Length of casing / conduit pipe crossing NH	60m	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing / conduit pipe	1.6m	At lest 1.2m below the top of subgrade	Yes



Aju
अर्जुन सैनी
उप प्रबंधक
परियोजना इकाई, सीकर

PD, PIU-SIKAR

RAHUL SISODIA
ACTING TEAM LEADER
MSV International Inc. In Association With
LSI Engineering & Consultants Ltd.
Jaipur

4.7	Crossing method in case of CC pavement	NA	Only boring method (HDD)	
4.8	Horizontal and Vertical Clearance in case utilities are allowed overhead	As per Guideline	In accordance with IRC codes.	NA
5	Documents / Drawing enclosed with the proposal	Yes		Yes
5.1.	Cross – Section showing the size of the trench for open trenching method	NA	Enclosed, if applicable	NA
	Trench Width	As per Guide Line	More than 30cm and less than 60cm wider than the outer diameter of the Utility pipe	NA
	Filling of trench	As per Guideline	As per ministry guideline vide letter no RW/Nh-34044/29/2015/S&R (R) 22.11.16	NA
	Location of trench	As per Guide line	Extreme edge of the RoW	NA
5.2	Cross section showing the seize of the pits and location of conduit for HDD method	As per Guideline	Enclosed , If applicable	Enclosed
5.3	Strip plan / Route plan showing utility line, chainage , width of RoW, distance of proposed utility from the edge of RoW, important mile stone intersection, cross	Enclosed	Enclosed	Enclosed




अर्जुन सैनी
उप प्रबंधक
परियोजना इकाई, सीकर

PD, PIU-SIKAR

RAHUL SISODIA
ACTING TEAM LEADER
MSV International Inc. In Association With
LSI Engineering & Consultants Ltd.
Jaipur

	drainage works etc.			
5.4.	Plan & profile drawing of stretch showing cross section of the road at 20m distance along with RoW and proposed utility	Enclosed	Enclosed	Enclosed
6	Methodology for laying of utility line	HDD	Enclosed	Enclosed
7	Draft License Agreement is as per Ministry Guideline vide letter No – RW/NH-34044/29/2105/S &R (R) dated 22-11-2016 and signed by two witnesses	Enclosed	Enclosed	Enclosed
8	Linseese fees in favour of Morth RPAO Jaipur	Enclosed Undertaking	As per Ministry vide circular no RE/NH-33044/29/2015/S&(R) dated 22.11.16	Yes
9	Whether Bank Guarantee has been obtained		As per Ministry vide circular no. RE /NH33044/29/2015/S&(R) dated 22.11.16	
	If yes, weather Confirmation of BG has been obtained as per Morth / NHAi guideline			
10.	Affidavit / Undertaking from the applicant for	Enclosed		Enclosed
10.1	Undertaking for not to damage other existing	Enclosed	Enclosed	Enclosed



अर्जुन सैनी
उप प्रबंधक
परियोजना इकाई, सीकर

PD, PIU-SIKAR

RAHUL SISODIA
ACTING TEAM LEADER
MSV International Inc. In Association With
L&I Engineering & Consultants Ltd.
Jaipur

	utility, if damaged then to pay the losses to either to Morth / NHAI or to the concerned agency			
10.2	Undertaking for renewal of Bank Guarantee and when asked by NHAI / Morth	Enclosed	Enclosed	Enclosed
10.3	Undertaking for confirming all standard condition of Morth / NHAI guidelines	Enclosed	Enclosed	Enclosed
10.4	Undertaking for shifting of Utility as and when asked by Morth / NHAI within a month at their own cost	Enclosed	Enclosed	Enclosed
10.5	Undertaking for Indemnity against all damages and claims	Enclosed	Enclosed	Enclosed
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Enclosed
10.7	Undertaking that if any claim is raised by Concessionaire / Contractor then the same has to be paid by the applicant			

(Signature)
20/05/20

(Signature)
अर्जुन सैनी
उप प्रबंधक
परियोजना इकाई, सीकर

(Signature)
PD, PIU-SIKAR

(Signature)
RAHUL SISODIA
ACTING TEAM LEADER
MSV International Inc. In Association With
L&T Engineering & Consultants Ltd.
Jaipur

10.8.	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of explosive, Petroleum and explosive safety Organization, Oil Industry Safety Directorate, State / Central Pollution Control Board and any other statutory clearance applicable before applying to Highway administration	Enclosed	Enclosed	Enclosed
-------	---	----------	----------	----------

The Right of the way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is (30.0) meter (from center of RoW to edge of RoW towards proposed utility)
The above particulars along with the drawing and documents have been verified and certified as correct as per prevailing site conditions.



{Name Designation and Signature of the Authorized
Representative of Applicant

अर्जुन सैनी
उप प्रबंधक
परियोजना इकाई, सीकर

{Name Designation and Signature of
Concerned field authority of NHAI/ PWD / BRO

PD, PIU-SIKAR

RAHUL SISODIA
ACTING TEAM LEADER
MSV International Inc. In Association With
L&I Engineering & Consultants Ltd.
Jaipur

Government of Rajasthan

प्रभावी दिनांक : 20/02/2020

REGISTRATION & STAMPS DEPARTMENT, RAJASTHAN
Sub-Registrar : SHRI MADHOPUR
List of Rural DLC Rate

Print Date : 27/07/2020

Time: 11:24:00AM

District: SIKAR

Village Name & Classification	Category	Exterior(₹)	Interior(₹)	Unit
6 National Highway Commercial राष्ट्रीय राजमार्ग पर व्यावसायिक	C	8883	4473	Sq Mtr
7 National Highway Irrigated राष्ट्रीय राजमार्ग पर सिंचित	A	6495750	2739825	Hectare
8 National Highway Non-Irrigated राष्ट्रीय राजमार्ग पर असिंचित	A	4639707	1956465	Hectare
9 Non-Irrigated असिंचित	A	1102527	735795	Hectare
10 Residential आवासीय	R	722	571	Sq Mtr
11 NH 100 Sq Mtr Distance Bhopatpura1400/2, 1401/2, 1402/2, 1403, 1404/2, 1405, 1406/2, 1407/2, 1399/2, 1396, 1397/2, 1398, 1391, 1387/2, 1386/2, 1385/2, 1388, 1389, 1390, 1392, 1393, 1384, 1369/2, 1370, 1371, 1364/2, 1365/2, 1366/2, 1367/2, 1368/2, 1358/1, 1358/2, 1358/4, 1354, 1355/1, 1355/2, 1356, 1357, 1359, 1351, 1352/2, 1353, 1445, 1314, 1315, 1317, 1321, 1322, 1323, 1324, 1325, 1326, 1327, 1328/1, 1328/2, 1329/1, 1329/2, 1329/3, 1330, 1331, 1332, 1333, 1334, 1335, 1336, 1337, 1338, 1339, 1342, 1343, 1344, 1345, 1346, 1347, 1348, 1349, 1270, 1271, 1272, 1273, 1274, 1276, 1277, 1294, 1296, 1313, 1310/1, 1310/2, 1310/3, 1310/4, 1310/5, 1309, 1509, 1517, 1512, 1409, 1382, 1383, 1384, 1363, 1360, 1309 - National Highway Irrigated	A	6495750	-	Hectare
12 NH 200 Sq Mtr Distance Bhopatpura1408, 1411, 1410, 1415, 1395/2, 1394, 1381, 1380, 1372, 1362, 1379, 1429, 1430, 1441, 1442, 1439, 1440, 1443, 1444, 1266, 1267, 1268, 1269, 1255, 1256, 1263, 1264, 1245, 1240, 1275, 1278, 1279, 1292, 1293, 1290, 1295, 1297, 1298, 1299, 1318, 1319, 1320, 1310/6, 1304, 1206/3260, 1307, 1308, 1305/1, 1305/2, 1306/1, 1306/2, 1507, 1508, 1500, 1514, 1465, 1461/2 - National Highway Irrigated	A	6495750	2739825	Hectare
13 NH 200 Sq Mtr Distance Bhopatpura1408, 1411, 1410, 1415, 1395/2, 1394, 1381, 1380, 1372, 1362, 1379, 1429, 1430, 1441, 1442, 1439, 1440, 1443, 1444, 1266, 1267, 1268, 1269, 1255, 1256, 1263, 1264, 1245, 1240, 1275, 1278, 1279, 1292, 1293, 1290, 1295, 1297, 1298, 1299, 1318, 1319, 1320, 1310/6, 1304, 1206/3260, 1307, 1308, 1305/1, 1305/2, 1306/1, 1306/2, 1507, 1508, 1500, 1514, 1465, 1461/2 - National Highway Non-Irrigated	A	4639707	1956465	Hectare

R - Residential, C - Commercial, A - Agriculture, I - Industrial, In - Institutional, Cx - Complex,
Fh - Farm House, M - Mining, G - Godown, Rt - Resort, F - Firm

Page No. 6

Calculation of licence fee for NH-52 from Chainage 294.860+297.587 length 2.727 KM on

Location	Outer Diameter of Pipe	No. Of Duct.	Total outer diameter of pipe	Length of cable laying	Utilized NH Land area = laying length * Dia	DLC rate of the land/circle rate	Licence Fee = Area * Prevailing circle rate of land /10*12	License Fee @33%	Licence fee for one year	Licence fee for 5 year
Ch.294.860 to Ch.297.587	Metre 0.04	3	0.12	Metre 2727	Sq Mtr 327.24	Per Sq Mtr. 8883	Rs/Sqm/Month 24223.941	Rs/Month 7993.9	Rs/Year 95926.8	Rs. 479634
Total Rupees of Licence Fee for the period of 5 years										
										479634

