

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एंव राजमार्ग मंत्रालय)

## National Highways Authority of India (Ministry of Road Transport & Highways)

परियोजना कार्यान्वयन इकाई Project Implementation Unit - Bengaluru सर्वे नं. १३, १४ कि. मी., नागासंदा, बेंगलुरू - तुमकुर सडक, (एन. एच.-४), बेंगलुरू - ५६० ०७३ Sv. No. 13, 14th Km., Nagasandra, Bengaluru - Tumkur Road (NH-4) Bengaluru -560 073 Phone Tele Fax: E-mail: bangalore@nhai.org

080 - 28394403 080 - 28394383



No. NHAI/PIU\_BNG/11025/16/2020/6, 2 6

16.06.2020

### In vitiation of public comments

Sub:

Issue of permission for laying of OFC cables along NH-4 from Km. 15.647 to

Km. 15.800 on RHS for a total length of 0.153 Km, in the state of Karnataka – reg.

Ref:

M/s. Bharti Airtel Ltd., Bangalore letter No. Nil dated 30.12.2019.

The Project Director, PIU Bengaluru vide letter cited above has submitted the proposal of M/s. Bharti Airtel Ltd., Bangalore for approval of the Competent Authority, Highway Administration.

- 2. From the submitted proposal, it is observed out that, the laying of laying of OFC cables along NH-4 from Km. 15.647 to Km. 15.800 on RHS for a total length of 0.153 Km. in the state of Karnataka.
- 3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015/S& R (R) dated 22.11.2016 the Highway Administration shall be put out in the Public Domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 4. In view of the above, the comments / objections of affected public is hereby invited with reference to Ministry's circular dated 22.11.2016 for the above mentioned proposal. The objections / comments may be addressed to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

Project Director, National Highways Authority of India, Bengaluru-Tumkuru Road (NH-4) M.S. Ramaiah Enclave, Beside Nagasandra Metro Station, Bengaluru – 560073.

Yours sincerely

GM(Tech) & F roject Director

#### Copy to:

1. The Web Admin, NHAI HQ, New Delhi for uploading on NHAI'website

2. Senior Technical Director, NIC, Transport Bhawan, New Delhi – 110001 for uploading on Ministry's website.

3. M/s. Bharti Airtel Ltd., Bangalore for information.

bharti airtel limited circle office #55, divyasree towers, bannerghatta main road, bangalore - 560 029 www.airtel.in call +91 80 41218060 fax +91 80 41218070



Date:22.08.2019

To:

The Project Director,
National Highways Authority of India,
PIU-Bangalore,
Nagasandra Village,
Bangalore – 73.

Sub: Issue of permission for laying OFC cables along NH-4 from Km 15.647 to 15.800 on RHS for a total length of 0.153 Km (Bangalore-Nelamangala Section) in the State of Karnataka.

Dear Sir,

In apropos to the above subject, we M/s Bharti Airtel Ltd., propose to lay OF cables along NH-4 Km 15.647 to 15.800 on RHS for a total length of 0.153 Km (Bangalore-Nelamangala Section) to extend our OFC Network to cover all the SEZs and Industrial areas respectively.

This network would enable us to serve all the customers in this vicinity in providing the respectively band width to cater their respective business requirements.

Presently the networks coverage happens to our leading customers. The fiber technology not only will support to increase the bandwidth requirements. But shall also improve the network outage and network quality to our esteemed customers.

In view of above, we request your good self, please accord permission for laying OF cables along NH-4 Km 15.647 to 15.800 on RHS for a total length of 0.153 Km (Bangalore-Nelamangala Section) at the earliest.

Thanking you,

for M/s Bharti Airtel Ltd.,

(Kumar Annasaheb Patil) Authorized Signatory.

Place: Bangalore

Date: 22-08-2019

## CHECK LIST

Enclosure to Ministry of Road Transport and Highways Ministry Circular no: NH-III/P/66/76 dated 19-11-1976 Ministry Circular No: RW/NH-III/P/66/76 dated 11-05-1982 B, Ministry Circular No: RW/NH-11037/1/86/DOI dated 19-1-1995}vide Ministry circular no.RW/NH/33044/17/2000/S&R, dated 23.07.2003.No.Rw/NH-33044/27/2005/S&R(R) (PT) Dated 06.08.2013. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016

Issue a permission for laying of Optical Fiber Cable along the NH-4 by HDD method from Km 15.647 to 15.800 on RHS for a total length of 0.153 Km along NH-4 on Bangalore to Nelamangala section of NH-4 For M/s Bharti Airtel Ltd.,

SI No.	Item	Information/Status/ Remarks
1.0	General Information:	
1.1	Name and Address of the Applicant	M/s Bharti Airtel Ltd., Circle Office, #55, Divyasree Towers, Bannerghatta Main Road, Bangalore – 29.
1.2	National Highway Number	NH 4
1.3	State	Karnataka
1.4	Location	-
1.5	Chain age in Km.	from Km 15.647 to 15.800 on RHS
1.6	Length in Meters	153 Meters (0.153 KM)
1.7	Width of available ROW	60 Meters ROW
	(a) Left side from centre line towards increasing Chainage / Km direction	30 Mtr Row Available
	(b) Right side from centre line towards increasing Chainage / Km direction	30Mtr Row Available
1.8	Proposals to lay the cable	
	(a) Left side from centre line towards increasing Chainage / Km direction	NA

Authorised Signatory

Figure All Limited

Divyashine Towers

marginate Road Samplore-560029

Karnalaka (1910

Page 1 of 10

S.P. Sornrishekar General Manage (19th) Project Director National Highways Authority of India P.I.U. Bungrature

	(b) Right side from centre line towards increasing Chainage / Km direction	Km 15.647 to 15.800
1.9	Proposal to acquire land	Not Necessary
	(a) Left side from Centre line	No
	(b) Right side from Centre line	No
1.10	Whether proposal is in the same side where land is not to be acquired.	Yes
	If not then where to lay the cable.	NA
1.11	Details of already laid services, if any, along the proposed route	Existing BSNL, Reliance, Airtel, BESCOM, ACT Cable
1.12	Number of lanes (2/4/6/8 lanes) existing.	6 Lane (Main Carriage) and 2 Lanes Service Roads on both sides
1.13	Proposed number of lanes (2 lane with paved shoulders / 4/6/8 lanes)	No Changes
1.14	Service Road existing or not	Yes (Both Sides)
	If yes, then which side	Both Sides
	(a) Left side from centre line	NA
	(b) Right side from centre line	NA
1.15	Proposed Service road	NO
	(a) Left side from centre line	N/A
	(b) Right side from centre line	N/A
1.16	Whether proposal to lay cable is after the service road or between the service road and main carriageway	After service road in the Utility corridor.
1.17	The permission for laying OFC shall be considered for approval / rejection	Shall be considered for Approval. The sufficient utility corridor is available beyond the service road.
1.18	If crossing of the road involved If Yes, it shall be either encased in Pipes or through structure or Conducts specially built for that Purpose at the expenses of the Agency owing the line	NA
	·	L

Authorised Hanatory
Bharti Airtel Limited
No.55, Divyashree Towers
Bannerghatta Road, Bangalore-560029
Karnataka circle

Page 2 of 10

S.P. Sormy Shakar General Manager (1917) Project Director National Highways Authority of India P.I.U. Bougaiore

Existing drainage structures shall no be allowed the carry the lines	NA NA
. Is it on a line norms of NH	NA
Crossing shall not be too near the existing structures on the Nationa Highway, the minimum Distance from existing Structures	e 1
The casing pipe (or conduit pipe in the case of OFC cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the Carrier pipe/cable.	NA
Ends of the casing/ conduit pipe shall be sealed from the outside, so that it does not act as a drainage Path.	Yes
The casing/conduct pipe should, As minimum extend from drain to Drain in cuts and toe of slope toe of Slope in the fills.	NA
The top of the casing/conduct Pipe should be at least 1.2meter Below the surface of the road Subject to being at least 0.3 m Below the drain inverts.	
Crossing shall be by boring Method (HDD) specially where the existing road pavement is of Cement concrete or dense bituminous concrete type.	
The casing /conduct pipe shall be Installed with an even bearing throughout its length and in such a Manner as to prevent the formation Of a waterway along it.	NΔ
	Is it on a line norms of NH Crossing shall not be too near the existing structures on the National Highway, the minimum Distance from existing Structures  The casing pipe (or conduit pipe in the case of OFC cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the Carrier pipe/cable.  Ends of the casing/ conduit pipe shall be sealed from the outside, so that it does not act as a drainage Path.  The casing/conduct pipe should, As minimum extend from drain to Drain in cuts and toe of slope toe of Slope in the fills.  The top of the casing/conduct Pipe should be at least 1.2meter Below the surface of the road Subject to being at least 0.3 m Below the drain inverts.  Crossing shall be by boring Method (HDD) specially where the existing road pavement is of Cement concrete or dense bituminous concrete type.  The casing /conduct pipe shall be Installed with an even bearing throughout its length and in such a Manner as to prevent the formation Of

Page 3 of 10

S.P. Sornathekar General Manager (Teally Project Director National Highways Authority of India P.I.U. Bangalore

2.0	Document /drawing enclosed with the proposal	Yes. Enclosed
2.1	Cross section showing the size of Trench for open trenching method (is it normal size of 1.65m deep x 0.4m wide)	Normal size 1.65 m depth X 0.4 m wide
	i) should not be greater than 60Cm wider than the outer diameter Of the pipe	Yes
	ii) located as close to the extreme `Edge of the right-of-way as possible but not less than 15 meter From the centre lines of the nearest carriageway	Located close to the extreme
	iii) Shall not be permitted to run along the National Ways When the road formation is situated in double cutting Nor shall these be laid over existing culverts and bridges	There is no double cutting and will not be laid over existing culvert.
	iv) These Should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	Yes
2.2	Cross Section showing the size of pit and location of cable for HDD method.	Enclosed separately
2.3	Strip plan/Route plan showing Underground OF cable, Chainage, width of ROW, distance Of proposed, cable from the edge Of ROW, important mile stone, Intersections, cross drainage works	Enclosed
2.4	Methodology for laying of underground OF cable	HDD & Manual Trenching Method
2.4.	Open trenching method. (May be Allowed in utility corridor only where pavement is neither cement Concrete nor dense bituminous Concrete type). If yes, Methodology of refilling of trench	Not applicable as we are using HDD method.

a. The trench width should be at Least 30 cm, but not more than 60 Cm wider than the outer diameter Of the pipe.	Width of cutting will not be more than 60cm
b. For filling of the trench, Bedding shall be to a depth of notLess than 30 cm. It shall consists of Granular material, free of lumps  Clods and cobbles and graded to Yield a firm surface without sudden Change in the bearing value. Unsuitable soil and rock edged Should be excavated and replaced  By selected material.	Yes As per specification
c. The backfill shall be completed In two stages (i) side – fill to the Level of the top of the pipe and (ii) Overfill to the bottom of the road Crust	Yes As per Specification
d. The side fill shall consist of Granular material laid in 15cm Layers each consolidated by Mechanical tampering and Controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation By saturation or ponding will not be permitted.	Yes As per Specification
e. The road crust shall be build to the same strength as the existing Crust on either side of the trench. Care shall be taken to avoid the Formation of a dip at the trench.	Yes As per Specification
f. The excavation shall be protected by flagman, signs and Barricades and red lights during Night hours.	Yes. Care will be taken
g. If required, a diversion shall be constructed at the expense of Agency owing the utility line.	Yes. If required diversion will be constructed.
REA	

C Sylling The State of the Stat

S.P. Schrashekar General Manage (Neck) Project Director National Highway Authority of India P.I.U. Bungalore

2.4.	Horizontal Directional Drilling (HDD) Method.	from Km 15.647 to 15.800 on RHS for a total length of 0.153 Km along NH-4.
2.4.	Laying underground OF Cable through CD works and Method of laying	By further Deepening and HDD
3	Draft License Agreement signed By two witnesses	Enclosed
4	Performance Bank Guarantee in Favour of NHAI has to be obtained @ Rs. 100/- per running meter parallel to NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction, clearing debris/loose earth produced due to execution of trenching at least 50 m away From the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing	RsB/G No
4.1	Debris/loose earth.  Performance BG as per above is to be obtained	Yes. Valid Up to
4.2	Confirmation of BG has been Obtained as per NHAI guidelines	Yes
5	Affidavit / Undertaking From The Applicant for	
5.1	Not to Damage to other utility, if Damaged then to pay the losses Either to NHAI or to the concerned Agency	Yes. Undertaking Enclosed
5.2	Renewal of Bank Guarantee	Will be done if necessary
5.3	Confirming all standard condition Of NHAI,s guideline	Yes. Undertaking Enclosed.
5.4	Shifting of underground OF Cable as and when required by NHAI at their own cost.	Yes. Undertaking Enclosed.
5.5	Shifting due to 6 lanning / Widening of NH	Yes. Undertaking Enclosed.
5.6	Indemnity against all damages and Claims clause (xxiv)	Yes. Undertaking Enclosed.
,	(aTA)	•



S.P. Springshokar General Managhr (Telphy Project Director National Highways Arthority of In The National Action

5.7	Traffic movement during laying of Underground OF cable to be Managed by the applicant.	Yes. Undertaking Enclosed.
5.8	If any claim is raised by the Concessionaire then the same has To be paid by the applicant.	Yes. Undertaking Enclosed.
5.9	Prior approval of the NHAI shall Be obtained before undertaking any Work of installation, shifting or Repairs or alterations to the Underground OF cable Located in the national Highway Right-of-ways	Yes. Undertaking Enclosed.
5.10	Expenditure, if any, incurred by NHAI for repairing any damage Caused to the National Highway By the laying maintenance or Shifting of the underground OF cable will be borne by The agency owing the line.	Yes. Undertaking Enclosed.
5.11	If the NHAI considers it necessary In future to move the utility line for Any work of improvement or Repairs the road, it will be carried Out as desired by the NHAI at the Cost of the agency owning the Utility line within a reasonable time (not exceeding 60 days) of the Intimation given.	Yes. Undertaking Enclosed.
5.12	Certification from the applicant in The following format (i)Laying of underground OF cable will not have any Deleterious	Yes. Undertaking Enclosed.
	(ii) for 6-lanning "we do undertake That will relocate service Road/approach road/utilities at Our Own cost not withstanding the Permission granted within such Time as well be stipulated by NHAI" for future six-laning or any other development.	4 Lanning already completed.



S.P. Spiritus Mekair General Manage Tron) Project Director National Highways Authority of India National Highways Authority of India P.I.U Mangalore

6.0	Who will sign the agreement on Behalf of underground OFC Cable agency	M/s Bharti Airtel Ltd., Circle Office, #55, Divyasree Towers, Bannerghatta Main Road, Bangalore – 29.
7.0	Certificate from the Project Director	Enclosed
7.1	Certificate for confirming of all Standard condition issued vide Ministry Circular No. NH-III/P/66/76 Dated 19.11.1976 Ministry circular no.RW/NH- III/P/66/76 dated 11.5.1982 Ministry Circular No.RW/NH-11.37/1/86DOI/dated 19.1.1995vide Ministry circular no.RW/NH/33044/17/2000/S&R, dated 23.07.2003.No.Rw/NH-33044/27/2005/S&R(R) (PT) Dated 06.08.2013. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016	Enclosed
7.2	Certificate from PD in the following format (i)"it is certified that any other Location of the electric cable Would be extremely difficult and Unreasonable costly and the Installation of OF cable within ROW will not adversely affect the design, stability traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc".  (ii) for 6-lanning Where feasibility is available "I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed structures at the said location" In case feasibility report is not available "I do certify that sufficient ROW is available at site for Accommodating proposed six-laning"	Enclosed



S.P. S. Markst XOKCK General Manager (1) on Project Director National Highways Authority of India P.I.U Sangalore

		·
8.0	If NH section proposed to be taken up by NHAI on BOT basis – a clause in para 17 to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of way to the concessionaire under the concession agreement for upgradation of Bangalore-Nelamangala section. From KM 10.000 To KM 29.500 Along NH-4 on Build, Operate and Transfer basis] and therefore, the licensee shall honour the same."	Yes
9	Who will supervise the work of laying of OFC.	M/s Bharti Airtel Ltd., Circle Office, #55, Divyasree Towers, Bannerghatta Main Road, Bangalore – 29.
10	Who will ensure that the defects in road portion after laying of OFC are corrected and if not corrected then what action will be taken.	M/s Bharti Airtel Ltd., Circle Office, #55, Divyasree Towers, Bannerghatta Main Road, Bangalore – 29.
11	Who will pay the claims for damages doned disruption in working of Concessionaire, if asked by the Concessionaire?	
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed) issued vide Ministry circular no.RW/NH/33044/17/2000/S&R, dated 23.07.2003.No.Rw/NH-33044/27/2005/S&R(R) (PT) Dated 06.08.2013. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016	Enclosed
	THEAT	

Page 9 of 10

S.P. Sorry Tixekar General Managel (1992) Project Director National Highway Authority of India P.I.U. Bangalore

13	If any previous approval is accorded for laying of cable then Photocopy of register of records of permissions accorded as maintained by PD (as per Ministry circular no.RW/NH/33044/17/ 2000/S&R dated 23.07.2003) S&R, dated 23.07.2003.No.Rw/NH-33044/27/2005/S&R(R) (PT) Dated 06.08.2013. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016.	No
14.0	Copy of DOT license	Enclosed

S.P. Splykishakal General Manager lyck, Project Director National Highways Authority of India Physicangalore