



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways)

क्षेत्रीय कार्यालय (राजस्थान) /Regional Office (Rajasthan)

एफ-120, जनपथ, श्याम नगर, जयपुर-302019

F-120, Janpath, Shyam Nagar, Jaipur-302019

दूरभाष /Tel : 0141-2292049

: 0141-2292054

फैक्स /Fax : 0141-2292049

ईमेल /Eail : rojaipur@nhai.org

No: NHAI/18013/1/2021-ROJ/Permission-Laying Gas Pipeline/7/NH-27 km 1074.80-1075.10/4684 Date: 22.03.2021

INVITATION OF PUBLIC COMMENTS

Sub.: Permission for laying proposed 12" Steel Gas Pipeline along/across NH-27 at Km. 1074.800 to 1075.100 & crossing at Km. 1075.100 of Kota-Baran-Shivpuri section of NH-27 to develop City Gas Distribution Network in Kota city and its surrounding areas en-route NH under Kota-Baran GA by M/s. Torrent Gas Pvt. Ltd. Kota in the State of Rajasthan - reg.

Ref.: (i) M/s. Torrent Gas Pvt. Ltd letter no. TGPL/Kota/PROJ/2019-20/94 dated 21.11.2019.
(ii) PD, PIU-Kota letter no. 290120/2016/Kota/Kota Bypass/Torrent Gas/100/1307 dt. 07.08.2020.
(iii) This office letter no. NHAI/18013/1/2020-ROJ/Permission-Laying Gas Pipeline/7/ NH-27 km 1074.800/1506 dated 24.08.2020.
(iv) PD, PIU-Kota letter no. 290120/2016/Kota/Kota Bypass/Torrent Gas/100/2660 dt. 01.03.2021.

Sir,

It is to inform all concern that M/s. Torrent Gas Pvt. Ltd, Kota vide letter under reference (i) has submitted a proposal through PD, PIU-Kota for the subjected work and PD, NHAI, PIU, Kota has forwarded the above proposal to this office vide letter under reference (iv) for approval of the Competent Authority, Highway Administrator.

2. The proposal is regarding permission for laying proposed 12" Steel Gas Pipeline along/across NH-27 at Km. 1074.800 to 1075.100 & crossing at Km. 1075.100 of Kota-Baran-Shivpuri section of NH-27 to develop City Gas Distribution Network in Kota city and its surrounding areas en-route NH under Kota-Baran GA by M/s. Torrent Gas Pvt. Ltd. Kota in the State of Rajasthan.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of proposal by competent authority; the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying of laying proposed 12" Steel Gas Pipeline along/across NH-27 at Km. 1074.800 to 1075.100 & crossing at Km. 1075.100 of Kota-Baran-Shivpuri section of NH-27 to develop City Gas Distribution Network in Kota city and its surrounding areas en-route NH under Kota-Baran GA by M/s. Torrent Gas Pvt. Ltd. Kota in the State of Rajasthan. The objections/comments may be addressed to the below mentioned address upto 21.04.2021, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur


National Highways Authority of India,

F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,


Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

Yours faithfully,


22/03/2021
(Kuldeep Songara)
DGM (Tech.)

Copy to: (i) Web Admn., NHAI, HQ, New Delhi-for uploading in NHAI's website [web-admin@nhai.org]
(ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
(iii) PD, PIU-Kota: for information.
(iv) M/s. Torrent Gas Pvt. Ltd, Kota: for information and with the request to get deposited the requisite license fee amounting to Rs. 1,00,822/- within 30 days period of invitation of public comments.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन इकाई

ए-504, इन्द्रा विहार, कोटा (राजस्थान)-324005

Project Implementation Unit

A-504, Indra Vihar, Kota (Rajasthan)-324005

दूरभाष/ Phone : 91-744-2406315

91-744-2980181

ई-मेल/ E-mail : kota@nhai.org

kotapiu@gmail.com

Handwritten signatures and initials: M.K. Sharma, MU, and a circled number 3.

No. 290120/2016-Kota/Kota Bypass/Torrent Gas/100/2660

Date: 01.03.2021

The CGM (T) cum RO

National Highways Authority of India

Regional Office,

F-120, Janpath, Shyam Nagar

Jaipur - 302019



Sub: - Permission for laying proposed 12" Steel Gas Pipe line along/across NH-27 at Km. 1074.800 to 1075.100 & crossing at Km. 1075.100 of Kota-Baran-Shivpuri section of NH-27 to develop City Gas Distribution Network in Kota City and its surrounding areas en-route NH under Kota-Baran GA in the state of Rajasthan-reg.

- Ref: -
1. NHAI RO- Jaipur letter No. NHAI/18013/01/ 2019-ROJ/Permission- Gas Pipeline/ 3643 dated 19.12.2019.
 2. NHAI PIU Kota letter no. No. 290120/2016-Kota/Kota Bypass/Torrent Gas/100/472 dated 06.02.2020.
 3. IE, M/s LASA letter no. LASA/NHAI/Highways/O&M/RJ-04/Kota Bypass/2020/0135 dated 13.03.2020.
 4. NHAI PIU Kota letter no. 290120/2016-Kota/Kota Bypass/TorrentGas/100/1307 dated 07.08.2020
 5. NHAI RO- Jaipur letter no. NHAI/18013/1/2020-ROJ/Permission-laying Gas Pipeline/7/NH-27 km. 1074.800/1506 dated 24.08.2020
 6. NHAI PIU Kota letter no. 290120/2016-Kota/Kota Bypass/TorrentGas/100/2383 dated 18.09.2020
 7. M/s Torrent Gas Pvt. Ltd. letter no. 198 dated 21.01.2021
 8. NHAI PIU Kota letter no. 290120/2016-Kota/Kota Bypass/TorrentGas/100/2383 dated 22.01.2021
 9. M/s Torrent Gas Pvt. Ltd. letter no. 198-1 dated 09.02.2021
 10. NHAI PIU Kota no. 290120/2016-Kota/Kota Bypass/TorrentGas/100/2518 dated 12.02.2021
 11. IE, M/s LASA letter no. LASA/NHAI/Highways/O&M/RJ-04/Kota Bypass/2020/0213 dated 18.02.2021.

Sir,

In reference to above subject matter, NHAI RO Jaipur vide letter dated 19.12.2019 (Ref.1) has forwarded the subject proposal for examination and comments. The same was forwarded to SC, M/s LASA for comments along with their recommendations. SC, M/s LEA Associates South Asia Pvt. Ltd. had examined the proposal and recommended for onward submission to Competent Authority vide letter dated 13.03.2020 (Ref.3). Consequently, PIU Kota vide letter dated 07.08.2020 (Ref.4) recommended the proposal to accord for approval of Competent Authority i.e. NHAI RO- Jaipur.

2. NHAI, RO Jaipur vide letter dated 24.08.2020 (Ref. 5) has conveyed some observations on the said proposal. The same was communicated to M/s Torrent Gas Private Limited vide PIU letter dated 18.09.2020 (Ref.5). Further, M/s Torrent Gas Private Limited vide letters dated 21.01.2021(Ref.7) & 09.02.2021 (Ref.9) submitted compliances of the observations and SC, M/s LEA Associates South Asia Pvt. Ltd. vide letter dated 18.02.2021 has re-examined & submitted point

wise reply of observations raised by NHAI RO Jaipur with their recommendations for onward submission to Competent Authority, as under:

Sr. No.	Observations	Reply
1	Proof of online submission of proposal along with processing fee of Rs. 10,000/- deposited in "BharatKosh" is not enclosed with the proposal.	No reference is available for depositing 10000 rupees in Bharat Kosh for processing fees for laying Utility as per MoRTH circular no. RWINH-33044/29/2015/S&R(R) dated 26.11.2016.
2	Performance Bank Guarantee (BG) required as per ministry guideline dated 22.11.2006 with verification by Bank as per NHAI policy guidelines has not been enclosed with the proposal	Performance Bank Guarantee is calculated as per MoRTH guideline dated 22.11.2006 Circular amounting to Rs. 165000/- is enclosed and has been verified by PIU Kota on 27.01.2021 (certified copy enclosed).
3	Overwriting/corrections made in the checklist are also required to be certified	Checklist is submitted without any overwriting and corrections & has been duly certified.
4	Certificate from PD required as per RO, MoRTH, Jaipur letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 is not enclosed with proposal	Certificate from PD as per MoRTH guidelines is enclosed.
5	Checklist is not standard as per RO, MoRTH, Jaipur letter No. RW/JAI/RJ/PS/2017/ UTILITY/GENL/1162 dated 16.03.2017	Duly certified Check list as per MoRTH guidelines is enclosed

In view of above, the subject proposal is recommended for approval of Competent Authority for granting permission.

Thanking you.

Yours faithfully,


(J.P. Gupta)

GM(T) cum Project Director

Encl: Three sets of Proposals in original including 2 Set of License Deed in original

Copy to: M/s Torrent Gas Private Limited, Kota – ***It is pertinent to mention here that Rs. 1,00,822/- towards License Fee is to be submitted in advance (as mentioned in checklist submitted by you) before approval of Competent Authority. Hence, it is advised for perusal of the proposal for deposition of License fee and signing of the License Deed at NHAI, RO- Jaipur.***



LEA Associates South Asia Pvt. Ltd.

House No. 384, Riddhi Siddhi Nagar - I,

Kunhari, Bundi Road, Kota - 324001 (Rajasthan)

Email: lasakota@gmail.com & lasakota@lasaindia.com

Ph.: 09785969752, www.lea.ca

Corporate Identification Number: U74899DL1993PTC055750

LASA/NHA/Highway/O&M/RJ-04/Kota Bypass/2021/0213

Date: 18th February 2021

To,
Project Director,
NHAI, PIU
A- 504, Indra Vihar
Kota (Raj.)-324005
E-mail:- kota@nhai.org

Subject: Supervision consultancy service for Construction of Kota Bypass on NH-27 at Kota on East West Corridor in the state of Rajasthan (Package CS (RJ-04)): Permission For Laying Proposed 12" Dia Steel Gas Pipe Line Along/Across NH-27 (Kota-Baran - Shivpur) To Develop City Gas Distribution Network In Kota City and Its Surrounding Areas en-route National Highway Under Kota Baran GA -reg.

References:-

1. NHAI Letter no. 290120/2016-Kota/Kota-Bypass/Torrent Gas/100/2518 dated 12.02.2021
2. NHAI Letter no. 290120/2016-Kota/Kota-Bypass/Torrent Gas/100/472 dated 26.02.2020
3. NHAI RO Jaipur letter no. NHAI/18013/01/2019-ROJ/Permission-Gas Pipeline/3653 dated 19.12.2019

Dear Sir,

In reference of your letter on dated 12.02.2021 (refer no. 1) the proposal has be re-examined and the points wise reply as under here:

Sr. No	Observations of NHAI	Compliance by M/s. Torrent Gas Private Limited	Recommendation of IE
1	Proof of online submission of proposal along with processing fee of Rs. 10,000/- deposited in "Bharat Kosh" is not enclosed with the proposal.	Proof of online submission of proposal along the processing fee of Rs. 10,000/- is not required	No reference is available for depositing 10000 rupees in Bharat Kosh for processing of permission for laying Gas pipe line.
2	Performance Bank Guarantee (BG) required as per ministry guideline dated 22.11.2006 with verification by Bank as per NHAI policy guidelines has not been enclosed with the proposal	Performance Bank Guarantee (BG) with no. OGT0009210050519 dated 12.01.2021 amounting Rs. 1,65,000/- is now enclosed with verification by Bank. As per ministry guideline dated 22.11.2006 with proposal.	Performance Bank Guarantee is calculated as per MoRTH guideline dated 22.11.2006 Circular amounting to Rs. 165000/- duly signed copy is enclosed.
3	Overwriting/corrections made in the checklist are also	Overwriting/corrections made in the list are now corrected.	Corrected

Inward No. 7424 Dt. 18/2/21
Mgr (Tech.)/ Dy. Mgr. (T)/ Mgr. (F)/ Acctt./ PA

	required to be certified		
4	Certificate from PD required as per RO, MoRTH, Jaipur letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 is not enclosed with proposal	Certificate from PD enclosed as per RO, MoRTH, Jaipur letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 with proposal	Duly certified of Check list as per MoRTH Jaipur letter No. RW/JAI/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 is enclosed
5	Checklist is not standard as per RO, MoRTH, Jaipur letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017	Checklist is now as per RO, MoRTH, Jaipur letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017	Fresh copy of the check list duly signed and certified is enclosed

The case is re- submitted after rectification of observation for necessary permission for lying of Gas Pipe line.

Yours Sincerely,

for LEA Associates South Asia Pvt. Ltd.


(Dhirendra Mathur) 18.2.2021
Team Leader

Encl: 4 Nos. Original files.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport and Highways)

परियोजना कार्यान्वयन इकाई

ए-504, इन्द्रा विहार, कोटा (राजस्थान)-324005

Project Implementation Unit

A-504, Indra Vihar, Kota (Rajasthan)-324005

दूरभाष/Phone : 91-744-2 00015

91-744-2980181

ई-मेल/ E-mail : kota@nhai.org

kotapiu@gmail.com

No. 290120/2016-Kota/Kota Bypass/Torrent Gas/100/2518

Date: 12.02.2021

M/s LEA Associates South Asia Pvt. Ltd.

House No. 384, Riddhi Siddhi Nagar-1

Kunhari, Bundi Road, Kota (Raj.) – 324008

Phone No.: 09758969752

Email ID: lasakota@lasaindia.com; lasakota@gmail.com

Sub: - Permission for laying proposed 12' Steel Gas Pipe line along/across NH-27 (Kota-Baran-Shivpuri) to Develop City Gas Distribution Network in Kota City and its surrounding areas en-route NH under Kota-Baran GA. In the state of Rajasthan-reg.

- Ref:**
1. Your office letter No. NHA/18013/01/2019-ROJ/Permission-Gas Pipeline/3643 dated 19.12.2019.
 2. This office letter no. No. 290120/2016-Kota/Kota Bypass/Torrent Gas/100/472 dated.26.02.2020.
 3. IE, M/s LASA letter no. LASA/NHA/Highways/O&M/RJ-04/Kota Bypass/2020/0135 dated 13.03.2020.
 4. This office letter no. 290120/2016-Kota/Kota Bypass/TorrentGas/100/1307 dated 07.08.2020
 5. NHA RO- Jaipur letter no. NHA/18013/1/2020-ROJ/Permission-laying Gas Pipeline/7/NH-27 km. 1074.800/1506 dated 24.08.2020
 6. M/s Torrent Gas Pvt. Ltd. letter no. 198 dated 21.01.2021
 7. This office letter no. 290120/2016-Kota/Kota Bypass/TorrentGas/100/2383 dated 22.01.2021
 8. M/s Torrent Gas Pvt. Ltd. letter no. 198-1 dated 09.02.2021

Sir,

In reference to above subject matter, RO-Jaipur vide letter dated 19.12.2020 (Ref.1) submitted the subject proposal for examination. Further, the subject proposal was examined and recommended by IE, M/s LEA Associates South Asia Pvt. Ltd. vide letter dated 13.03.2020(Ref.3). The same was recommended to Competent Authority i.e. NHA RO-Jaipur vide PIU letter dated 07.08.2020 (Ref.4).

2. In this regard, Competent Authority i.e. NHA RO-Jaipur vide letter dated 24.08.2020 (Ref.5) has examined the proposal and submitted the following observations:-

- (i) Proof of online submission of proposal along with processing fee of Rs. 10,000/- deposited in "Bharat Kosh" is not enclosed with the proposal.
- (ii) Performance Bank Guarantee (BG) required as per ministry guideline dated 22.11.2006 with verification by Bank as per NHA policy guidelines has not been enclosed with the proposal.
- (iii) Overwriting / corrections made in the checklist are also required to be certified.

(iv) Certificate from PD required as per RO, MoRTH, Jaipur letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017 is not enclosed with the proposal.

(v) Checklist is not standard as per RO, MoRTH Jaipur letter No. RW/JAI/RJ/PS/2017/UTILITY/GENL/1162 dated 16.03.2017

3. M/s Torrent Gas Pvt. Ltd. vide letter dated 21.01.21 (Ref.7) and 09.02.2021 (Ref.8) has submit the compliances of the above observations including Proof of online submission of proposal along with **processing fee of Rs. 10,000/- is not required.**

In view of above, it is requested to examine and re-certify the documents with recommendations for onward submission to Competent Authority i.e. NHAI RO-Jaipur for approval, at the earliest please.

Yours faithfully,



(Brajendra Singh Meena)
Manager(T)
For Project Director

Encl: Four sets of Proposals in original.

Ref: TGPL/KOTA/PROJ/2020-21/198-1

Date: 09.02.2021

To
Manager (T),
NHAI,
Project Implementation Unit,
A-504, Indra Vihar, Kota (Rajasthan)-324005

Sub: Construction of Kota Bypass on NH-27 at Kota on East west Corridor in the state of Rajasthan (package CS(RJ-04)). **Permission for laying proposed 12" Ø Steel Gas Pipeline Along/Across NH-27 (Kota Baran-Shivpuri) to develop City Gas Distribution Network in Kota city and its surrounding areas en-route NH under Kota-Baran GA.**

Ref No.: 290120/2016-Kota/Kota Bypass/Torrent Gas/100/1580 Dated: 18.09.2020

Dear Sir,

In continuation of our letter number TGPL/KOTA/PROJ/2020-21/198 dated 21.01.2021. We are re-submitting our proposal after doing necessary corrections as under:

1. Original Undertakings (2 set Original + 2 set Photo Copies).
2. Agreements on Rs. 500/- Stamp Paper. (2 set Original + 2 set Photo Copies).

In this regard, you are kindly requested to initiate necessary actions at your end to grant the aforesaid permission.

Yours Faithfully

For Torrent Gas Private Limited



(Nitin Mudgal)
AGM-Projects

Enclosed: 04 of Proposals in Original

Inward No. 7313 Dt. 10/2/2021
Mgt. Tech./Dy. Mgr. (T)/Mgr. (F)/Acctt./PA

10/2/2021
Sh. Arpit

Project Director

CHECK- LIST

General Information

Sr. No.	Description	Information /Status
1	Name and Address of the Applicant/Agency	<u>Torrent Gas Private Limited</u> 396, Shopping Center 1 st floor, Nr. Aerodrome Circle, Kota, Rajasthan-324005
2	National Highway Number	NH 27
3	State	Rajasthan
4	Location	Raipura Chauraha to Kaithoon Road Crossing (LHS/RHS)
5	Chainage in KM	From Ch. 1074.800 km to Ch. 1075.100 km (L.H.S.) From Ch. 1074.800 km to Ch. 1075.100 Km (R.H.S.) Crossing @ Ch. 1075.100 km
6	Length in Meters	600 m
7	Width of available ROW in both side	60 m
8	Side of NH (left or right side of NH towards increasing chainage/Km direction)	<u>ALONG:</u> 1. LHS from Ch. 1074.800 km to Ch. 1075.100 km (0.300 Km Length) 2. RHS from Ch. 1074.800 km to Ch. 1075.100 km (0.300 km Length) <u>ACROSS:</u> 1. @ Ch. 1075.100 km (0.060 Length)
9	Name of Highway Authority of NHAI	NHAI, RO-Jaipur.
10	Highway Administration address	Project Director NHAI, Kota

[Handwritten Signature]







[Handwritten Signature]
प्रबन्धन-संयोजक
Manager (Tech.)
नगर विकास विभाग, पंचकट, कोटा
NHAI PIU Kota (Raj.)

[Handwritten Signature]
Project Director
NHAI, PIU, KOTA



Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
1	Details of already laid utility service, if any	No	Enclosed	Complying
2	Whether up gradation of the stretch in near future is proposed or not	No		N/A
	(a) If yes, provision of utility adversely affects the plan of upgradation		Not affect plan of up-gradation	
3	Laying of the utility service along the National Highways.			
3.1.	Location of proposed utility service along the stretch	Within 2 meters from Extreme Edge of the RoW	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW.	Complying
3.2	Depth of top of utility service from ground level	Minimum 1.2 m	1.2 meter	complying
3.3	Mechanism for crossing water channel	Beneath the bed of Water Channel	Through utility duct (if provision exists) or beneath the bed of water channel	Complying
3.4	Whether ROW is restricted in this stretch?	NO		N/A
3.4.1	If yes, whether provision of land acquisition is required to lay utility	N/A		N/A
	(a) If yes, whether undertaking for land acquisition along with relevant L.A. details has been furnished	N/A		N/A
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	N/A	Not less than one lane	N/A
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NO	Not to be allowed	YES
4.2	Proposed crossing of utility service	1. @Ch. 1075.100 km Perpendicular to NH	Perpendicular to NH	Complying





Manager (Tech.)
Project Director
LEA PIU, KOTA

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
4.3	Type of casing pipe/conduit carrying the utility line.	STEEL	Steel, cast iron, or reinforced cement concrete and have adequate strength	Complying
4.4	Whether ends of the casing/conduit pipe are sealed from the outside	SEALED	Sealed	Complying
4.5	Length of casing/conduit pipe crossing NH.	60 M	Extend from drain to drain in cuts and toe to toe of slope in the fills	Complying
4.6	Depth of top of the casing/conduit pipe.	Minimum 2.0 M	At least 1.2 m below the top of subgrade	Complying
4.7	Crossing method in case of CC pavement.	HDD/Boring	Only boring method (HDD)	Complying
4.8	Horizontal and vertical clearances in case utilities are allowed overhead,	N/A (Underground Only)	In accordance with IRC codes.	N/A
5	Document / Drawings enclosed with the proposal	Yes Enclosed		
5.1	Cross-Section showing the size of trench for open trenching method		Enclosed, if applicable	
	(a) Trench width	600 mm	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	Complying
	(b) Filling of trench	As per Ministry Guidelines.	As per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	Complying
	(c) location of trench	Within 2 meters from Extreme Edge of available ROW space	extreme edge of the ROW	Complying

Handwritten signature



प्रबंधक-तकनीकी (T)
Manager (Tech.)
नगरपालिका, पोखरा-१, कोशी
NHAI PHU-KOTA

Project Director
NHAI PHU-KOTA

Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
5.2	Cross section showing the size of pit and location of conduit for HDD method	Yes Enclosed	Enclosed, if applicable	Complying
5.3	Strip plan/ Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Yes Enclosed	Enclosed	Complying
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Yes Enclosed	Enclosed	Complying
6	Methodology for laying of utility	Yes Enclosed	Enclosed	Complying
7	Draft License Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Yes Enclosed	Enclosed	Complying
8	License fees in Favor of MoRTH RPAO Jaipur	Will be submitted	As per Ministry vide circular no. RE/NH-33044/29/2015/S& (R) dated 22.11.2016	As per Annexure – A Amount Rs. 1,00,822/-
9	Whether Bank Guarantee has been obtained	YES	As per Ministry vide circular no. RE/NH-33044/29/2015/S&(R) dated 22.11.2016	As per Annexure – B Amount Rs. 1,65,000/-
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines	YES		
10	Affidavit / Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged then to pay the losses to either to MoRTH/NHAI or to the concerned agency.	Enclosed	Enclosed	Complying
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/ MoRTH	Enclosed	Enclosed	Complying
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	Complying

Project Director
NHAI, PIU, KOTA

Manager (Tech.)



Sr. No	Item	Measurement. Observations as per site conditions	MORTH Norms	Whether complying with MORTH Norms
10.4	Undertaking for shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	Enclosed	Enclosed	Complying
10.5	Undertaking for indemnity against all damages and claims.	Enclosed	Enclosed	Complying
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Complying
10.7	Undertaking that If any claim is raised by the Concessionaire/contractor then the same has to be paid by the applicant	Enclosed	Enclosed	Complying
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration	Enclosed	Enclosed	Complying

The Right of the Way (ROW) of the National Highway available is 60 m.

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

Name, Designation & Signature of the Authorized representative of Applicant



with mndgel
AGM-projects

[Handwritten signature]

Name, Designation & Signature of the Authorized representative of NHAI
Project Director
NHAI, PIU, KOTA

[Handwritten signature]




[Handwritten signature]
प्रबंधक-प्रौद्योगिकी
Manager (Tech.)
नॉरथ रा.रा.प्रौ.पि.उ. कोटा
North PIU Kota (Raj.)

CERTIFICATE




1. Undersigned has examined the proposal of the applicant for laying of proposed 12" Ø Steel Natural Gas Pipeline Along/Across NH-27 (Kota-Baran-Shivpuri) to develop city gas distribution network in Baran city & its surrounding areas and confirm that the all standard conditions issued vide Ministry circular No: RW/NH-33044/29/2015/S&(R) dated 22.11.2016 has been followed.
2. It is certified that any other location of utility line would be extremely difficult and unreasonable costly and installation of utility line within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc.
3. I will ensure supervision of the work of laying of utility and ensure that the defects in road portion after laying of utility are corrected.
4. I will notify/forfeit the BG for claims for damages done/disruption in working, if any.
5. I will ensure that proposed permission is entered in the register of records
6. The record of previous approval, if any has been considered and copy of same is enclosed with the proposal.



[Name Designation and signature
of concerned field authority of
NHAI/PWD/BRO]

Project Director
NHAI, PIU, KOTA


प्रबंधक प्रौद्योगिकी
Manager (Tech.)
नं. २०२०, पं. का. २०, कोटा
NHAI PIU Kota (Raj.)



ANNEXURE-II							
ESTIMATE FOR LICENSE FEES FOR LAYING OF PROPOSED 12" DIA STEEL GAS PIPELINE ALONG/ACROSS NH-27 CHITTORGARH-KOTA-BARAN TO DEVELOP CITY GAS DISRTIBUTION NETWORK IN KOTA CITY AND ITS SURROUNDING AREAS EN-ROUTE NATIONAL HIGHWAY UNDER KOTA BARAN HIGHWAY IN THE STATE OF RAJASTHAN							
LOCATION	CHAINAGE	UTILISED LAND AREA			DLC RATE OF LAND		LICENSE FEES PER MONTH
		LENGTH (IN METER)	WIDTH (DIA) IN METER	AREA (IN SQ. METER)	PER BIGHA	PER SQ. METER	
Near Kaithoon Under Pass	1074.800 to 1075.100 BHS	600	0.6	360	2496832	1543.04	4629.12
Near Kaithoon Under Pass	1075.100 Horizontal Drill	60	0.6	60	2496832	1543.04	462.912
LICENSE FEES (RS PER SQ METER PER MONTH) IN FAVOUR REGIONAL PAY ACCOUNT OFFICER MORTH							
TOTAL							5092.03
THIS IS PUBLIC UTILITY HENCE LICENSE FEE PER MONTH AT 33%							1680.37
LICENSEE FEES FOR FIVE YEAR = 60*1680.37							100822.2
SAY							100822

Note:- At crossing of NH-work to be executed by HDD method



Signature

Seal

प्रबंधक-सिवाजी
Manager (Tech.)
NHAI PIU Kota (Raj.)



Project Director
NHAI, PIU, KOTA



ANNEXURE-III

ESTIMATE FOR LICENSE FEES FOR LAYING OF PROPOSED DIA STEEL GAS PIPELINE ALONG/ACROSS NH-27 CHITTORGARH-KOTA-BARAN TO DEVELOP CITY GAS DISTRIBUTION NETWORK IN KOTA CITY AND ITS SURROUNDING AREAS EN-ROUTE NATIONAL HIGHWAY UNDER KOTA BARAN HIGHWAY IN THE STATE OF RAJASTHAN

PERFORMANCE BANK GUARANTEE IN FAVOUR OF PD, PIU NHAI KOTA			
LOCATION	CHAINAGE	LENGTH (IN METER)	AMOUNT BASED ON PER ROUTE METER FOR DIA OF PIPE BORE ABOVE 300 AT RS 250 PER METER
1	2	3	4=3*250
Near Kaithoon Under Pass	1074.800 to 1075.100 BHS	600	600*250 = 150000
Near Kaithoon Under Pass	1075.100 Horizontal Drill	60	60*250 = 15000
TOTAL BANK GUARANTEE			165000/-



Handwritten signature

Handwritten signature

Project Manager (Tech.)

NHAI PIU Kota (Ref.)

Project Director
NHAI, PIU, KOTA

