

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार) क्षेत्रीय कार्यालय - गांधीनगर (गुजरात)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India) Regional Office - Gandhinagar (Gujarat)

दूरभाष / Phone : 079-29650607, 29650608 ई-मेल / e-mail : rogujarat@nhai.org पहली मंजील, बी.एस.एन.एल. टेलीफोन एक्सचेन्ज बिल्डींग, "च" रोड, सेक्टर-11, गांधीनगर-382011 (गुजरात) 1st Floor, BSNL Telephone Exchange Building, "CH" Road, Sector-11, Gandhinagar-382011(Guiarat)

NHAI/RO-GNR/2024/Utility Service/eoffice-247511/D-1595

16th May 2024

Invitation of Public Comments

SUB: Construction of Eight Lane access-controlled expressway section of Delhi-Vadodara Greenfield Alignment (NH-148N) on EPC Mode under Bharatmala Pariyojana in the state of Gujarat from Ch. 729+700 to Ch. 756+052 [Package-27]:

Proposal seeking ROW permission for laying 66KV D/C Limkheda Dudhiya Line of M/s. GETCO (3+1 Spare) 1CX630 sqmm Underground Cable Crossing across Delhi-Vadodara Expressway at Km 737+350, Near Village-Jetpur, Taluka-Limkheda, District-Dahod in the state of Gujarat.

REF: 1. PD, PIU-Godhra letter eoffice-247511 dated 25.04.2024.

2. M/s. GETCO-Jambuva proposal no. 3945 dated 23.12.2023.

The Project Director, NHAI, PIU-Godhra vide letter u/ref.(1) has recommended the instant proposal submitted by M/s. Gujarat Energy Transmission Company Limited-Jambuva vide their office letter u/ref.(2), seeking ROW permission for laying 66KV D/C Limkheda Dudhiya Line of M/s. GETCO (3+1 Spare) 1CX630 sqmm Underground Cable Crossing across Delhi-Vadodara Expressway at Km 737+350, Near Village-Jetpur, Taluka-Limkheda, District-Dahod in the state of Gujarat.

2. Now, as per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will make available the proposal seeking permission for utility laying for public comments for 30 days on the ground of general public interest for seeking claims and objections.

3. उपरोक्त विषय को ध्यान में रखते हुए, उपरोक्त प्रस्ताव पर जनता की टिप्पणियां आमंत्रित की जाती हें और यह निचे दिए गए पते पर दिनांक <u>14.06.2024</u> तक पहुँच जिन चाहिए, जिसके बाद किसी भी टिपण्णी पर विचार नहीं किया जायेगा।

National Highways Authority of India, Regional Office - Gandhinagar (Gujarat). 1st Floor, BSNL Telephone Exchange Building, CH-Road, Sector-11, Gandhinagar, Gujarat - 382011. (Email: rogujarat@nhai.org).

4. इसे राजमार्ग प्रशासन-सह-क्षेत्रीय-अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात के अनुमोदन से जारी किया

जाता हें

(अजय कुमार स्वामी) उप-महाप्रबंधक(तक.)

कृते, मुख्या मुहाप्रबंधक(तक.)

क्षेत्रीय अधिकारी, भा.रा.रा.प्रा.(गांधीनगर) गुजरात

Copy to: 1. वरिष्ट तकनीकी निर्देशक, राष्ट्रीय सूचना केंद्र, परिवहन भवन, न्यू दिल्ही-११०००१: कृपया इसे मंत्रालय के दिनांक २२.११.२०१६ के दिशा-निर्देशों के अनुशार मंत्रालय की वेबसाइट पर अपलोड करने का अनुरोध हैं |

- 2. PD-NHAI, PIU-Godhra: For information and with request to work out the amount of License Fees and Performance Bank Guarantee amount as per site conditions and Para-5 of the MoRT&H guidelines No. RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016 and convey & its amendment circular no. NH36094/01/2022-S&R(P&B) dated 24.04.2023 and convey the same to the applicant with intimation to this office.
 - 3. Executive Engineer (Const.), M/s. Gujarat Energy Transmission Corporation Limited, Construction Division Office, Jambuva, NH-48, Vadodara-360014 (Gujarat)-eeconstjmb.getco@gebmail.com: For information and with request to deposit the requisite license fees and Performance Bank Guarantee as worked out by the PD, PIU-Godhra. The License Fees shall be deposited on online through Bharatkosh Portal only with intimation to PD, NHAI-PIU, Godhra and the Performance BG for restoration charges along with detailed calculation of license fee, restoration charges etc. The Bank Guarantee should be in favour of Project Director, NHAI, PIU-Godhra and to be submitted to PD-PIU, Godhra custodian of BGs.

(अजय कुमार स्वामी)

उप-महाप्रबंधक(तक.)

कृते, मुख्या महोप्रबंधक(तक.) क्षेत्रीय अधिकारी, भा.रा.रा.प्रा.(गांधीनगर) गुजरात