



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय : एफ-120, जनपथ, श्याम नगर, जयपुर-302019

Regional Office : F-120, Janpath, Shyam Nagar, Jaipur-302019

Tel. (O) / फोन : (ऑ.) 0141-2292056, 2292049

E-mail / ई-मेल : rojaipur@nhai.org Web. / वेब : www.nhai.gov.in



क्रमांक: NHAI/18013/1/2021-ROJ/Permission-Crossing PHED Water Pipeline/254/NH-48, km 253.150/1072 दिनांक: 19.07.2023

INVITATION OF PUBLIC COMMENTS

- विषय: Proposal for grant of permission for laying PHED Water Pipeline at Km. 253.150 (Road Crossing) total length is 0.060 Km. on Jaipur-Gurgaon-Kotputli section of NH-48 at VKI 14 No. Distt-Jaipur in the state of Rajasthan by EE, PHED, Jaipur - reg.
- सन्दर्भ: (i) EE, PHED Div. IV (N), Jaipur letter no. 3433 dated 01.09.2022, letter no. 6085-89 dt 22.03.2023 and letter no. 831-34 dated 25.04.2023.
- (ii) PD, PIU-Jaipur letter no. NHAI/JPR/NOC/PHED/253.150/2023/674 dated 19.06.2023 (received on 22.06.2023).

Sir,

It is to inform all concern EE, PHED, Div IV (N) vide letter cited under ref. (i) above has submitted a proposal for the subjected work and PD, NHAI, PIU, Jaipur has submitted the above proposal vide letter under reference (ii) for approval of the Competent Authority, Highway Administration.

2. The proposal is for grant of permission for laying PHED Water Pipeline at Km. 253.150 (Road Crossing) total length is 0.060 Km. on Jaipur-Gurgaon-Kotputli section of NH-48 at VKI 14 No. Distt-Jaipur in the state of Rajasthan by EE, PHED, Jaipur.

3. As per Para-4 of Ministry's Circular No. RW/NH-33044/29/2015S&R(R) dated 22.11.2016, the Highway Administration shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

4. In view of the above, before approval of the competent authority, the comments/objections of affected public is hereby invited with reference to the Ministry's circular dated 22.11.2016 due to laying PHED Water Pipeline along and across the subjected project stretch. The objections/comments may be addressed to the below mentioned address upto 18.08.2023, beyond due date, no comments/objections will be accepted.

The Regional Officer, Regional Office - Jaipur
National Highways Authority of India,
F-120, Janpath, Shyam Nagar, Jaipur (Raj.)-302019,
Tel : 0141-2292049, 2292054 Email : rojaipur@nhai.org

This is issued with the approval of the Regional Officer, NHAI, RO, Jaipur (Rajasthan).

भवदीय,

(मन्मोहन खोसला)
प्रबन्धक (तकनीकी)

- Copy to: (i) Web Admn., NHAI, HQ, New Delhi - for uploading in NHAI's website [web-admin@nhai.org]
- (ii) Director, NIC, New Delhi - for uploading in Ministry's website. [mansoor@nic.in]
- (iii) PD, PIU-Jaipur: for information and with the request to review the license fee and BG amount as per abended guidelines of MoRTH issued vide no. No. NH-36094/01/2022 S&R (P&B) dated 17.04.2023 and get deposited the same from the applicant within 30 days period for further processing the proposal.
- (iv) EE, PHED, Div. IV (N), Jaipur: for information and with the request to deposit revised charges required as per amended guidelines dated 17.04.2023 within 30 days period.



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government Of India)

परियोजना कार्यान्वयन इकाई, जयपुर/ Project Implementation Unit, Jaipur

डी-148, आर. एस.ई.बी. सब-स्टेशन के पीछे, वैशाली नगर, जयपुर-302021

D-148, Behind RSEB Sub-Station, Vaishali Nagar, Jaipur-302021

दूरभाष / Phone : 91-141 - 4026465, ई-मेल / E-mail : jai@nhai.org



2

No. NHAI/JPR/NOC/PHED/253.150/2023/ 674

Date: 19.06.2023

GM (T) cum Regional Officer

National Highways Authority of India

Regional Office, F-120, Janpath

Shyam Nagar, Jaipur-302019



M(T)-MK

22/6

Sub.: **Permission for laying of water Pipeline at Km. 253.150 on NH-8 total length is 0.060 Km (Road Crossing) at VKI 14 No. District Jaipur in the State of Rajasthan-reg.**

- Ref.: 1) EE, PHED, Jaipur letter no. 3433 dated 01.09.2022
2) This office letter no. 1798 dated 13.10.2022
3) IE M/s. L.N. Malviya Infra Projects Pvt. Ltd. letter no. 319 dated 10.01.2023
4) This office letter no. 3335 dated 09.02.2023
5) EE PHED, Jaipur letter no. 6085-89 dated 22.03.2023
6) This office letter no. 131 dated 20.04.2023
7) EE PHED letter no. 831-34 dated 24.05.2023

Sir

Please refer Executive Engineer, PHED, City Div. IV (N) Jaipur letter dated 01.09.2022 & 22.03.2023 regarding permission for laying of water Pipeline at Km.253.150 on NH-8 total length is 0.060 Km (Road Crossing) at VKI 14 No. District Jaipur in the State of Rajasthan under Gurgaon-Jaipur section of NH-08.

2. The said proposal has been examined in consultation with IE of the project highway. IE M/s L.N. Malviya Infra Projects Pvt. Ltd. vide letter dated 10.01.2023 has raises some observation which has been conveyed to applicant vide this office letter dated 09.02.2023. EE, PHED, Jaipur vide letter dated 22.03.2023 has submitted the compliance on the observation raised by IE.

3. Further, this office vide above referred letter dated 20.04.2023 has requested to applicant to deposit the requisite License Fee and Performance Bank Guarantee. Executive Engineer, PHED Div. IV (N) Jaipur vide letter dated 24.05.2023 has submitted the proof of deposition of License Fee of amounting of Rs. 6,28,472/- in Bharat Kosh vide Receipt No. 1205230028158 dated 12.05.2023 and Performance Security in the form of Demand Draft no. 002437 dated 15.05.2023 of Rs. 15,000/- of AU Small Finance Bank.

4. In view of the above, the said proposal has been examined in this office and seems to be found in order as per MoRTH guidelines.

5. Duly signed checklist & documents is enclosed with the proposal and recommended to grant permission for laying of water Pipeline at Km.253.150 on NH-8 total length is 0.060 Km (Road Crossing) at VKI 14 No. District Jaipur in the State of Rajasthan.

The proposal is forwarded for approval please.

Encl. : As above

Yours faithfully,

92m

Project Director

General Information		
1	Name and Address of the Applicant/ Agency	OFFICE OF M/s EXECUTIVE ENGINEER PUBLIC HEALTH ENGINEERING DEPARTMENT (PHED) City Dn-IV (N), Vidhyadhar Nagar, Jaipur
2	National Highway No.	NH-8
3	State	Rajasthan
4	Location	VKA1 14 No. Puliya
5	Chainage in KM	MS- 253.150
6	Length in mtrs	60
7	Width of available ROW in both Side	30 M
8	Side of NH (left or right side of NH towards increasing chainage/Km direction)	RHS & LHS (Road Crossing)
9	Name of Highway Authority of NHAI	Project Director, PIU-NHAI, Jaipur
10	Highway Administration address	Regional Officer NHAI, Shyam Nagar, Jaipur (Raj.)

Anil Kumar

g

(जे.एस.डी. कैटारा)
अधिसूची अभियंता
जन स्वा. अभि. विभाग
नगर खण्ड चतुर्थ (उत्तर)
विद्याधर नगर, जयपुर (राज.)

02 m
परियोजना निदेशक / Project Director
नगराध्या. प.का.ई. / NHAI PIU, Jaipur

Check List				
S.No.	Item	Measurement. Observation as per site conditions	Morth Norms	Whether Complying with MORTH Norms
1	Details of already laid utility service, if any	NA	Enclosed	NA
2	Whether up gradation of the stretch in near future is proposed or not			
	(a) if yes, provision of utility adversely affect the plan of up-gradation	NO	Not affect plan of Up-gradation	NA
3	Laying of the utility service along the National Highways	YES		YES
3.1	Location of proposed utility service along the stretch	Extreme edge of the RoW of MS-253.150	Utility Duct/ beyond the toe line of the embankment and drains, and close to the extreme edge of the RoW	
3.2	Depth of top of utility service from ground level	2.5 Mtr		YES
3.3	Mechanism for crossing water channel	NA	Through utility duct (if provision exists) or beneath the bed of water channel	NA
3.4	Whether ROW is restricted in this stretch			
3.4.1	if yes, whether provision of land acquisition is required to lay utility			
	(a) if yes, whether undertaking for land acquisition along with relevant L.A.details has been furnished	NA		NA
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts	NA	Not less than one lane	YES
4	Laying of utility services across the NH			
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	NA	Not to be allowed	NA
4.2	Proposed crossing of utility service	Prependicular to NH	Prependicular to NH	YES
4.3	Type of casing pipe/conduit carrying the utility line.	HDEP Pipe	Steel, cast iron, or reinforced cement concrete and have adequate strength	YES
4.4	Whether ends of the casing/conduit Pipe are sealed from the outside	Sealed	Sealed	YES
4.5	Length of casing/conduit pipe crossing NH.	60 Mtr	Extend from drain to drain in cuts and toe to toe of slope in the fills	NA
4.6	Depth of top of the casing/conduit pipe.	2.5 Mtr	At least 1.2 m below the top of subgrade	NA
4.7	Crossing method in case of CC Pavement.	HDD	Only boring method(HDD)	NA
4.8	Horizontal and vertical clearances in case utilities are allowed overhead	NA	In accordance with IRC codes	NA
5	Document/Drawings enclosed with the proposal			
5.1	Cross-Section showing the size of trench for open trenching method			
	(a) Trench width	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	More than 30 cm and less than 60 Cm wider than the outer diameter of the utility pipe	NA
	(b) Filling of trench	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016	NA
	(c) location of trench	extreme edge of the ROW	extreme edge of the ROW	NA
5.2	Cross section showing the size of pit and location of conduit for HDD method	Enclosed	Enclosed ,if applicable	Enclosed

Ant Kumar Sin

SR

02m
परियोजना निदेशक / Project Director
नगर, प.का.ई. / NHAI PIU, Jaipur

(ज.एस.डी. कटारा)
अधिसाधी अभियंता
जन स्वा. अभि. विभाग
नगर खण्ड चतुर्थ (उत्तर)
विद्याधर नगर, जयपुर (राज.)

5.3	Strip plan/Route plan showing utility line, chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	Enclosed	Enclosed
5.4	Plan and profile drawing of stretch showing cross section of road at 20m distance along with ROW and proposed utility	Enclosed	Enclosed	Enclosed
6	Methodology for laying of utility line	HDD	Enclosed	Enclosed
7	Draft License Agreement is as per Ministry guidelines vide letter No.	Enclosed	Enclosed	Enclosed
8	License fees in favor of MoRTH RPAO Jaipur			YES
9	Whether Bank Guarantee has been obtained			YES
	(a) if yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines	Enclosed	Enclosed	Enclosed
10	Affidavit/Undertaking from the Applicant for			
10.1	Undertaking for not to damage other existing utility, if damaged than to pay the losses to either to MoRTH/NHAI or to the concerned agency	Enclosed	Enclosed	Enclosed
10.2	Undertaking for renewal of Bank Guarantees and when asked by NHAI/MoRTH	Enclosed	Enclosed	Enclosed
10.3	Undertaking for confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	Enclosed
10.4	Undertaking for Shifting of Utility as and when asked by MoRTH/NHAI within a month at their own cost	Enclosed	Enclosed	Enclosed
10.5	Undertaking for Indemnity against all damages and claims.	Enclosed	Enclosed	Enclosed
10.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Enclosed
10.7	Undertaking that if any claim is raised by the Concessionaire/ contractor then the same has to be paid by the applicant.	Enclosed	Enclosed	Enclosed
10.8	Undertaking that the applicant has obtained Various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statutory clearances applicable, before applying to Highway Administration.	Enclosed		Enclosed

The Right of the Way (ROW) of the National Highway available at the proposed location from the Center line of divided carriageway is (.....) m (from center of ROW to edge of ROW towards proposed utility)

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

[Name Designation and signature of the authorized representative of applicant]
अभिषेक अम्बिया
जन स्वा. अभि. विभाग
नगर खण्ड चतुर्थ (उत्तर)
विद्याधर नगर, जयपुर (राज.)

Anur Kumar Kum
 [Name Designation and signature of concerned field authority of NHAI]

03m
परियोजना निदेशक / Project Director
भारतसमा. प.का.ई. / NHAI PIU, Jaipur