



सत्यमेव जयते

# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)

क्षेत्रीय कार्यालय - गांधीनगर (गुजरात)

## National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

Regional Office - Gandhinagar (Gujarat)

दूरभाष / Phone : 079-29650607, 29650608 ई-मेल / e-mail : rogujarat@nhai.org

पहली मंजील, बी.एस.एन.एल. टेलीफोन एक्सचेंज बिल्डिंग, "च" रोड, सेक्टर-11, गांधीनगर-382011 (गुजरात)

1<sup>st</sup> Floor, BSNL Telephone Exchange Building, "CH" Road, Sector-11, Gandhinagar-382011(Gujarat)



NHAI/RO-GNR/2024/Utility Services/eoffice-274139/D-549

Date: 12.02.2025

### Invitation of Public Comments

**Subjects:** Proposal for permission of laying of 66 kv D/C, 1CX1600sq.mm & (6+1 spare) total 07 nos of underground Electric power cable in line to Substation "Along & Across" National Highway 48 (Old NH-8) (A) from Km 113.489 to 113.520 LHS to LHS (along), (B) at Km. 113.520 LHS to RHS (across) (C) from Km. 113.520 to Km. 114.770 RHS to RHS (along) on NH Darjipura Airforce station road near village Darjipura, Ta & Distt Vadodara on Vadodara Bharuch section of NH-48. (66kV Aamaliyara Indrapuri line).

#### References:

1. PD, PIU-Ekta Nagar letter no. 1300 dated 07.02.2025 (eoffice-274139).
2. EE, M/s GETCO, Jambuva letter no. 206 dated 18.01.2025.

The Project Director, NHAI, PIU-Ekta Nagar vide e-file u/ref. (1) has recommended the instant proposal submitted by M/s GETCO, Jambuva vide their office letter u/ref. (2), seeking permission of laying of 66 kv D/C, 1CX1600sq.mm & (6+1 spare) total 07 nos of underground Electric power cable in line to Substation "Along & Across" National Highway 48 (Old NH-8) (A) from Km 113.489 to 113.520 LHS to LHS (along), (B) at Km. 113.520 LHS to RHS (across) (C) from Km. 113.520 to Km. 114.770 RHS to RHS (along) on NH Darjipura Airforce station road near village Darjipura, Ta & Distt Vadodara on Vadodara Bharuch section of NH-48. (66kV Aamaliyara Indrapuri line).

2. Now, as per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dt.22.11.2016, the Highway Administration will make available the proposal seeking permission for utility laying for public comments for 30 days on the ground of general public interest for seeking claims and objections.

3. उपरोक्त विषय को ध्यान में रखते हुए, उपरोक्त प्रस्ताव पर जनता की टिप्पणियां आमंत्रित की जाती हैं और यह निचे दिए गए पते पर दिनांक 14.03.2025 तक पहुँच जाना चाहिए, जिसके बाद किसी भी टिप्पणी पर विचार नहीं किया जायेगा।

The Highway Administration-cum-Regional Officer  
National Highways Authority of India,  
Regional Office-Gandhinagar (Gujarat)  
1st Floor, BSNL Telephone Exchange Building,  
CH-Road, Sector-11, Gandhinagar,  
Gujarat - 382011. (Email: [rogujarat@nhai.org](mailto:rogujarat@nhai.org)).

4. इसे राजमार्ग प्रशासन-सह-क्षेत्रीय-अधिकारी, भा.रा.रा.प्रा. (गांधीनगर) गुजरात के अनुमोदन से जारी किया जाता है।


(अमृत मीना)

उप महाप्रबंधक(तक.)

कृते, क्षेत्रीय अधिकारी, भा.रा.रा.प्रा.(गांधीनगर) गुजरात

**Copy to:**

1. **Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001:** With a request to kindly upload it on Ministry's website.
2. **PD-NHAI, PIU-Ekta Nagar:** For information and with request to work out the amount of License Fees and Performance Bank Guarantee amount as per site conditions and MoRT&H guidelines No.RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & its amendment circular no. NH36094/01/2022-S&R(P&B) dated 24.04.2023 and convey the same to applicant with intimation to this office.
3. **The Executive Engineer (Const.), M/s GETCO, Construction Division Office, Jambuva, Vadodara-Bharuch NH-48, Vadodara-390014, Mob. No.: 9925211218, Email: eeconstjmb.getco@gebmil.com:** For information and with request to deposit the requisite license fees and Performance BG as worked out by the PD, PIU-Ekta Nagar. The License Fees shall be deposited online through Bharatkosh Portal only (<https://bharatkosh.gov.in>) with intimation to PD, NHAI-PIU, Ekta Nagar and the Performance BG for restoration charges along with detailed calculation of license fee, restoration charges etc. The Bank Guarantee should be in favour of Project Director, NHAI, PIU-Ekta Nagar and to be submitted to PD-PIU, Ekta Nagar custodian of BGs.

  
(अमृत मीना)

उप महाप्रबंधक(तक.)

कृते, क्षेत्रीय अधिकारी, भा.रा.रा.प्रा.(गांधीनगर) गुजरात