



**भारतीय राष्ट्रीय राजमार्ग प्राधिकरण**  
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)  
**National Highways Authority of India**  
(Ministry of Road Transport & Highways, Govt. of India)



परियोजना निदेशक का कार्यालय, परियोजना कार्यान्वयन इकाई  
**Office of the Project Director, Project Implementation Unit**

53, बसंत विहार, नौबस्ता, कानपुर - 208021 • 53, Basant Vihar, Naubasta, Kanpur - 208021  
दूरभाष / Phone : (0512) 2630154 / 2630214 • ई-मेल / e-mail : knp@nhai.org

NHAI/13028/PIU/KNP/Km.48+560/NH-31/2024/148

Dated: 19 Apr. 2024

**Invitation of Public Comments**

**Sub :** Proposal for permission of underground water supply pipeline crossing by HDD method at Km. 48+560 on NH-31 (Raebareli - Unnao) at District - Unnao in the state of Uttar Pradesh.

The office of the Executive Engineer, Khand Karyalay, U.P. Jal Nigam (Grameen), Unnao, has submitted the proposal for crossing of underground water supply pipeline (350 mm dia.) by HDD method at Km. 48+560 on NH-31 (Raebareli - Unnao) at District - Unnao in the state of Uttar Pradesh.

From the submitted proposal, it is seen that the crossing length is proposed 60.0 m at Km. 48+560 on NH-31. The work of pipeline execution to be carried out through HDD Method with a depth of 1.25 m from the existing ground level. Width of available ROW in LHS & RHS side is 30 m - 30 m from center of NH. The exiting NH is 4-lane divided carriageway.

As per the guidelines, issued by the MoRTH No. RW/NH-33044/29/2015/S&R (R) (dtd. 22.11.2016). The application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interests).

In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

**The Dy. General Manager(Tech.)/ Project Director,  
National Highways Authority of India,  
Project Implementation Unit,  
53, Basant Vihar,  
Kanpur - 208021**

This issues with the direction of RO- west (UP)

Encl: As above

Your's faithfully

(Aman Rohilla)  
Project Director

Copy to:

1. Regional Officer (West)-UP, NHAI, 3/248, Vishal Khand, Gomati Nagar, Lucknow.
2. The web admin, NHAI- HQ- with request for uploading on the NHAI website.
3. The office of the Executive Engineer, Khand Karyalay, UP Jal Nigam (Grameen), Unnao. (Urban),



## CHECK LIST

Guidelines for Project Directors for processing the proposal of crossing / laying optical fiber/ HT cables/ Water pipe line etc. by private parties in the land along National Highway with NHAI,


### Relevant circulars

Ministry Circular No. RW/NH-33044/29/2015/S&R (R) Dated 22.11.2016.

Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pl.) Dated 06.08.2013

### Check-list for getting approval for crossing water pipe line on NH land


S.No.	Item	Information/ Status	Remarks
1.	General Information		
1.1	Name and Address of the applicant / Agency	Office of the Executive Engineer, Khand Karyalay, U.P. JAL Nigam (Gramen), Unnao	
1.2	National Highway Number	NH-31 (Raibareilly-Unnao Section)	
1.3	State	Uttar Pradesh	
1.4	Location	District- Unnao	
1.5	(Chainage in KM)	Km.48+560	
1.6	Length in Meters	60m	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage/km direction	30m	
	(b) Right side from center line towards increasing chainage/km direction	30m	
1.8	Proposal to lay the water pipeline		
	(a) Left side from center line towards increasing chainage/km direction	NA	
	(b) Right side from center line towards increasing chainage/km direction	NA	
1.9	Proposal to acquire land		
	a) Left side from center line.	Not required.	
	b) Right side from center line.	Not required.	
1.10	Whether proposal is in the same side where land is not to be acquired	Not required.	
	If not then where to lay the cable	Within available ROW.	
1.11	Details of already laid services, if any along the proposed route	No.	
1.12	Number of lanes (2/4/6/8 lanes)existing	4 -lanes	
1.13	Proposed Number of lanes (2 lanes with paved shoulder/4/6/8 lanes	4 -lanes	
1.14	Service road existing or not		
	If yes then which side		

  
अधिसूची अभियन्ता  
जल निकास्य विभाग  
जल निगम (ग्रामीण) उन्नाव






	a) Left side from centre line.	NA	
	b) Right side from centre line.	NA	
1.15	Proposed Service Road		
	a) Left side from centre line.	Not Proposed	
	b) Right side from centre line.	Not Proposed	
1.16	Whether proposal to lay cable is after the service road or between the service road and main carriage way	Extreme Edge of RoW	
1.17	The permission for laying OFC / HT cables/ water supply pipe line shall be considered for approval/ rejection	For Approval	
	(i) Where the ROW is more than 45m then the duct cable shall be laid at the edge of right of way within the utility corridor of 2m width, duly keeping in view the future widening.	Extreme Edge of RoW	
	(ii) Where land is yet to be acquired for 4-laning and the position of new carriage way has been decided then the cable shall be laid at the edge of right of way within the utility corridor of 2m width, on that side of existing carriageway where extra land is not proposed to be acquired for 4-laning.	Not Required	
	(iii) Where the widening plan for 4-laning is not yet decided and available ROW is around 30m or less, a judicious decision would need to be taken for permitting the laying of cable/duct. This could be within 1.5m to 2 m of utility corridor at the edge of existing ROW, duly keeping in view the possible widening plans.	4-Laning has been completed.	
	(iv) Where ROW is restricted and adequate only to accommodate the carriageway, central verge, shoulders and drains (e.g. Highways in currying through hilly, rolling terrain) the cable shall be laid clear of the drain.	Plain terrain (Edge of ROW)	
	Where land strip for utility corridor cannot be conveniently earmarked (available ROW restricted to the toe of the embankment for laying of cable/ducts, the permission may be refused.	Available.	
1.18	Number of applicants of the same stretch.	Single Applicant	
1.19	Whether the case of multiple licenses.	Single	
1.20	If so furnish a joint implement programmer to lay their respective ducts within stipulated time frame.	No	
1.21	If crossing of the road involved If yes,	Yea, it shall only be	

  
 अधिशासी अभियन्ता  
 सार्वजनिक कार्यलय उ.प्र.  
 पब्लिक विगम (ग्रामीण) उन्नाव



	it shall only be through trench less technology	through HDD method.	
2.	Document/drawing enclosed with the proposal.		
2.1	Cross section showing the size of trench for open trenching method ( Is it normal size of 1.65m deep x 0.5m wide)	Shown in Drawing.	
2.2	Cross section showing the size of pit location of pipe line for HDD method	NA	
2.3	Strip plan / Route Plan showing the OFC/ pipe line, chainage, width of ROW, important mile stone, intersections, cross drainage works etc.	Show in Drawing.	
2.4	Mythology of laying of pipe line	Enclosed	
2.4.1	Open trenching method. If, yes, methodology of refilling of trench.	Trench Less	
2.4.2	Horizontal Directional Drilling (HDD) method	Yes, through HDD	
2.4.3	Laying OFC/ HT cable through CD works and method of laying (Whether to be hung outside parapet)	NA	
3.	Draft license agreement signed by two witnesses	YES	
4.	Performance Bank Guarantee		
5.	<b>Affidavit Undertaking/ from the Applicant for</b>		
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Yes, enclosed	
5.2	Renewal of Bank Guarantee.	Will be done if necessary	
5.3	Confirmation all standard condition of NHAI guidelines.	Yes, enclosed	
5.4	Shifting of water pipe line as and when required by NHAI.	Yes, enclosed	
5.5	Shifting due to 6-laning / widening of NH.	Yes, enclosed	
5.6	Indemnity against all damages and claims clause (xxiv)	Yes, enclosed	
5.7	Traffic movement during laying of water pipe line to be managed by the applicant.	Yes, enclosed	
5.8	If any claim is raised by the Concessionaries then the same has to be paid by the applicant.	Yes, enclosed	

  
 अधिसूचना अधिनियम  
 राष्ट्रीय कार्यलय अधिनियम  
 बल निगम (प्रामाण्य) अधिनियम




5.9	Certificate for 6-laning from the applicant in following format. "We do undertake that I will relocate service road/approach road/utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six-laning or any other development."	Yes, enclosed	
6.	Affidavit /Power of Attorney in favor of authorized signatory.	Affidavit enclosed	
7.	Copy of DOT license	No, water pipe line	
8.	Certificate from the Project Director	Yes, enclosed	
8.1	Certificate from confirming of all standard condition issued vide Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) dated 7/8/2013 & dated 22.11.2016	Yes	
8.2	Certificate for 4-laning from PD in the following format	Already 4-lane	
	(a) Where feasibility is available "I do certify that there will be no hindrance to proposed 6-laning base on the feasibility report considering proposed structure at the said location. (b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodate proposed 6-laning".	NA  NA	
9	As per guidelines license fee shall be charged.	Department will pay fee after issuing demand note	
10	If NH section proposed to be taken up NHAI on BOT basis -a clause in para 17 to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of way to the concessionaire under concession agreement for the up-gradation of [.... <b>Section From Km.....to km .....of NHAI No..... on Build, Operate and Transfer Basis]</b>	NA	
11	Who will supervise the work of laying of water pipe line	Office of the Executive Engineer,Khand Karyalay, U.P JAL Nigam (Grameen),Unnao.	

अधिरापी अभियन्ता  
उप नगरपालिका उ.प्र.  
जल निगम (ग्रामीण) उन्नाव






12	Who will ensure that the defects in road portion after lay of water pipe line are corrected and if not corrected then what action will be taken.	Office of the Executive Engineer, Khand Karyalay, U.P JAL Nigam (Grameen), Unnao	
13	Who will pay the claims for damages' done/disruption in working of concessionalre if asked by the concessionalre.	Office of the Executive Engineer, Khand Karyalay, U.P JAL Nigam (Grameen), Unnao	
14	A Certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed performa (copy enclosed) Issued vide Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016	Yes	
15	If any previous approval is accorded for after lay of water pipe line then photocopy of register of records of permissions accorded as maintained by PD (as per Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22.11.2016 as referred in para 13 above is enclosed or not.	NA	


  
 अधिशासी अभियन्ता  
 खण्ड कार्यालय उ.प्र.  
 जल निगम (ग्रामीण) उन्नाव






- NOTES:-
1. DRAWING HAS BEEN PREPARED AS PER MORT&H GUIDELINES /CIRCULAR NO. RW/NH-33044/29/2015/S&R (R) DATED 11-Nov-2016.
  2. THE UTILITY SERVICES SHALL BE LOCATED, BEYOND THE TOE LINE OF THE EMBANKMENT AND DRAIN, AS CLOSE TO THE EXTREME EDGE OF THE ROW AS POSSIBLE.
  3. THE TOP OF THE UTILITY SERVICES SHALL BE AT LEAST 0.6M BELOW THE GROUND LEVEL.
  4. THE MEASUREMENT HAS TAKEN FROM AS PER SITE CONDITION


LEGEND  
 PROPOSED PIPELINE CROSSING  
 RIGHT OF WAY



PIT PLAN



X-Section of PIT for HDD



CROSS SECTION FOR CROSSING THE ROAD



Checked by  
 (M.S. Rao)

## UTTAR PRADESH JAL NIGAM

OFFICE OF THE PROJECT MANAGER  
 CONSTRUCTION UNIT, U.P. JAL  
 NIGAM, UNNAO.

### SUBJECT

U/G OF WATER SUPPLY PIPE LINE FROM  
 CROSSING BY HDD METHOD AT KM.48.560 ON  
**NH-31, UNNAO - RAIBARELI SECTION**  
 AT DISTRICT-UNNAO, UTTAR PRADESH.

AUTHORIZED SIGNATORY

अध्यापक अभियंता  
 राष्त्रिय कानून प्रशासन  
 उत्तर प्रदेश जल निगम

