

## भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार))

National Highways Authority of India (Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओड़िशा / Regional Office, Odisha 301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर - 751013, ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No: J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha दुष्पष /Ph.: 0674 - 2361470/ 570/670 (का/O) ई-मेल/e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in



NHAI/13011/54/RO/OD/ 2117 /2023

24.07.2023

To

The Sr. Technical Director, NIC Centre at MoRTH, Transport Bhawan, New Delhi 110001

Sub: Four laning of Panikoili-Rimuli section of NH-215 from Km.0.000 to Km.163.000 (Design Chainage Km0+000 to Km166+173) in the State of Odisha - NOC proposal for ROW access permission for laying of 1 no. 600 mm dia water pipeline along with 50 mm dia OFC within 750 mm wide of utility corridor of NH-20 (Old NH-215) from Km 132+500 (Raisuan) to Km 166+173 (Rimuli) RHS In Keonjhar District- reg

Sir,

Please find enclosed herewith a proposal of M/s Essar Minmet Limited regarding permission for laying of NOC proposal for ROW access permission for laying of 1 no. 600 mm dia water pipeline along with 50 mm dia OFC within 750 mm wide of utility corridor of NH-20 (Old NH-215) from Km 132+500 (Raisuan) to Km 166+173 (Rimuli) RHS In Keonjhar District.. The details are as under:

	Chainage			Length	
SI. No.	From	То	Side	(m)	Remarks
1.	Km.132+503	Km.166+173	RHS	331670	Laying of 1 no. 600 mm dia
2.	Кш. 132+503		Crossing	NA	water pipeline along with 50 mm dia OFC within 750 mm wide of utility corridor from Ralsuan to Rimuli

Accordingly, as per guidelines issued by MoRTH vide F. No. RW/NH-33044/29/2015/S&R(R) dt.
 22.11.2016, the application along with the recommendations of concerned PD/Consultants are enclosed herewith with request to hoist the same in the Ministry's Website for public comments within 30 days of uploading on the website.

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswar.

Yours faithfully,

(Abinash Behera) Dy. Manager (Tech)



# भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय,भारत सरकार))

National Highways Authority of India (Ministry of Road Transport & Highways, Govt of India) क्षेत्रीय कार्यालय, ओड़िशा /Regional Office, Odisha 301 - ए. तीसरी मंजिल, पाल हार्बटम, प्लाट नं जे/7, जयतेन निराह, अन्नेप्रज्ञ, 751016, जेनिल



क्षत्राय कायालय, आड़िशा / Kegional Office, Odisha 301 - ए, तीसरी मंजिल, पाल हाईटस, प्लाट् नं जे/7, जयदेव विहार, भुवनेश्वर 751013. ओड़िशा 301-A, 3rd Floor, Pal Heights, Plot No: J/7. Jayadev Vihar. Bhubaneswar-751013. Odisha दुर्पाण/Ph.: 0674 - 2361470/ 570/670 (का/O) ई-मेल/e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट/Web : www.nhai.gov.in

NHAI/13011/54/RO/OD/ 2116 /2023

24.07.2023

### INVITATION OF PUBLIC COMMENTS

Sub: Four laning of Panikoili-Rimuli section of NH-215 from Km.0.000 to Km.163.000 (Design Chainage Km0+000 to Km166+173) in the State of Odisha - NOC proposal for ROW access permission for laying of 1 no. 600 mm dia water pipeline along with 50 mm dia OFC within 750 mm wide of utility corridor of NH-20 (Old NH-215) from Km 132+500 (Raisuan) to Km 166+173 (Rimuli) RHS In Keonjhar District- reg

M/s Essar Minmet Limited has submitted a proposal for laying of 1 no. 600 mm dia water pipeline along with 50 mm dia OFC within 750 mm wide of utility corridor of NH-20 (Old NH-215) from Km 132+500 (Raisuan) to Km 166+173 (Rimuli) RHS In Keonjhar District. The details are as under:

	Chainage			1	Remarks
SI. No.	From	То	Side Length (m)		
1.	Km.132+503	Km. 166+173	RHS	33+670	Laying of 1 no. 600 mm dia
2.	Km.132+503		Crossing	NA	water pipeline along with 50 mm dia OFC within 750 mm wide of utility corridor from Raisuan to RImuli

2. As per guidelines issued by MoRTH vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

3. In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address:

I he Regional Officer, National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013, Odisha e-mail: <u>roodisha@nhai.org</u>

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswar".

107

(Abinash Behera) Dy. Manager (Tech) National Highways Authority of India, Regional Office, Odisha 301-A, 3rd Floor, Pal Heights, J/7, Jayadev Vihar, Bhubaneswar 751013

## ESSAR MINMET LIMITED

Plot no 1/1c, N6-IRC Village, 3rd Floor, UCCI Building, Nayapalli, Bhubaneswar-751015, Odisha.

Seeking ROW from Raisuan (132.503 Km ) to Rimuli (166.173 Km ) on NH-215 (Revised NH-20)

## **CHECK -LIST**

Guidelines for Project Directors for processing the proposal for laying of 600mm dia Water Pipeline with OFC 50mm Dia along NH-215(New NH20)

**Relevant Circulars** 

1) Ministry Circular No. NH-41 (58)/68 dated 31.01.1969

2) Ministry Circular No. NH-3/P/66/76 dated 18/19 .11.1976

3) Ministry Circular No. RW/NH/-3/P/66/76 dated 11.05.1982

4) Ministry Circular No. RW/NH-11037/1/66-DOI (2) dated 28.07.1993

5) Ministry Circular No. RW/NH-11037/1/86/DOI dated 19.01.1995

6) Ministry Circular No. RW/NH-34066/2/95/S&R dated 25.10.1999

7) Ministry Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.09.2003

#### Ministry Circular No. Rw/NH-33044/29/2015/S&R<sup>®</sup> dtd 22.11.16

#### Check list for approval for laying of Water Pipelines on NH ROW Land

SL.No	. Item	Information/status	Remarks
1	General Information	Essar Minmet Ltd. has proposed to carry 20 MTPA 600mm dia water pipeline with 50mm dia OFC. In this context and with the available ROW width, seeking permission for laying 600mm dia water pipeline with 50mm dia OFC along National Highway No- 215(Revised NH20) from Raisuan(Chainage 132+503) to Rimuli (Chainage 166+173) by Open Trench method in general & Horizontal Directional Drilling (HDD) method at specific location like River,Bridge,Canal,Road,Railway, Service Roadetc & places where locational constraint exist.	
1.1	Name and Address of the Applicant/Agency	ESSAR MINMET LIMITED Plot No.1/1C, N6-IRC Village, 3 <sup>rd</sup> Floor, UCCI Building, Nayapalli, Bhubaneswar-751015, Odisha.	
1.2	National highway No-	NH 215 (New NH20)	
1.3	State	Odisha	
1.4	Location	Raisuan to Rimuli	
1.5	Chainage in km	CH132+503 km to CH 166+173 (RHS) Croosing at CH. 132+503 from RHS to LHS	
1.6	Length in Meters	33670 mtr (RHS) + 60 mtr (Crossing from RHS to LHS)	Total 33,730
1.7	Width of available ROW	60 mtr (in general)	
	(a)Left side from center line towards increasing chainage/km direction	30 mtr (in general)	
	(b) Right side from centre line towards increasing chainage /km direction	30 mtr (in general)	
1.8	Proposal to lay underground pipes/electrical/FOC cables	Water pipe 600mm dai with 50mm dia fibre optic cable laying in the same pipeline trench	
	(a)Left side from center line towards increasing chainage/km direction	NA	
		Beyond 26.5 m from CL as per ROW availability (132,503 km to 166.173 km on RHS)	
1.9	Proposal to acquire land	N/A-	

iect Implementation

-	(a)Left side from center line	No	
	(b) Right side from centre line	No	
	Whether proposal is in the same side	N/A	
1.10	where land is to be acquired		
	If not then where to lay the Pipeline	In the utility corridor of NHAI ROW	
1.11	Details of already laid services, if any	Yes, existing laid services considered in the cross sectional	1
1.11	,along the proposed route	drawings & documents attached	
1.12	Number of lanes (2/4/6/8) existing	Existing 4 lanes	
	Proposed number of lanes (2 lane with	N/A	
1.13	paved shoulders/4/6/8 lanes)		
1.14	Service road existing or not		(
	If yes then which side	Yes	
	(a) Left side from center line towards	NA	Details attached
	increasing chainage/Km direction		in Annexure
	(b) Right side from center line	Existing service road varies from 14m to 30m from centre line	Details attached
	take the	of road	in Annexure
1.15	Proposed Service road	Yes	
	(a) Left side from center line	NA	Details attached
			in Annexure
3	(b) Right side from center line	Proposed service road varies from 14m to 30m from centre line	Details attached
	Table and	of road	in Annexure
	Whether proposal to lay Water	HDD method is applicable in Service road after cover drain and	
	pipelines are after the service road or	as per availablty of ROW at site	
1.16	between the service road and main		
	carriageway		
	The permission for laying of Water	Yes, agreed	
	pipeline shall be considered for		
1.17	approval/rejection based on the		2
	ministry circulars mentioned as above.		
	a) Carrying of Water pipeline on	Yes, agreed for not carrying Water pipelines on Bridges	
	Bridges shall not be permitted as	(Undertaking Attached)	
	fumes/gases pipe can accelerate the		
	process of corrosion or may be cause		
	explosion, thus bing much more		
	injurious than leakage of water		
	54 E	New Street and Street and Street and Street and Street	
	b) Carrying of water Pipe lines on	Yes, agreed for not carrying Water pipelines on Bridges but	
	Bridges shall also be discouraged.	over independent superstructure if required with permission of	
	However, if the water supply	Authority	
	authorities seem to have no other		
	viable alternative and approach the		
	Highway Authority well in time before		
	the design of the bridge is finalised,		
	they may be permitted to carry the		
	pipe line on independent		
	superstructure, supported on		
	extended portions of piers and		
	abutments in such a manner that in		
	the final arraingement enough free		
	space around the superstructure of		
	the bridge remains available for the		
	inspection and repairs etc.		





Page 2 of 9

	(c) Cost of required extension of the substructure as well as that of the supporting superstructure shall be borne by the agency-in-charge of the utilities	Yes, agreed to comply	
-	(d) Services are not being allowed indiscriminately on the parapet/any part of the bridges, safety of the bridges has to be kept in view while permitting various services along bridge. Approvals are to be accorded in this regard with the concurrence of the Ministry's Project Chief Engineers only	Yes, agreed to comply	
1.18	If crossings of the road involved - If Yes, it shall be either encased in pipes or through structure or conduits specially built for the purpose at the expenses of the agency owning the line	Yes , crossing involved and it shall be encased with 1 Numbers of MS 600mm dia pipes at our cost for each crossing location. (One number of crossing at 132+503 km)	
	(a) Existing drainage structures shall not be allowed to carry the lines.	Yes, agreed to comply	If drains are affected, HDD technology will be adopted with casing pipe
	(b) Is it on the line normal to NH	Yes	
	(c) Crossing shall not be too near the existing structures on the National Highway, the minimum distance being 15 M What is the distance from the existing structures.	Distance from the nearest existing structures is beyond 15m	
Ð	(d) The casing pipe (or conduit pipe in case of electric cable ) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.	Yes, agreed and Casing pipe material to be used is MILD STEEL PIPE of 900mm dia for carrying water pipeline of 600mm dia with conduit pipe	HDD Technology
	(e) Ends of the casing /conduit pipe shall be sealed from the outside , so that it does not act as a drainage path.	Yes, agreed to comply	will be adopted with casing pipes if required for specified locations along
	(f) The casing/conduit pipe should ,as minimum extend from drain to drain in cuts and toe of slope to toe of slope in the fills.	Yes, agreed to comply	the road as per ROW statement,drawin gs,below
	(g) The top of the casing /conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 M below the drain inverts.	Yes, agreed to comply	structures, hindrances,etc

12



Page 3 of 9 WAY 7 10 000

	(h) Crossing shall be boring method (HDD) specially where the existing road pavement is of cement concrete or dense bituminous concrete type.	Yes, crossing will be done by HDD method	
	(i) The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of water way along it.	Yes, agreed to comply	
2	Document/drawings enclosed with the proposal	Yes, drawing, documents, enclosed	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2m deep X 0.3m wide)	Not normal size but as per drawing attached	
	(i) Should not be greater than 60 Cm wider than the outer diameter of the pipe	Yes, agreed to comply	
2	<ul> <li>(ii) located as close to the extreme edge of the right- of-way as possible but not less than 15 meter from the center lines of the nearest carriageway</li> </ul>	Yes, agreed to comply	
	(iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting .Nor shall these be laid over the existing culverts and bridges.	Yes, agreed to comply	
	(d) These should be so laid that their top is at least 0.6 m below the ground level so as not to obstruct drainage of the road land	Yes, agreed to comply	
2.2	Cross section showing the size of pit and location of pipeline for HDD method	Yes, Submitted as incorporated in the drawing and attached methodology	
2.3	Strip plan/ route plan showing pipeline ,chainage, width of ROW, distance of proposed , pipeline from the edge of ROW ,important milestone , intersections, cross drainage works etc.	Yes, submitted showing all desired details in the drawings	
2.4	Methodology for laying Water pipeline	Yes, Submitted	
2.4.1		Yes, open trenching allowed as per submitted methodology at specific locations as per available ROW statement & attached drawings, further compliance by Essar Minmet as per MoRTH/IRC guidelines and NHAI instructions for such site requrment	
	(a) The trench width should be atleast 30 cm, but not more than 60 cm wider than the outer diameter of pipe	Yes, agreed to comply	
	By Commer	THEONHAR EN LA	



AVN'7

\*

1

3	Draft License Agreement signed by two witnesses	Yes, submitted	
	Ministry's guidelines issued with letter No. H1/P/66/76 dated 19.11.1976.		
	way as possible up to a distance of 30 m from the bridge and subject to all other stipulations contained in this		
	mains/cables shall be carried along a line as close to the edge of the right-of- way as possible up to a distance of 30		
	works and method of laying (a) On approaches , the water	Yes, agreed to comply	
2.4.3	Laying of Water pipeline through CD	At all CD work locations HDD method will be adopted	
2.4.2	Horizontal Directional Drilling (HDD) Method	Yes, HDD method allowed as per submitted methodology at specific locations as per available ROW statement & attached drawings, further compliance by Essar Minmet as per MoRTH/IRC guidelines and NHAI instructions for such site requrment	
	(g) If required , a diversion shall be constructed at the expense of the agency owning the utility line	Yes, agreed to comply	
	(f) The excavation shall be protected by flagman, signs and barricades, and red lights during night hours.	Yes, agreed to comply	
	same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.		
	permitted. (e ) The road crust shall be build to the	Yes agreed to comply	
	moisture to 95% of the proctor's Density. Overfill shall be compacted to the same density as the material that had been removed . Consolidation by saturation or ponding will not be		
	(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of	Yes, agreed to comply	
	(c) The backfill shall be completed in two stages (i)side-fill to the level of the top of the pipe and (ii) overfill to the bottom of road crust.	Yes, agreed to comply	
	bearing value. Unsuitable soil and rock edged should be excavated and replaced by selected material.		
	cm. It shall consists of granular materials ,free of lumps,clods and cobbles and graded to yield a firm surface without sudden change in the		
	(b) For filling of the trench ,Bedding should be a depth of not less than 30	Yes, agreed to comply	

n



TA KEONJHAR 40N'7 \* Page 5 of 9

Re

Rs.50/- per running meter (parallel to		
NH) and Rs. 1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for		
ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction ,clearing debris/loose earth produced due to excavation of trenching at least 50 m away from the edge of the right of way . No payment shall be payable by the NHAI to the license for clearing debris/loose earth.		
Performance BG as per above is to be	Yes, agreed for submission when intimated by NHAI	
obtained Confirmation of BG has been obtained	Yes, will be obtained after submission of BG	
Affidavit/Undertaking from the	yes, agreed & submitted	
applicant for Not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Yes, agreed to comply & submitted undertaking	
Renewal of Bank Guarantee	Yes, agreed to comply & submitted undertaking	
Confirming all standard condition of NHAI's guideline	Yes, agreed to comply & submitted undertaking	
Shifting of Water pipeline as and when required by NHAI at our own cost	Yes, agreed to comply & submitted undertaking	
Shifting due to 6 lanning/widening of NH	Yes, agreed to comply & submitted undertaking	
ndemnity against all damages and claims clause (24)	Yes, agreed to comply & submitted undertaking	
Water pipeline to be managed by the	Yes, agreed to comply & submitted undertaking	
f any claim is raised by the concessionaire then the same has to	Yes, agreed to comply & submitted undertaking	
Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or olterations to the showing Water oipeline located in the National	Yes, agreed to comply & submitted undertaking	
or repairing any damage caused to he National Highway by the laying maintenance or shifting of the Water pipeline will be done by the agency	TION	
( cet Foesy to Foldaran dt RONSE ISN IT IT Valton Solo Height no	(extendable if required till satisfactory completion of work) as a security for ensuring/making good the excavated trench for laying the cables/ducts by proper filling and compaction ,clearing debris/loose earth produced due to excavation of trenching at least 50 m away from the edge of the right of way . No payment shall be payable by the NHAI to the license for clearing debris/loose earth. Performance BG as per above is to be obtained Confirmation of BG has been obtained as per NHAI guidelines Affidavit/Undertaking from the applicant for Not to damage to other utility, if lamaged then to pay the losses either o NHAI or to the concerned agency tenewal of Bank Guarantee Confirming all atandard condition of HAI's guideline thifting of Water pipeline as and when equired by NHAI at our own cost hifting due to 6 lanning/widening of IH mdemnity against all damages and laims clause (24) raffic movement during laying of Vater pipeline to be managed by the pplicant for approval of the NHAI shall be btained before undertaking any work f installation, shifting or repairs, or lterations to the showing Water ipeline located in the National lighway right-of-way xpenditure if any ,incurred by NHAI or repairing any damage caused to ne National Highway by the laying maintenance or shifting of the Water	[extendable if required till satisfactory         completion of work) as a security for         percention of laying the cables/ducts by         participation of laying the cables/ducts by         way from the edge of the right of         way - No payment shall be payable by         hen NHA to the license for clearing         glebris/loose earth.         Performance BG as per above is to be         Ser NHAI guidelines         Verflag then to pay the boxes either         confirmation of BG has been obtained         sper NHAI guidelines         Verflag then to pay the losses either         o NHA to to the concerned agency         tenewal of Bank Guarantee         confirming all standard condition of         HA's guideline         hifting of Water pipeline as and when         equired by NHAI at our own cost         hifting of Water pipeline as and when         equired by NHAI at our own cost         hifting clain is raised by the         policant from own end uring laying of         Yes, agreed to comply & submitted undertaking         laims clause (24)         raffic movement during laying of         Yes, agreed to comply & submitted undertaking         any clain is raised by the         oncassionaire then the same has to <t< td=""></t<>

5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road ,it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Yes, agreed to comply & submitted undertaking
5.12	Certificate from the applicant in the following format (1) Laying of Water pipelines will not have any deleterious effects on any of the bridge components and roadway safety for traffic (2) for 6 lanning "we do undertake that I will relocate service road/approach road/utilities at my own cost not withstanding the permission granted within such time as will be stipulated by NHAI for future six-lanning or any other development"	Yes, agreed to comply & submitted undertaking
6		Mr. Prakash Chandra Mohapatra Authorised Signatory as appointed by Essar Minmet Limited and Power of Attorney attached M/s Essar Minmet Ltd Plot No.1/1C, N6- IRC Village, 3rd Floor, UCCI Building, Nayapalli, Bhubaneswar- 751015, Odisha.
7		Attached
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No. NH 41(58)/(68) dated 31.1.1969, Ministry Circular No. NH-3/P/66/76 dated 18/19.11.1976, Ministry Circular No. RW/NH- 3/P/66/76 dated 11.5.1982, MINIStry Circular No. RW/NH-11037/1/86-DOI (2) dated 28.7.1993, Ministry Circular No. RW/NH-11037/1/86-DOIdated 19.1.1995, Ministry Circular No. RW/NH-34066/2/95/S&R dated 25.10.1999 and Ministry Circular No. RW/NH-34066/7/2003 S&R(B) dated 17.9.2003	Yes, Attached





	be extremely difficult and unreasonable costly and the installation of Iron Ore Slurry within ROW will not adversely affect the design, stability & traffic safety of the		
7.2	highway nor the likely future improvement such as widening of the carriageway ,easing of curve etc. " (2) for six-lanning (a) where feasibility is available " I do certify that there will be no hindrance to proposed six lanning based on the feasibility report considering proposed structures at the said location " (b) in case feasibility report is not available" I do certify that sufficient ROW is available at site for accommodating proposed six-lanning.		
8	If NH section proposed to be taken up by NHAI on BOT basis- a clause is to be inserted in the agreement ." The permitted Highway on which Licensee has been granted the right to lay cable/duct/lay Water pipeline has also been granted as a right of way to the concessionaire under the concession agreement may likely to be handed over to the concessionaire for up-gradation of		
	Water pipeline	M/s Essar Minmet Ltd Plot No.1/1C, N6- IRC Village, 3rd Floor, UCCI Building, Nayapalli, Bhubaneswar- 751015, Odisha., E-mail Id- praksh.mohapatra@essarservices.co.in, Mob- 9866177435	
10	road portion after laying of Water pipeline are corrected and if not corrected then what action will be taken.	M/s Essar Minmet Ltd Plot No.1/1C, N6- IRC Village, 3rd Floor, UCCI Building, Nayapalli, Bhubaneswar- 751015, Odisha., E-mail Id- praksh.mohapatra@essarservices.co.in, Mob- 9866177435 (Will ensure rectification of defects and if not corrected, Essar Minmet limited to bear the cost of rectication as asked by NHAI)	
11	Who will pay the claims for damages done/disruption in working of concessionaire if asked by the concessionaire.	M/s Essar Minmet Ltd Plot No.1/1C, N6- IRC Village, 3rd Floor, UCCI Building, Nayapalli, Bhubaneswar 751015, Odisha., E-mail Id- praksh.mohapatra@essarservices.co.in, Mob 9866177435 (will pay the claims of damages.)	

•

12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed).	Yes, attached
13	If any previous approval is accorded for laying of underground Water pipeline then photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed	Yes, enclosed



