



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

क्षेत्रीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलासानी नगर,
रानीगरीतोटा, कृष्णालंका, विजयवाड़ा - 520 013, आंध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS No. : 373/2A, Kodandaramalayam, Chalasani Nagar,
Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh

फोन / Tele : 0866 -2483910, ई-मेल / E-mail : rovijayawada@nhai.org, nhairovja@gmail.com
वेब / Web : www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VIJ/NH-16/G-K/P1/ NOC/2024/ 1716

Dt.10.06.2024

To

The Sr. Technical Director,
NIC, Transport Bhawan,
New Delhi- 110001.

Sub: NHAI, RO - Vijayawada - UPC Code: N/02004/23001/AP - RCW - Application from Rural Water Supply Department, Government of Andhra Pradesh - RWS&S(D) Division, Eluru - MVS Scheme to Pedavegi & other habitations in Denduluru Constituency - Requested permission for laying of water pipeline along NH-16 from Km.1032+800 to Km.1036+505 - 3.705 Km from Ashram Hospital to Somavarappadu and crossing on NH-16 at Km.1032+800 at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu - Kalaparru section of NH-16 in the state of Andhra Pradesh for a total length of 3780 m (Online Application No. 20240220/1/7/22601/6713) - Public comments - Reg.

Sir,

Please find enclosed herewith a proposal submitted by RWS&S(D) Division, Eluru for laying of water pipeline along NH-16 from Km.1032+800 to Km.1036+505 - 3.705 Km from Ashram Hospital to Somavarappadu and crossing on NH-16 at Km.1032+800 at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu - Kalaparru section of NH-16 in the state of Andhra Pradesh for a total length of 3780 m.

2. As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the application along with the recommendations of PD, PIU-Vijayawada & notice inviting public comments are enclosed herewith with a request to host the same in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest), for taking further necessary action.

Yours faithfully,

(R.K. Singh, IES),

CGM (Tech.) & Regional Officer

Encl: As above

Copy to:

- (i) PD, PIU - Vijayawada
- (ii) Executive Engineer, RWS&S(D) Division, Eluru



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन और राजमार्ग मंत्रालय)

National Highways Authority of India

(Ministry of Road Transport & Highways, Government of India)

क्षेत्रीय कार्यालय : 41-29-45A, सर्वे नं: 373/2A, कोदंडरामालयम्, चलासानी नगर,
रानीगरीतोटा, कृष्णालंका, विजयवाड़ा - 520 013, आंध्र प्रदेश

Regional Office : D.No. 41-29-45A, RS No. : 373/2A, Kodandaramalayam, Chalasani Nagar,
Ranigari Thota, Krishna Lanka, Vijayawada - 520 013, Andhra Pradesh

फोन / Tele : 0866 -2483910, ई-मेल / E-mail : rovijayawada@nhai.org, nhairovja@gmail.com
वेब / Web : www.nhai.gov.in



Lr.No. NHAI/RO-VJA/PIU-VIJ/NH-16/G-K/P1/ NOC/2024/ 1717

Dt.10.06.2024

INVITATION OF PUBLIC COMMENTS

Sub: NHAI, RO - Vijayawada - UPC Code: N/02004/23001/AP - RCW - Application from Rural Water Supply Department, Government of Andhra Pradesh - RWS&S(D) Division, Eluru - MVS Scheme to Pedavegi & other habitations in Denduluru Constituency - Requested permission for laying of water pipeline along NH-16 from Km.1032+800 to Km.1036+505 - 3.705 Km from Ashram Hospital to Somavarappadu and crossing on NH-16 at Km.1032+800 at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu - Kalaparru section of NH-16 in the state of Andhra Pradesh for a total length of 3780 m (Online Application No. 20240220/1/7/22601/6713) - Public comments - Reg.

The Project Director, PIU - Vijayawada submitted a proposal of RWS&S(D) Division, Eluru for laying of water pipeline along NH-16 from Km.1032+800 to Km.1036+505 - 3.705 Km from Ashram Hospital to Somavarappadu and crossing on NH-16 at Km.1032+800 at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu - Kalaparru section of NH-16 in the state of Andhra Pradesh for a total length of 3780 m.

As per MORTH guidelines vide letter No. RW/NH-33044/29/2015/S&R(R) dated 22nd November 2016, the Highway Administration will put out the application in the Ministry's website for 30 days seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address.

Regional Officer - Vijayawada,
National Highways Authority of India,
Regional Office, Dr. No.41-29-45A, R. S. No.373/2A
Near Kodandaramalayam, Chalasani Nagar,
Ranigarithota, Krishnalanka, Vijayawada - 520 013.
Email: rovijayawada@nhai.org

(R.K. Singh, IES),
CGM (Tech.) & Regional Officer



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन और राजमार्ग मंत्रालय)
National Highways Authority of India
(Ministry of Road Transport & Highways)



परियोजना कार्यान्वयन ईकाई
Project Implementation Unit

प्लॉट नं:74, वनमाली भवन, एन.ए.सि. कल्याणा वेदिका के बगल में,
कमर्शियल टैक्सेज कॉलोनी, गुरुनानक नगर रोड, विजयवाड़ा-520 008.
Plot No. 74, Vanamali Building, Beside N.A.C. Kalyana Vedika, Commercial Taxes Colony,
Gurunank Nagar Road, Vijayawada-520 008.

दूरभाष / Phone : 0866 - 2543496, ई-मेल / E-mail : vij@nhai.org, nhaipiuvij@gmail.com

Ref:11082/RWS- Eluru/NHAI/PIU/V/NH-16/2024/297

30.05.2024

To
The Regional Officer,
National Highways Authority of India
Regional Office, Door No.41-29-45A,
R.S.No.373/2A, Near Kodandaramalayam
Chalasani Nagar, Ranigarithota, Krishnalanka
Vijayawada - 520 013

Sir,

UPC Code-N/02004/23001/AP - RCW

Sub : NHAI, PIU, Vijayawada - NHAI, PIU, Vijayawada - Application from Rural Water Supply Department, Government of Andhra Pradesh-RWS&S Division, Eluru -MVS Scheme to Pedavegi & other habitations in Denduluru Constituency- Requested permission for laying of water pipeline along NH-16 from Km. 1032/800 to Km.1036/505 -3.705Km from Ashram Hospital to Somavarappadu and crossing on NH-16 at Km.1032/800 at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu-Kalaparru section on NH-16 in the state of Andhra Pradesh -Requested for Approval - Reg

Ref:

1. Morth NOC Portal Online Application No. 20240220/1/7/22601/6713 dated 24.05.2024
2. AE,M/s.SA Infrastructure Consultants Pvt Ltd Lr.No.SAICPL/Gundu-Chiavu/Pkg-I&II/NH-16/2116 dt.18.04.2024
3. T/o Lr.No.11082/RWS&S-Eluru/PIU/V/NHAI/2024/32 dated 05.04.2024
4. Morth NOC Portal Online Application No. 20240220/1/7/22601/6713 dated 29.03.2024
5. RWS EE Lr.No.AE/RWS&S(D)Eluru/JJM/MVS-NHAI/2024, dt.30.03.2024
6. MoRTH Circular No.RW/NH-36094/01/2022-S&R(P&B) dated 24.04.2023
7. MoRTH Circular No.RW/NH-33044/29/2015/S&R(R) dated 22.11.2016

It is to submit that the Executive Engineer, Rural water supply department, RWS &S(D) Division, Eluru, vide MoRTH NOC Portal online Application No.20240220/1/7/22601/6713 dt.24.05.2024 and vide letter ref 4th & 5th cited, requested Permission for laying of water pipeline along NH-16 from Km. 1032/800 to Km.1036/505 -3.705Km from Ashram Hospital to Somavarappadu & crossing on NH-16 at Km.1032/800

at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu-Kalaparru section on NH-16 in the state of Andhra Pradesh.

2. In this connection, PIU vide letter ref 3rd cited forwarded the proposal to Authority Engineer M/s. SA Infrastructure Consultants Pvt Ltd with a request to examine the proposal as per the norms of MoRT&H Circular No. RW-NH-33044/29/2015-S&R(R) dated 26.11.2016 & MoRTH Circular No. RW/NH-36094/01/2022-S&R(P&B) dated 24.04.2023 and to furnish comments/recommendations to take further action.

3. Accordingly, Authority Engineer M/s. SA Infrastructure Consultants Pvt Ltd vide ref 2nd cited informed that they had observed the Checklist, Drawings, Undertakings, Draft Agreement are found in order and recommended for approval of Competent Authority to accord permission for laying of water pipeline at subject cited locations. The Comments / Recommendations of the Authority Engineer and proposing Authority NHA, PIU Vijayawada are as under:

- a) Open Trench method is proposed along NH-16 from (i) Km.1032+800 to Km.1036.505-3.705 Kms on RHS from Ashram Hospital to Somavarappadu and Horizontal Directional Drilling method (HDD) is proposed across NH-16 at Km.1032+800 at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu-Kalaparru section on NH-16 in the state of Andhra Pradesh Andhra Pradesh.
- b) Checklist in accordance to MoRT&H Guidelines is enclosed for laying of water pipeline on NH land and the same is found in order.
- c) Draft License Deed is in accordance with the MoRT&H Guidelines.
- d) Construction of Methodology for laying of water pipeline by HDD method & open trench method is enclosed.
- e) Cross section showing the size of water pipeline of dia 350 mm for HDD method & Open Trench method is enclosed.
- f) Strip plan / Route plan for laying of water pipeline are enclosed.
- g) Necessary undertakings are submitted by applicant which are in accordance to MoRT&H Guidelines.
- h) Undertaking submitted by the applicant for requisite Performance Bank Guarantee @ Rs.250/- per route meter along with License fee for 5 years as per MoRT&H Guidelines dated 22.11.2016.
- i) Calculation sheet for License Fees & Performance Bank Guarantee submitted by applicant is enclosed, which is found in order.

- j) Certificate from PD that the proposal is confirming to all standard conditions issued vide MoRT&H Circular No. RW/NH/33044/29/2015/S&R(R) dated 22.11.2016& MoRTH Circular No.RW/NH-36094/01/2022-S&R(P&B) dated 24.04.2023 is enclosed.
- k) Inspection report & copy of Records of Right of Way permission granted for laying utility lines.

In view of the above, the proposal of Executive Engineer, Rural water supply department, RWS & S(D) Division, Eluru for laying of water pipeline along NH-16 from Km. 1032/800 to Km.1036/505 -3.705Km and crossing on NH-16 at Km.1032/800 at Ashram Hospital, Eluru Rural & DenduluruMandal,Eluru district on Gundugolanu-Kalaparru section on NH-16 in the state of Andhra Pradesh isherewith recommended for the approval of the competent Authority.

Encl :Proposals in 2 sets

Yours faithfully,



(D.V. Narayana)

GM (Tech.) & Project Director
NHAI, PIU-Vijayawada

INSPECTION REPORT

Name of Work: Proposal for Laying of water pipeline from Km. 1032/800 to Km.1036/505 -3.705Km and crossing on NH-16 at Km.1032/800 at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu-Kalaparru section on NH-16 in the state of Andhra Pradesh.

As per para 2.5.2 MoR&TH guidelines dated 26.06.2020." Proposal was verified and recommended by Manager (T) and certified as below:


- i) Open Trench method is proposed along NH-16 from (i) Km.1032+800 to Km.1036.505-3.705 Kms on RHS and Horizontal Directional Drilling method (HDD) is proposed across NH-16 at Km.1032+800 at Ashram Hospital, Eluru Rural & Denduluru Mandal, Eluru district on Gundugolanu-Kalaparru section on NH-16 in the state of Andhra Pradesh Andhra Pradesh.
- ii) The distance between the nearest structures to proposed crossing of water pipeline is 501m as against minimum requirement of 15 m and mentioned in Item No.1.19 C of Check list.
- iii) As per site condition, there is utility corridor of 1-2m within the ROW.
- iv) Further, there exist a ROB at Km.1034+094, for which the RWS&S department shall obtain permission of Railways.



(D.V. Narayana)
GM (Tech.) & Project Director
PIU-Vijayawada

CERTIFICATE

1. It is certified that all Standard Conditions specified in the proposal submitted by Executive Engineer, Rural water supply department, RWS & S(D) Division, Eluru for laying of water pipeline along NH-16 from Km. 1032/800 to Km.1036/505 - 3.705 km and crossing on NH-16 at Km.1032/800 at Ashram Hospital, Eluru Rural & DenduluruMandal,Eluru district on Gundugolanu-Kalaparru section on NH-16 in the state of Andhra Pradesh is in conformity as per MoRT&H Guidelines vide Lr.No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016 & MoRTH Circular No.RW/NH-36094/01/2022-S&R(P&B) dated 24.04.2023.
2. It is certified that any other location for utility line would be extremely difficult and unreasonably costly and installation of utility line within RoW will neither adversely affect the design, stability nor traffic safety of the highway nor the likely future improvement such as widening of the carriage way, easing of curve etc.
3. It will be ensured that work of laying of utility services will be supervised by Authority Engineer M/s. SA Infrastructure Consultants Pvt.Ltd, and also ensured that the defects in road portion after laying of utility are corrected.
4. It will be notified/forfeit the Bank Guarantee for claims for damages done/disruption in working, if any.
5. It will be ensured that upon receipt of approval for the above proposal, the same will be entered in the Register of Records of the Permissions in the prescribed proforma.


(D.V. Narayana)
GM (Tech.) & Project Director
NHAI, PIU-Vijayawada