

No. RW/BHP/MP/Gantry(01)/2024-25

Government of India Ministry of Road Transport & Highways (Chief Engineer - Regional Office, Bhopal)

2nd Floor, Nirman Bhawan, Arera Hills, Bhopal-462011 PH: 0755-2551329, 0755-2571467, Email ID: ro.bpl-morth@gov.in

Date:21.06.2024

Invitation of Public Comments

Subject: Proposal for permission for Gantry Installation (Check Gate) on Bhopal Jabalpur Road Pkg-5 in the state of Madhya Pradesh. Reg.-

- DM, MPRDC, Bhopal vide letter no. 9210/DM BPL/MPRDC/2024 dated 14.06.2024 forwarded therewith a proposal for permission for Gantry Installation (Check Gate) by Mining department to curb illegal transportation of minerals. The check Gate is to be installed on Bhopal Jabalpur Road Pkg-5 in the state of Madhya Pradesh.
- 2. As per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highways Administrator will make available the proposal seeking permission for utility laying for public comments for 30 days on ground of public interest.
- 3. In view of the above the comments of public are invited on captioned proposal and the same should reach to below mentioned address within 30 days beyond which no comments will be considered.

The Highways Administration
O/o RO Highways Administration
Ministry of Road Transport & Highways
IInd Floor, Nirman Bhawan, Bhopal-462011.
Email: ro.bpl-morth@gov.in

4. This issues with the approval of Highways Administration-cum Regional Officer, MoRT&H, Bhopal. (Computer no. – 238776).

(Shubham Kaushal) Assistant Executive Engineer For RO, MoRT&H, Bhopal

Copy to:

- 1. The Senior Technical Director, NIC, Transport Bhawan, New Delhi-110001 for uploading on Ministry's Website.
- 2. The CE (BOT), MPPWD, Bhopal-for information.
- 3. The DM, MPRDC, Bhopal for information with requested to submit the proposal in view of Ministry's circular no. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016.
- 4. The Additional Director, Directorate of Geology and Mining for information with requested to submit the proposal in view of Ministry's circular no. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016.