

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सङ्क परिवहन और राजगार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highwaya, Govt. of India) परियोजना निदेशक का कार्यालय, परियोजना कार्यान्वयन इकाई Office of the Project Director, Project Implementation Unit



53, बरांच विद्यार, नौबरता, कानपुर - 208021 • 53, Basant Vihar, Naubasta, Kanpur - 208021 तूरभाष / Phone: (0512)2630164/2630214 • ई—ोल / e-mall: knp@nhal.org

NHAI/13028/PIU/KNP/Km.18+650/NH-31/2024/ \ 52

Dated: 19 Apr. 2024

Invitation of Public Comments

Sub: Proposal for permission of underground water supply pipeline crossing by HDD method at Km. 18+650 on NH-31 (Raebarell - Unnao) at District - Unnao in the state of Uttar Pradesh.

The office of the Executive Engineer, Khand Karyalay, U.P.Jal Nigam (Grameen), Unnao, has submitted the proposal for crossing of underground water supply pipeline (1100 mm dia.) by HDD method at Km. 18+650 on NH-31 (Raebareli - Unnao) at District - Unnao in the state of Uttar Pradesh.

From the submitted proposal, it is seen that the crossing length is proposed 52.0 m at Km. 18+650 on NH-31. The work of pipeline execution to be carried out through HDD Method with a depth of 1.25 m from the existing ground level. Width of available ROW in LHS & RHS side is 26 m - 26 m from center of NH. The exiting NH is 4-lane divided carriageway.

As per the guidelines, issued by the Mort&h No. RW/NH-33044/29/2015/S&R (R) (dtd. 22.11.2016. The application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interests).

In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

> The Dy.General Manager(Tech.)/ Project Director, National Highways Authority of India, Project Inplementation Unit, 53, Basant Vihar, Kanpur - 208021

This issues with the direction of RO- west (UP)

Your's faithfully

Encl: As above

Project Director

Copy to:

1. Regional Officer (West)-UP, NHAI,3/248, Vishal Khand, Gomati Nagar, Lucknow.

2. The web admin, NHAI- HQ- with request for uploading on the NHAI website.

3. The office of the Executive Engineer, Khand Karyalay, UP Jal Nigam (Grameen). Unnao. (Urban),

प्रधान कार्यालय: जी-5 और जी-6, शेक्टर -- 10, द्वारका, नई दिल्ली -- 110075 • दूरभाष: 91-11-25074100/25074200 • वेबसाइट: www.nhai.gov.in

Scanned with OKEN Scanner

CHECK LIST

Guidelines for Project Directors for processing the proposal of crossing / laying optical fiber/ HT cables/ Water pipe line etc. by private parties in the land along National Highway with NHAI,

Relevant circulars

Ministry Circular No. RW/NH-33044/29/2015/S&R (R) Dated 22.11.2016. Ministry Circular No. RW/NH-33044/27/2005/S&R(R)(Pt.) Dated 06.08.2013

Check-list for getting approval for crossing water pipe line on NH land

S.No.	Item	Information/ Status	Remarks
1.	General Information		
1.1	Name and Address of the applicant / Agency	Office of the Executive Engineer, Khand Karyalay, U.P. JAL Nigam (Grameen), Unnao	
1.2	National Highway Number	NH-31 (Raibareli-Unnao Section)	· ·
1.3	State	Uttar Pradesh	
1.4	Location	District- Unnao	
1.5	(Chainges in KM)	Km.18+650	
1.6	Length in Meters	52m	
1.7	Width of available ROW		
	(a) Left side from center line towards increasing chainage/km direction	26m	
	(b) Right side from center line towards increasing chainage/km direction	26m	
1.8	Proposal to lay the water pipeline		
	(a) Left side from center line towards increasing chainage/km direction	NA	-
	(b) Right side from center line towards increasing chainage/km direction	NA	,
1.9	Proposal to acquire land		
	a) Left side from center line.	Not required.	
	b) Right side from center line.	Not required.	
1.10	Whether proposal is in the same side where land is not to be acquired	Not required.	
	If not then where to lay the cable	Within available ROW.	
1.11	Details of already laid services, if any along the proposed route	No.	-
1.12	Number of lanes (2/4/ lanes)existing		
1.13	Proposed Number of lanes (2 lawith paved shoulder/4/6/8 lanes	nes 4 –lanes	Q

अधिशाषी अभियन्ता खण्ड कार्यालय उ.प. जल निगम (प्रामीण) उन्यव



444			
1.14	Service road existing or not	·	
-	If yes then which side		
	a) Left side from centre line.	NA	-
	b) Right side from centre line.	NA	
1.15	Proposed Service Road		
	 a) Left side from centre line. 	Not Proposed	
	b) Right side from centre line.	Not Proposed	
1.16	Whether proposal to lay cable is after	Extreme Edge of D. 14	
	the service road or between the	Extreme Edge of RoW	
	service road and main carriage way	' [1
1.17	The permission for laying OFC / HT	For Annual	
	Cables/ water supply nine line shall be	For Approval	
	considered for approval/ rejection	,	
	(i) Where the ROW is more than	Extreme Education	
	45m then the duct cable shall be	Extreme Edge of RoW	
ł	laid at the edge of right of way		
	within the utility corridor of 2m width,		. 1
	duly keeping in view the future		
	widening.		
	(ii) Where land is yet to be acquired for	Not Poguinad	
	4-landing and the position of new	Not Required	
	carriage way has been decided then		
	the cable shall be laid at the edge of		
	right of way within the utility corridor		
	of 2m width, on that side of existing	1	
	carriageway where extra land is not		
	proposed to be acquired for 4-		
	_ laning.		
	(iii) Where the widening plan for 4-	4-Laning has been	
	laning is not yet decided and	4-Laning has been completed.	
	available ROW is around 30m or	completed.	
	less, a judicious decision would		
	need to be taken for permitting the		
	laying of cable/duct. This could be		
	within 1.5m to 2 m of utility corridor		
	at the edge of existing ROW, duly		
	keeping in view the possible		
	widening plans.		
	(iv) Where ROW is restricted and	Plain terrain (Edge of	
	adequate only to accommodate the	Plain terrain (Edge of ROW)	
	carriageway, central verge, shoulders		
	and drains (e.g. Highways in currying		
	through hilly, rolling terrain) the cable		
	shall be laid clear of the drain.		
	Where land strip for utility corridor	Available.	
	cannot be conveniently earmarked	, transpie.	
	(available ROW restricted to the toe of		
	the embankment for laying of		
	cable/ducts, the permission may be		
	refused.		
1.18	Number of applicants of the same	Single Applicant	
	stretch.	Single Applicant	
1.19	TAIL III	Single	
1.20	16	Single	
0	if so furnish a joint implement programmer to lay their respective	No	
	ducts within stipulated time frame.		A .
	and supulated time frame.		1
		2111911	CI STATE OF THE ST

अधिशाची अनियन्ता खण्ड खार्चासय ए.प्र. खस निगम (प्रामीन) छन्प्रव



1.21	If orogoing of the soul is a life to		
1.21	If crossing of the road involved If yes, it		- 1
	shall only be through trench less	through HDD method.	
2,	technology		
2.	Document/drawing enclosed with the proposal.		
2.1			1
2.1	Cross section showing the size of	Shown in Drawing.	
1	trench for open trenching method (Is it		
	normal size of 1.65m deep x 0.5m wide)	= 7	
2.2		hand the second	
2.2	Cross section showing the size of pit	NA	
2.3	Strip plan / Route Plan showing the		
	OFC/ pipe line, chainage, width of	Show in Drawing.	
	ROW, important mile stone.	, i	
	ROW, important mile stone, intersections, cross drainage works		
1	etc.		
2.4	Mythology of laying of pipe line	England	
2.4.1	Open trenching method. If, yes,	Enclosed	
	methodology of refilling of trench.	Trench Less	
2.4.2	Horizontal Directional Drilling		
2.7.2	Horizontal Directional Drilling (HDD) method	Yes, through HDD	
2.4.3			
4.4.3	Laying OFC/ HT cable through CD	NA	
	works and method of laying		
	(Whether to be hung outside		
	parapet)		- 1
3.	Draft license agreement signed by	YES	
	two witnesses		
4.	Performance Bank Guarantee	•	\neg
5.	Affidavit Undertaking/ from the		\dashv
	Applicant for		
5.1	Not to Damage to other utility, if	Yes, enclosed	\dashv
	damaged then to pay the losses		
	either to NHAI or to the concerned		
	agency.		- 1
5.2	Renewal of Bank Guarantee.	Will be done if necessary	\dashv
5.3	Confirmation all standard condition	Yes, enclosed	\rightarrow
	of NHAI guidelines.	. 55, 511515550	
5.4	Shifting of water pipe line as and	Yes, enclosed	-
	when required by NHAI.	roo, cholosed	
5.5	Shifting due to 6-laning / widening	Yes, enclosed	_
	of NH.	res, enclosed	
5.6	Indemnity against all damages and	Voc onelected	
0.0	claims clause (xxiv)	Yes, enclosed	
5.7	Traffic movement during Indian	V.	
	Traffic movement during laying of	Yes, enclosed	
	water pipe line to be managed by		
	the applicant.		5-1
5.8	If any claim is raised by the	Yes, enclosed	\dashv
	Concessionaries then the same has	보다 하다 되었다. 그 1/44 (1981) 그리면 함께 (1	
	to be paid by the applicant.		
5.9	Certificate for 6-laning from the	Yes, enclosed	
	applicant in following format. "We		
4 1 0 1	do undertake that I will relocate		
	service road/approach road/utilities		
1 -	at my own cost notwithstanding the		
1 10	permission granted within such time	1	- 1
The last of	The Market of the Control of the Con	अधिशाषी अभियन्ता	
		WILLIAM COMMENTS	
	o dia 4 milia Está de Adam	चस निगम (प्रामीण) छण्यव	•
A Section of the last of the l	그 첫 그 그는 가는 그는 가득되었다. 하면 하는 그는 그는 그들은 하는 그는 그를 받는다. 그를 받는다.	보통 보고 있는 사람들이 많아 보다는 사람들이 되었다. 하나를 가장 그렇게 되었다는 그 그 그 사람들이 살아 되었다. 그 그 그 사람	

· (~174)

7	110		
	as will be stipulated by NHAI for		
	future six-laning or any other		
	development."		
6.	Affidavit /Power of Attorney in favor	Affidavit enclosed	
	of authorized signatory.		
7.	Copy of DOT license	No, water pipe line	
8.	Certificate from the Project Director	Yes, enclosed	
8.1	Certificate from confirming of all	Yes	
	standard condition issued vide	res	
1	140		
1	Ministry Circular No. RW/NH-		
	33044/27/2005/S&R(R)(Pt.) dated 7/8/2013 & dated 22.11.2016		
	770/2013 & dated 22.11.2016		
-			
8.2	Codicate		- 1
0.2	Certificate for 4-laning from PD in	Already 4-lane	
	the following format		
1	(a) Where feasibility is available "I	NA	
	do certify that there will be no		
	hindrance to proposed 6-laning		
	pase on the feasibility report		
1	considering proposed structure at		1
	the said location.		.
	(b) In case feasibility report is not		
	available "I do certify that sufficient	NA	
	ROW is available at site for		
	accommodate proposed 6-laning".		- 1
9	As per guidelines license fee shall	Department will pay fee	
	be charged.		
		after issuing demand note	- 1
10	If NH section proposed to be taken	NA	
1	up NHAI on BOT basis -a clause in	1	
	para 17 to be inserted in the		- 1
1	agreement. "The permitted Highway		
	on which Licensee has been	4	
	granted the right of way to the		
	concessionaire under concession		
	agreement for the up- gradation of	,	-
	[Section From Kmto km		
	of NHAI No on Build,		
	Operate and Transfer Basis]		
11	Who will supervise the work of	Office of the F	
-	laying of water pipe line	Office of the Executive	
		Engineer,Khand	
		Karyalay, U.P JAL Nigam (Grameen),Unnao.	
12	Who will ensure that the defects in	Office of the Executive	
	road portion after lay of water pipe	Engineer,Khand	
_	line are corrected and if not	Karyalay, U.P JAL Nigam	
	corrected then what action will be	(Grameen),Unnao	
	taken.	(= : = : : : : : : : : : : : : : : : :	
13	10/lea	Offi	
	i	Office of the Executive	-
		Engineer,Khand	
	working of concessionaire if asked	Karyalay, U.P JAL Nigam	
- 45	by the concessionaire.	(Grameen),Unnao	1-1
	the state of the s		-
			- 1

14	A Certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed performa (copy enclosed) issued vide Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22/11/2016	Yes	
15	If any previous approval is accorded for after lay of water pipe line then photocopy if register of records of permissions accorded as maintained by PD (as per Ministry Circular RW/NH-33044/29/2015/S&R(R)(Pt.) Dated 22.11.2016 as referred in para 13 above is enclosed or not.	NA	



