



No.RW/BNG/N-206/NOC/Km 238.581/317/2019

Government of India

Ministry of Road Transport & Highways

(Regional Office (Civil), Bengaluru)

PWD Annexe Building, KR Circle, Bangalore-560 001

Email: robengaluru@gmail.com; Telephone: 080-22217457, 080-22105765 (F)

Dated: 13.08.2019

Invitation of public comments

Subject: Issue of NH Access Permission for New MS/HSD retail outlet abutting on RHS boundary of NH - 206 (Tumkur - Honnavara section) at Km 238.581 in Sy No. 162/4, 162/5, 162/6 of Choradi village, Shimoga Taluk & District, Karnataka State-Reg.

The Executive Engineer, NH Division, Chitradurga has submitted the proposal of M/s. Nayara Energy Ltd., for NH access permission to New Retail Outlet at km.238.581 (RHS) of NH-206 (Tumkur - Honnavara Section) in Survey No. 162/4, 162/5, 162/6 of Choradi village, Shimoga Taluk & District, Karnataka State, vide letter no. EE/NHD/CTA/ AE-4/Retail Outlet/Permission/2018-19/1680 dated 28.03.2019 (Annexure I) to this office. The proposal was examined and returned with observations vide this office letter of even no. dated 02.05.2019 (Annexure II). M/s. Nayara Energy Limited vide letter dated 06.08.2019 (Annexure III), has submitted compliance to the observations, there by seeking relaxation to the proposal, since there is an existing intersection of rural / approach road located at 202 m on the opposite side as against minimum of 300m as per Ministry's norms, of the proposed retail outlet and intersection with State Highway on the same side located at 713 m against minimum of 1000m as per Ministry's norms. Justification is mentioned in Annexure IV. Further, Executive Engineer, NH Division, Chitradurga has recommended the case for consideration under relaxation vide letter dt. 28.03.2019 (Annexure I).

2. As per Ministry vide OM No.RW/NH/33023/19/99-DO.III dated 16.03.2016, the Highway Administrator will make available the relaxation proposal of Oil company for public comments, and the comments will be invited within 60 days from the day of uploading.

3 In view of the above, the comments from public on the above mentioned proposal is invited on public portal for access permission to fuel station on website of Ministry and Road Transport and Highways (www.morth.nic.in) as per Form-A (copy enclosed).

Comment Inviting Authority

The Chief Engineer - Regional Officer
Ministry of Road Transport & Highways
PWD Annexe Building, (GF), K.R.Circle
Bengaluru - 560001

Email Id: robengaluru@gmail.com

4 This is issued with the concurrence of Chief Engineer - Regional Officer, MORT&H, Bengaluru.



(S. Sadananda Babu)
Superintending Engineer

For Chief Engineer - Regional Officer

Encl : As above.

Copy to:-

1. ✓ Senior Technical Director, NIC, Transport Bhawan, New Delhi- 110001 for uploading on Ministry's website.
2. M/s. Nayara Energy Ltd., No. 14-6-674/50(2), C-24, Third Floor, Maximums Commercial Complex, Light House Hill Road, Mangalore - 575001 for information.



(S. Sadananda Babu)
Superintending Engineer
For Chief Engineer - Regional Officer

ANNEXURE_1



No. EE/NHD/CTA/AE-4/Retail outlet/Permission/2018-19/

1620

Office of the Executive Engineer,
National Highway Division,
Chitradurga, Dated: 23-03-2019

28

By. No. 2309
Date - 08/04/2019

To,
The Regional Officer
MORT&H,
PWD Annexe Building,
Bangalore.

Sl. No. 1 - (K)

Sir,

Sub:- Issue of 'No Objection Certificate for installation of MS/HSD retail outlet abutting on the Right side boundary of NH 206 (Tumkur - Honnavara Section) at Km 238.581 in Sy No. 162/4, 162/5, 162/6 of Choradi village, in the Taluk Shimoga, Shimoga district, Karnataka State.

Ref:- 1. The Assistant Executive Engineer, NH subdivision, Shimoga, ltr no.466, dtd: 21-03-2019.
2. Nayara Energy Limited (Formerly Essar Oil Limited), Mangalore, letter no- nil, date:nil.

With reference to the above subject, the applicant Nayara Energy Limited (Formerly Essar Oil Limited), Mangalore under ref(2) has applied for permission for installation of MS/HSD retail outlet abutting on the Right side boundary of NH 206 (Tumkur - Honnavara Section) at Km 238.581 in Sy No. 162/4, 162/5, 162/6 of Choradi village, in the Taluk Shimoga, Shimoga district, Karnataka State.

The Assistant Executive Engineer, National Highway Sub Division, Shimoga has inspected the site on 20-03-2019 and reported vide in ref(1) as under:-

1. The site of the Proposed Retail outlet is on the Existing Two Lane with paved shoulder undivided Carriage way on Right side of NH-206 (Tumkur-Honnavar Section) at Km 238.581 in survey no : 162/4, 162/5, 162/6 of Choradi village Shimoga taluk, Shimoga district, Karnataka State.
2. The proposed site location at choradi village lies under the Panchayathi limit. Hence, the above site location falls under the non urban area (Rural stretch) as per MoRT&H Norms.
3. Frontage of the site is 36.00 Mtrs.
4. The building line is maintained at a distance of 40Mtrs from the center line of the National Highway as per the rural stretch.
5. There is a road to Suduru village on opposite side to the proposed site at a distance of 202 mtrs and a state highway (SH-148) on the same side of the proposed site at a distance of 713mtrs with asphalt carriageway of 3.75 Mtrs width.
6. There are no fuel stations within a distance of 300 mtrs from the proposed site on either side of the National Highway satisfying the MoRT&H requirements.
7. There is no railway level crossing with in 200mtrs from the propose site on either side of the National Highway satisfying the MoRT&H requirements,
8. There is no ROB within 200 mtrs from the propose site on either side of the National Highway satisfying the MoRT&H requirements,

44

500
244
22-3
44 TO

on main
entry

1.1.19
SE


9. There is no Grade separator/Ramp within 200 mtrs from the proposed site on either side of the National Highway satisfying the MoRT&H requirements,
10. No check barriers/Toll plaza on either side of the proposed site up to a distance of 1000.00 Mtrs.
11. All the standard conditions have been specified as per MoRT&H guidelines.

The applicant has submitted the relevant document as mentioned in the above Proposal is in accordance with the MORT&H Circular No: RW/NH-33023/19/99-DO III, dated 24-07-2013 except that there exists a road to Suduru village at a distance of 202 mtrs and state highway (SH-148) at a distance of 713mtrs respectively, which required relaxation from the Ministry. The oil company sought relaxation for the construction of road for which the oil company proposals 5.50mtrs wide road for a length 70mtrs for Acceleration & Deceleration purpose.

In view of the above proposed in 3 copies is herewith submitted along with all the relevant documents for kind consideration and further needful.

Encl: 3copies proposals.

Yours faithfully,


Executive Engineer,
N.H. Division, Chitradurga.





ANNEXURE II 5/- No. 2 (I)



No.RW/BNG/N-206/NOC/Km 238.581/317/2019/98-99

Government of India

Ministry of Road Transport & Highways

(Regional Office (Civil), Bengaluru)

PWD Annexe Building, KR Circle, Bangalore-560 001

Email: robengaluru@gmail.com; Telephone: 080-22217457, 080-22105765 (F)

Dated: 02.05.2019

To

The Executive Engineer,
National Highway Division,
Chitradurga.

Subject: Issue of NH Access Permission for New MS/HSD retail outlet abutting on RHS boundary of NH - 206 (Tumkur - Honnavara section) at Km 238.581 in Sy No. 162/4, 162/5, 162/6 of Choradi village, Shimoga Taluk & District, Karnataka State-Reg.
Ref: Executive Engineer, NH Division, Chitradurga letter No. ENH/CTD/NHD/AE-4/Retail Outlet /Permission/2018-19/1620 dated 23/28.03.2019.

Sir,

Please refer to your letter cited under reference forwarding the above proposal. The proposal is examined and following are the observations:

- (i) The intersection with NHs/SHs/MDRs is at a distance of 713m as against minimum of 1000m as per the guidelines issued vide Ministry's letter No. RW/NH-33023/19/99-DO-III dated 24th July 2013.
- (ii) The intersection with rural roads/approach roads to private and public properties is at a distance of 202m as against minimum of 300m.

In this regard, the oil company has sought relaxation w.r.t to the intersection with rural road which is at a distance of 202m as against minimum of 300m as per Ministry's norms, stating that, the said rural road has very little traffic and leads to a small habitat. However, the reasons for seeking relaxation w.r.t the intersection with State Highway which is at a distance of 713m is not given. Hence, justifiable reasons for seeking relaxation w.r.t the intersection with rural road and State Highway needs to be submitted giving the details of traffic flying on these roads.

In view of the above, the proposal is returned herewith.

Yours faithfully,

Encl : As above.

(Praveen Kumar P)
Executive Engineer

for Chief Engineer - Regional Officer

Copy to : M/s. Nayara Energy Ltd., No. 14-6-674/50(2), C-24, Third Floor, Maximums Commercial Complex, Light House Hill Road, Mangalore - 575001 for information.

(Praveen Kumar P)
Executive Engineer

for Chief Engineer - Regional Officer

ANNEXURE_III Sl. NO. 3 (R)



NAYARA
ENERGY

Date:

dt. 06-08-2019

To,

Regional Officer

Ministry of Road Transport and Highways

K.R.Circle. Bengaluru

Dear Sir,

Sub: Request for Relaxation by justifying the deviations.

Ref: Your Letter No. RW/BNG/N-206/NOC/Km 238.581/317/2019/98-99 Dated-02.05.2019

Further to our application on seeking access permission for our newly proposed ROL on LHS of NH 206, at Chainage 238.581. By reckoning with the MORT&H, guidelines, vide clause, 4.5.1, there are two deviations, persists, such as one village road intersection at 202 mtrs opposite side of undivided carriageway, as well as one state road intersection at distance of 713 Mtrs from the proposed site, at Chainage km. 238.781 and km. 239.278 respectively.

However, we claim that, both of the intersections persists do not have high traffic movement, 25 to 30 vehicles per day.

In this context, we hereby giving the explanation that, the above mentioned deviation will not make any hindrance to the safety of Highway, because the above said intersection has very little traffic movement and it is connected to a place having small inhabitant. Moreover, we undertake that during the time of installation as well as after energizing the Retail out let, on behalf of our company we will provide utmost importance to the Safety of Highway Traffic.

We also states that, the place Choradi is having very small numbers of public dwellers.

Hence, in this regard we requesting your kind office to consider our proposal under relaxation for the deviations and to grant the Access Permission as required to set up new Retail Outlet.

Thanking You,

Y. Mahendra Rao

Divisional Manager Mangalore

For Nayara Energy Ltd (Formerly Essar Oil Ltd)

Copy to: The Executive Engineer National Highway Division Chitradurga



Nayara Energy Limited (Formerly Essar Oil Limited)
No. 12, "Mayo Center", Commissariat Road, Near Garuda Mall,
Bengaluru - 560 025, India

T +91 80255 59216
E mark@nayaenergy.com

Registered Office:

Khambhalia, Post Box No. 24, Dist. Devbhumi Dwarka, Gujarat 361 305, India
T +91 2833 661444 | F +91 28 3366 2929

CIN: U11100GJ1989PLC32116
www.nayaraenergy.com

Sl. No	State	NH No.	Chainage	Applicant	Deviation	Justification
1	Karnataka	206	238.581	M/s. Nayara Energy Ltd.	The intersection with State Highway is at 713m as against minimum of 1000m and the intersection of rural road/ approach road is at 202m on the opposite side as against minimum of 300m as per Ministry's norms.	Oil company has sought relaxation vide letter dated 06.08.2019, stating that, there is no high traffic movement and only 25 to 30 vehicles ply on these roads. The Executive Engineer, NH Division, Chitradurga while forwarding the proposal, has also recommended for consideration under relaxation vide letter dated 28.03.2019

Form for inviting public comments on the application for relaxation in the guidelines/norms for access permission to fuel stations, private properties, rest areas complexes and other such facilities along National Highways

Subject: Issue of NH Access Permission for New MS/HSD retail outlet abutting on RHS boundary of NH - 206 (Tumkur - Honnavara section) at Km 238.581 in Sy No. 162/4, 162/5, 162/6 of Choradi village, Shimoga Taluk & District, Karnataka State - Reg.

The comments by the general public needs to be given within 60 days of uploading the online application for comments

Sl. No	Item	Details
1	Name of the person who is desiring to give comments	
2	Address of the person	
3	Details of the application for access permission against which comments are being given (name of applicant and other details like site address etc.)	
	a) Application No.	
	b) Name of applicant (who applied to access permission)	
	c) Details of Application	
4	Whether the specific permission if given, shall cause any damage to Highways? If yes, please give details	
5	Whether specific permission if given, shall adversely affect safety and convenience of the traffic on the Highways? If yes, please give the details.	
6	Whether specific permission if given, shall adversely affect hygiene or cause nuisance and pollution on the Highways? If yes, please give the details.	