



सत्यमेव जयते

Government of India  
Ministry of Road Transport & Highways  
(Regional Office, Gandhinagar, Dadra & Nagar Haveli and Daman & Diu)  
4<sup>th</sup> floor, Block No. 14, New Sachivalaya, Regional Office, Gandhinagar, Gujarat-382010  
Phone No. 079-26950705, Phone/Fax No. 079-26950705 Email-rogandhinagar@yahoo.in

RW/GNR/NH/US/OFC/NOC/248/2020 / 339

Date: 07, July 2021

Invitation of Public Comments

**Subject:** Permission for laying OFC along/across Pardi- Chival- Jogvel- Kaprada -MH Border NH-848 in Taluka Kaprada District - Valsad in the state of Gujarat.

**Reference:** Letter No. NHP-18-2021-647-M dated 03.07.2021


The Under Secretary, Roads and Building Department, Government of Gujarat vide letter cited under reference has recommended the subject cited proposal for laying OFC along/across Pardi- Chival- Jogvel- Kaprada -MH Border NH-848 in Taluka Kaprada District - Valsad in the state of Gujarat for approval of Regional Officer, MoRT&H Gujarat.

2. As per Ministry vide OM No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will make available the proposal seeking permission for utility laying for public comments for 30 days on ground of general public interest for seeking claims and objections.

3. In view of the above the comments of public are invited on captioned proposal and the same should reach to below mentioned address till 07.07.2021 beyond which no comments will be considered.

The Regional officer, Gandhinagar  
Ministry of Road Transport & Highways  
(Regional Office, Gandhinagar, Dadra & Nagar Haveli and Daman & Diu)  
4th floor, Block No. 14, New Sachivalaya, Regional Office, Gandhinagar, Gujarat-382010  
Email: rogandhinagar@yahoo.in

4. This issues with the approval Regional Officer, MoRT&H, Gandhinagar.

  
(Ganesh Shelar)  
Executive Engineer  
For Regional Officer Gandhinagar

Copy to:

1. The Senior Technical Director, NIC, Transport Bhawan, New Delhi-110001- for uploading on Ministry's website.
2. The Chief Engineer(NH) &AS, Roads and Building Department, Government of Gujarat.- for information.



3. The Executive Engineer, NH-Division Bharuch -For Information and necessary Action.
4. Authorized Signatory, M/s Jio Digital Fibre Pvt. Ltd.

- i. For information and with request to submit the license fees of Rs. 05,906.00 and requisite performance BG of Rs. 03,80,000.00 as worked out by the R&B Department of Government of Gujarat. The license fee shall be submitted through online portal for NTRP collection i.e through BHARATKOSH (<https://bharatkosh.gov.in/>) within 15 days and BG for restoration charges. The receipt of online license fee deposition should be submitted to this office with intimation to the Executive Engineer, NH-Division, Bharuch. The BG should be in favor of the Executive Engineer, NH-Division, Bharuch (as per prevailing procedure in R&B Dept.) and to be submitted to Executive Engineer, NH- Division , Bharuch custodian of BG/s.

The details for payment for submission of license fees through NTRP of is as under:


Name of Ministry: ROAD TRANSPORT & HIGHWAYS

Pay & Account Office (PAO): 034650 -PAO(NH), Mumbai

Drawing & Disbursing Office(DDO): 234653, SE

Purpose: 'license fees for laying utility services'

'Processing fee for permission to access to NH' (only if above purpose is not available)

  
(Ganesh Shelar)  
Executive Engineer  
For Regional Officer Gandhinagar

Note: This document is not any kind of NOC.

Date: 07 July 2021

Subject: Permission for laying OFC along/across Pardi- Chival- Jogvel- Kaprada -MH Border NH-848 in Taluka Kaprada District - Valsad in the state of Gujarat.

Details of the proposal are as under

1	Name of Applicant and Department	Authorised Signatory, M/s Jio Digital Fibre Private Ltd.
2	NH No	848
3	Width of ROW	30 mtr
4	Whether Service road is existing	No
5	Number of lane/s	2 lane with paved shoulder
6	Purpose of utility	OFC
7	Dimension of pipelines	2 Nos. of 40 mm dia protection pipe
8	Whether provisions of utility duct is available at propose location	No.
9	Whether a certificates as per para 4 of guidelines issued by MoRT&H vide letter dated 22.11.2016.	Not required.
10	Location of Utility w.r.t NH	Along NH-848 i. From km 51/500 to km 54/800 ii. From km 54/800 to km 55/00 Across NH-848 -@km 55/00
11	Methodology for laying water pipeline	HDD method for crossing Open trench method for accommodation of the OFC along the NH-848. However, such accomoation shall be permitted in outermost 2 mt utility corridor of NH ROW. Detailed methodology placed in file
12	Whether details of rent /license fees is given	Yes. As per para. 4 above.
13	Whether State R&B has recommended the proposal for access permission	Yes, vide Letter No. NHP-18-2021-647-M dated 03.07.2021