



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)) National Highways Authority of India (Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय, ओडिशा / Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईट्स, प्लॉट नं जे/7, जयदेव विहार, भुवनेश्वर - 751013, ओडिशा
301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha
दूरभाष / Ph.: 0674 - 2361470/ 570/670 (का/ओ), फैक्स / Fax : +91-674-2361770
ई-मेल / e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट / Web : www.nhai.gov.in



NHAI/13011/54/RO/OD/ 3738/2022

17.11.2022

To

The Sr. Technical Director,
NIC Centre at MoRTH,
Transport Bhawan,
New Delhi 110001

Sub: Rehabilitation & Up-gradation to four laning of Singara to Binjabahal section from Ch.Km.311.000 to Km.414.000 (Design Ch.Km.310.806 to Km.414.982) of NH-6 in the state of Odisha under NHDP-IV on Hybrid Annuity Mode- Proposal for ROW access permission for laying of 1 no. Water pipeline of Steel of dia 1100mm for raw water transportation & 65mm dia OFC duct from proposed water intake system at village Rajanagar on Baitarani River to proposed Kendujhar Steel Plant of Rungta Mines Ltd. from Ch.Km.329+000 at Chemena village to Ch.Km.329+350 at Chilida village (LHS), Ch.Km.329+350 at Chilida village to Ch.Km.353+280 at Mochigaon village near VUP (RHS) and Ch.Km.0+150 at Mochigaon village near VUP Service road start to Ch.Km.1+450 at Dhrupada near existing Defunct NH-215 (RHS) with total as 25.580Km within the Utility Corridor along the road and 1 no. of Crossing from LHS to RHS at Km.329+350 at Chilida village across the road of NH-6 in Keonjhar District of Odisha State for industrial use under Water pipeline project to proposed 3 MTPA Greenfield Integrated Steel Plant pumping station located at Ratanpur, Keonjhar District, as sought by the Authorised Signatory, M/s. Rungta Mines Ltd. (Keonjhar Steel Plant), At Main Road, P.O:- Barbil-758035, Keonjhar District, Odisha - Reg

Sir,

Please find enclosed herewith a proposal of M/s Rungta Mines Ltd, Keonjhar regarding permission to lay 1100 mm water pipeline & 65 mm OFC duct from proposed water intake system at village Rajanagar on Baitarani River to proposed Kendujhar Steel Plant of M/s Rungta Mines Limited from Km.329+000 to Km.329+350 (LHS), Km.329+350 to Km.353+280 (RHS) & crossing at Km.329+350 (LHS to RHS) & from Km.0+150 to Km.1.450 (RHS). The details are as under:

Sl. No.	Chainage		Side	Length (m)	Casing Pipe (mm)	Remarks
	From	To				
1.	Km.329+000	Km.329+350	LHS	350	NA	Laying of 1100 mm water pipeline & 65 mm OFC duct
2.	Km.329+350		Across	45	2250	
3.	Km.329+350	Km.353+280	RHS	23930	NA	
4.	Km.0+150	Km.1.450	RHS	1300	NA	

2. Accordingly, as per guidelines issued by MoRTH vide F. No. RW/NH-33044/29/2015/S&R(R) dt. 22.11.2016, the application along with the recommendations of concerned PD/Consultants are enclosed herewith with request to hoist the same in the Ministry's Website for public comments within 30 days of uploading on the website.

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswa.

Yours faithfully,

(D.K. Patra)
Manager (Tech)



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)) National Highways Authority of India (Ministry of Road Transport & Highways, Govt. of India)



क्षेत्रीय कार्यालय, ओडिशा / Regional Office, Odisha

301 - ए, तीसरी मंजिल, पाल हाईट्स, प्लॉट नं जे/ 7, जयदेव विहार, भुवनेश्वर - 751013, ओडिशा
301-A, 3rd Floor, Pal Heights, Plot No : J/7, Jayadev Vihar, Bhubaneswar- 751013, Odisha
दूरभाष / Ph.: 0674 - 2361470/ 570/670 (का/ओ), फैक्स / Fax : +91-674-2361770
ई-मेल / e-mail : roodisha@nhai.org, ronhaiodisha@gmail.com, वेबसाइट / Web : www.nhai.gov.in

NHAI/13011/54/RO/ODI 3737 /2022

17.11.2022

INVITATION OF PUBLIC COMMENTS

Sub: Rehabilitation & Up-gradation to four laning of Singara to Binjabahal section from Ch.Km.311.000 to Km.414.000 (Design Ch.Km.310.806 to Km.414.982) of NH-6 in the state of Odisha under NHDP-IV on Hybrid Annuity Mode- Proposal for ROW access permission for laying of 1 no. Water pipeline of Steel of dia 1100mm for raw water transportation & 65mm dia OFC duct from proposed water intake system at village Rajanagar on Baitarani River to proposed Kendujhar Steel Plant of Rungta Mines Ltd. from Ch.Km.329+000 at Chemena village to Ch.Km.329+350 at Chilida village (LHS), Ch.Km.329+350 at Chilida village to Ch.Km.353+280 at Mochigaon village near VUP (RHS) and Ch.Km.0+150 at Mochigaon village near VUP Service road start to Ch.Km.1+450 at Dhrupada near existing Defunct NH-215 (RHS) with total as 25.580Km within the Utility Corridor along the road and 1 no. of Crossing from LHS to RHS at Km.329+350 at Chilida village across the road of NH-6 in Keonjhar District of Odisha State for industrial use under Water pipeline project to proposed 3 MTPA Greenfield Integrated Steel Plant pumping station located at Ratanpur, Keonjhar District, as sought by the Authorised Signatory, M/s. Rungta Mines Ltd. (Keonjhar Steel Plant), At Main Road, P.O:- Barbil-758035, Keonjhar District, Odisha - Reg

M/s Rungta Mines Ltd, Keonjhar has submitted a proposal for 1100 mm water pipeline & 65 mm OFC duct from proposed water intake system at village Rajanagar on Baitarani River to proposed Kendujhar Steel Plant of M/s Rungta Mines Limited from Km.329+000 to Km.329+350 (LHS), Km.329+350 to Km.353+280 (RHS) & crossing at Km.329+350 (LHS to RHS) & from Km.0+150 to Km.1.450 (RHS). The details are as under:

Sl. No.	Chainage		Side	Length (m)	Casing Pipe (mm)	Remarks
	From	To				
1.	Km.329+000	Km.329+350	LHS	350	NA	Laying of 1100 mm water pipeline & 65 mm OFC duct
2.	Km.329+350		Across	45	2250	
3.	Km.329+350	Km.353+280	RHS	23930	NA	
4.	Km.0+150	Km.1.450	RHS	1300	NA	

2. As per guidelines issued by MoRTH vide F. No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016, the Highway Administration will put out the application in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).

3. In view of the above, the comments of public, if any, on the above mentioned proposal is invited on below mentioned address:

The Regional Officer,
National Highways Authority of India,
Regional Office, Odisha
301-A, 3rd Floor, Pal Heights,
J/7, Jayadev Vihar, Bhubaneswar 751013, Odisha
e-mail : roodisha@nhai.org

This is issued with the approval of the "Regional Officer, NHAI, Regional Office, Odisha, Bhubaneswar".

(D.K. Patra)
Manager (Tech)

National Highways Authority of India,
Regional Office, Odisha
301-A, 3rd Floor, Pal Heights,
J/7, Jayadev Vihar, Bhubaneswar 751013

CHECK - LIST

Guidelines for Project Directors for processing the proposal for laying of 1100 mm Ø Water Pipeline & 65 mm Ø OFC Duct in the land along LHS of National Highway- 6 (New NH- 49) from Km. 329.000 to Km. 329.350, Crossing of NH at Km. 329.350 from LHS to RHS & in the land along RHS of NH- 6 (New NH- 49) from Km. 329.350 to Km. 353.280 and in the land along RHS of NH- 6 (New NH- 49) from Km. 0.150 to Km. 1.450 vested with NHAI.

• **Relevant Circulars**

1. Ministry Circular No. NH-41(58)/68 dated 31.1.1969
2. Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976
3. Ministry Circular No. RW/NH-III/P/66/76 dated 11.05.1982
4. Ministry Circular No. RW/NH-11037/1/66-DOI(ii) dated 28.07.1993
5. Ministry Circular No. RW/NH-11037/1/86-DOI dated 19.01.1995
6. Ministry Circular No. RW/NH-34066/2/95/S&R dated 25.10.1999
7. Ministry Circular No. RW/NH-34066/7/2003 S&R(B) dated 17.09.2003
8. Ministry Circular No. RW/NH-33044/29/2015/S&R(R) dated 22.11.2016
9. Ministry Circular No. RW/NH-37011/52/2020-BP&SP dated 15.01.2021

Checklist for getting approval for laying of Water Pipeline & OFC Duct in RoW of NH Land.

Sl. S	Item	Information/Status	Remarks
1	General Information	Laying of 1100 mm Ø Water Pipeline & 65 mm Ø OFC Duct from proposed water intake system at village Rajanagar on Daitarani River to proposed Kendujhar Steel Plant of M/s. Rungta Mines Limited from Km.- 329.000 to Km.- 329.350 in LHS & from Km - 329.350 to Km.- 353.280 in RHS of ROW of utility corridor of NH- 6 (New NH- 49) & NH crossing at Km.- 329.350 from LHS to RHS and from Km.- 0.150 to Km.- 1.450 in RHS of ROW of utility corridor of NH- 6 (New NH- 49).	
1.1	Name and Address of the Applicant / Agency	M/s Rungta Mines Limited Main Road, Barbil, Dist.-Keonjhar, Odisha-758035.	
1.2	National Highway Number	NH- 6 (New NH- 49)	
1.3	State	Odisha	
1.4	Location	Singhara to Binjabahal	
1.5	(Chainage in Km.)	Km. 329.000 to Km. 329.350 - LHS (Chemena/ Chilida) Km. 329.350 to Km. 353.280 - RHS Crossing at Km. 329.350 Km. 0.150 to Km. 1.450 - RHS (Keonjhar, Dhrupada)	
1.6	Length in Meters.	350 M (LHS) 23,930 M (RHS) 45 M (Crossing LHS to RHS)	Total 25,625 M

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorised Signatory



Project Director
Project Implementation Unit
National Highway Authority of India
KEONJHAR

		1,300 M (RHS)	
1.7	Width of available Row	45 Mtrs. (in general)	
	(a) Left side from centre line towards increasing chainage/km. direction	22.5 Mtrs.	
	(b) Right side from centre line towards increasing chainage/km. direction	22.5 Mtrs.	
1.8	Proposal to lay Water Pipeline & OFC Duct		
	(a) Left side from center line towards increasing chainage/km direction.	Km. 329.000 to Km. 329.350 (1100 mm Ø Water Pipeline + 65 mm Ø OFC duct from proposed water intake system at village Rajnagar to Kendujhar Steel Plant)	
	(b) Right side from center line towards increasing chainage/km direction.	Km. 329.350 to Km. 353.280 Km. 0.150 to Km. 1.450 (1100 mm Ø Water Pipeline + 65 mm Ø OFC duct from proposed water intake system at village Rajnagar to Kendujhar Steel Plant)	
1.9	Proposal to acquire land	NA	
	(a) Left side from centre line.	NA	
	(b) Right side from centre line.	NA	
1.10	Whether proposal is in the same side where land is not to be acquired	NA	
	If not then where to lay the Water Pipeline & OFC Duct.	In the utility corridor of NHAI ROW	
1.11	Details of already laid services, if any, along the proposed route	A per details enclosed in Annexure-	
1.12	Number of lanes (2/4/6/8 lanes) existing	4 laning completed	
1.13	Proposed number of lanes(2 lane with paved shoulders/4/6/8 lanes)	4 laning completed	
1.14	Service road existing or not	Yes (At service road stretches utility to be laid within ROW) as per attached Annexure- 1.	
	If yes then which side		
	(a) Left side from center line	NA	
	(b) Right side from center line	Yes (From Km. 331.900 to Km. 332.100; from Km. 337.870 to Km. 338.500; from Km. 350.300 to Km. 350.720, Km. 352.850 to Km. 353.280 & from Km. 0.150 to Km. 1.450)	
1.15	Proposed service road	NA	
	(a) Left side from centerline		
	(b) Right side from center line		
1.16	Whether proposal to lay Water pipeline & OFC Duct is after the service road or between the	After the Service road & drain within the ROW From Km. 331.900 to Km. 332.100; from Km. 337.870 to Km. 338.500; from Km. 350.300 to	

/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorised Signatory



Project Director
Project Implementation Unit
National Highway Authority of India
KENDUJHAR

	service road and main carriageway.	Km. 350.720, Km. 352.850 to Km. 353.280 & from Km. 0.150 to Km. 1.450 (as per attached Annexure-1)	
1.17	The permission for laying of Water Pipeline & OFC Duct shall be considered for approval/rejection based on the Ministry Circulars mentioned as above	Yes, agreed	
(a)	Carrying of sewage/gas pipelines on highway bridges shall not be permitted as fumes /gases pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of water.	Yes, agreed (Undertaking attached)	
(b)	Carrying of Water pipeline on bridges shall also be discouraged. However if the water supply authorities seem to have no other viable alternative and approach the Highway Authority well in time before the design of the bridge is finalized. They may be permitted to carry the pipe line on independent superstructure, supported on extended portions of piers and abutments in such a manner that in the final arrangement enough free space around the superstructure of the bridge remains available for inspection and repairs etc.	Yes, agreed for not carrying the Water Pipeline & OFC duct on bridges.	
(c)	Cost of required extension of the substructure as well as that of the supporting superstructure shall be borne by the agency- in-charge of the utilities.	NA	
(d)	Services are not being allowed indiscriminately on the parapet/any part of the bridges. Safety of the bridges has to be kept in view while permitting various services along bridge. Approvals are to be accorded in this regard with the concurrence of the Ministry's project Chief Engineers only.	Yes, agreed	

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorized Signatory



Project Director
Project Implementation Unit
National Highway Authority of India
KEONJHAR

1.18	If crossing of the road involved. If yes, it shall be either encased in pipes or through structure of conduits specially built for that purpose at the expenses of the agency owning the line.	Yes, agreed (Crossing with casing pipe of dia 2250 MM)	
(a)	Existing drainage structures shall not be allowed to carry the lines.	Yes, agreed to comply	If drains are affected, HDD technology will be adopted with casing pipe
(b)	Is it on a line normal to NH	Yes	
(c)	Crossing shall not be too near the existing structures on the National Highway, the minimum distance being 15 meter. What is the distance from the existing structures.	NA	
(d)	The casing pipe (or conduit pipe in the case of electric power cable) carrying the utility line shall be of steel, cast iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe/cable.	Yes, Casing pipe proposed is made of MS of dia 2250 mm having adequate strength	
(e)	Ends of the casing/conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Yes, agreed to comply	
(f)	The casing/conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope in the fills.	Yes, agreed to comply	
(g)	The top of the casing/conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 mtr below the drain inverts.	Yes, agreed to comply	
(h)	Crossing shall be by boring method (HDD) especially where the existing road pavement is of	Yes, agreed to comply	

s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorised Signatory



45
Project Director
Project Implementation Unit
National Highway Authority of India
KENDUJHAR

	cement concrete or dense bituminous concrete type.		
(i)	The casing/conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a waterway along it.	Yes, agreed to comply	
2	Document / Drawings enclosed with proposal	Enclosed	
2.1	Cross section showing the size of trench for open trenching method. (Is it normal size of 1.2m deep X 0.3m wide).	Enclosed	
(i)	Should not be greater than 60cm. Wider than the outer diameter of the pipe.	Yes, agreed to comply	
(ii)	Located as close to the extreme edge of the right-of-way as possible but not less than 15 meter from the centre-lines of the nearest carriageway.	Yes, agreed to comply	
(iii)	Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges.	Yes, agreed to comply	
(iv)	These should be so laid that their top is at least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	Yes, agreed to comply	
2.2	Cross section showing the size of the pit and location of Pipes for HDD method	Enclosed	Methodology & drawing attached
2.3	Strip plan / Route plan showing Water Pipeline & OFC Duct chainage, width of ROW, distance of proposed pipe line from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed showing all desired details	
2.4	Methodology for laying of pipelines.	Open trench method for Laying Along the Highway, Horizontal Directional Drilling method to be used at Bus bay, service road,	

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorized Signatory



c/r
Project Director
Project Implementation Unit
National Highway Authority of India
KEONJHAR

		high embankment locations, all culverts and CD structures as per statement attached as Annexure- 1 & drawings.	
2.4.1	Open trenching method (May be allowed in utility corridor only where pavement is neither cement concrete nor dense bituminous concrete type). If yes, Methodology of refilling of trench.	Yes, agreed to comply	
(a)	The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	Yes, agreed to comply	
(b)	For filling of the trench, bedding shall be to a depth of not less than 30cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. Unsuitable soil and rock edged should be excavated and replaced by selected material.	Yes, agreed to comply	
(c)	The backfill shall be completed in two stages (i) side-fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust.	Yes, agreed to comply	
(d)	The side fill shall consist of granular material laid in 15cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted.	Yes, agreed to comply	
(e)	The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench.	Yes, agreed to comply	
(f)	The excavation shall be protected by flagman, signs and barricades and red lights during	Yes, agreed to comply	

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorised Signatory



45
Project Director
Project Implementation Unit
National Highway Authority of India
KEONJHAR

	night hours.		
(g)	If required, a diversion shall be constructed at the expenses of agency owning the utility line.	Yes, agreed to comply	
2.4.2	Horizontal Directional Drilling (HDD) Method	HDD method will be followed as per submitted methodology at specific locations as per Annexure- 6 & drawings.	
2.4.3	Laying of Water Pipeline & OFC Duct through CD works and method of laying	Beyond the Cross Drainage structure. Method of Laying - HDD with casing pipe. Method of laying- HDD.	
(a)	On approaches, the Water Pipeline & OFC Duct shall be carried along a line as close to the edge of the right-of-way as possible up to a distance of 30 m from the bridge and subject to all other stipulations contained in this Ministry's guidelines issued with letter No. NH-HI/P/66/76 dated 19.11.1976.	Yes, agreed to comply	
3	Draft License Agreement signed by two witness	Yes enclosed	
4	Performance Bank Guarantee in favour of NHAI has to be obtained @ Rs.50/- per running meter (parallel to NH) and Rs. 1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables/ducts by proper filling and compaction, cleaning debris / loose earth produced due to execution of trenching at least 50m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth.	Yes, agreed for submission of Performance Bank Guarantee as per latest MoRTH / NHAI guidelines when asked by NHAI.	
4.1	Performance BG as per above is to be obtained.	After technical clearance from RO-NHAI, Bhubaneswar & when intimated by NHAI.	
4.2	Confirmation of BG has been obtained as per NHAI guidelines	Yes, shall be obtained after submission of BG.	
5	Affidavit/Undertaking from the applicant for	Agreed / Yes (Undertaking Attached).	

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorized Signatory



Project Director
Project Implementation Unit
National Highway Authority of India
KEONJHAR

5.1	Not to damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Yes, agreed to comply & undertaking enclosed.	
5.2	Renewal of Bank Guarantee.	Yes, agreed to comply & undertaking enclosed.	
5.3	Confirming all standard condition of NHAI's guidelines.	Yes, agreed to comply & undertaking enclosed.	
5.4	Shifting of Water Pipeline & OFC Duct as and when required by NHAI at their own cost.	Yes, agreed to comply & undertaking enclosed.	
5.5	Shifting due to 6 laning / widening of NH.	Yes, agreed to comply & undertaking enclosed.	
5.6	Indemnity against all damages and claims clause(24).	Yes, agreed to comply & undertaking enclosed.	
5.7	Traffic movement during laying of Water Pipeline & OFC Duct to be managed by the applicant.	Yes, agreed to comply & undertaking enclosed.	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant.	Yes, agreed to comply & undertaking enclosed.	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs, or alterations to the showing Water Pipeline & OFC Duct located in the National Highway right of ways.	Yes, agreed to comply & undertaking enclosed.	
5.10	Expenditure, if any incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Water Pipeline & OFC Duct will be borne by the agency owning the line.	Yes, agreed to comply & undertaking enclosed.	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it shall be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time(not exceeding 60days) of the intimation given.	Yes, agreed to comply & undertaking enclosed.	
5.12	Certificate from the applicant in		

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorised Signatory



45
Project Director
Project Implementation Unit
National Highway Authority of India
KENDUJHAR

	<p>the following format</p> <p>(i) Laying of Water Pipeline & OFC Duct will not have any deleterious effects on any of the bridge components and roadway safety for traffic.</p> <p>(ii) For 6-laning" We do undertake that we will relocate service roads/ approach road/ utilities at our own cost notwithstanding the permission granted within such time as will be stipulated by NHAI for future six-laning or any other development".</p>	<p>Yes, agreed to comply & undertaking enclosed.</p> <p>Yes, agreed to comply & undertaking enclosed.</p>	
6	Who will sign the agreement on behalf of Slurry Pipeline & OFC Duct agency	<p>Mr. Pranaya Kumar Deo (Chief General Manager- Commercial) Rungta Mines Limited, Barbil. (Power of Attorney & Board Resolution Enclosed)</p>	
7	Certificate from the Project Director		
7.1	<p>Certificate for confirming of all standard condition issued vide Ministry Circular No.</p> <ol style="list-style-type: none"> 1. Ministry Circular No. NH-41(58)/68 dated 31.1.1969 2. Ministry Circular No. NH-III/P/66/76 dated 18/19.11.1976 3. Ministry Circular No. RW/NH-III/P/66/76 dated 11.05.1982 4. Ministry Circular No. RW/NH-11037/1/86-DOI(ii) dated 28.07.1993 5. Ministry Circular No. RW/NH-11037/1/86-DOI dated 19.01.1995 6. Ministry Circular No. 	Enclosed	

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorised Signatory



[Handwritten signature]

45 *[Handwritten signature]*
Project Director
Project Implementation Unit
National Highway Authority of India
KEONJHAR

	<p>RW/NH-34066/2/95/S&R dated 25.10.1999</p> <p>7. Ministry Circular No. RW/NH-34066/7/2003 S&R(B) dated 17.09.2003</p> <p>8. Ministry Circular No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016</p> <p>9. Ministry Circular No. RW/NH-37011/52/2020-BP&SP dated 15.01.2021.</p>		
7.2	<p>Certificate from PD in the following format</p> <p>(i) "It is certified that any other location of the Water Pipeline, & OFC Duct would be extremely difficult and unreasonable costly and the installation of Slurry Pipeline & OFC Duct within ROW will not adversely affect the design, stability and traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc."</p> <p>(ii) For 6- laning</p> <p>(a) Where feasible is available" I do certify that there will be no hindrance to proposed six-laning based on the feasibility report considering proposed</p>	<p>Enclosed</p> <p>Enclosed</p>	

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorised Signatory



45 *kw*
Project Director
Project Implementation Unit
National Highway Authority of India
KEONJHAR

	structures at the said location.” (b) In case feasibility report is not available, “ I do certify that sufficient ROW is available at site for accommodating proposed six-laning.”	Enclosed	
--	---	----------	--

8	If NH section proposed to be taken up by NHAI on BOT basis –a clause is to be inserted in the agreement. “the permitted Highway on which Licensee has been granted the right to lay cable/duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of [----- section from Km ----- to Km -----of NH NO.----- --on Build, Operate and Transfer Basis] and therefore, the licensee shall honour the same.”	NA	
9	Who will supervise the work of laying of Water Pipeline & OFC Duct	Mr. Pranaya Kumar Deo (Chief General Manager- Commercial) Rungta Mines Limited, Main Road, Barbil - 758 035, Dist.- Kendujhar, Odisha. E-mail- kjrsp@runtamines.com Phone No.- 06767- 276651	
10	Who will ensure that the defects in road portion after laying of Water Pipeline & OFC Duct are corrected and if not corrected then what action will be taken.	Mr. Pranaya Kumar Deo (Chief General Manager- Commercial) Rungta Mines Limited, Main Road, Barbil - 758 035, Dist.- Kendujhar, Odisha. E-mail- kjrsp@runtamines.com Phone No.- 06767- 276651	
11	Who will pay the claims for damages done/disruption in working of concessionaire if asked by the concessionaire.	Mr. Pranaya Kumar Deo (Chief General Manager- Commercial) Rungta Mines Limited, Main Road, Barbil - 758 035, Dist.- Kendujhar, Odisha.	

M/s. Rungta Mines Limited
(Kendujhar Steel Plant)

Authorised Signatory



45
Propul Director
Project Implementation Unit
National Highway Authority of India
KENDUJHAR

		E-mail- kjrsp@runtamines.com Phone No.- 06767- 276651	
12	A certificate from Project Director that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed).	Yes attached	
13	If any previous approval is accorded for laying of utilities, that photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed	Previous approval for laying other utilities / Approval of utility services enclosed as Annexure-	

M/s. Rungta Mines Limited
(Keonjhar Steel Plant)

Authorized Signatory



45 *ke*
Project Director
Project Implementation Unit
National Highway Authority of India
KEONJHAR