

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India



दूरभाष / Phone : 0522-4960291, टेलीफैक्स / Fax : 0522-4950680 ई—मेल / E-mail : rowestup@nhai.org, rowestup@gmail.com



19001/1/RO-W-UP/NH-509/UG/Ch.120.680 to 124.740/NOC/1511 Date: 05.08.2022 Invitation of Public Comments

Sub: Proposal for permission for laying of 4" Carbon Steel Gas Pipe line (LHS) NH Ch.120.680 (Bheempur Chowk) to NH Ch.122.160 (Sabalpur) and MDPE Pipe 125 mm from NH Ch.122.650 to NH Ch.124.740 (Dibai) along NH-509 & Crossing of NH at 3 locations in the State of Uttar Pradesh.

The Authorized Signatory M/s Indian Oil-Adani Gas Pvt. Ltd. has submitted the proposal for permission for laying of 4" Carbon Steel Gas Pipe line (LHS) NH Ch.120.680 (Bheempur Chowk) to NH Ch.122.160 (Sabalpur) and MDPE Pipe 125 mm from NH Ch.122.650 to NH Ch.124.740 (Dibai) along NH 509 & Crossing of NH at 3 locations in the State of Uttar Pradesh.

- 2. As per the guidelines, issued by the Ministry vide OM No.RW/NH 33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

The Chief General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow-226 010

This is issues with the approval of RO-West (UP).

Encl: As above.

(N.P. Singh)
DGM (T)

For RO-West, UP

Copy to:

- 1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.
- 2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.
- 3. The Authorized Signatory, M/s Indian Oil-Adani Gas Pvt. Ltd. for information.
- 4. The PD, PIU-Moradabad for information.

CHECK - LIST

Check list for getting approval for laying of Gas pipeline along/across NH-509

Government of India Guidelines GR No. RW/NH-33044/29/2015/S&R(R) Dtd. 22.11.2016

Sr.No.	Item	Information / Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant / Agency	Indian Oil Adani Gas Private Limited, 2 nd Floor, Nighat Plaza, Samad Road, Centre Point, Aligarh -202001 UP	
1.2	National Highway Number	NH-509	
1.3	State	Uttar Pradesh	
1.4	Location	Along/Across NH-509 (Aligarh-Moradabad)	
1.5	(Chainage in Km)	Steel Pipe-: Along NH-:509(Aligarh-Moradabad) 1. From Ch. — 120.680 Km Bheempur Chowk to 122.610 Km Sabalpur.	
		MDPE Pipe-: Along NI I-: 1. from Ch122.650 km to 124.740 km Dibai	
,		Crossings NH-; 1. Ch122.610 km 2. Ch122.650 Km 3. Ch124.740	
1.6	Length in Meters	NH-509 (Aligarh-Moradabad) Total Length — Steel pipe 1930.00 mtr and MDPE Pipe 2090.00 mtr	
1.7	Width of available ROW	Varying along the road	
	(a) Left side from center line towards increasing chainage / km direction		
	(b) Right side from center line towards increasing chainage / km direction		
1.8	Proposal to lay underground Gas pipeline	Yes	
	(a) Left side from center line towards increasing chainage / km direction	From Ch. – Ch120.680 km to 124.740 km	
	(b) Right side from center line towards increasing chainage / km direction	NA GWILLINGTER STATES TO THE	

1

मुरादाबाद /Moradabad

1.9	Proposal to acquire Land	N.A.
	(a) Left side from center line	
	(b) Right side from center line	

Sr.No.	Item	Information / Status	Remarks
1.10	Whether proposal is in the same		
	side where land is not to be		
	acquired		
	If not then where to lay the cable		
1.11	Details of already laid services, if	N.A.	
	any, along the proposed route		
1.12	Number of lanes (2/4/6/8 lanes)	2 Lane	
	existing		
1.13	Proposed Number of lanes (2 lane		
	with paved shoulders/4/6/8 lanes)		
1.14	Service Road existing or not	N.A.	
	If yes then which side		
	(a) Left side from center line		
	(b) Right side from center line		
1.15	Proposed Service Road	N.A.	
	(a) Left side from center line		
	(b) Right side from center line		
1.16	Whether proposal to lay Gas		
	pipeline is after the service road or	N.A.	
	between the service road and main		
	carriageway		
1.17	The permission for laying of Gas	Yes , Agreed	
	pipeline shall be considered for	, , , , ,	
	approval / rejection based on the		
	Ministry Circulars as per Govt. Of		
	India, MORTH guidolinoc RW/NH		
	33044/29/2015/S&(R) on Dated -		
	22 nd Nov 2016.		
		1) No provision for duct on	
	(a) There should be Provision of	this route	
	Utility ducts for appropriate	2) Proposed pipeline will be	
	Category / Combination of	laid as close to extreme edge	
	utilities	of ROW as possible.	
		or Novv as possible.	
	(b) Utility Service laid in the utility	1) No provision of duct is	
	ducts if provided for the	available on this route	
	purpose	2) Proposed pipeline will be	
		laid as close to extreme edge	
		of ROW as possible	
	(c) In stretches where utility ducts	Indian Oil Adani Gas Pvt	
	have not been provided, the	Limited agrees to lay pipeline	
	utility services shall be located,	beyond the toe line of the	20
	beyond the toe line of the	embankment and drains as	
	embankment and drains, as	close to the extreme edge of	\wedge
	close to the extreme edge of	the ROW as possible	
	ROWasipossible		निदेशक Project
	200	An gravita	कारीय उत्सवार्य ए

Gurungla

परियोजना निवेशक Meroject Director भारतीय राज्येष राजनार्ग प्राणिकरण National Highway Authority of India मुरायाबाद /Moradabad

Sr.No.	Item	Information / Status	Remarks
(d)	It is to be ensured that no time there is interference with the drainage of the road land maintenance of the National Highways. Towards this, the Top of the Utility services shall be at least 1.65 meter below the ground level	Indian Oil Adani Gas Pvt Limited agrees that top of gas pipeline will be laid below at least 1.65 Meter below ground level	
(e)	No utility service shall be laid over existing culverts and bridges except through the utility ducts where such provisions, the Licensee shall make his own arrangement for crossing of cross drainage structure, rivers, etc. below the bed	Indian Oil Adani Gas Pvt Limited agrees that make its own arrangements for crossing or cross drainage structure, river etc. below the bed.	
(f)	In exceptional cases, where	N.A	
The	ROW is restricted the utility services can be allowed beneath the carriageway of service road, subject to the condition that the utility services be laid in concrete duots, which will be designed to carry traffic on top. The width of the duct in such case shall not be less than one lane. In such cases, it also needs to be ensured.		
safe cos will	e maintenance of the utility vices shall not interfere with the e and smooth flow of traffic. The st of operation and maintenance have to be borne by the ensee as per the agreement	Yes.	
1.18 If c Yes pipe con purp	rossings of the road involved If s, it shall be either encased in es or through structure or duits specially built for that pose at the expenses of the ency owning the line	Yes , Agreed	
(a)	Existing drainage structures shall not be allowed to carry the lines.	Yes , Agreed	٨

Gurumate

भारतीय शब्दाक / Project Direct भारतीय शब्दाक राजमार्ग प्राधिकरण National Highway Authority of India मुरादाबाद /Moradabad

Sr. No.	Iter	n	Information / Status	Remarks
	(b)	The utility services shall cross the National Highway preferably on a line normal to it or as nearly show as practicable. Indian Oil Adani Gas Pvt Limited shall be permitted to cross the National Highway either through structure or conduits specially built for that purpose. The casing / conduit pipe should, as minimum, extend from drain to drain in cuts and toe of slope in the fills and shall be designed in accordance with the provision of IRC and executed following the Specifications of the Ministry.	Yes , Agreed	
	(c)	The casing pipe may be installed under the route embankment either by boring or digging a trench. Installation by boring method shall prefer.	HDD/Digging Trench as per site condition & Instruction from NH-PWD officials.	
	(d)	The casing pipe (or conduit pipe in the case of electric cable) carrying the utility line shall be of steel, cast Iron, or reinforced cement concrete and have adequate strength and be large enough to permit ready withdrawal of the carrier pipe / cable.	Yes , Agreed	
	(e)	Ends of the casing / conduit pipe shall be sealed from the outside, so that it does not act as a drainage path.	Yes , Agreed	
	(f)	The casing / conduit pipe should, as minimum extend from drain to drain in cuts and toe of slope toe of slope in the fills.	Yes	
	(g)	The top of the casing / conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 meter below the drain inverts.	Yes	
	(h)	Crossing shall be by boring method (HDD) especially where the existing road pavement is of cement concrete or dense bituminous concrete type.	Yes	n act Day
		Man of the last	National Highway A	नागं प्राधिकरण

giri Oue ju

Nationa mighway Authority of India मुरादाबाद /Moradabad

Sr. No.	Item	Information / Status	Remarks
	(i) The casing / conduit pipe shall be installed with an even bearing throughout its length and in such a manner as to prevent the formation of a water way along it.	Yes	
2	Document / Drawings enclosed with the proposal	Enclosed	
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2 meter deep X 0.3 meter wide	Yes, Agreed.	
	(i) Should not be greater than 60 cm wider than the outer diameter of the pipe	Yes	
	(ii) Located as close to the extreme edge of the right-of-way as possible but not less than 15 meter from the centre-lines of the nearest carriageway.	Yes	
	(iii) Shall not be permitted to run along the National Highways when the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges	Yes	
	(iv) These should be so laid that their top is at least 1 meter below tho ground level so as not to obstruct drainage of the road land.	Yes	
2.2	Cross Section showing the size of pit and location of cable/gas line for Digging Trench method	Enclosed	
2.3	Strip plan / Route plan showing Gas pipeline, Chainage, width of ROW, distance of proposed cable from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Enclosed	
2.4	Methodology for laying of showing Gas pipeline	Enclosed	<i>/</i>)

Gurunde

परियोजना निर्देशका Project Directo भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India मुरादाबाद /Moradabad

Method cro-	Information / Status	Remarks
30 cm, but not more than 60 cm wider than the outer diameter of the pipe. (b) For filling of the trench, Bedding shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. (c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust. (d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted. (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. (f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours. (g) If required, a diversion shall be constructed at the expense of agency owning the utility line 2.4.2 Horizontal Directional Drilling (HDD) Yes croprefet	Yes	
shall be to a depth of not less than 30 cm. It shall consist of granular material, free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value. (c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust. (d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted. (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. (f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours. (g) If required, a diversion shall be constructed at the expense of agency owning the utility line 2.4.2 Horizontal Directional Drilling (HDD) Yes Croprefet	Yes	
(c) The backfill shall be completed in two stages (i) side – fill to the level of the top of the pipe and (ii) overfill to the bottom of the road crust. (d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted. (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. (f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours. (g) If required, a diversion shall be constructed at the expense of agency owning the utility line 2.4.2 Horizontal Directional Drilling (HDD) Yes Method	Yes	
(d) The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted. (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. (f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours. (g) If required, a diversion shall be constructed at the expense of agency owning the utility line 2.4.2 Horizontal Directional Drilling (HDD) Yes Method	Yes	
tampering and controlled addition of moisture to 95% of the Proctor's Density. Overfill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or ponding will not be permitted. (e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. (f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours. (g) If required, a diversion shall be constructed at the expense of agency owning the utility line 2.4.2 Horizontal Directional Drilling (HDD) Yes Method	Yes	
(e) The road crust shall be built to the same strength as the existing crust on either side of the trench. Care shall be taken to avoid the formation of a dip at the trench. (f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours. (g) If required, a diversion shall be constructed at the expense of agency owning the utility line 2.4.2 Horizontal Directional Drilling (HDD) Yes Method		
(f) The excavation shall be protected by flagman, signs and barricades and red lights during night hours. (g) If required, a diversion shall be constructed at the expense of agency owning the utility line 2.4.2 Horizontal Directional Drilling (HDD) Yes Method cross	Yes	
constructed at the expense of agency owning the utility line 2.4.2 Horizontal Directional Drilling (HDD) Yes Method cropered	Yes	
Method cro	Yes	
	The utility services shall ss the National Highway erably on a line normal to as nearly as practicable.	
2.4.3 Laying of Gas pipeline through CD works AD and method of laying	D / Open Cut Method as per site condition & struction from NH-PWD officials	D
Allowing the state of the state	HUINCK परियोजना निके भारतीय राष्ट्री National High	মক/Project Dir য কেনাৰ্গ মাফি way Authority of I Moradabad

परियोजना निदेशक/Project Directo भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India मुरादाबाद /Moradabad

Sr. No.	Item	Information / Status	Remarks
3	Draft License Agreement signed by two witnesses	Draft License Agreement enclosed duly signed by two witnesses	
4	Performance Bank Guarantee in favour of NH-PWD has to be obtained @ Rs.100/- per running meter (parallel to NH) and Rs. 1,00,000/- per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as a security for ensuring / making good the excavated trench for laying the cables / ducts by proper filling and compaction, clearing debris / loose earth produced due to execution of trenching at least 50 meter away from the edge of the right of way. No payment shall be payable by the NH-PWD to the licensee for clearing debris / loose earth.		
4.1	Performance BG as per above is to be obtained.	Yes	
4.2	Confirmation of BG has been obtained as per NHAI guidelines	Yes	
5	Affidavit / Undertaking from the Applicant for		
5.1	Not to Damage to other utility, if damaged then to pay the losses either to NHAI or to the concerned agency	Enclosed	
5.2	Renewal of Bank Guarantee	Will be done	
5.3	Confirming all standard condition of NHAI guideline	Enclosed	
5.4	Shifting of Gas Pipeline as and when required by NHAI at their own cost	/ Enclosed	
5.5	Shifting due to 2/4/6 lanning / widening of NH	Enclosed	
5.6	Indemnity against all damages and claims clause (xxiv)	Enclosed	
5.7	Traffic movement during laying of Gas pipeline to be managed by the applicant	Enclosed	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant	Enclosed	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work of installation, shifting or repairs or alterations to the showing Gas Pipeline located in the National Highway right-of-	Enclosed	A
	ways.	प्रभाषां (देक	N Project D

Sal

पारवीयना निक्तक Project Dies.. पारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India मुरादाबाद /Moradabad

Sr. No.	Item	Information / Status	Remarks
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying, maintenance or shifting of the Gas Pipeline will be borne by the agency owning the line.	Enclosed	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owning the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	Enclosed	
5.12	Certificate from the applicant in the following format	Enclosed	
	 (i) Laying of Gas Pipeline will not have any deleterious effects on any of the bridge components and roadway safety for traffic. 		
	(ii) for 2/4/6 – lanning "We do undertake that I will relocate service road / approach road / utilities at my own cost notwithstanding the permission granted within such time as will be stipulated by NHAI" for future four – lanning or any other development."		
6	Who will sign the agreement on behalf of Gas Pipeline agency Power of attorney to sign agreement available or not	Alok Giri (GA Head) Associate Manager, Aligarh GA	
7	Certificate from the Project Director		
7.1	Certificate for confirming of all standard condition issued vide Ministry Circular No– NH-III/P/66/76 dated – 19.11.1976, Ministry Circular No– NH-III/P/66/76 dated– 11.5.1982, Ministry Circular No– RW/NH-11037/1/86/DOI dated 19.1.1995		
7.2	Certificate from PD in the following format	·	



प्रिणामादिक निर्माय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India मुरादाबाद /Moradabad

Sr. No.	Item	Information / Status	Remarks
	(i) "It is certified that any other location of the Gas Pipeline would be extremely difficult and unreasonable costly and the installation of Gas Pipeline within ROW will not adversely affect the design, stability & traffic safety of the highway nor the likely future improvement such as widening of the carriageway, easing of curve etc".		
	(ii) for 2/4/6 – lanning		
	(a) Where feasibility is available "I do certify that there will be no hindrance to proposed four-laning based on the feasibility report considering proposed structures at the said location".		
	(b) In case feasibility report is not available "I do certify that sufficient ROW is available at site for accommodating proposed four-laning".		
8	If NH section proposed to be taken up by NHAI on BOT basis – a clause is to be inserted in the agreement. "The permitted Highway on which Licensee has been granted the right of lay cable / duct has also been granted as a right of way to the concessionaire under the concession agreement for up-gradation of (To) section from Km 120.680 to Km 121.680 of NH 500 on Build, Operate and Transfer Basis] and therefore, the licensee shall honour the same."		
9	Who will supervise the work of laying of Gas Pipeline	Indian Oil Adani Gas Pvt Limited ,Aligarh	
10	Who will ensure that the defects in road portion after laying of Gas Pipeline are corrected and if not corrected then what action will be taken.	PWD-NH, Moradabad	
11	Who will pay the claims for damages done / disruption in working of Concessionaire if asked by the Concessionaire as A	Indian Oil Adani Gas Pvt Limited	

Sr. No.	Item	Information / Status	Remarks
12	A certificate from PD that he will enter the proposed permission in the register of records of the permissions in the prescribed proforma (copy enclosed).		
13	If any previous approval is accorded for laying of underground Gas Pipeline then Photocopy of register of records of permissions accorded as maintained by PD then copy be enclosed		

For Indian Oil Adani Gas Pvt Limited

Alok Giri GA Head Associate Manager-IOAGPL Aligarh GA(CGD)

Gununder

परियोजना निदेशक/ Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highway Authority of India मुरादाबाद /Moradabad