

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

क्षेत्रीय कार्यालय-पश्चिम उ०प्र०, लखनऊ

Regional Office - West UP, Lucknow.

3/248, विशाल खण्ड, गोमती नगर, लखनऊ—226010 (उ.प्र.)

3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP)

दूरभाष / Phone : 0522-4960291

टेलीफैक्स / Fax : 0522-4950680 ई—मेल / E-mail : rowestup@nhai.org

rowestup@gmail.com

Date: 03.06.2021

वेबसाइट / Website : www.nhai.gov.in

19001/1/RO-W-UP/NH-27/UG/Adani Gas/NOC/738

Invitation of Public Comments

Sub: Permission for laying along the NH44 of NH-27/44 Raksha to Bijoli left side 8" Dia (200 mm) carbon steel pipeline for approx 13.480 km. (Ch.. 0+00 to Ch.13+480) & left side 8" Dia (200 mm) carbon steel pipeline along service road for approx. 0.350 (Ch.13+480 to Ch.13+830) and right side 8" Dia (200mm) carbon steel pipe line along service road for approx. 0.480 km. (Ch.13+480 to Ch.13+960) & across at Ch. 13+480 km. 0.060 in the State of Uttar Pradesh.

The Authorized Signatory M/s Adani Gas Ltd. has submitted the proposal for granting permission for laying along the NH44 of NH-27/44 Raksha to Bijoli left side 8" Dia (200 mm) carbon steel pipeline for approx 13.480 km. (Ch.. 0+00 to Ch.13+480) & left side 8" Dia (200 mm) carbon steel pipeline along service road for approx. 0.350 (Ch.13+480 to Ch.13+830) and right side 8" Dia (200mm) carbon steel pipe line along service road for approx. 0.480 km. (Ch.13+480 to Ch.13+960) & across at Ch. 13+480 km. 0.060 in the State of Uttar Pradesh.

- 2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/ 2015/5R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

The General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow-226 010

This is issues with the approval of RO-West (UP).

Encl: As above.

(A R Chitranshi)

DGM (T) For RO-West, UP

Copy to:

1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.

2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.

3. The Authorized Signatory, M/s Adani Gas Ltd., Jhansi for information.

4. The PD, PIU-Kanpur for information.

"Building a nation, not just Roads."

CHECK-LIST

Guidelines for Project Directors for processing the proposal for laying of Natural Gas CS pipeline in the land along National Highway No-44

Relevant Circulars

- 1. Ministry Circular No. NH-41 (58)/68 dated 31.01.1969
- 2. Ministry Circular No. NH-III/P66/76 dated 18/19.11.1976
- 3. Ministry Circular No. RW/NH-IIIP/66/76 dated 11.05.1985
- 4. Ministry Circular No. RW/NH-11037/86/DOI (ii) dated 28.07.1993
- 5. Ministry Circular No. RW/NH-11037/86/DOI dated 19.01.1995
- 6. Ministry Circular No. RW/NH-34066/2/95/S&R dated 25.10.1999
- 7. Ministry Circular No. RW/NH-330231/19/99-DOM-III dated 17.10.2003
- 8. Ministry Circular No. RW/NH-33044/29/2015/S&R® dated 22.11.2016

Check list for getting approval for laying of Natural Gas CS pipeline in the land Along National Highway No-44

Sr. No.	Item	Information/ Status	Remarks
1	General Information		
1.1	Name and Address of the Applicant / Agency	M/s Adani Gas Limited, Shop No. 3, Ground Floor, New Meridian, Gulmohar City Road, Behind New Collectorate Building, Gwalior, Madhya Pradesh-474011	
1.2	National Highway Number	NH- 44	
41.3	State	Utter Pradesh	
51.4	Location	Jhansi	
1.5	(Chainage in km)	AlongNH-44 1. Left Side km (Ch. 0+000 to Ch. 13+830) 2.Right Side km Ch. (13+480 to Ch. 13+960) Across NH- 44 1. Km Ch.13+480km.	
1.6	Length in Meters	Left Side Along NH-44 13.830km Right side Along NH-44 0.480km Across NH-44 0.060km	
1.7	Width of available ROW in both side		1
	(a) Right side from center line towards increasing chainage/km direction	22.5-30 Relation	ER (TECH
	Association	NHAI, Site	इट ऑफिस

Project Director

National Highways Authority of India

P.I.U., Kanpur

GAS LIBERTY OF THE PARTY OF THE

	(b) Left side from center line towards increasing chainage/km direction	22.5-30
1.8	Proposal to lay underground Natural CS & MDPE pipeline	NHAI
	(a) Right side from center line towards increasing chainage/km direction	22.5-30
	(b) Left side from center line towards increasing chainage/km direction	22.5-30
1.9	Proposal of acquire land	
	(a) Right side of center line	N.A.
	(b) Left side of center line	N.A.
1.10	Whether proposal in the same side where land is not to be acquired	NO acquisition of land required
	If not then where to lay the pipeline	Along & across the National High
1.11	Details of already laid services, if any, along the proposed route	
1.12	No of lanes (2/4/6/8)existing	4Lane
1.13	Proposed Number of lane (2 lanes with paved shoulder 4/6/8 lanes)	
1.14	Service road existing or not	
	If yes then which side	Yes
	(a) Left side from center line	Yes
	(b) Right side from center line	Yes
1.15	Proposed service road	
	(a)Left side from center line	
	(b) Right side from center line	
1.16	Whether proposal to lay gas pipeline is after the service road or between the service road main carriageway	After the service road
1.17	The Permission for laying of Gas pipeline shall be considered for approval / rejection based on the Ministry Circular mentioned as above.	
	(a) Carrying of Gas pipeline on Highway bridges shall not be permitted as gases pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of gas	N.A.
	(b) Carrying of gas pipelines on bridges shall also discouraged however if the gas supply authorities seem to have no other viable alternative and approach the highway authority well in time before the design of the bridge in	N.A. ग्रबंधक (तकनीकी) MANAGER (TECH.) भाराराग्रा, साइट ऑफिस डॉॉ

Project Director

National Highways Authority of India

P.I.U., Kanpur

NHAI, Site Office, Jhansi

finalized they may be permitted to carry		
the pipeline on independent super		
structure supported on extended		
portion of piers and abutments in such		
a manner that in the final arrangement		
enough free spade around the super		
structure of the bridge remains		
available for inspection and repairs etc.		
(c) Cost of required extension of the	N.A.	
substructure as well as that of the		
supporting super structure shall be		
borne by the agency-in-charge of the		
utilities.		
(d) Services are not being allowed	N.A.	
indiscriminately on the parapet /any		
part of the bridges, safety of the bridge has to be kept in view while permitting		
various services along bridge. Approvals to be accorded in this regard		
with the concurrence of the Ministry 's		
Projects Chief Engineers Only		
1.18 If Crossing of the road involved	YES	
If yes, it shall be either encased in pipes or	YES	
through structure or conduits specially built	120	
for that purpose at the expensed of the		
agency owing the line		
a) Existing drainage structures shall	YES	
not be allowed to carry the lines	VEO	
b) Is it on a line normal to NH	YES	
c) Crossings shall not be too near the existing structures on the national	YES	
highway, the minimum distance		
being 15 meter. What is the		
distance from the existing structures		
d) The casing pipe (or Conduit pipe in	YES	
the case of electric /OFC cable)	120	
carrying the utility line shall be of		
steel, case iron, or reinforced		
cement concrete and have		
adequate strength and be large		
enough to permit ready withdrawal		
of the carrier pipe/cable.		
e) Ends of the casing/conduit pipe	YES	
shall be sealed form the outside, so		
that it does not act as drainage path.		
f) The casing /conduit pipe should, as	YES	/
minimum extend from drain to drain	X	2
in cuts and toe of slope toe of slope	प्रबंधक त	1000
in the fills	MANAGE	(प्राका)
2004	אואו אופר	21111
	NHAI, Site O	ffice . Ihan
Association 3		eet augue

Project Director

National Highways Authority of India

P.I.U.,Kanpur

A LIMITED TO THE STATE OF THE S

	g) The top of the casing /conduit pipe should be at least 1.2 meter below the surface of the road subject to being at least 0.3 m below the drain inverts.	YES
	h) Crossing shall be by boring method (HDD) especially where the existing road pavement is of cement concrete or dense bituminous concrete type	YES
	i) The casing /conduit pipe shall be installed with an even bewaring throughout its length and in such a manner as to prevent the formation of a waterway along it.	YES
2	Document /Drawings enclosed with the proposal	YES
2.1	Cross section showing the size of trench for open trenching method (Is it normal size of 1.2 m deep x 0.3 wide)	N.A.
	I. Should be greater than 60Cm wider than outer diameter of the pipe	N.A.
	II. Located as close to the extreme edge of the right-of way as possible but not less than 15 meter from the centre-lines of the nearest carriageway.	N.A
	III. Shall not be permitted to run along the national Highways when the road formation is situated in double cutting. Nor shall these be laid over the existing culverts and bridges.	N.A.
	IV. These should be so laid that their top is least 0.6 meter below the ground level so as not to obstruct drainage of the road land.	N.A.
2.2	Cross section showing the size of pit and location of pipe for HDD method	Attached
2.3	Strips plan/Route Plan showing Gas Pipe line, Chain age, width of ROW, distance of proposed, cable from the edge of ROW, important mile stone, Intersections, cross drainage work etc.	Incorporated in the drawing
2.4	Methodology for laying of showing Gas pipe line	HDD
2.4.1	Open Trenching method. (May be allowed in utility corridor only where pavement is neither cement concrete nor dense	N.A. प्रबंधक (तकनीकी)
	1004	MANAGER (TECH

Project Director

National Highways Authority of India

Association

P.I.U., Kannur

MANAGER (TECH.) माराराप्रा, साइट ऑफिस झॉसी NHAI, Site Office, Jhanai

	tuminous concrete type. If yes, ethodology of refilling of trench.	
	a. The trench width should be at least 30 cm, but not more than 60 cm wider than the outer diameter of the pipe.	N.A
	b. For filling of the trench, Bedding shall be to a depth of not less than 30 cm. it shall consists of granular material free of lumps, clods and cobbles and graded to yield a firm surface without sudden change in the bearing value unsuitable soil and rock edged should be excavated and replaced by selected material.	N.A.
	c. The backfill shall be completed in two stages (i) side fill to the level of the top to the pipes and (ii) overfill to the bottom of the road crust.	N.A.
	d. The side fill shall consist of granular material laid in 15 cm layers each consolidated by mechanical tampering and controlled addition of moisture to 95% of the Proctor's Density. Over fill shall be compacted to the same density as the material that had been removed. Consolidation by saturation or pending will not be permitted	N.A.
	e. The road crust shall be built to the same strength as the existing crust on either side of the trench; care shall be taken to avoid the formation of a dip at the trench.	N.A.
	 f. The Excavation shall be protected by flagman, sings and barricades, and red lights during night hours 	N.A.
	 g. If required, a diversion shall be constructed at the expensed of agency owing the utility line 	N.A.
2.4.2 H	orizontal Directional drilling (HDD) Method	YES
2.4.3 La	aying of Gas Supply Pipe Line through CD orks and method of laying	YES
	a. On approaches, the water mains/cable shall be carried along a line as close to the edge of the right-of way as possible up-to a distance of 30 m from the bridge and subject	YES प्रबंधक (तकनीकी

Project Director

National Highways Authority of India

P.I.U., Kanpur

* Association *

JI GAS LIMETO



	this Ministry's guidelines issued with letter No. NH-HI/P66/76 dated 19.11.1976		
3	Draft License Agreement signed by two witness	YES	
4	Performance bank Guarantee in favor of NHAI has to be obtained @Rs100/- per running meter (parallel to NH) and Rs100000/-per crossing of NH, for a period of one year initially (extendable if required till satisfactory completion of work) as security for ensuring /making good the excavated trench for laying the cables /ducts by proper filling and compaction, clearing Debris /loose earth produced due to execution of trenching at least 50 m away from the edge of the right of way. No payment shall be payable by the NHAI to the licensee for clearing debris /loose earth.		
4.1	Performance BG as per above is to be obtained		
4.2	Confirmation of BG has been obtained as per NHAI Guidelines		
5	Affidavit/undertaking from the application	YES	
5.1	Not to Damage to other utility, If damaged then pay the losses either to NHAI or to the concerned agency	YES	
5.2	Renewal of Bank Guarantee		
5.3	Confirming all standard condition of NHAI'S guideline	YES	
5.4	Shifting of Gas Supply pipe line as and when required by NHAI at their own cost	YES	
5.5	Shifting due to 4 lining/widening of NH	YES	
5.6	Indemnity against all damages and claims clause (xxiv)	YES	
5.7	Traffic movement during laying of Gas supply pipe line to be managed by the applicant	YES	
5.8	If any claim is raised by the Concessionaire then the same has to be paid by the applicant	YES	
5.9	Prior approval of the NHAI shall be obtained before undertaking any work if installation, shifting or repairs, or alteration to the showing Gas Supply pipe line located in the National Highway right –or-ways.	YES	,
5.10	Expenditure, if any, incurred by NHAI for repairing any damage caused to the National Highway by the laying,	YES प्रबंधक MANAGE	(तकनीकी)
	2600	भागामा जान	The state of the s

Project Director

National Highways Authority of India

P.J.U., Kannur

माराराप्रा, साइट ऑफिस झॉसी NIAL Site Office, Jhansi

	maintenance or shifting of the Gas supply pipe line will be borne by the agency owing the line.	
5.11	If the NHAI considers it necessary in future to move the utility line for any work of improvement or repairs to the road, it will be carried out as desired by the NHAI at the cost of the agency owing the utility line within a reasonable time (not exceeding 60 days) of the intimation given.	YES
5.12	Certificate from the application in the following format	
	 i) Laying of Gas supply pipe line will not have any deleterious effects on any of the bridge components and road way safety for traffic. 	YES
	For 4- lining "We do undertake that I will relocate service road/approach road /utilities at my own cost notwithstanding the permission granted with such time as will be stipulated by NHAI " for future six-lining or any other development."	YES
6	Who will sign the agreement on behalf of	General Manager
7	gas supply pipe line agency?	Adani Gas Ltd.
7.1	Certificate from the Project Director	Attachad
1.1	1. Certificate for confirming of all standard condition issued vide Ministry circular no NH-41 (58)/68 dated 31.01.1969, Ministry circular no. RW/NH-III/P/66/76 dated 18/19.11.1976, Ministry Circular NO.RW/NH-1103/1/86-DOI (ii) Dated 28.07.1993. Ministry circular No. RW/NH- 34066/2/9 S&R dated 25.10.1999 and Ministry Circular No. RW/NH-330231/19/99 dated 17.10.2003. Ministry Circular No.RW/NH-33044/29/2015/S&R®	Attached
	dated 22.11.2016	

The above particular along with the drawing and documents has been verified and certified as correct as per prevailing site conditions.

Name designations & Signature of the

Authorized representative of applicant

Name designations & Signature of the concerned field authority of NHAI

ct Director

Notional Highways Authority of India P.I.U. Kannur

प्रबंधक (तकनीकी) MANAGER (TECH.) भाराराप्रा, साइट ऑफिस झासी NHAI, Site Office, Jhansi