

## भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)
National Highways Authority of India
(Ministry of Road Transport & Highways, Govt. of India)
क्षेत्रीय कार्यालय-पश्चिम उ०प्र०, लखनऊ
Regional Office - West UP, Lucknow.
3/248, विशाल खण्ड, गोमती नगर, लखनऊ—226010 (उ.प्र.)

3/248, Vishal Khand, Gomti Nagar, Lucknow-226010 (UP)

दूरभाष / Phone : 0522-4960291 टेलीफैक्स / Fax : 0522-4950680

ई—मेल / E-mail : rowestup@nhai.org

rowestup@gmail.com

Date: 08.06.2021

वेबसाइट / Website : www.nhai.gov.in

## 19001/1/RO-W-UP/NH-731/UG/Ch.255+380/NOC/760 Invitation of Public Comments

Sub: Unnao-Gorakhpur pipeline project (Lucknow-Spurline):- Request to granting permission for laying proposed 10.75" dia LPG pipeline along with OFC across NH-731 at NH Km.255+380 in Village Sahilabad, Tehsil Malihabad District Lucknow in the State of Uttar Pradesh.

The Authorized Signatory M/s IHB Pvt. Ltd. has submitted the proposal for granting permission for laying proposed 10.75" dia LPG pipeline along with OFC across NH-731 at NH Km.255+380 in Village Sahilabad, Tehsil Malihabad District Lucknow in the State of Uttar Pradesh.

- 2. As per the guidelines, issued by the Ministry vide OM No.RW/NH-33044/29/2015/ S&R(R) dated 22.11.2016, the application shall be put out in the public domain for 30 days for seeking claims and objections (on grounds of public inconvenience, safety and general public interest).
- 3. In view of the above, comments of the public on the above application is invited to the below mentioned address, which should reach by this office within 30 days from the date of publication beyond which no comments shall be entertained.

The General Manager cum Regional Officer, National Highways Authority of India Regional Office, UP-West, Lucknow 3/248, Vishal Khand, Gomti Nagar Lucknow-226 010

This is issues with the approval of RO-West (UP). **Encl:** As above.

Roopak Jain Dy. Manager (T) For RO-West, UP

## Copy to:

1. Web Admin, NHAI-HQ- with request for uploading on the NHAI website.

2. The Technical Director, NIC, Transport Bhawan, New Delhi- with request for uploading on the Ministry's website.

3. The Authorized Signatory, M/s IHB Pvt. Ltd., Lucknow for information.

4. The PD, PIU-Bareilly for information.

"Building a nation, not just Roads."

## **CHECK - LIST**

Guidelines for Project Directors for processing the proposal for laying of Gas Pipe Line in the land along National Expressway vested with NHAI.

Relevant circulars of Ministry of Road Transport and Highways

Circular No. NH-III/P/66/76 dated 18/19.11.1976

Circular No. RW/NH-III/P/66/76 dated 11.5.1982

Circular No. RW/NH-11037/1/86-DOI (ii)dated 28.7.1993

Circular No. RW/NH-11037/1/86/DOI dated 19.1.1995

Circular No. RW/NH-34066/2/95/ S&R dated 25.10.1999

Circular No. RW/NH-34066/7/2003 S&R (B) dated 17.9.2003

Circular No. RW/NH-33044/29/2015/S&R (R) dated 22.11.2016

Check list for getting approval for laying of Gas Pipe Line on NH land (To be filled by the PIU)

The permission for laying of Gas Pipe Line shall be considered for approval / rejection based on the Ministry Circulars mentioned as above,

Carrying of sewage/gas pipelines on highway Bridges shall not be permitted as Furmes/gases pipes can accelerate the process of corrosion or may cause explosions, thus, being much more injurious than leakage of water.

Services are not being allowed indiscriminately on the parapet/any part of the bridges, Safety of the bridges has to be kept in view while permitting various services along bridge.

Guidelines for processing the proposal for laying of utility line in the land along National Highways vested with NHAI/PWD/BRO.

enera	l Information			
1	Name and Address of the Applicant/Agency	IHB Private Limited, Central Construction Office, 1 <sup>st</sup> Floor, Vishwasheel Complex, B-2/6, Vibhuti Khand, Gomti Nagar, Lucknow-226010.		
2	National Highway Number	NH-731		
3	State	Uttar Pradesh		
4	Location	Between Km Stone No. 255 & 256 of NH-731 at N Km 255+380 in Village Sahilabad Tehsil Malihaba District Lucknow.		
5	Chainage in km	Crossing of NH-31 at NH Km 253+480		
6	Length in Meters	45.00 Meters		
7	Width of available ROW in both side	45.00 Meters		
8	(a) Left side from center line towards increasing chainage/ km direction	22.50 Meters		
0	(b) Right side from center line towards increasing chainage/ km direction	22.50 Meters		
9	Name of Highway authority of NHAI/PWD/BRO	National Highway Authority of India, PIU-Bareilly		
10	Highway Administration address	Project Director, NHAI, PIU - Bareilly, H No.26, Green Park, Near Bisalpur Road, Bareilly.		

गौरव सिंह / Gaurav Singh

गौरव सिंह / Gaurav Singh

परियोजना निदेशकिष्ठ प्रवस्थक (परियोजना) / 3r. Manager (Projects)

परियोजना निदेशकिष्ठ प्रवस्थक (परियोजना) / 3r. Manager (Projects)

परियोजना निदेशकिष्ठ प्रवस्थक (परियोजना) / 3r. Manager (Projects)

अर्थि स्वत्यीः प्रावस्थक (परियोजना) / 3r. Manager (Projects)

अर्थि स्वत्यीः प्रावस्थक (परियोजना) / 3r. Manager (Projects)

अर्थि स्वत्या (परियोजना) / 3r. Manager (Projects)

अर्थ स्वत्या (परियोजना) / 3r. Manager (परियोजना)

परियोजन, नगर्शन्वयन इकाई, बरेली

Sr. No.	Item	Measurement observation as per site condition	MoRTH Norms	Weather complying with MoRTH Norms (Y/N)
1	Details of already laid services, if any, along the proposed route	NA	Enclosed	-
2	Whether up-gradation of the stretch in near future is proposed or not	Not	- 1	-
	(a) If yes, provision of utility adversely affect the plan of up-gradation	Not applicable	No affect plan of up- gradation	-
3	Laying of the utility service along the N	ational Highways	s.	
3.1	Location of the proposed utility service along the stretch	Not applicable	NA	-
3.2	Depth of top of utility service from ground level	Not applicable	NA	-
3.3	Mechanism for crossing water channel	Not applicable	NA	-
3.4	Whether ROW is restricted in this stretch?	Not applicable	NA	-
3.4.1	If yes, whether provision of land acquisition is required to lay utility	Not applicable	NA	-
	(a) If yes, whether undertaking for land acquisition along will relevant L.A. Details has been furnished	Not applicable	NA	-
3.4.2	Width of concrete duct, if utility services are proposed to be laid in concrete ducts.	Not applicable	Not less than one lane	-
4	Laying utility services across to N.H.			+ 1000
4.1	Whether Existing drainage structures is allowed to carry the utility lines.	No	Not to be allowed	
4.2	Proposed crossing of utility service.	Liquefied Petroleum Gas Pipeline & OFC	Perpendicular to NH	Yes
4.3	Type of casing pipe/conduit carrying the utility line.	Yes	Steel, cast iron or reinforced cement concrete and have adequate strength	Yes.
4.4	Whether ends of the casing/conduit pipe are sealed from the outside.	Yes	NA	Yes
4.5	Length of casing/conduit pipe crossing N.H.	45.00 meters (Only Carrier	NA NA	Yes

उप प्रबन्धक (नक०) भारतीय राष्ट्रीय राजमार्गं प्राधिकरण परियोजना कार्यान्वयन इकाई, बरेली

आई.एच.बी. प्राइवेट लिमिटंड /IHB Private Ltd शेर्मीय निर्माण कार्यालय/Central Construction Office प्रथम राज. विश्ववील काम्यलेक्स श्री-2/8, विभृति खण्ड. गोमतीनगर, लखनळ—228010 1st Floor, Vishwasheel Complex Vishuti Khand Gomti Nagar, Lucknow-226010

ध परियोजना निदेशक भागीय राष्ट्रीय राजमार्ग प्राधिक भीक त्या कार्याच्याचा स्त्रार्थ स्रोसी विक

	Method)		
Depth of top of the casing/conduit pipe.	Min 1.5 m (Only Carrier pipe by HDD Method)	At least 1.2 m below the top of subgrade	Yes
Crossing method in case of CC pavement.	Trenchless method	(HDD)	Yes
Horizontal and vertical clearances in case utilities are allowed overhead.	NO	NO	-
Document/ Drawings enclosed with the	proposal.		
Cross-Section showing the size of trench for open trenching method	NA	NA	-
(a) Trench width	NA	· NA	
(b) Filling of trench	NA	As per Ministry guidelines vide letter No. RW/NH-34044/ 29/2015/S&R/ dated 22.11.2016	
(c) Location of trench	NA	Extreme edge of the ROW	-
Cross-Section showing the size of pit and location of conduit for HDD method	Drawing Enclosed	Enclosed, If applicable	Yes
Strip plan/ Route plan showing utility line, Chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.	Drawing Enclosed	Enclosed	Yes
Plan and profile drawing of stretch showing Cross-Section of road at 20 m distance along with ROW and Proposed utility.	NA	Enclosed	-
Methodology for laying of utility line	Enclosed	Enclosed	Yes
	Crossing method in case of CC pavement.  Horizontal and vertical clearances in case utilities are allowed overhead.  Document/ Drawings enclosed with the Cross-Section showing the size of trench for open trenching method  (a) Trench width  (b) Filling of trench  (c) Location of trench  Cross-Section showing the size of pit and location of conduit for HDD method  Strip plan/ Route plan showing utility line, Chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.  Plan and profile drawing of stretch showing Cross-Section of road at 20 m distance along with ROW and Proposed utility.	Depth of top of the casing/conduit pipe.  Depth of top of the casing/conduit pipe.  Crossing method in case of CC pavement.  Horizontal and vertical clearances in case utilities are allowed overhead.  Document/ Drawings enclosed with the proposal.  Cross-Section showing the size of trench for open trenching method  NA  (a) Trench width  NA  (b) Filling of trench  NA  Cross-Section showing the size of pit and location of conduit for HDD method  Strip plan/ Route plan showing utility line, Chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.  Plan and profile drawing of stretch showing Cross-Section of road at 20 m distance along with ROW and Proposed utility.	Depth of top of the casing/conduit pipe.  Depth of top of the casing/conduit pipe.  Depth of top of the casing/conduit pipe.  Crossing method in case of CC pavement.  Horizontal and vertical clearances in case utilities are allowed overhead.  NO NO  Document/ Drawings enclosed with the proposal.  Cross-Section showing the size of trench for open trenching method  NA NA  (a) Trench width  NA NA  As per Ministry guidelines vide letter No. RW/NH-34044/29/20115/SeR/ dated 22.11.2016  (b) Filling of trench  NA Extreme edge of the ROW  Cross-Section showing the size of pit and location of conduit for HDD method  Strip plan/ Route plan showing utility line, Chainage, width of ROW, distance of proposed utility from the edge of ROW, important mile stone, intersections, cross drainage works etc.  Plan and profile drawing of stretch showing Cross-Section of road at 20 m distance along with ROW and Proposed utility.

तुषारं सिंह

उप प्रबन्धक (नक०)

भारतीय राष्ट्रीय राजमाग प्राधिकरण परियोजना कार्यान्वयन इकाई, बरेली गौरव सिंह / Gaurav Singh वरिष्ठ प्रश्चक (परियोजना) / Sr. Manager (Projects) गई.एच.बी. प्राइवेट लिमिटेड / IHB Private Ltd न्द्रीय निर्माण कार्यालय / Central Construction Office प्रथम तल, विश्वशील काम्पलेक्स 1–2 / 8, विभूति खण्ड, गोमसीनगर, लखनऊ-226010 1st Floor, Vishwasheel Complex -2/8, Vibhuti Khand Gomti Nagar, Lucknow-226010

पुरियोजना निदेशक भाराय राष्ट्रीय राजमार्ग प्राधिः परिय ाना कार्यान्वयन इकाई, बरेली (उ

7	Draft license Agreement is as per Ministry guidelines vide letter No. RW/NH-34044/29/2015/S&R (R) dated 22.11.2016 and signed by two witnesses	Enclosed	Enclosed	Yes
8	License fees in favor of MoRTH RPAO Lucknow.	Will be submitted as and when informed by NHAI	As per Ministry vide circular no. RE/NH- 33044/29/2015/S&(R)dat ed 22.11.2016	Yes
9	Whether Bank Guarantee has been obtained	Will be submitted as and when informed by NHAI	As per Ministry vide circular no. RE/NH- 33044/29/2015/S&(R)dat ed 22.11.2016	Yes
	(a) If yes, whether Confirmation of BG has been obtained as per MoRTH/NHAI guidelines.	Will be submitted as and when informed by NHAI		Yes
10	Affidavit / Undertaking from the Applic	ant for the follo	owing is to be furnished	
0.1	Undertaking for not to Damage to other existing utility, if damaged then to pay the losses either to NHAI or to the concerned agency.	Enclosed	Enclosed	Yes
0.2	Undertaking for Renewal of Bank Guarantees and when asked by NHAI/MoRTH.	Enclosed	Enclosed	Yes
0.3	Undertaking for Confirming all standard condition of MoRTH/NHAI guidelines.	Enclosed	Enclosed	Yes
0.4	Undertaking for Shifting of utility as and when asked by MoRTH/ NHAI within a month at their own cost.	Enclosed	Enclosed	Yes
0.5	Undertaking for indemnity against all damages and claims	Enclosed	Enclosed	Yes
0.6	Undertaking for management of traffic movement during laying of utility line without hampering the traffic.	Enclosed	Enclosed	Yes
0.7	Undertaking that If any claim is raised by the Concessionaire/ contractor then	Enclosed	Enclosed	4 Ness

वरिष्ठ प्रवश्यक (पारपाणना)/ ठा. Malleger (पारपाणना)/ ठा. Malleger (पार्ड एच.बी. प्राइवेट किमिटेड/IHB Private Ltd ोन्दीय निर्माण कार्यालय/Central Construction Office प्रथम तल, विश्ववर्शील काम्यलेक्स 2/6, विश्वित खण्ड, गोमतीनगर, लखनऊ—226010 1st Floor, Vishwasheel Complex Vibhuti Khand Gonti Negar, Lucknow-226010

भार्गीय राष्ट्रीय राजमार्ग प्राधिकः परियं ना कार्यान्वयन इकाई, बरेली (उठा

जुर्जार सिंह उप प्रबन्धक (तक०) भार<sup>ित</sup> राष्ट्रीय राजमार्ग प्राधिकरण प्रा. ा कार्यान्वयन इकाई, बरेली

	the same has to be paid by the applicant.			
10.8	Undertaking that the applicant has obtained various safety clearances from the representative authorities such as directorate of Electricity, Chief controller of Explosives, Petroleum and Explosive Safety Organization, Oil Industry Safety Directorate, State/Central Pollution Control Board and any other statuary clearances applicable, before applying to Highway Administration.	Enclosed	Enclosed	Yes

The Right of the way (ROW) of the National Highway available at the proposed location from the center line of divided carriageway is 22.50 m at RHS and 22.50 m at LHS towards increasing chainage of NH (From center of ROW to edge of ROW towards proposed utility).

The above particulars along with the drawings and documents have been verified and certified as correct as per prevailing site conditions.

Verified by

Project Director, NHAI, PIU-Bareilly

परियोजना निदेशक भारतीय राष्ट्रीय राजमार्ग प्राधिकरण परियोजना कार्यान्वयन इकाई, बरेली (उ०प्र०)

गौरव सिंह / Gaurav Singh वरिष्ठ प्रबच्चक (परियोजना) / Sr. Manager (Projects) आई.एच.बी. प्राइवेट लिनिटेड / IHB Private Ltd निनीय निर्माण कार्यालय / Central Construction Office प्रथम तल. विश्वशील काम्यजेक्स १-2/6, विभूति खण्ड, गोमतीनगर, लखनऊ-226010 1st Floor, Vishwasheel Complex 2/6, Vibhuti Khand Gonti Nagar, Lucknow-226010

> तुषार सिंह उप प्रबन्धक (नक०)

भारतीय राष्ट्रीय राजमागं प्राधिकरण परियोजना कार्यान्वयन इकाई, बरेली